

SECTION 8 – SHIPPING AND DELIVERY DATA

TABLE OF CONTENTS

<u>SECTION</u>	<u>TITLE</u>	<u>PAGE</u>
8-1	INTRODUCTION	8-3
8-2	UPGRADE CATALOGS SHIPPING INFORMATION	8-4

8-1 INTRODUCTION

Domestic transportation for the upgrade will be via an air-ride moving van. Export transportation for overseas will be via air shipment in a pressurized cargo hold.

Note

The weight and dimension information is estimate only, actual shipment packaging configurations for a catalog may vary.

TABLE 8-1
LIST OF CATALOG TABLES AND PAGE NUMBER LOCATION

TABLE	TITLE	PAGE
8-2	CATALOG M1085KB, 50 HZ WATER CHILLER FOR GRADIENT COIL COOLING	8-4
8-3	CATALOG M1085KC, 60 HZ WATER CHILLER FOR GRADIENT COIL COOLING	8-4
8-4	CATALOG M1085KD, 1.5T 55 CM INTEGRATED BODY MODULE (CRM)	8-4
8-5	CATALOG M1085KF, 50/60 HZ MOBILE WATER-TO-WATER HEAT EXCHANGER FOR GRADIENT COIL COOLING	8-4
8-6	CATALOG M1090YL, SIGNA MR/i LCC MAGNET WIDEOPEN ENCLOSURE UPGRADE SITE COLLECTOR KIT	8-5
8-7	CATALOG M1090YN, SIGNA MR// TRUE MOBILE LCC MAGNET WIDEOPEN ENCLOSURE UPGRADE SITE COLLECTOR KIT	8-6
8-8	CATALOG M1090YW, LCC MAGNET WIDEOPEN ENCLOSURE UPGRADE KIT	8-6
8-9	CATALOG M1090YY, TRUE MOBILE LCC MAGNET WIDEOPEN ENCLOSURE UPGRADE KIT	8-7
8-10	CATALOG M1085RF, 1.5T RF COIL COMPATIBLE WITH WIDEOPEN ENCLOSURE	8-7
8-11	CATALOG M1085RG, SIGNA CV// 1.5T RF COIL COMPATIBLE WITH WIDEOPEN ENCLOSURE	8-7
8-12	CATALOG M1091YM, SIGNA CV// LCC MAGNET WIDEOPEN ENCLOSURE UPGRADE SITE COLLECTOR KIT	8-8
8-13	CATALOG M1885RF, 1.0T RF COIL COMPATIBLE WITH WIDEOPEN ENCLOSURE	8-8

8-2 UPGRADE CATALOGS SHIPPING INFORMATION

TABLE 8-2
CATALOG M1085KB, 50 HZ WATER CHILLER FOR GRADIENT COIL COOLING

MR COMPONENT	APPROXIMATE W x D x H in. (mm)	APPROXIMATE WEIGHT lbs (kg)	METHOD OF SHIPMENT
Fixed site Water Chiller, 50 Hz	29 x 42 x 33 (737 x 1067 x 838)	320 (154) dry weight	crate

TABLE 8-3
CATALOG M1085KC, 60 HZ WATER CHILLER FOR GRADIENT COIL COOLING

MR COMPONENT	APPROXIMATE W x D x H in. (mm)	APPROXIMATE WEIGHT lbs (kg)	METHOD OF SHIPMENT
Fixed site Water Chiller, 60 Hz	29 x 42 x 33 (737 x 1067 x 838)	320 (154) dry weight	crate

TABLE 8-4
CATALOG M1085KD, 1.5T 55 CM INTEGRATED BODY MODULE (CRM)

MR COMPONENT	APPROXIMATE W x D x H in. (mm)	APPROXIMATE WEIGHT lbs (kg)	METHOD OF SHIPMENT
CRM Body Coil Assembly	35 x 84 x 39.5 (889 x 2134 x 1004)	2625 (1193)	cradle

TABLE 8-5
CATALOG M1085KF, 50/60 HZ MOBILE WATER-TO-WATER HEAT EXCHANGER FOR GRADIENT COIL COOLING

MR COMPONENT	APPROXIMATE W x D x H in. (mm)	APPROXIMATE WEIGHT lbs (kg)	METHOD OF SHIPMENT
Mobile Water Chiller, 60 Hz	24 x 24 x 30 (610 x 610 x 762)	100 (45) dry weight	box on skid

8-2 UPGRADE CATALOGS SHIPPING INFORMATION (Continued)

TABLE 8-6
CATALOG M1090YL, SIGNA MR/i LCC MAGNET WIDOPEN ENCLOSURE UPGRADE SITE COLLECTOR KIT

MR COMPONENT	APPROXIMATE W x D x H in. (mm)	APPROXIMATE WEIGHT lbs (kg)	METHOD OF SHIPMENT
Technical Publications	12 x 21 x 12 (305 x 533 x 305)	20 (9)	box
Left/right Trim Cover Assembly	37 x 52 x 22 (940 x 1321 x 102)	125 (57)	box on skid
Rear Pedestal Assembly	23 x 49 x 32 (584 x 1245 x 813)	65 (30)	box
Pedstal Cover Kit	30 x 45 x 12 (762 x 1143 x 305)	50 (23)	box
Bridge	24 x 161 x 10 (610 x 4090 x 254)	125 (57)	box
Dock Control Box, Bore Light Assembly, Cable	18 x 45 x 11 (457 x 1143 x 279)	30 (14)	box
Top Front & Top Rear Cover Kits	55 x 45 x 40 (1397 x 1143 x 1016)	150 (68)	2 boxes strapped to skid
Dock Cover Kit	30 x 14 x 8 (762 x 356 x 203)	50 (23)	box
PAC/SRI Platform Assembly, PAC I/F Assembly	18 x 45 x 12 (457 x 1143 x 305)	40 (18)	box
Coolant	16 x 16 x 14 (406 x 406 x 356)	60 (27)	box
Coolant	16 x 16 x 14 (406 x 406 x 356)	60 (27)	box
Water Chiller power cable/circuit breaker	16 x 16 x 16 (406 x 406 x 406)	50 (23)	box
Front Cover Cart Assembly for return of old cover/endbell	36 x 106 x 57 (914 x 2693 x 1448)	100 (45)	cart
Rear Cover Cart Assembly for return of old cover/endbell	36 x 106 x 57 (914 x 2693 x 1448)	100 (45)	cart
Container for draining coil coolant	18x 18 x 24 (457 x 457 x 610)	60 (27)	box

8-2 UPGRADE CATALOGS SHIPPING INFORMATION (Continued)

TABLE 8-7
CATALOG M1090YN, SIGNA MR/i TRUE MOBILE LCC MAGNET WIDOPEN ENCLOSURE UPGRADE SITE COLLECTOR KIT

MR COMPONENT	APPROXIMATE W x D x H in. (mm)	APPROXIMATE WEIGHT lbs (kg)	METHOD OF SHIPMENT
Technical Publications	12 x 21 x 12 (305 x 533 x 305)	20 (9)	box
Left/right Trim Cover Assembly	37 x 52 x 22 (940 x 1321 x 102)	125 (57)	box on skid
Rear Pedestal Assembly	23 x 49 x 32 (584 x 1245 x 813)	65 (30)	box
Pedstal Cover Kit	30 x 45 x 12 (762 x 1143 x 305)	50 (23)	box
Bridge	24 x 161 x 10 (610 x 4090 x 254)	125 (57)	box
Dock Control Box, Bore Light Assembly, Cable	18 x 45 x 11 (457 x 1143 x 279)	30 (14)	box
Top Front & Top Rear Cover Kits	55 x 45 x 40 (1397 x 1143 x 1016)	150 (68)	2 boxes strapped to skid
Dock Cover Kit	30 x 14 x 8 (762 x 356 x 203)	50 (23)	box
PAC/SRI Platform Assembly, PAC I/F Assembly	18 x 45 x 12 (457 x 1143 x 305)	40 (18)	box
Coolant	16 x 16 x 14 (406 x 406 x 356)	60 (27)	box
Coolant	16 x 16 x 14 (406 x 406 x 356)	60 (27)	box
Water Chiller power cable/circuit breaker	16 x 16 x 16 (406 x 406 x 406)	50 (23)	box
Front Cover Cart Assembly for return of old cover/endbell	36 x 106 x 57 (914 x 2693 x 1448)	100 (45)	cart
Rear Cover Cart Assembly for return of old cover/endbell	36 x 106 x 57 (914 x 2693 x 1448)	100 (45)	cart
Container for draining coil coolant	18x 18 x 24 (457 x 457 x 610)	60 (27)	box

TABLE 8-8
CATALOG M1090YW, LCC MAGNET WIDOPEN ENCLOSURE UPGRADE KIT

MR COMPONENT	APPROXIMATE W x D x H in. (mm)	APPROXIMATE WEIGHT lbs (kg)	METHOD OF SHIPMENT
Front Endbell (Box 1)	70 x 67 x 32 (1778 x 1702 x 813)	90 (41)	See Note 1 below
Side Wrap (Box 2)	77 x 54 x 1.5 (1956 x 1372 x 38)	35 (16)	See Note 1 below
Miscellaneous Parts (Box 3)	67 x 17 x 15 (1702 x 432 x 381)	65 (30)	See Note 1 below
Rear Endbell (Box 4)	70 x 67 x 32 (1778 x 1702 x 813)	100 (45)	See Note 2 below
Side Wrap (Box 5)	53 x 54 x 1.5 (1346 x 1372 x 38)	30 (14)	See Note 2 below
4 Arc Covers (Box 6)	87 x 40 x 38 (2210 x 1016 x 965)	90 (41)	Box on pallet total weight 165 lbs (75 kg)
Note 1 Boxes 1, 2, and 3 are shipped stacked/strapped on one pallet with total height 48.5 in. (1232 mm) and weight 270 lbs (123 kg). 2 Boxes 4 and 5 are shipped stacked/strapped on one pallet with total height 33.5 in. (851 mm) and weight 210 lbs (96 kg).			

8-2 UPGRADE CATALOGS SHIPPING INFORMATION (Continued)

TABLE 8-9
CATALOG M1090YY, TRUE MOBILE LCC MAGNET WIDEOPEN ENCLOSURE UPGRADE KIT

MR COMPONENT	APPROXIMATE W x D x H in. (mm)	APPROXIMATE WEIGHT lbs (kg)	METHOD OF SHIPMENT
Front Endbell (Box 1)	70 x 67 x 32 (1778 x 1702 x 813)	90 (41)	See Note 1 below
Miscellaneous Parts (Box 3)	67 x 17 x 15 (1702 x 432 x 381)	65 (30)	See Note 1 below
Rear Endbell (Box 4)	70 x 67 x 32 (1778 x 1702 x 813)	100 (45)	Box on pallet total weight 180 lbs (82 kg)
2 Arc Covers (Box 6)	87 x 40 x 38 (2210 x 1016 x 965)	50 (23)	Box on pallet total weight 125 lbs (57 kg)
Note 1 Boxes 1 and 3 are shipped stacked/strapped on one pallet with total height 47 in. (1194 mm) and weight 275 lbs (125 kg).			

TABLE 8-10
CATALOG M1085RF, 1.5T RF COIL COMPATIBLE WITH WIDEOPEN ENCLOSURE

MR COMPONENT	APPROXIMATE W x D x H in. (mm)	APPROXIMATE WEIGHT lbs (kg)	METHOD OF SHIPMENT
RF Coil in shipping case	36 x 36 x 75.5 (914 x 914 x 1918)	275 (125)	Case strapped to pallet. See Note 1 below.
Note 1 RF Coil Case has wheels and handles for ease moving after removal from pallet. Dimensions of RF Coil Case without pallet are 34 x 34 x 71.5 (864 x 864 x 1816).			

TABLE 8-11
CATALOG M1085RG, SIGNA CV/i 1.5T RF COIL COMPATIBLE WITH WIDEOPEN ENCLOSURE

MR COMPONENT	APPROXIMATE W x D x H in. (mm)	APPROXIMATE WEIGHT lbs (kg)	METHOD OF SHIPMENT
RF Coil in shipping case	34 x 34 x 62.625 (864 x 864 x 1591)	275 (125)	Case strapped to pallet. See Note 1 below.
Note 1 RF Coil Case has wheels and handles for ease moving after removal from pallet. Dimensions of RF Coil Case without pallet are 32 x 32 x 58.625 (864 x 864 x 1489).			

8-2 UPGRADE CATALOGS SHIPPING INFORMATION (Continued)

TABLE 8-12
CATALOG M1091YM, SIGNA CV/i LCC MAGNET WIDEOPEN ENCLOSURE UPGRADE SITE COLLECTOR KIT

MR COMPONENT	APPROXIMATE W x D x H in. (mm)	APPROXIMATE WEIGHT lbs (kg)	METHOD OF SHIPMENT
Technical Publications	12 x 21 x 12 (305 x 533 x 305)	20 (9)	box
Left/right Trim Cover Assembly	37 x 52 x 22 (940 x 1321 x 102)	125 (57)	box on skid
Rear Pedestal Assembly	23 x 49 x 32 (584 x 1245 x 813)	65 (30)	box
Pedstal Cover Kit	30 x 45 x 12 (762 x 1143 x 305)	50 (23)	box
Bridge	24 x 161 x 10 (610 x 4090 x 254)	125 (57)	box
Dock Control Box, Bore Light Assembly, Cable	18 x 45 x 11 (457 x 1143 x 279)	30 (14)	box
Top Front & Top Rear Cover Kits	55 x 45 x 40 (1397 x 1143 x 1016)	150 (68)	2 boxes strapped to skid
Dock Cover Kit	30 x 14 x 8 (762 x 356 x 203)	50 (23)	box
PAC/SRI Platform Assembly, PAC I/F Assembly	18 x 45 x 12 (457 x 1143 x 305)	40 (18)	box
Coolant	16 x 16 x 14 (406 x 406 x 356)	60 (27)	box
Coolant	16 x 16 x 14 (406 x 406 x 356)	60 (27)	box
Water Chiller power cable/circuit breaker	16 x 16 x 16 (406 x 406 x 406)	50 (23)	box
Front Cover Cart Assembly for return of old cover/endbell	36 x 106 x 57 (914 x 2693 x 1448)	100 (45)	cart
Rear Cover Cart Assembly for return of old cover/endbell	36 x 106 x 57 (914 x 2693 x 1448)	100 (45)	cart
Container for draining coil coolant	18x 18 x 24 (457 x 457 x 610)	60 (27)	box
Signa CV/i RF Coil in shipping case	38 x 38 x 77 (965 x 965 x 1956)	275 (125)	Case strapped to pallet. See Note 1 below.
Note 1 RF Coil Case has wheels and handles for ease moving after removal from pallet. Dimensions of RF Coil Case without pallet are 34 x 34 x 73 (864 x 864 x 1854).			

TABLE 8-13
CATALOG M1885RF, 1.0T RF COIL COMPATIBLE WITH WIDEOPEN ENCLOSURE

MR COMPONENT	APPROXIMATE W x D x H in. (mm)	APPROXIMATE WEIGHT lbs (kg)	METHOD OF SHIPMENT
RF Coil in shipping case	36 x 36 x 75.5 (914 x 914 x 1918)	275 (125)	Case strapped to pallet. See Note 1 below.
Note 1 RF Coil Case has wheels and handles for ease moving after removal from pallet. Dimensions of RF Coil Case without pallet are 34 x 34 x 71.5 (864 x 864 x 1816).			