

TABLE OF CONTENTS


table of contents	1
1- Component Locations	2
1-1 System Support Module (SSM)	2
1-2 Front SSM Detail	3
1-3 Rear SSM	3
1-4 Rear SSM Connector Descriptions	4
1-5 Quad Directional Coupler	5
1-6 1.5T RF Amp Processor and High Voltage Cavities	6
1-7 1.5T RF Amp Motor, HV, PA, and IPA (VTAC) Cavities	7
1-8 1.5T RF Amp PA Cavity Detail	8
1-9 1.5T RF Amp IPA Cavity Detail	9
1-10 1.0T RF Amp Processor and HV Cavities	10
1-11 1.0T RF Amp Motor, HV, and PA Cavities	11
1-12 1.0T RF Amp PA Cavity Detail	12
2- Interconnects	13
2-1 RF/PEN II Cabinet Interconnects	13
2-2 System Support Module Interconnects	14
revision history	15

Description - This section applies to Signa systems installed with the 1.0T and 1.5T RF/PEN II cabinet.

1- COMPONENT LOCATIONS

1-1 System Support Module (SSM)


See Illustration 1-1.



SSM COMPONENT LOCATIONS
ILLUSTRATION 1-1

1-2 Front SSM Detail


See Illustration 1-2.



FRONT SSM LOCATIONS DETAIL
ILLUSTRATION 1-2

1-3 Rear SSM

See Illustration 1-3.



REAR SSM LOCATION
ILLUSTRATION 1-3

1-4 Rear SSM Connector Descriptions


See Table 1-1.

TABLE 1-1
REAR SSM CONNECTOR DESCRIPTIONS

CONNECTOR	DESCRIPTION	CONNECTOR	DESCRIPTION
J110	BODY IN A	CB4	SYSTEM SUPPORT MODULE MAIN
J108	HEAD IN A	P1	AC IN
J107	BODY IN B	J35	PAC
J106	HEAD IN A	J40	SRI
J104	SPECTRO RF OUT	J32	TTL
J103	EFB RF OUT	J41	LONGITUDINAL AMP
J102	SPECTRO IN B	J36	DOCK
J101	SPECTRO IN A	J34	BORE LIGHT
J43	BODY 2	J31	PATIENT ALIGNMENT LIGHT
J44	DD	J37	BORE VENT FAN
J42	BODY 1	J47	GRADIENT FAN
J407	T/R BIAS SPECTRO	J3	RF IN
J408	T/R BIAS BODY	J46	SERIAL PORT
J409	T/R BIAS HEAD	J5	UNBLANK ENABLE
J501	NB SERIAL PORT	J20	MULTICOIL SIGNALS
J503	RF MON	J22	MULTICOIL SELECT
J504	PCM	J18	MC TR BIAS
J507	SPECTRO	J2	HEAD/BODY DIRECTIONAL COUPLER OUTPUT
CB1	BORE VENT	RX	MDS RECEIVE
CB2	GRADIENT FAN	TX	MDS TRANSMIT
CB3	DUPLEX OUT		

1-5 Quad Directional Coupler


See Illustration 1-4.



QUAD DIRECTIONAL COUPLER LOCATION
ILLUSTRATION 1-4

1-6 1.5T RF Amp Processor and High Voltage Cavities


See Illustration 1-5.



RF AMPLIFIER (1.5T) COMPONENT LOCATIONS/PROCESSOR AND HIGH VOLTAGE CAVITIES
ILLUSTRATION 1-5

1-7 1.5T RF Amp Motor, HV, PA, and IPA (VTAC) Cavities


See Illustration 1-6.



RF AMPLIFIER (1.5T) COMPONENT LOCATIONS/MOTOR, HIGH VOLTAGE, PA, AND IPA (VTAC)
ILLUSTRATION 1-6

1-8 1.5T RF Amp PA Cavity Detail


See Illustration 1-7.



RF AMPLIFIER (1.5T) COMPONENT LOCATIONS/PA CAVITY DETAIL
ILLUSTRATION 1-7

1-9 1.5T RF Amp IPA Cavity Detail


See Illustration 1-8.



RF AMPLIFIER (1.5T) COMPONENT LOCATIONS/IPA CAVITY DETAIL
ILLUSTRATION 1-8

1-10 1.0T RF Amp Processor and HV Cavities


See Illustration 1-9.



RF AMPLIFIER (1.0T) COMPONENT LOCATIONS/PROCESSOR AND HIGH VOLTAGE CAVITIES
ILLUSTRATION 1-9

1-11 1.0T RF Amp Motor, HV, and PA Cavities


See Illustration 1-10.



RF AMPLIFIER (1.0T) COMPONENT LOCATION/MOTOR, HIGH VOLTAGE, AND PA CAVITIES
ILLUSTRATION 1-10

1-12 1.0T RF Amp PA Cavity Detail

See Illustration 1-11.




RF AMPLIFIER (1.0T) COMPONENT LOCATIONS/PA CAVITY DETAIL
ILLUSTRATION 1-11

2- INTERCONNECTS


2-1 RF/PEN II Cabinet Interconnects

See Illustration 2-1 (or Illustration 2-2 for the spectroscopy option)



RF/PEN II CABINET INTERCONNECTS


ILLUSTRATION 2-1



RF/PEN II CABINET INTERCONNECTS - SPECTROSCOPY OPTION
ILLUSTRATION 2-2

2-2 System Support Module Interconnects

See Illustration 2-3.



SYSTEM SUPPORT MODULE INTERCONNECTS

ILLUSTRATION 2-3

REVISION HISTORY

REV	DATE	AUTHOR	PRIMARY REASONS FOR CHANGE
0	June 15, 1998	Erbtec Engineering	Initial Toolbook conversion to Word. (KK)
1	July 23, 1999	Bob Schmidt	ILLUSTRATION 2-1 CABINET INTERCONNECTS A1 and A2 were reversed, updated positions.