

---

# **Chapter 5**

## **CONSOLE**

---

Section 1.0 : All-in-one console assembly for BSD delight power 16 (2377708-560), Page376.

Section 2.0 : GOC4 - 16slice MDAS & GDAS with xw8200, 1IG and Ethernet Switch (2377708-120), Page402.

Section 3.0 : GOC4 - 16Slice MDAS & GDAS with xw8200, 1IG and Ethernet Switch, JARRELL (2377708-520), Page421.

Section 4.0 : LCGOC - 4/8 slice MDAS & GDAS with xw8200, Ethernet Switch (5377708-120), Page433.

Section 5.0 : LCGOC - 4/8 Slice MDAS & GDAS with xw8200, Ethernet Switch, JARRELL (5377708-520), Page447.

Section 6.0 : Sigle Piece Desktop Kit for Freedom Workspace (5166834), Page461.

Section 7.0 : Freedom Workspace Side by Side Kit (5166569), Page463.

Section 8.0 : Associated Items, Page467.

Section 9.0 : Options, Page476.

Section 1.0 — All-in-one console assembly for BSD delight power 16 (2377708-560)

FRU = NO

| MARK | NUMBER      | QTY | FRU CODE | DESCRIPTION/NAME                        |
|------|-------------|-----|----------|-----------------------------------------|
| 2    | 2337414     | 2.0 | Yes      | DVD RAM MEDIA, 9.4 GB                   |
| 3    | 2368697-2   | 1.0 | Yes      | LINUX DDR WORKSTATION 3BUTTON PS2 MOUSE |
| 1    | 5378862-560 | 1.0 | No       | AIO in one console for BSD delight      |
| 4    | 5317249     | 1.0 | No       | AIO console for BSD Power 16            |

Table 5-1 All-in-one console assembly for BSD delight power 16 (2377708-560 BOM, Rev 3)

1.1 All-In-One Console (5378862-560)

FRU = NO





Figure 5-1 All-In-One Console (5378862-560ADW, Sheet1, Rev 1)

**Figure 5-2 All-In-One Console (5378862-560ADW, Sheet2, Rev1)**





**Figure 5-3 All-In-One Console (5378862-560ADW, Sheet3, Rev1)**



| MARK | NUMBER       | QTY  | FRU CODE | DESCRIPTION/NAME                                                                                                                                                                                                                                               |
|------|--------------|------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1    | 5165396-2    | 1.0  | No       | FWS GOC4 chassis,make parts.                                                                                                                                                                                                                                   |
| 2    | 5310601      | 1.0  | No       | Host Computer Assembly                                                                                                                                                                                                                                         |
| 3    | 5309829      | 2.0  | No       | Host Bracket                                                                                                                                                                                                                                                   |
| 5    | 2404320-2    | 1.0  | Yes      | CONSOLE INTERCOM PRESCRIBED-TILT HUB                                                                                                                                                                                                                           |
| 6    | 5116391-2    | 1.0  | Yes      | SCSI Tower ASSY                                                                                                                                                                                                                                                |
| 7    | 5115334      | 1.0  | Yes      | Switch, Ethernet 8-port GBe                                                                                                                                                                                                                                    |
| 8    | N9501WS      | 4.0  | Yes      | WASHER PLAIN - LARGE 5.3 MM 10 MM WASHER M5                                                                                                                                                                                                                    |
| 9    | 46-313575P3  | 4.0  | Yes      | HIGH COLLAR LOCK WASHER FOR M5 SCREW                                                                                                                                                                                                                           |
| 11   | 5128181      | 1.0  | Yes      | Cover Assy - Console Front                                                                                                                                                                                                                                     |
| 13   | 2304737-2    | 2.0  | Yes      | CABLE, DVI VIDEO CABLE - OCTANE II                                                                                                                                                                                                                             |
| 14   | 2366442-27   | 2.0  | No       | BRACKET, RACK MOUNT HOST COMPUTER                                                                                                                                                                                                                              |
| 17   | 2324697-3    | 1.0  | Yes      | SCSI cable assembly                                                                                                                                                                                                                                            |
| 19   | 5127222-2    | 1.0  | Yes      | Cable, Ethernet, 2ft Lg - CAT5e, 4 twisted pair, 24awg solid copper, Shielded - aluminized polyester and tinned copper, gray PVC jacket, snagless PVC boot, Plugs - UL94V-0 rated polycarbonate with metallic strain relief, EIA-TIA568, UL listed, CMR rated, |
| 25   | 46-136246P14 | 60.0 | Yes      | 2~ WIDE, WHT, ADH BACK, VELCRO LOOP 25 YD                                                                                                                                                                                                                      |
| 26   | 46-136246P21 | 60.0 | Yes      | 2~ WIDE X 25 YD WHITE VELCRO HOOKS                                                                                                                                                                                                                             |
| 27   | 46-208781P2  | 4.0  | Yes      | WRITE-ON LABEL FOR MARKING CABLES WHITE ADHESIVE BACKED 0.75~ X 1.90~. UNMARKED, 2,500 PC FAN-FOLD SHEETS (FULL SIZE = 1.9~ X 3.15~.)                                                                                                                          |
| 28   | 5133331      | 1.0  | No       | ETL Label for OC                                                                                                                                                                                                                                               |
| 29   | 2117390-2    | 1.0  | Yes      | CE Compliance and WEEE Labels                                                                                                                                                                                                                                  |
| 30   | 2132620      | 1.0  | Yes      | EMC LABEL CLASS A GROUP 1                                                                                                                                                                                                                                      |
| 33   | 2240540      | 1.0  | No       | NETSCAPE LICENSE                                                                                                                                                                                                                                               |
| 41   | 46-312358P51 | 8.0  | No       | M5 X 0.8 X 12MM METRIC FREEDRIV ZINC PLATED CROSS RECESSED PAN HEAD MACHINE SCREW                                                                                                                                                                              |
| 42   | 2103585-2    | 4.0  | Yes      | SCREW PAN HEAD 4 MM 10 MM SPRING WASHER, ZINC PLATED, STEEL                                                                                                                                                                                                    |

Table 5-2 All-In-One Console (5378862-560 BOM, Rev 2)

| MARK | NUMBER      | QTY | FRU CODE | DESCRIPTION/NAME                                                                                             |
|------|-------------|-----|----------|--------------------------------------------------------------------------------------------------------------|
| 43   | 46-208758P2 | 5.0 | Yes      | 5.5~ X .140~ SELF-LOCKING CABLE TIE. 1/16~ TO 1-1/4~ WIRE BUNDLE RANGE. 30LB TENSILE STRENGTH, NYLON MATR~L. |
| 44   | 46-208747P1 | 1.0 | Yes      | ADHESIVE MOUNT - CABLE TIE PANDUIT CORP, ABMM-A(STYLE A)                                                     |
| 45   | 5194414-2   | 1.0 | No       | Cable Labels for GRE                                                                                         |
| 46   | 2385779     | 2.0 | No       | PANEL - COVER                                                                                                |
| 47   | 46-208758P3 | 2.0 | Yes      | 7.31~ X .184~ SELF-LOCKING CABLE TIE 1/16~ TO 1-3/4~ WIRE BUNDLE RANGE. 50LB TENSILE STRENGTH, NYLON MATR~L. |

Table 5-2 All-In-One Console (5378862-560 BOM, Rev 2)

### 1.1.1 FWS GOC4 CHASSIS ASSEMBLY (5165396-2)

FRU = NO




Figure 5-5 FWS GOC4 chassis Assembly (5165396-2ADW, refer to 5165396 ADW, Sheet1, Rev3)

| MARK | NUMBER      | QTY  | FRU CODE | DESCRIPTION/NAME                                                                                                                                                                                      |
|------|-------------|------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1    | 5164805-2   | 1.0  | No       | FWS GOC4 chassis from supplier, buy parts.                                                                                                                                                            |
| 2    | 5160898     | 1.0  | Yes      | SubAssy, GRE Console Rear Bulkhead                                                                                                                                                                    |
| 3    | 2315117     | 1.0  | Yes      | CABLE, PS/2 MOUSE CABLE, LINUX                                                                                                                                                                        |
| 4    | 2315117-2   | 1.0  | Yes      | CABLE, PS/2 KEYBOARD CABLE, LINUX                                                                                                                                                                     |
| 5    | 5123478     | 1.0  | Yes      | Cable, USB Bulkhead, USB-Af to USB-Am x 3ft Lg                                                                                                                                                        |
| 6    | 46-328421P3 | 6.0  | Yes      | SCREW PAN HEAD 2.5 MM 5 MM ZINC PLATED, STEEL                                                                                                                                                         |
| 7    | 2142225     | 4.0  | Yes      | MONITOR POWER CORD                                                                                                                                                                                    |
| 8    | 2142226     | 5.0  | Yes      | POWER CORD FOR EMC AREA                                                                                                                                                                               |
| 9    | 5124071     | 4.0  | Yes      | Fan, Tube Axial - 115VAC, 50-60Hz, 119mm x 119mm x 25mm x 95-115cfm, ball bearing motor - Sinwan S125AP-11-1                                                                                          |
| 10   | 5162696     | 1.0  | No       | GOC4 Outlet Box Assy                                                                                                                                                                                  |
| 11   | 2385780     | 1.0  | No       | TABLE TOP ASSEMBLY, MONITOR                                                                                                                                                                           |
| 13   | 46-208758P3 | 22.0 | Yes      | 7.31~ X .184~ SELF-LOCKING CABLE TIE 1/16~ TO 1-3/4~ WIRE BUNDLE RANGE. 50LB TENSILE STRENGTH, NYLON MATR~L.                                                                                          |
| 14   | 2103585     | 19.0 | Yes      | SCREW PAN HEAD 4 MM 8 MM SPRING WASHER, ZINC PLATED, STEEL                                                                                                                                            |
| 15   | 46-328431P2 | 8.0  | Yes      | WASHER PLAIN - LARGE 6.4 MM 18 MM ZINC PLATED, STEEL                                                                                                                                                  |
| 16   | 2109881-3   | 8.0  | Yes      | WASHER LOCK - INTERNAL 6.4 MM 11 MM                                                                                                                                                                   |
| 17   | 2337083-2   | 8.0  | No       | SCREW, M6 X 20 SOC HEAD, 12.9 CLASS                                                                                                                                                                   |
| 20   | 46-221417P4 | 2.0  | Yes      | FEMALE SCREWLOCKS FOR HD CONNECTORS. 4-40 THREAD, 0.470 OVERALL LENGTH YELLOW CHROMATE, TWO PER KIT. 0.312 BOTTOM, 0.094 PANEL THK. MAX KIT INCLUDES NUTS AND WASHERS See drawing for approved vendor |
| 21   | 46-208747P1 | 1.0  | Yes      | ADHESIVE MOUNT - CABLE TIE PANDUIT CORP, ABMM-A(STYLE A)                                                                                                                                              |
| 22   | 2150839     | 1.0  | No       | CAUTION RECEPTACLES NOT FOR GEN USE                                                                                                                                                                   |
| 23   | 46-328431P1 | 10.0 | Yes      | WASHER PLAIN - LARGE 4.3 MM 12 MM ZINC PLATED, STEEL                                                                                                                                                  |
| 25   | 5114923-2   | 1.0  | No       | Bracket, ICOM Lower                                                                                                                                                                                   |
| 26   | 5114924-2   | 1.0  | No       | Bracket, ICOM Upper                                                                                                                                                                                   |
| 27   | 5122710     | 2.0  | No       | M4 Tapped Hole Speed Nut                                                                                                                                                                              |
| 28   | 46-328417P5 | 2.0  | Yes      | SCREW HEXAGON SOCKET 4 MM 16 MM ZINC PLATED, STEEL                                                                                                                                                    |

Table 5-3 FWS GOC4 chassis Assembly (5165396-2 BOM, Rev 1)

| MARK | NUMBER       | QTY  | FRU CODE | DESCRIPTION/NAME                                                                   |
|------|--------------|------|----------|------------------------------------------------------------------------------------|
| 29   | 46-272301P11 | 4.0  | Yes      | FAN ACCESSORIES FINGER GUARD PAPST LZ30                                            |
| 30   | 5127629      | 1.0  | Yes      | Cable Assy - Exhaust Fan Power                                                     |
| 31   | 2381089-3    | 16.0 | Yes      | SCREW, SS NYLOCK HEX NUT, M4                                                       |
| 32   | 46-328430P2  | 16.0 | Yes      | WASHER PLAIN - NORMAL 4.3 MM 9 MM ZINC PLATED, STEEL                               |
| 33   | 46-312358P44 | 16.0 | Yes      | M4 X 0.7 X 35MM METRIC FREEDRIV ZINC PLATED CROSS RECESSED PAN HEAD MACHINE SCREW  |
| 34   | 5128406      | 1.0  | Yes      | Assy, ICOM cable harness for GOC4                                                  |
| 37   | 46-170686P3  | 0.0  | Yes      | LOCTITE 242, 50CC 12 MONTH SHELF LIFE FROM DATE OF SHIPMENT FROM THE MANUFACTURER. |
| 38   | 5166489      | 1.0  | No       | GOC4 chassis label                                                                 |

Table 5-3 FWS GOC4 chassis Assembly (5165396-2 BOM, Rev 1)

1.1.1.1 FWS GOC4 CHASSIS (5164805-2)

FRU = NO




Figure 5-6 FWS GOC4 chassis (5164805-2ADW, Sheet1, Rev2)



| MARK | NUMBER       | QTY  | FRU | DESCRIPTION                                                                        |
|------|--------------|------|-----|------------------------------------------------------------------------------------|
| 1    | 2385112-3    | 1.0  | No  | GRE,CHASSIS SUB-ASSEMBLY                                                           |
| 2    | 2385763      | 1.0  | No  | REAR MTG PANEL, OUTLET BOX                                                         |
| 3    | 5123480      | 1.0  | No  | Bracket, Cable Cover - Dual PS2f, Single USB-Af                                    |
| 5    | 2319043      | 4.0  | Yes | CASTER, 2 1/2~ SWIVEL                                                              |
| 6    | 2103585      | 24.0 | Yes | SCREW PAN HEAD 4 MM 8 MM SPRING WASHER, ZINC PLATED, STEEL                         |
| 9    | 2109877-2    | 16.0 | Yes | NUT HEXAGON 6 MM                                                                   |
| 11   | 2109881-3    | 25.0 | Yes | WASHER LOCK - INTERNAL 6.4 MM 11 MM                                                |
| 13   | 2180698-2    | 38.0 | Yes | CLIP NUT ASSEMBLY, M5                                                              |
| 14   | 2385765      | 4.0  | No  | BRACKET, SIDE COVER MTG                                                            |
| 15   | 2385766      | 3.0  | No  | BRACKET, FRONT COVER MTG                                                           |
| 16   | 5123484      | 1.0  | Yes | Bracket, Exhaust Fan Mtg - Left                                                    |
| 17   | 5123484-2    | 1.0  | Yes | Bracket, Exhaust Fan Mtg - Right                                                   |
| 18   | 2385773      | 2.0  | No  | PANEL, RACK MOUNT                                                                  |
| 19   | 2385776      | 10.0 | No  | BRACKET, RACK MOUNT                                                                |
| 20   | 5123485      | 1.0  | Yes | Rear Access Cover - VCT                                                            |
| 21   | 46-328431P2  | 25.0 | Yes | WASHER PLAIN - LARGE 6.4 MM 18 MM ZINC PLATED, STEEL                               |
| 22   | 46-170686P3  | 0.0  | Yes | LOCTITE 242, 50CC 12 MONTH SHELF LIFE FROM DATE OF SHIPMENT FROM THE MANUFACTURER. |
| 23   | 2376906      | 6.0  | No  | SOUTHCO 1/4 TURN RCVR 85-35-295-20                                                 |
| 24   | 2337083-2    | 1.0  | No  | SCREW, M6 X 20 SOC HEAD, 12.9 CLASS                                                |
| 25   | 2385779      | 5.0  | No  | PANEL - COVER                                                                      |
| 26   | 46-312358P51 | 30.0 | No  | M5 X 0.8 X 12MM METRIC FREEDRIV ZINC PLATED CROSS RECESSED PAN HEAD MACHINE SCREW  |
| 27   | 46-328430P3  | 4.0  | Yes | WASHER PLAIN - NORMAL 6.4 MM 12 MM ZINC PLATED, STEEL                              |
| 28   | N9601BS      | 4.0  | Yes | NUT HEXAGON 6 MM NUT M6 2 FE ZN                                                    |

Table 5-4 FWS GOC4 chassis (5164805-2 BOM, Rev 2)

**REAR ACCESS COVER - VCT (5123485)**

FRU = YES

| MARK | NUMBER       | QTY  | FRU CODE | DESCRIPTION/NAME                            |
|------|--------------|------|----------|---------------------------------------------|
| 2    | 46-272301P11 | 4.0  | Yes      | FAN ACCESSORIES FINGER GUARD PAPST LZ30     |
| 3    | 2381089-3    | 16.0 | Yes      | SCREW, SS NYLOCK HEX NUT, M4                |
| 4    | 5125042      | 4.0  | No       | Gasket, Foam - Exhaust Fan                  |
| 5    | 5124020      | 3.0  | Yes      | Foam, Sound Absorbing - 54in Wd x 1in Thick |
| 6    | 5131360      | 1.0  | No       | Label, Keyboard Mouse Trackball             |

Table 5-5 Rear Access Cover - VCT (5123485 BOM, Rev6)

1.1.1.2 SUBASSY, GRE CONSOLE REAR BULKHEAD (5160898)

FRU = YES




Figure 5-7 SubAssy, GRE Console Rear Bulkhead (5160898ADW, Sheet1, Rev3)

| MARK | NUMBER    | QTY | FRU CODE | DESCRIPTION/NAME                                                                                                                                                                                                                                                |
|------|-----------|-----|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1    | 2265406   | 1.0 | Yes      | FIBER-OPTIC COUPLING RECEPTACLE KIT, 2.5MM BAYONET, AMP OPTIMATE                                                                                                                                                                                                |
| 2    | 5160899   | 1.0 | No       | Bulkhead Panel, GRE Console Rear Cable Connections                                                                                                                                                                                                              |
| 3    | 2374957   | 1.0 | No       | ADAPTER - BULKHEAD BNC JACK-JACK                                                                                                                                                                                                                                |
| 4    | 5122589   | 6.0 | Yes      | Adapter, Bulkhead RJ45 CAT5e Shielded, L-com #TDG1026KS-C5E                                                                                                                                                                                                     |
| 6    | 2318713-2 | 1.0 | No       | CABLE-FIBER OPTIC ST-SC X 3FT                                                                                                                                                                                                                                   |
| 8    | 5127222-3 | 3.0 | Yes      | Cable, Ethernet x 3ft Lg - CAT5e, 4 twisted pair, 24awg solid copper, Shielded - aluminized polyester and tinned copper, gray PVC jacket, snagless PVC boot, Plugs - UL94V-0 rated polycarbonate with metallic strain relief, EIA-TIA568, UL listed, CMR rated, |
| 9    | 5128409   | 1.0 | Yes      | Assy, Gbe cable harness for VCT console                                                                                                                                                                                                                         |

Table 5-6 SubAssy, GRE Console Rear Bulkhead (5160898 BOM, Rev4)

ASSY, GBE CABLE HARNESS (5128409)

FRU = YES




Figure 5-8 Assy, Gbe cable harness (5128409ADW, Sheet1, Rev3)

| MARK | NUMBER      | QTY | FRU CODE | DESCRIPTION/NAME                                                                                                                                                                                                                                                |
|------|-------------|-----|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1    | 5127222-3   | 3.0 | Yes      | Cable, Ethernet x 3ft Lg - CAT5e, 4 twisted pair, 24awg solid copper, Shielded - aluminized polyester and tinned copper, gray PVC jacket, snagless PVC boot, Plugs - UL94V-0 rated polycarbonate with metallic strain relief, EIA-TIA568, UL listed, CMR rated, |
| 2    | 5127222-5   | 1.0 | No       | Cable, Ethernet x 5ft Lg - CAT5e, 4 twisted pair, 24awg solid copper, Shielded - aluminized polyester and tinned copper, gray PVC jacket, snagless PVC boot, Plugs - UL94V-0 rated polycarbonate with metallic strain relief, EIA-TIA568, UL listed, CMR rated, |
| 3    | 46-287814P2 | 1.0 | Yes      | BRAIDED EXPANDABLE SLEEVING, 1/2~                                                                                                                                                                                                                               |

Table 5-7 Assy, Gbe cable harness (5128409 BOM, Rev4)

### 1.1.1.3 GOC4 Outlet Box Assy (5162696)

FRU = NO

| MARK | NUMBER    | QTY | FRU CODE | DESCRIPTION/NAME          |
|------|-----------|-----|----------|---------------------------|
| 1    | 2174159-5 | 1.0 | Yes      | Assy, Outlet Box for GOC4 |
| 2    | 5162697   | 1.0 | No       | Lead Data Wire for GOC4   |

Table 5-8 GOC4 Outlet Box Assy (5162696 BOM, Rev 2)

**Assy, Outlet Box for GOC4 (2174159-5)**

FRU = YES

| MARK | NUMBER        | QTY  | FRU CODE | DESCRIPTION/NAME                                                                                             |
|------|---------------|------|----------|--------------------------------------------------------------------------------------------------------------|
| 1    | 2367803       | 1.0  | No       | WELDMENT - OUTLET BOX (GRE)                                                                                  |
| 2    | 46-278446P1   | 8.0  | Yes      | 15A, 125VAC, 2 POLE, 3 WIRE DUPLEX TYPE, GRAY IN COLOR. (REV TK, 7/91).                                      |
| 3    | 46-297335P3   | 1.0  | Yes      | 16A, 250V 2-STAGE PWR LINE FILTER                                                                            |
| 4    | 46-243925P1   | 1.0  | Yes      | 20A, 125V, 2-POLE, 3 WIRE TWIST LOCK FLANGED INLET (MALE) LOCKING TYPE (REV TK, 10/91).                      |
| 6    | 46-328425P10  | 16.0 | Yes      | NUT HEXAGON 3 MM                                                                                             |
| 7    | 46-328425P1   | 3.0  | Yes      | NUT HEXAGON 4 MM                                                                                             |
| 8    | 46-312358P30  | 3.0  | No       | M3 X 0.5 X 12MM METRIC FREEDRIV ZINC PLATED CROSS RECESSED PAN HEAD MACHINE SCREW                            |
| 9    | 46-328430P2   | 3.0  | Yes      | WASHER PLAIN - NORMAL 4.3 MM 9 MM ZINC PLATED, STEEL                                                         |
| 11   | 46-208697P57  | 1.0  | No       | HEYCO PART NO.1247 SR-7W-2 BLACK                                                                             |
| 12   | 46-311804P2   | 16.0 | Yes      | 3.2X9X.8 ZP ST DIN                                                                                           |
| 13   | 46-311805P10  | 16.0 | Yes      | HELICAL LOCK WASHER M3 ZP DIN                                                                                |
| 14   | 46-208758P2   | 3.0  | Yes      | 5.5~ X .140~ SELF-LOCKING CABLE TIE. 1/16~ TO 1-1/4~ WIRE BUNDLE RANGE. 30LB TENSILE STRENGTH, NYLON MATR~L. |
| 15   | 2336074       | 1.0  | No       | CIRCUIT BREAKER 15 AMPS 240 VOLTS 80                                                                         |
| 16   | 46-328421P501 | 2.0  | Yes      | SCREW PAN HEAD 3 MM 5 MM                                                                                     |
| 17   | 5154767       | 1.0  | No       | SWITCH BOX ASSY for GRE with Service ethernet port                                                           |

**Table 5-9 Assy, Outlet Box for GOC4 (2174159-5 BOM, Rev 2**



### 1.1.2 HOST COMPUTER ASSEMBLY (5310601)

FRU = YES

| MARK | NUMBER     | QTY | FRU CODE | DESCRIPTION/NAME          |
|------|------------|-----|----------|---------------------------|
| 1    | 5183547-50 | 1.0 | Yes      | AIO console HOST computer |
| 2    | 5220229    | 1.0 | Yes      | CDIP CARD                 |

Table 5-10 Host Computer Assembly (5310601 BOM, Rev 2)

*FRU = YES*



| MARK | NUMBER       | QTY  | FRU CODE | DESCRIPTION/NAME                                                                                                                                                        |
|------|--------------|------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1    | 2370567      | 1.0  | No       | POWER ENTRY MODULE 2 POLE FUSING                                                                                                                                        |
| 2    | 2374174      | 1.0  | No       | POWER ENTRY FUSE DRAWER                                                                                                                                                 |
| 3    | 2374694      | 2.0  | Yes      | 8A TIME DELAY FUSES                                                                                                                                                     |
| 4    | 2399750      | 1.0  | No       | GRE INTERCOM-TILT                                                                                                                                                       |
| 5    | 5114920-2    | 1.0  | No       | Chassis Base, ICOM                                                                                                                                                      |
| 6    | 5114921      | 1.0  | No       | ct Intercom Box Chassis Cover                                                                                                                                           |
| 7    | 5115027      | 1.0  | No       | Power supply triple output 90-264V 47-63 HZ AC IN 5V 7A +12V 3A -12V 2.5A OUT                                                                                           |
| 8    | 5115179      | 1.0  | No       | cable harness power entry to power supply                                                                                                                               |
| 9    | 5115180      | 1.0  | No       | cable harness power supply to pwa                                                                                                                                       |
| 10   | 46-312577P14 | 22.0 | Yes      | SCREW HEAD CAP SCREW STEEL ZINC PLATED (FULL THREAD)<br>PROPERTY CLASS 8.8 ***THIS PART IS REPLACED BY 46-328417P3***                                                   |
| 11   | 46-328430P2  | 16.0 | Yes      | WASHER PLAIN - NORMAL 4.3 MM 9 MM ZINC PLATED, STEEL                                                                                                                    |
| 12   | 2276462      | 6.0  | No       | METRIC PLAIN FLAT WASHER 3.2MM ID X 7MM OD                                                                                                                              |
| 13   | 46-312346P1  | 2.0  | Yes      | M3 X 0.5 ZINC PLATED METRIC HEX NUT WITH ATTACHED TOOTH<br>LOCK WASHER                                                                                                  |
| 14   | 46-312577P4  | 2.0  | No       | SCREW HEAD CAP SCREW STEEL ZINC PLATED (FULL THREAD)<br>PROPERTY CLASS 8.8                                                                                              |
| 15   | 46-214941P2  | 6.0  | Yes      | FLAT WASHER, NYLON, M4                                                                                                                                                  |
| 16   | 2209282-3    | 5.0  | No       | HEX STANDOFF MALE/FEMALE M4 X 25MM                                                                                                                                      |
| 17   | 5128595      | 1.0  | No       | M4 x 25mm male female nylon hex stand off.                                                                                                                              |
| 18   | 46-328417P73 | 4.0  | No       | SCREW HEXAGON SOCKET 3 MM 6 MM                                                                                                                                          |
| 19   | 46-221417P1  | 3.0  | Yes      | FEMALE SCREWLOCKS, TWO PER KIT FOR HD CONNECTORS 4-40<br>THREAD 0.5 OVERALL LENGTH, YELLOW CHROMATE 0.312 BOTTOM,<br>0.062 PANEL THK. MAX KIT INCLUDES NUTS AND WASHERS |

Table 5-11 Console Intercom Prescribed-tilt Hub (2404320 BOM, Rev14)

FRU = YES

**Figure 5-10 SCSI Tower ASSY (5116391ADW, Sheet1, Rev1)**

| MARK | NUMBER        | QTY | FRU CODE | DESCRIPTION/NAME          |
|------|---------------|-----|----------|---------------------------|
| 1    | 2398863       | 1.0 | Yes      | DVD-RAM MULTI-DRIVE 4.7GB |
| 2    | 2404031       | 1.0 | No       | SCSI TO IDE ADAPTER       |
| 4    | 2401055       | 1.0 | No       | SCSI TOWER                |
| 5    | 46-328421P501 | 1.0 | Yes      | SCREW PAN HEAD 3 MM 5 MM  |

**Table 5-12 SCSI Tower ASSY (5116391-2 BOM, Rev3)**

1.1.5 COVER ASSY - CONSOLE FRONT (5128181)

FRU = YES

| MARK | NUMBER       | QTY  | FRU CODE | DESCRIPTION/NAME                                 |
|------|--------------|------|----------|--------------------------------------------------|
| 1    | 2369619      | 1.0  | Yes      | COVER, CONSOLE FRONT - GRE                       |
| 2    | 5124020      | 1.0  | Yes      | Foam, Sound Absorbing - 54in Wd x 1in Thick      |
| 3    | 46-136246P18 | 3.21 | Yes      | 1~ WIDE, WHT, ADH BACK, VELCRO HOOK 75 FT PER RL |
| 4    | 5128180      | 1.0  | Yes      | Filter, 25 PPI Quadrafoam UL94 HF-1              |

Table 5-13 Cover Assy - Console Front (5128181 BOM, Rev1)

1.2 AIO 2377708-560 RATING PLATE (5317249)

FRU = NO

| MARK | NUMBER      | QTY | FRU CODE | DESCRIPTION/NAME                                                  |
|------|-------------|-----|----------|-------------------------------------------------------------------|
| 1    | 46-303268P1 | 1.0 | Yes      | PRODUCT LOCATOR CARD FORM FOR RATING PLATES, PRINTED BY DUPLITECH |

Table 5-14 AIO 2377708-560 Rating Plate (5317249 BOM, Rev 1)

Section 2.0 — GOC4 - 16slice MDAS & GDAS with xw8200, 1IG and Ethernet Switch (2377708-120)

| MARK | NUMBER      | QTY   | FRU CODE | DESCRIPTION/NAME                                                |
|------|-------------|-------|----------|-----------------------------------------------------------------|
| 1    | 2378862-120 | 1.000 | N        | Standard Console for Freedom Workspace                          |
| 2    | 46-302200P1 | 1.000 | N        | RATING PLATE W/ SN, MN_ & RATINGS                               |
| 3    | 2386393-2   | 1.000 | N        | LABEL, ETL COMPONENT APPROVAL, INFORMATION TECHNOLOGY EQUIPMENT |

Table 5-15 GOC4 16-Slice MDAS & GDAS (2377708-120BOM, rev 3)





2.1 Standard Console (GOC4) (2378862-120)

FRU = N




Figure 5-11 Standard Console for Freedom Workspace (2378862-120, sheet 1, rev 02)




Figure 5-12 Standard Console for Freedom Workspace (2378862-120 refer to 2378862-50, sheet 2, rev 01)




Figure 5-13 Standard Console for Freedom Workspace (2378862-120 refer to 2378862-50, sheet 3, rev 01)




Figure 5-14 Standard Console for Freedom Workspace (2378862-120 refer to 2378862-50, sheet 4, rev 01)

| MARK | NUMBER                      | QTY | FRU | DESCRIPTION                                                                                                                                 |
|------|-----------------------------|-----|-----|---------------------------------------------------------------------------------------------------------------------------------------------|
| 2    | 5117866-28<br>5117866-51 ** | 1.0 | Yes | HOST COMPUTER, CT USA VCT XW8200<br>GEHC CT VCT Integrated Buy Level PC HP8200 with FX1500 Graphics Card<br>Host Computer                   |
| 3    | 5114772                     | 1.0 | Yes | DARC Computer - Dual Disk H16 MDAS, GDAS                                                                                                    |
| 4    | 2362872                     | 1.0 | Yes | IMAGE GENERATION COMPUTER - GRE                                                                                                             |
| 5    | 2404320                     | 1.0 | Yes | CONSOLE INTERCOM PRESCRIBED-TILT HUB                                                                                                        |
| 6    | 2368838                     | 1.0 | Yes | SCSI TOWER, DVD-RAM, MOD                                                                                                                    |
| 7    | 5115334                     | 1.0 | Yes | Switch, Ethernet 8-port GBe                                                                                                                 |
| 8    | 2368697-2                   | 2.0 | Yes | LINUX DDR WORKST'N 3BUTTON PS2 MOUSE                                                                                                        |
| 9    | 2399753-2                   | 1.0 | Yes | TRACKBALL - 3 BTTN USB for GRE                                                                                                              |
| 11   | 5128181                     | 1.0 | Yes | Cover Assy - Console Front                                                                                                                  |
| 13   | 2304737-2                   | 2.0 | Yes | CABLE, DVI VIDEO CABLE - OCTANE II                                                                                                          |
| 15   | 2377227                     | 1.0 | Yes | UTP TRANSCEIVER - BNC TO RJ45 W/I.T.E PWR SPPLY #24000027                                                                                   |
| 17   | 2324697-2                   | 1.0 | Yes | SCSI CABLE, VHD68 TO CENT 50, LINUX                                                                                                         |
| 19   | 2374965-2                   | 3.0 | Yes | CABLE - ETHERNET CAT5E X 610MM LG                                                                                                           |
| 24   | 2335376                     | 1.0 | Yes | CABLE - PDU TO CONSOLE FOR GOC                                                                                                              |
| 25   | 46-136246P14                | 1.0 | Yes | 2~ WIDE, WHT, ADH BACK, VELCRO LOOP25 YD                                                                                                    |
| 26   | 46-136246P21                | 1.0 | Yes | 2~ WIDE X 25 YD WHITE VELCRO HOOKS                                                                                                          |
| 27   | 46-208781P2                 | 4.0 | Yes | WRITE-ON LABEL FOR MARKING CABLES WHITE ADHESIVE BACKED<br>0.75~ X 1.90~. UNMARKED, 2,500 PC FAN-FOLD SHEETS (FULL SIZE =<br>1.9~ X 3.15~.) |
| 29   | 2117390-2                   | 1.0 | Yes | CE Compliance and WEEE Labels                                                                                                               |
| 30   | 2132620                     | 1.0 | Yes | EMC LABEL CLASS A GROUP 1                                                                                                                   |
| 31   | 46-279769P1                 | 1.0 | Yes | IEC TYPE B SYMBOL                                                                                                                           |
| 35   | 2214164                     | 1.0 | Yes | 5.25~ 2.3GB 512 BYTES/SECTOR MOD                                                                                                            |
| 36   | 2337414                     | 2.0 | Yes | DVD RAM MEDIA, 9.4 GB                                                                                                                       |
| 37   | 2227726                     | 1.0 | Yes | MOUSE PAD FOR LIGHTSPEED                                                                                                                    |
| 39   | 46-208758P3                 | 6.0 | Yes | 7.31~ X .184~ SELF-LOCKING CABLE TIE1/16~ TO 1-3/4~ WIRE BUNDLE<br>RANGE. 50LB TENSILE STRENGTH, NYLON MATR~L.                              |

Table 5-16 Standard Console for Freedom Workspace (2378862-120 BOM, rev 6)

| MARK | NUMBER       | QTY  | FRU | DESCRIPTION                                                                                                                                 |
|------|--------------|------|-----|---------------------------------------------------------------------------------------------------------------------------------------------|
| 42   | 2103585-2    | 4.0  | Yes | SCREW PAN HEAD 4 MM 10 MM<br>SPRING WASHER, ZINC PLATED, STEEL                                                                              |
| 43   | 46-208747P2  | 1.0  | Yes | ADHESIVE MOUNT - CABLE TIE                                                                                                                  |
| 44   | 46-208758P1  | 2.0  | Yes | 3.62~ X .094~ CABLE TIE<br>1/16~ TO 5/8~ WIRE BUNDLE RANGE<br>18LB TENSILE STRENGTH, NYLON MATR'L.                                          |
| 45   | 46-208758P9  | 1.0  | Yes | 11.08~X .140~ SELF-LOCKING CABLE TIE<br>1/16~ TO 3~ WIRE BUNDLE RANGE.<br>40LB TENSILE STRENGTH, NYLON MATR~L.<br>(DWG REV 5/92, JFK - OK). |
| 1    | 5165396      | 1.0  | No  | FWS GOC4 CHASSIS,MAKE PARTS.                                                                                                                |
| 14   | 2366442-27   | 2.0  | No  | BRACKET, RACK MOUNT HOST COMPUTER                                                                                                           |
| 32   | 46-269337P6  | 1.0  | No  | LABEL OLD                                                                                                                                   |
| 33   | 2240540      | 1.0  | No  | NETSCAPE LICENSE                                                                                                                            |
| 41   | 46-312358P51 | 14.0 | No  | M5 X 0.8 X 12MM METRIC FREEDRIV ZINC PLATED CROSS RECESSED<br>PAN HEAD MACHINE SCREW                                                        |

Note: \*\* Software 07MW11.x or greater is required for Host Computer with FX1500 Graphics Card. If software is not as required, upgrade software to required version at first.

Table 5-16 Standard Console for Freedom Workspace (2378862-120 BOM, rev 6) (Continued)

2.1.1 FWS GOC4 Chassis Assembly (5165396)

FRU = NO




Figure 5-15 Console Chassis Assembly (5165396 sheet 1, rev 3)



| MARK | NUMBER       | QTY  | FRU | DESCRIPTION                                                                                                                                                                |
|------|--------------|------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2    | 5160898      | 1.0  | Yes | SUBASSY, GRE CONSOLE REAR BULKHEAD                                                                                                                                         |
| 3    | 2315117      | 1.0  | Yes | CABLE, PS/2 MOUSE CABLE, LINUX                                                                                                                                             |
| 4    | 2315117-2    | 1.0  | Yes | CABLE, PS/2 KEYBOARD CABLE, LINUX                                                                                                                                          |
| 5    | 5123478      | 1.0  | Yes | CABLE, USB BULKHEAD, USB-AF TO USB-AM X 3FT LG                                                                                                                             |
| 6    | 46-328421P3  | 6.0  | Yes | SCREW PAN HEAD 2.5 MM 5 MM ZINC PLATED, STEEL                                                                                                                              |
| 7    | 2142225      | 4.0  | Yes | MONITOR POWER CORD                                                                                                                                                         |
| 8    | 2142226      | 5.0  | Yes | POWER CORD FOR EMC AREA                                                                                                                                                    |
| 9    | 5124071      | 4.0  | Yes | FAN, TUBE AXIAL - 115VAC, 50-60HZ, 119MM X 119MM X 25MM X 95-115CFM, BALL BEARING MOTOR - SINWAN S125AP-11-1                                                               |
| 13   | 46-208758P3  | 22.0 | Yes | 7.31~ X .184~ SELF-LOCKING CABLE TIE 1/16~ TO 1-3/4~ WIRE BUNDLE RANGE. 50LB TENSILE STRENGTH, NYLON MATR~L.                                                               |
| 14   | 2103585      | 19.0 | Yes | SCREW PAN HEAD 4 MM 8 MM SPRING WASHER, ZINC PLATED, STEEL                                                                                                                 |
| 15   | 46-328431P2  | 8.0  | Yes | WASHER PLAIN - LARGE 6.4 MM 18 MM ZINC PLATED, STEEL                                                                                                                       |
| 16   | 2109881-3    | 8.0  | Yes | WASHER LOCK - INTERNAL 6.4 MM 11 MM                                                                                                                                        |
| 20   | 46-221417P4  | 2.0  | Yes | FEMALE SCREWLOCKS FOR HD CONNECTORS. 4-40 THREAD, 0.470~ OVERALL LENGTH YELLOW CHROMATE, TWO PER KIT. 0.312~ BOTTOM, 0.094~ PANEL THK. MAX (KIT INCLUDES NUTS AND WASHERS) |
| 21   | 46-208747P1  | 1.0  | Yes | ADHESIVE MOUNT - CABLE TIE<br>PANDUIT CORP, ABMM-A(STYLE A)                                                                                                                |
| 23   | 46-328431P1  | 10.0 | Yes | WASHER PLAIN - LARGE 4.3 MM 12 MM ZINC PLATED, STEEL                                                                                                                       |
| 28   | 46-328417P5  | 2.0  | Yes | SCREW HEXAGON SOCKET 4 MM 16 MM ZINC PLATED, STEEL                                                                                                                         |
| 29   | 46-272301P11 | 4.0  | Yes | FAN ACCESSORIES FINGER GUARD PAPST LZ30                                                                                                                                    |
| 30   | 5127629      | 1.0  | Yes | CABLE ASSY - EXHAUST FAN POWER                                                                                                                                             |
| 31   | 2381089-3    | 16.0 | Yes | SCREW, SS NYLOCK HEX NUT, M4                                                                                                                                               |
| 32   | 46-328430P2  | 16.0 | Yes | WASHER PLAIN - NORMAL 4.3 MM 9 MM ZINC PLATED, STEEL                                                                                                                       |
| 33   | 46-312358P44 | 16.0 | Yes | M4 X 0.7 X 35MM METRIC FREEDRIV ZINC PLATED CROSS RECESSED PAN HEAD MACHINE SCREW                                                                                          |
| 34   | 5128406      | 1.0  | Yes | ASSY, ICOM CABLE HARNESS FOR GOC4                                                                                                                                          |

Table 5-17 Console Chassis Assembly (5165396 BOM, rev 4)

| MARK | NUMBER      | QTY | FRU | DESCRIPTION                                                                        |
|------|-------------|-----|-----|------------------------------------------------------------------------------------|
| 37   | 46-170686P3 | 0.0 | Yes | LOCTITE 242, 50CC 12 MONTH SHELF LIFE FROM DATE OF SHIPMENT FROM THE MANUFACTURER. |
| 1    | 5164805     | 1.0 | No  | FWS GOC4 CHASSIS FROM SUPPLIER, BUY PARTS.                                         |
| 10   | 5162696     | 1.0 | No  | GOC4 OUTLET BOX ASSY                                                               |
| 11   | 2385780     | 1.0 | No  | TABLE TOP ASSEMBLY, MONITOR                                                        |
| 17   | 2337083-2   | 8.0 | No  | SCREW, M6 X 20 SOC HEAD, 12.9 CLASS                                                |
| 22   | 2150839     | 1.0 | No  | CAUTION RECEPTACLES NOT FOR GEN USE                                                |
| 25   | 5114923-2   | 1.0 | No  | BRACKET, ICOM LOWER                                                                |
| 26   | 5114924-2   | 1.0 | No  | BRACKET, ICOM UPPER                                                                |
| 27   | 5122710     | 2.0 | No  | M4 TAPPED HOLE SPEED NUT                                                           |
| 38   | 5166489     | 1.0 | No  | GOC4 CHASSIS LABEL                                                                 |

**Table 5-17 Console Chassis Assembly (5165396 BOM, rev 4)**



FRU = YES



| MARK | NUMBER       | QTY    | FRU | DESCRIPTION                                                                                                                                                                    |
|------|--------------|--------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3    | 2374694      | 2.000  | Yes | 8A TIME DELAY FUSES                                                                                                                                                            |
| 10   | 46-312577P14 | 22.000 | Yes | SCREW HEAD CAP SCREW STEEL ZINC PLATED (FULL THREAD)<br>PROPERTY CLASS 8.8 ***THIS PART IS REPLACED BY 46-328417P3***                                                          |
| 11   | 46-328430P2  | 16.000 | Yes | WASHER PLAIN - NORMAL 4.3 MM 9 MM ZINC PLATED, STEEL                                                                                                                           |
| 13   | 46-312346P1  | 2.000  | Yes | M3 X 0.5 ZINC PLATED METRIC HEX NUT WITH ATTACHED TOOTH<br>LOCK WASHER                                                                                                         |
| 15   | 46-214941P2  | 6.000  | Yes | FLAT WASHER, NYLON, M4                                                                                                                                                         |
| 19   | 46-221417P1  | 3.000  | Yes | FEMALE SCREWLOCKS, TWO PER KIT FOR HD CONNECTORS 4-40<br>THREAD 0.5~ OVERALL LENGTH, YELLOW CHROMATE 0.312~<br>BOTTOM, 0.062~ PANEL THK. MAX (KIT INCLUDES NUTS AND<br>WASHERS |
| 1    | 2370567      | 1.000  | N   | POWER ENTRY MODULE 2 POLE FUSING                                                                                                                                               |
| 2    | 2374174      | 1.000  | N   | POWER ENTRY FUSE DRAWER                                                                                                                                                        |
| 4    | 2399750      | 1.000  | N   | GRE INTERCOM-TILT                                                                                                                                                              |
| 5    | 5114920-2    | 1.000  | N   | Chassis Base, ICOM                                                                                                                                                             |
| 6    | 5114921      | 1.000  | N   | CT Intercom Box Chassis Cover                                                                                                                                                  |
| 7    | 5115027      | 1.000  | N   | Power supply triple output 90-264V 47-63 HZ AC IN 5V 7A +12V 3A -12V<br>2.5A OUT                                                                                               |
| 8    | 5115179      | 1.000  | N   | Cable Harness Power Entry To Power Supply                                                                                                                                      |
| 9    | 5115180      | 1.000  | N   | Cable Harness Power Supply To Pwa                                                                                                                                              |
| 12   | 2276462      | 6.000  | N   | METRIC PLAIN FLAT WASHER 3.2MM ID X 7MM OD                                                                                                                                     |
| 14   | 46-312577P4  | 2.000  | N   | SCREW HEAD CAP SCREW STEEL ZINC PLATED (FULL THREAD)<br>PROPERTY CLASS 8.8                                                                                                     |
| 16   | 2209282-3    | 5.000  | N   | HEX STANDOFF MALE/FEMALE M4 X 25MM                                                                                                                                             |
| 17   | 5128595      | 1.000  | N   | M4 x 25mm male female nylon hex stand off                                                                                                                                      |
| 18   | 46-328417P73 | 4.000  | N   | SCREW HEXAGON SOCKET 3 MM 6 MM                                                                                                                                                 |

Table 5-18 Outlet Box Assembly (2404320 BOM, rev 14)

2.1.3 SCSI Tower, DVD-RAM, MOD (2368838)  
FRU = YES




Figure 5-17 SCSI Tower, DVD-RAM, MOD (2368838, sheet 1, rev 2)

| MARK | NUMBER        | QTY   | FRU CODE | DESCRIPTION/NAME            |
|------|---------------|-------|----------|-----------------------------|
| 3    | 2318598       | 1.000 | Yes      | SONY MOD SMO-F551-SD        |
| 5    | 46-328421P501 | 1.000 | Yes      | SCREW PAN HEAD 3 MM 5 MM    |
| 6    | 2350404       | 1.000 | Yes      | TERMINATOR, CENT50, ACTIVE  |
| 1    | 2398863       | 1.000 | N        | DVD-RAM MULTI-DRIVE 4.7GB   |
| 2    | 2368521       | 1.000 | N        | ADAPTER, SCSI TO IDE BRIDGE |
| 4    | 2315118       | 8.000 | N        | 2 BAY EXTERNAL SCSI TOWER   |

Table 5-19 SCSI Tower, DVD-RAM, MOD (2368838 BOM, rev 1)

2.1.4 Cover Assy - Console Front (5128181)  
FRU = YES




Figure 5-18 Cover Assy - Console Front (5128181 Sheet 1, Rev 1)







Figure 5-19 Cover Assy - Console Front (5128181 Sheet 2, Rev 1)

| MARK | NUMBER       | QTY   | FRU CODE | DESCRIPTION/NAME                                 |
|------|--------------|-------|----------|--------------------------------------------------|
| 1    | 2369619      | 1.000 | Yes      | COVER, CONSOLE FRONT - GRE                       |
| 2    | 5124020      | 1.000 | Yes      | Foam, Sound Absorbing - 54in Wd x 1in Thick      |
| 3    | 46-136246P18 | 3.210 | Yes      | 1~ WIDE, WHT, ADH BACK, VELCRO HOOK 75 FT PER RL |
| 4    | 5128180      | 1.000 | Yes      | Filter, 25 PPI Quadrafoam UL94 HF-1              |

Table 5-20 Cover Assy - Console Front (5128181 BOM, Rev 1)

## Section 3.0 — GOC4 - 16Slice MDAS &amp; GDAS with xw8200, 1IG and Ethernet Switch, JARRELL (2377708-520)

$$FRU = N$$


**Figure 5-20 GOC4 16-Slice MDAS & GDAS, Jarrell (2377708-520ADW, Sheet 1, rev 3)**






Figure 5-22 GOC4 16-Slice MDAS & GDAS, Jarrell (2377708-520ADW, Sheet 3, rev 2)




Figure 5-23 GOC4 16-Slice MDAS & GDAS, Jarrell (2377708-520ADW, Sheet 4, rev 1)

| MARK | NUMBER                      | QTY | FRU CODE | DESCRIPTION/NAME                                                                                                                                                                                                                                               |
|------|-----------------------------|-----|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2    | 5117866-28<br>5117866-51 ** | 1.0 | Yes      | Host Computer, CT USA VCT XW8200<br>GEHC CT VCT Integrated Buy Level PC HP8200 with FX1500 Graphics Card<br>Host Computer                                                                                                                                      |
| 3    | 5147442 *                   | 1.0 | Yes      | Computer - Data Acquisition Recon Control, 2nd Generation                                                                                                                                                                                                      |
| 4    | 5147443 *                   | 1.0 | Yes      | Computer - Image Generation, 2nd Generation                                                                                                                                                                                                                    |
| 5    | 2404320                     | 1.0 | Yes      | CONSOLE INTERCOM PRESCRIBED-TILT HUB                                                                                                                                                                                                                           |
| 6    | 5167410                     | 1.0 | Yes      | Peripheral Tower, dual-bay, MOD-DVDram                                                                                                                                                                                                                         |
| 7    | 5115334                     | 1.0 | Yes      | Switch, Ethernet 8-port GBe                                                                                                                                                                                                                                    |
| 8    | 2368697-2                   | 1.0 | Yes      | LINUX DDR WORKSTATION 3BUTTON PS2 MOUSE                                                                                                                                                                                                                        |
| 9    | 2399753-2                   | 1.0 | Yes      | TRACKBALL, RoHS - 3 BTTN USB for GRE                                                                                                                                                                                                                           |
| 11   | 5128181                     | 1.0 | Yes      | Cover Assy - Console Front                                                                                                                                                                                                                                     |
| 13   | 2304737-2                   | 2.0 | Yes      | CABLE, DVI VIDEO CABLE - OCTANE II                                                                                                                                                                                                                             |
| 17   | 2324697-2                   | 1.0 | Yes      | SCSI CABLE, VHD68 TO CENT 50, LINUX                                                                                                                                                                                                                            |
| 19   | 5127222-2                   | 3.0 | Yes      | Cable, Ethernet, 2ft Lg - CAT5e, 4 twisted pair, 24awg solid copper, Shielded - aluminized polyester and tinned copper, gray PVC jacket, snagless PVC boot, Plugs - UL94V-0 rated polycarbonate with metallic strain relief, EIA-TIA568, UL listed, CMR rated, |
| 25   | 46-136246P14                | 1.0 | Yes      | 2~ WIDE, WHT, ADH BACK, VELCRO LOOP 25 YD                                                                                                                                                                                                                      |
| 26   | 46-136246P21                | 1.0 | Yes      | 2~ WIDE X 25 YD WHITE VELCRO HOOKS                                                                                                                                                                                                                             |
| 27   | 46-208781P2                 | 4.0 | Yes      | WRITE-ON LABEL FOR MARKING CABLES WHITE ADHESIVE BACKED 0.75~ X 1.90~. UNMARKED, 2,500 PC FAN-FOLD SHEETS (FULL SIZE = 1.9~ X 3.15~.)                                                                                                                          |
| 29   | 2117390-2                   | 1.0 | Yes      | CE Compliance and WEEE Labels                                                                                                                                                                                                                                  |
| 30   | 2132620                     | 1.0 | Yes      | EMC LABEL CLASS A GROUP 1                                                                                                                                                                                                                                      |
| 31   | 46-279769P1                 | 1.0 | Yes      | IEC TYPE B SYMBOL                                                                                                                                                                                                                                              |
| 35   | 2214164                     | 1.0 | Yes      | 5.25~ 2.3GB 512 BYTES/SECTOR MOD                                                                                                                                                                                                                               |
| 36   | 2337414                     | 2.0 | Yes      | DVD RAM MEDIA, 9.4 GB                                                                                                                                                                                                                                          |
| 39   | 46-208758P3                 | 6.0 | Yes      | 7.31~ X .184~ SELF-LOCKING CABLE TIE 1/16~ TO 1-3/4~ WIRE BUNDLE RANGE. 50LB TENSILE STRENGTH, NYLON MATR~L.                                                                                                                                                   |

Table 4: GOC4 16-Slice MDAS & GDAS, Jarrell (2377708-520BOM, rev 1)

| MARK | NUMBER       | QTY  | FRU CODE | DESCRIPTION/NAME                                                                                                                   |
|------|--------------|------|----------|------------------------------------------------------------------------------------------------------------------------------------|
| 42   | 2103585-2    | 4.0  | Yes      | SCREW PAN HEAD 4 MM 10 MM SPRING WASHER, ZINC PLATED, STEEL                                                                        |
| 43   | 46-208747P2  | 1.0  | Yes      | ADHESIVE MOUNT - CABLE TIE                                                                                                         |
| 44   | 46-208758P1  | 2.0  | Yes      | 3.62~ X .094~ CABLE TIE 1/16~ TO 5/8~ WIRE BUNDLE RANGE 18LB TENSILE STRENGTH, NYLON MATR'L.                                       |
| 45   | 46-208758P9  | 1.0  | Yes      | 11.08~X .140~ SELF-LOCKING CABLE TIE 1/16~ TO 3~ WIRE BUNDLE RANGE. 40LB TENSILE STRENGTH, NYLON MATR~L. (DWG REV 5/92, JFK - OK). |
| 1    | 5165396      | 1.0  | No       | FWS GOC4 chassis,make parts.                                                                                                       |
| 14   | 2366442-27   | 2.0  | No       | BRACKET, RACK MOUNT HOST COMPUTER                                                                                                  |
| 23   | 46-302200P1  | 1.0  | No       | RATING PLATE W/ SN, MN_& RATINGS                                                                                                   |
| 28   | 2386393-2    | 1.0  | No       | LABEL, ETL COMPONENT APPROVAL, INFORMATION TECHNOLOGY EQUIPMENT                                                                    |
| 32   | 46-269337P6  | 1.0  | No       | LABEL OLD                                                                                                                          |
| 33   | 2240540      | 1.0  | No       | NETSCAPE LICENSE                                                                                                                   |
| 41   | 46-312358P51 | 14.0 | No       | M5 X 0.8 X 12MM METRIC FREEDRIV ZINC PLATED CROSS RECESSED PAN HEAD MACHINE SCREW                                                  |

Note: \* Software 06MW29.x or greater is required for Jarrell DARC/IG. If software is not as required, upgrade software to required version at first.

\*\* Software 07MW11.x or greater is required for Host Computer with FX1500 Graphics Card. If software is not as required, upgrade software to required version at first.

Table 4: GOC4 16-Slice MDAS & GDAS, Jarrell (2377708-520BOM, rev 1)





### **3.1 FWS GOC4 Chassis Assembly (5165396)**

Refer to {*For further detail, see [Section 2.1.1 FWS GOC4 Chassis Assembly \(5165396\), Page410.](#)*}



## 3.2 Console Intercom Prescribed-Tilt Hub (2404320)

Refer to {For further detail, see [Section 2.1.2 Console Intercom Prescribed-Tilt Hub \(2404320\), Page414.](#)}



### **3.3 Cover Assy - Console Front (5128181)**

Refer to {*For further detail, see [Section 2.1.4 Cover Assy - Console Front \(5128181\), Page418.](#)*}

## Section 4.0 — LCGOC - 4/8 slice MDAS & GDAS with xw8200, Ethernet Switch (5377708-120)

| MARK | NUMBER      | QTY   | FRU CODE | DESCRIPTION/NAME              |
|------|-------------|-------|----------|-------------------------------|
| 1    | 5378862-120 | 1.000 | N        | LCGOC Freedom Workspace       |
| 2    | 5165238     | 1.000 | N        | Rating plate of LCGOC console |

Table 5-1 LCGOC 4/8 Slice MDAS & GDAS (5377708-120BOM, rev 3)

4.1 LCGOC (5378862-120)

FRU = NO




Figure 5-1 LCGOC Freedom Workspace (5378862-120 Sheet 1, Rev 1)






Figure 5-2 LCGOC Freedom Workspace (5378862-120 Sheet 2, Rev 1)




Figure 5-3 LCGOC Freedom Workspace (5378862-120 Sheet 3, Rev 1)



| MARK | NUMBER                      | QTY  | FRU CODE | DESCRIPTION/NAME                                                                                                                               |
|------|-----------------------------|------|----------|------------------------------------------------------------------------------------------------------------------------------------------------|
| 2    | 5117866-24<br>5117866-48 ** | 1.0  | Yes      | HOST COMPUTER, CT USA 4,8,16-SLICE XW8200.<br>GEHC PET,CT 4,8,16 SLICE INTEGRATED BUY LEVEL HP8200 WITH<br>FX1500 GRAPHICS CARD HOST COMPUTER. |
| 3    | 5114772                     | 1.0  | Yes      | DARC COMPUTER - DUAL DISK H16 MDAS, GDAS                                                                                                       |
| 4    | 2404320                     | 1.0  | Yes      | CONSOLE INTERCOM PRESCRIBED-TILT HUB                                                                                                           |
| 5    | 5116391-2                   | 1.0  | Yes      | SCSI TOWER ASSY                                                                                                                                |
| 6    | 2368697-2                   | 1.0  | Yes      | LINUX DDR WORKSTATION 3BUTTON PS2 MOUSE                                                                                                        |
| 7    | 2399753-2                   | 1.0  | Yes      | TRACKBALL, ROHS - 3 BTTN USB FOR GRE                                                                                                           |
| 8    | 5128181                     | 1.0  | Yes      | COVER ASSY - CONSOLE FRONT                                                                                                                     |
| 9    | 2304737-2                   | 2.0  | Yes      | CABLE, DVI VIDEO CABLE - OCTANE II                                                                                                             |
| 12   | 2324697-2                   | 1.0  | Yes      | SCSI CABLE, VHD68 TO CENT 50, LINUX                                                                                                            |
| 13   | 2374965-2                   | 2.0  | Yes      | CABLE - ETHERNET CAT5E X 610MM LG                                                                                                              |
| 15   | 46-136246P14                | 60.0 | Yes      | 2~ WIDE, WHT, ADH BACK, VELCRO LOOP 25 YD                                                                                                      |
| 16   | 46-136246P21                | 60.0 | Yes      | 2~ WIDE X 25 YD WHITE VELCRO HOOKS                                                                                                             |
| 17   | 46-208781P2                 | 4.0  | Yes      | WRITE-ON LABEL FOR MARKING CABLES WHITE ADHESIVE BACKED<br>0.75~ X 1.90~. UNMARKED, 2,500 PC FAN-FOLD SHEETS (FULL SIZE =<br>1.9~ X 3.15~.)    |
| 18   | 2103585-2                   | 4.0  | Yes      | SCREW PAN HEAD 4 MM 10 MM<br>SPRING WASHER, ZINC PLATED, STEEL                                                                                 |
| 21   | 2337414                     | 2.0  | Yes      | DVD RAM MEDIA, 9.4 GB                                                                                                                          |
| 23   | 46-208758P3                 | 6.0  | Yes      | 7.31~ X .184~ SELF-LOCKING CABLE TIE 1/16~ TO 1-3/4~ WIRE BUNDLE<br>RANGE. 50LB TENSILE STRENGTH, NYLON MATR~L.                                |
| 27   | 2117390-2                   | 1.0  | Yes      | CE COMPLIANCE AND WEEE LABELS                                                                                                                  |
| 28   | 46-279769P1                 | 1.0  | Yes      | IEC TYPE B SYMBOL                                                                                                                              |
| 29   | 2132620                     | 1.0  | Yes      | EMC LABEL CLASS A GROUP 1                                                                                                                      |
| 30   | 5115334                     | 1.0  | Yes      | SWITCH, ETHERNET 8-PORT GBE                                                                                                                    |
| 31   | 46-208758P2                 | 1.0  | Yes      | 5.5~ X .140~ SELF-LOCKING CABLE TIE. 1/16~ TO 1-1/4~ WIRE BUNDLE<br>RANGE. 30LB TENSILE STRENGTH, NYLON MATR~L.                                |
| 32   | 46-208747P1                 | 1.0  | Yes      | ADHESIVE MOUNT - CABLE TIE PANDUIT CORP, ABMM-A(STYLE A)                                                                                       |
| 1    | 5165396                     | 1.0  | No       | FWS GOC4 CHASSIS,MAKE PARTS.                                                                                                                   |

Table 5-2 LCGOC Freedom Workspace (5378862-120 BOM, Rev6)

| MARK | NUMBER       | QTY  | FRU CODE | DESCRIPTION/NAME                                                                  |
|------|--------------|------|----------|-----------------------------------------------------------------------------------|
| 10   | 2366442-27   | 2.0  | No       | BRACKET, RACK MOUNT HOST COMPUTER                                                 |
| 19   | 46-312358P51 | 14.0 | No       | M5 X 0.8 X 12MM METRIC FREEDRIV ZINC PLATED CROSS RECESSED PAN HEAD MACHINE SCREW |
| 20   | 2240540      | 1.0  | No       | NETSCAPE LICENSE                                                                  |
| 24   | 5133331      | 1.0  | No       | ETL Label for OC                                                                  |
| 25   | 46-269337P6  | 1.0  | No       | LABEL OLD                                                                         |

Note: \*\* Software 07MW11.x or greater is required for Host Computer with FX1500 Graphics Card. If software is not as required, upgrade software to required version at first.

Table 5-2 LCGOC Freedom Workspace (5378862-120 BOM, Rev6)

#### **4.1.1 LCGOC Chassis (5165396)**

Refer to {*For further detail, see [Section 2.1.1 FWS GOC4 Chassis Assembly \(5165396\), Page 410.](#)*}



#### **4.1.2 Console Intercom Prescribed-Tilt Hub (2404320)**

Refer to {*For further detail, see [Section 2.1.2 Console Intercom Prescribed-Tilt Hub \(2404320\), Page414.](#)*}





$$FRU = NO$$

**Figure 5-5 SCSI Tower Assy (5116391 Sheet 1, Rev 1)**

| MARK | NUMBER        | QTY   | FRU | DESCRIPTION               |
|------|---------------|-------|-----|---------------------------|
| 5    | 46-328421P501 | 1.000 | Yes | SCREW PAN HEAD 3 MM 5 MM  |
| 1    | 2398863       | 1.000 | N   | DVD-RAM MULTI-DRIVE 4.7GB |
| 2    | 2404031       | 1.000 | N   | SCSI TO IDE ADAPTER       |
| 4    | 2401055       | 1.000 | N   | SCSI TOWER                |

Table 5-3 SCSI Tower Assy (5116391-2 BOM, Rev 1)

#### **4.1.4 Cover Assy - Console Front (5128181)**

Refer to {*For further detail, see [Section 2.1.4 Cover Assy - Console Front \(5128181\), Page 418.](#)*}

$FRU = NO$

**Figure 5-6 LCGOC 4/8 Slice MDAS & GDAS, Jarrell (5377708-520ADW, Sheet 1, Rev 1)**




Figure 5-7 LCGOC 4/8 Slice MDAS & GDAS, Jarrell (5377708-520ADW, Sheet 2, Rev 1)




Figure 5-8 LCGOC 4/8 Slice MDAS & GDAS, Jarrell (5377708-520ADW, Sheet 3, Rev 1)





| MARK | NUMBER                      | QTY  | FRU | DESCRIPTION                                                                                                                                                                                                                                                              |
|------|-----------------------------|------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2    | 5117866-24<br>5117866-48 ** | 1.0  | Yes | Host Computer, CT USA 4,8,16-slice XW8200.<br>GEHC PET,CT 4,8,16 SLICE INTEGRATED BUY LEVEL HP8200 WITH<br>FX1500 GRAPHICS CARD HOST COMPUTER.                                                                                                                           |
| 3    | 5147442 *                   | 1.0  | Yes | Computer - Data Acquisition Recon Control, 2nd Generation                                                                                                                                                                                                                |
| 5    | 2404320                     | 1.0  | Yes | CONSOLE INTERCOM PRESCRIBED-TILT HUB                                                                                                                                                                                                                                     |
| 6    | 5116391-2                   | 1.0  | Yes | SCSI Tower ASSY                                                                                                                                                                                                                                                          |
| 7    | 5115334                     | 1.0  | Yes | Switch, Ethernet 8-port GBe                                                                                                                                                                                                                                              |
| 8    | 2368697-2                   | 1.0  | Yes | LINUX DDR WORKSTATION 3BUTTON PS2 MOUSE                                                                                                                                                                                                                                  |
| 9    | 2399753-2                   | 1.0  | Yes | TRACKBALL, RoHS - 3 BTTN USB for GRE                                                                                                                                                                                                                                     |
| 11   | 5128181                     | 1.0  | Yes | Cover Assy - Console Front                                                                                                                                                                                                                                               |
| 13   | 2304737-2                   | 2.0  | Yes | CABLE, DVI VIDEO CABLE - OCTANE II                                                                                                                                                                                                                                       |
| 17   | 2324697-2                   | 1.0  | Yes | SCSI CABLE, VHD68 TO CENT 50, LINUX                                                                                                                                                                                                                                      |
| 19   | 5127222-2                   | 2.0  | Yes | Cable, Ethernet, 2ft Lg - CAT5e, 4 twisted pair, 24awg solid copper, Shielded<br>- aluminized polyester and tinned copper, gray PVC jacket, snagless PVC<br>boot, Plugs - UL94V-0 rated polycarbonate with metallic strain relief, EIA-<br>TIA568, UL listed, CMR rated, |
| 25   | 46-136246P14                | 60.0 | Yes | 2~ WIDE, WHT, ADH BACK, VELCRO LOOP 25 YD                                                                                                                                                                                                                                |
| 26   | 46-136246P21                | 60.0 | Yes | 2~ WIDE X 25 YD WHITE VELCRO HOOKS                                                                                                                                                                                                                                       |
| 27   | 46-208781P2                 | 4.0  | Yes | WRITE-ON LABEL FOR MARKING CABLES WHITE ADHESIVE BACKED<br>0.75~ X 1.90~. UNMARKED, 2,500 PC FAN-FOLD SHEETS (FULL SIZE =<br>1.9~ X 3.15~.)                                                                                                                              |
| 29   | 2117390-2                   | 1.0  | Yes | CE Compliance and WEEE Labels                                                                                                                                                                                                                                            |
| 30   | 2132620                     | 1.0  | Yes | EMC LABEL CLASS A GROUP 1                                                                                                                                                                                                                                                |
| 36   | 2337414                     | 2.0  | Yes | DVD RAM MEDIA, 9.4 GB                                                                                                                                                                                                                                                    |
| 39   | 46-208758P3                 | 6.0  | Yes | 7.31~ X .184~ SELF-LOCKING CABLE TIE 1/16~ TO 1-3/4~ WIRE BUNDLE<br>RANGE. 50LB TENSILE STRENGTH, NYLON MATR~L.                                                                                                                                                          |
| 42   | 2103585-2                   | 4.0  | Yes | SCREW PAN HEAD 4 MM 10 MM SPRING WASHER, ZINC PLATED,<br>STEEL                                                                                                                                                                                                           |
| 43   | 46-208758P2                 | 1.0  | Yes | 5.5~ X .140~ SELF-LOCKING CABLE TIE. 1/16~ TO 1-1/4~ WIRE BUNDLE<br>RANGE. 30LB TENSILE STRENGTH, NYLON MATR~L.                                                                                                                                                          |
| 44   | 46-208747P1                 | 1.0  | Yes | ADHESIVE MOUNT - CABLE TIE PANDUIT CORP, ABMM-A(STYLE A)                                                                                                                                                                                                                 |

Table 5-4 LCGOC 4/8 Slice MDAS & GDAS, Jarrell (5377708-520BOM, Rev 1)

| MARK | NUMBER       | QTY  | FRU | DESCRIPTION                                                                       |
|------|--------------|------|-----|-----------------------------------------------------------------------------------|
| 1    | 5165396      | 1.0  | No  | FWS GOC4 chassis,make parts.                                                      |
| 14   | 2366442-27   | 2.0  | No  | BRACKET, RACK MOUNT HOST COMPUTER                                                 |
| 23   | 5183979      | 1.0  | No  | Hivalue 4,8 Jarrell LCGOC Rating plate                                            |
| 28   | 5133331      | 1.0  | No  | ETL Label for OC                                                                  |
| 33   | 2240540      | 1.0  | No  | NETSCAPE LICENSE                                                                  |
| 41   | 46-312358P51 | 14.0 | No  | M5 X 0.8 X 12MM METRIC FREEDRIV ZINC PLATED CROSS RECESSED PAN HEAD MACHINE SCREW |

Note: \* Software 06MW29.x or greater is required for Jarrell DARC/IG. If software is not as required, upgrade software to required version at first.  
 \*\* Software 07MW11.x or greater is required for Host Computer with FX1500 Graphics Card. If software is not as required, upgrade software to required version at first.

Table 5-4 LCGOC 4/8 Slice MDAS & GDAS, Jarrell (5377708-520BOM, Rev 1)



## 5.1 LCGOC Chassis (5165396)

Refer to {For further detail, see [Section 2.1.1 FWS GOC4 Chassis Assembly \(5165396\), Page410.](#)}



## 5.2 Console Intercom Prescribed-Tilt Hub (2404320)

Refer to {For further detail, see [Section 2.1.2 Console Intercom Prescribed-Tilt Hub \(2404320\), Page414.](#)}



### **5.3 SCSI Tower ASSY (5116391-2)**

Refer to {*For further detail, see [Section 4.1.3 SCSI Tower Assy \(5116391-2\), Page444.](#)*}





## **5.4 Cover Assy - Console Front (5128181)**

Refer to {*For further detail, see [Section 2.1.4 Cover Assy - Console Front \(5128181\), Page418.](#)*}

## Section 6.0 — Sigle Piece Desktop Kit for Freedom Workspace (5166834)

FRU = NO

| MARK | NUMBER     | QTY | FRU | DESCRIPTION                          |
|------|------------|-----|-----|--------------------------------------|
| 2    | 2337534    | 1.0 | Yes | SIDE COVERS GOC                      |
| 1    | 2385783    | 1.0 | No  | TABLE TOP ASSEMBLY, KEYBOARD         |
| 3    | 2318681-2  | 1.0 | No  | LEFT ANTI-TIP LEG, CONSOLE CHASSIS   |
| 4    | 2318681-3  | 1.0 | No  | RIGHT ANTI-TIP LEG, CONSOLE CHASSIS  |
| 5    | 2109867-28 | 6.0 | No  | SCREW HEX SOCKET CAP M10X60/32 A2-70 |
| 6    | 2325236    | 2.0 | No  | LEVELER, CONSOLE ANTI-TIP LEGS       |

Table 5-5 Sigle Piece Desktop Kit for Freedom Workspace (5166834 BOM, Rev 1)

6.1 Side Covers GOC (2337534)

FRU = YES

| MARK | NUMBER    | QTY | FRU | DESCRIPTION                      |
|------|-----------|-----|-----|----------------------------------|
| 1    | 2315656   | 1.0 | Yes | RIGHT SIDE COVER, GLOBAL CONSOLE |
|      | 2315656-2 | 1.0 | Yes | LEFT SIDE COVER, GLOBAL CONSOLE  |

Table 5-6 Side Covers GOC (2337534BOM, Rev 0)

## Section 7.0 — Freedom Workspace Side by Side Kit (5166569)

FRU = NO

| MARK | NUMBER    | QTY | FRU | DESCRIPTION                          |
|------|-----------|-----|-----|--------------------------------------|
| 4    | 5160577   | 1.0 | Yes | OC LONG CABLE KIT                    |
| 1    | 2337534-3 | 1.0 | No  | FREEDOM WORKSPACE SIDE COVER         |
| 2    | 5160735   | 1.0 | No  | FWS TABLE AND ARM                    |
| 5    | 5166671   | 1.0 | No  | FWS CONSOLE CHASSIS MONITOR TABLETOP |

Table 5-7 Freedom Workspace Side by Side Kit (5166569 BOM, Rev 3)

7.1 Freedom Workspace Side Cover (2337534-3)

FRU = NO

| MARK | NUMBER    | QTY | FRU | DESCRIPTION                                             |
|------|-----------|-----|-----|---------------------------------------------------------|
| 1    | 2315656-5 | 1.0 | Yes | FREEDOM WORKSPACE RIGHT SIDE COVERS FOR CONSOLE CHASSIS |
| 2    | 2315656-6 | 1.0 | Yes | FREEDOM WORKSPACE LEFT SIDE COVERS FOR CONSOLE CHASSIS  |

Table 5-8 Freedom Workspace Side Cover (2337534-3 BOM, Rev 1)



7.2 FWS Table and ARM (5160735)

FRU = NO

| MARK | NUMBER    | QTY | FRU | DESCRIPTION                             |
|------|-----------|-----|-----|-----------------------------------------|
| 1    | 5160735-2 | 1.0 | Yes | FREEDOM WORKSPACE TABLE FURNITURE       |
| 2    | 5160735-3 | 1.0 | Yes | FREEDOM WORKSPACE MONITOR MOUNTING ARMS |

Table 5-9 FWS Table and ARM (5160735 BOM, Rev 3)



## Section 8.0 — Associated Items

- For further detail, see [Section 8.1.1 LCD Monitor & Cable - 18 Inch \(2309592\), Page469](#).
- For further detail, see [Section 8.1.2 LCD Monitor - 19 Inch \(B7858LC\), Page469](#).
- For further detail, see [Section 8.2 Keyboard w/SCIM, Collectors, Page470](#).
- For further detail, see [Section 8.3 Console Slide Service Kit \(2379135\), Page474](#).
- For further detail, see [Section 8.4 Power Switch & Cables \(2379134\), Page475](#).
- For further detail, see [Section 8.5 Modem Kit \(B7700MG\), Page475](#).

## 8.1 Monitors




Figure 5-10 Monitor Selection Flowchart

### 8.1.1 LCD Monitor & Cable - 18 Inch (2309592)

FRU = NO

| MARK | NUMBER  | QTY   | FRU CODE | DESCRIPTION/NAME                    |
|------|---------|-------|----------|-------------------------------------|
| 1    | 2349792 | 1.000 | Yes      | 18.1 INCH LCD COLOR MONITOR         |
| 2    | 2295019 | 1.000 | Yes      | 13W3-BD15 RGB LCD STRAIGHT CONN CBL |

Table 5-10 LCD Monitor & Cable (2309592 BOM, rev 1)

### 8.1.2 LCD Monitor - 19 Inch (B7858LC)

| MARK | NUMBER  | QTY   | FRU CODE | DESCRIPTION/NAME                                               |
|------|---------|-------|----------|----------------------------------------------------------------|
| 1    | 5117545 | 2.000 | Yes      | Monitor, 19 inch color LCD, silver, NEC LCD1980SX <sub>i</sub> |

Table 5-11 LCD Monitor & Cable (2309592 BOM, rev 1)

## 8.2 Keyboard w/SCIM, Collectors



Figure 5-11 Keyboard & SCIM Assembly (Rev 11/15/00)

## 8.2.1 Keyboard w/SCIM Collector - English (2275758)

FRU = 1

| MARK | NUMBER  | QTY   | FRU CODE | DESCRIPTION/NAME                                                                                      |
|------|---------|-------|----------|-------------------------------------------------------------------------------------------------------|
| 1    | 2275756 | 1.000 | Yes      | KEYBOARD, NORTH AMERICAN                                                                              |
| 3    | 2275752 | 1.000 | Yes      | SCIM COLLECTOR - ENGLISH<br>{For further detail, see SCIM Collector – English (2275752) on page 471.} |
| 4    | 2323942 | 1.000 | Yes      | CABLE, HD50 TO HD50                                                                                   |
| 2    | 2275757 | 1.000 | N        | FUNCTION KEY TEMPLATE - E                                                                             |

Table 5-12 Keyboard w/SCIM Collector - English (2275758 BOM, rev 1)

### 8.2.1.1 SCIM Collector – English (2275752)

FRU = 1

| MARK | NUMBER     | QTY   | FRU CODE | DESCRIPTION/NAME          |
|------|------------|-------|----------|---------------------------|
| 1    | 2262158    | 1.000 | N        | SCAN CONTROL INTERCOM MOD |
| 2    | 2262158-11 | 1.000 | N        | OVERLAY, SCIM CT, TILT -  |
| 3    | 2262158-21 | 1.000 | N        | OVERLAY, SCIM CT, NO TILT |

Table 5-13 SCIM Collector - English (2275752 BOM, rev 0)

## 8.2.2 French (2275758-2)

| MARK | NUMBER    | QTY   | FRU CODE | DESCRIPTION/NAME                                                                                      |
|------|-----------|-------|----------|-------------------------------------------------------------------------------------------------------|
| 1    | 2275756-2 | 1.000 | Yes      | KEYBOARD, EUROPEAN FRENCH                                                                             |
| 4    | 2323942   | 1.000 | Yes      | CABLE, HD50 TO HD50                                                                                   |
| 2    | 2275757-2 | 1.000 | N        | FUNCTION KEY TEMPLATE - F                                                                             |
| 3    | 2275752-2 | 1.000 | N        | SCIM COLLECTOR - FRENCH<br>{For further detail, see SCIM Collector - French (2275752-2) on page 472.} |

Table 5-14 Keyboard w/SCIM Collector - French (2275758-2 BOM, rev 1)

### 8.2.2.1 SCIM Collector - French (2275752-2)

| MARK | NUMBER     | QTY   | FRU CODE | DESCRIPTION/NAME          |
|------|------------|-------|----------|---------------------------|
| 1    | 2262158    | 1.000 | N        | SCAN CONTROL INTERCOM MOD |
| 2    | 2262158-12 | 1.000 | N        | OVERLAY, SCIM CT, TILT -  |
| 3    | 2262158-22 | 1.000 | N        | OVERLAY, SCIM CT, NO TILT |

Table 5-15 SCIM Collector - French (2275752-2 BOM, rev 0)

### 8.2.3 German (2275758-3)

| MARK | NUMBER    | QTY   | FRU CODE | DESCRIPTION/NAME                                                                                      |
|------|-----------|-------|----------|-------------------------------------------------------------------------------------------------------|
| 1    | 2275756-3 | 1.000 | Yes      | KEYBOARD, GERMAN PC PS/2                                                                              |
| 4    | 2323942   | 1.000 | Yes      | CABLE, HD50 TO HD50                                                                                   |
| 2    | 2275757-3 | 1.000 | N        | FUNCTION KEY TEMPLATE - G                                                                             |
| 3    | 2275752-3 | 1.000 | N        | SCIM COLLECTOR - GERMAN<br>{For further detail, see SCIM Collector - German (2275752-3) on page 473.} |

Table 5-16 Keyboard w/SCIM Collector - German (2275758-3 BOM, rev 1)

#### 8.2.3.1 SCIM Collector - German (2275752-3)

| MARK | NUMBER     | QTY   | FRU CODE | DESCRIPTION/NAME          |
|------|------------|-------|----------|---------------------------|
| 1    | 2262158    | 1.000 | N        | SCAN CONTROL INTERCOM MOD |
| 2    | 2262158-13 | 1.000 | N        | OVERLAY, SCIM CT, TILT -  |
| 3    | 2262158-23 | 1.000 | N        | OVERLAY, SCIM CT, NO TILT |

Table 5-17 SCIM Collector - German (2275752-3 BOM, rev 0)

### 8.2.4 Swedish (2275758-4)

| MARK | NUMBER    | QTY   | FRU CODE | DESCRIPTION/NAME                                                                                      |
|------|-----------|-------|----------|-------------------------------------------------------------------------------------------------------|
| 1    | 2275756-4 | 1.000 | Yes      | KEYBOARD, SWEDISH PC PS/2                                                                             |
| 3    | 2275752   | 1.000 | Yes      | SCIM COLLECTOR - ENGLISH<br>{For further detail, see SCIM Collector – English (2275752) on page 471.} |
| 4    | 2323942   | 1.000 | Yes      | CABLE, HD50 TO HD50                                                                                   |
| 2    | 2275757   | 1.000 | N        | FUNCTION KEY TEMPLATE - E                                                                             |

Table 5-18 Keyboard w/SCIM Collector - Swedish (2275758-4 BOM, rev 1)

## 8.2.5 International (2275758-5)

| MARK | NUMBER    | QTY   | FRU CODE | DESCRIPTION/NAME                                                                                                    |
|------|-----------|-------|----------|---------------------------------------------------------------------------------------------------------------------|
| 1    | 2275756   | 1.000 | Yes      | KEYBOARD, NORTH AMERICAN                                                                                            |
| 4    | 2323942   | 1.000 | Yes      | CABLE, HD50 TO HD50                                                                                                 |
| 2    | 2283830   | 1.000 | N        | FUNCTION KEY TEMPLATE COL                                                                                           |
| 3    | 2275752-4 | 1.000 | N        | SCIM COLLECTOR - INTERNATIONAL<br>{For further detail, see SCIM Collector - International (2275752-4) on page 474.} |

Table 5-19 Keyboard w/SCIM Collector - International (2275758-5 BOM, rev 1)

### 8.2.5.1 SCIM Collector - International (2275752-4)

| MARK | NUMBER     | QTY   | FRU CODE | DESCRIPTION/NAME          |
|------|------------|-------|----------|---------------------------|
| 1    | 2262158    | 1.000 | N        | SCAN CONTROL INTERCOM MOD |
| 2    | 2262158-10 | 1.000 | N        | OVERLAY, SCIM CT, TILT -  |
| 3    | 2262158-14 | 1.000 | N        | OVERLAY, SCIM CT, TILT -  |
| 4    | 2262158-20 | 1.000 | N        | OVERLAY, SCIM CT, NO TILT |
| 5    | 2262158-24 | 1.000 | N        | OVERLAY, SCIM CT, NO TILT |

Table 5-20 SCIM Collector - International (2275752-4 BOM, rev 0)

## 8.3 Console Slide Service Kit (2379135)

| MARK | NUMBER    | QTY   | FRU CODE | DESCRIPTION/NAME          |
|------|-----------|-------|----------|---------------------------|
| 3    | 2317595   | 1.000 | N        | SLIDE RAIL FOR DRAWER ASS |
| 4    | 2317501   | 1.000 | N        | BRACKET, DRAWER BALL LATC |
| 5    | 2317502   | 1.000 | N        | LATCH, DRAWER ASSEMBLY    |
| 6    | 2366442-7 | 4.000 | N        | BRACKET, RACK MOUNT       |

Table 5-21 Console Slide Service Kit (2379135 BOM, rev 0)



## 8.4 Power Switch & Cables (2379134)

| MARK | NUMBER    | QTY   | FRU CODE | DESCRIPTION/NAME                  |
|------|-----------|-------|----------|-----------------------------------|
| 1    | 2150833   | 1.000 | N        | BREAKER SWITCH                    |
| 2    | 2108900   | 1.000 | N        | CONNECTOR 8 CONTACTS 150 VOLTS    |
| 5    | 2318308   | 1.000 | N        | ETHERNET CABLE, CHASSIS SVC PANEL |
| 7    | 2341434-2 | 1.000 | N        | CABLE, KEYBOARD - OCTANE 2        |
| 8    | 2341434   | 1.000 | N        | CABLE, MOUSE - OCTANE 2           |

Table 5-22 Power Switch & Cables (2379134 BOM, rev 0)

## 8.5 Modem Kit (B7700MG)

| MARK | NUMBER  | QTY   | FRU | DESCRIPTION   |
|------|---------|-------|-----|---------------|
| 1    | 2382276 | 1.000 | N   | GRE MODEM KIT |

Table 5-23 GOC3 Modem Kit (B7700MG BOM, rev 0)

## Section 9.0 — Options

- For further detail, see [Section 9.1 Video Upgrade For Linux Console \(B7868MC\)](#), Page476.
- For further detail, see [Section 9.2 LCD & SUSP \(Boom In Room\) LNX \(B7710LM\)](#), Page477.
- For further detail, see [Section 9.3 HS/LS Remote Color \(LNX\) Monitor \(B7530LC\)](#), Page478.

### 9.1 Video Upgrade For Linux Console (B7868MC)

| MARK | NUMBER  | QTY   | FRU CODE | DESCRIPTION/NAME                                                     |
|------|---------|-------|----------|----------------------------------------------------------------------|
| 1    | 2378278 | 1.000 | N        | VIDEO UPGRADE FOR LINUX C<br>{For further detail, see Section 9.1.1} |

Table 5-24 Video Upgrade For Linux Console (B7868MC BOM, rev 0)

#### 9.1.1 Video Upgrade (2378278)

| MARK | NUMBER       | QTY    | FRU CODE | DESCRIPTION/NAME                             |
|------|--------------|--------|----------|----------------------------------------------|
| 2    | 2384322      | 1.000  | Yes      | 5 BNC MALE TO HD15 MALE - 75 FT PLENUM RATED |
| 9    | 2302528      | 1.000  | Yes      | VIDIO CABLE FOR LCD SUSPE                    |
| 13   | 2376772      | 1.000  | Yes      | 1-IN 4-OUT RGBHV DISTRIBUTION AMP            |
| 27   | 2384323      | 10.000 | Yes      | 75 OHM TERMINATOR                            |
| 28   | 2384324      | 1.000  | Yes      | DVI TO HD15 CONVERTER                        |
| 1    | 46-302200P10 | 1.000  | N        | 1.72 X 1.10, MODEL#, SN, DATE, DESC          |
| 14   | 2376770-2    | 1.000  | N        | 5 BNC MALE TO HD15 MALE (6 FT)               |
| 16   | 2376771      | 1.000  | N        | 5 BNC MALE TO HD15 FEMALE (6 FT)             |
| 18   | 2200583-100  | 1.000  | N        | CT/I (SONATA) UPGRADE MANUAL                 |
| 19   | 2211224-100  | 1.000  | N        | LIGHTSPEED QX/I OPTIONS INSTALLATION         |
| 25   | 2212092      | 1.000  | N        | CEILING PLATE ASSEMBLY FOR LCD               |

Table 5-25 Video Upgrade (2378278 BOM, rev 3)

## 9.2 LCD & SUSP (Boom In Room) LNX (B7710LM)

| MARK | NUMBER  | QTY   | FRU CODE | DESCRIPTION/NAME                                                    |
|------|---------|-------|----------|---------------------------------------------------------------------|
| 1    | 2376773 | 1.000 | N        | BOOM-IN-A-ROOM FOR LINUX<br>{For further detail, see Section 9.2.1} |

Table 5-26 LCD & SUSP (Boom In Room) LNX (B7710LM BOM, rev 0)

### 9.2.1 Boom-in-a-Room for Linux (2376773)

| MARK | NUMBER       | QTY    | FRU CODE | DESCRIPTION/NAME                                 |
|------|--------------|--------|----------|--------------------------------------------------|
| 2    | 2384322      | 1.000  | Yes      | 5 BNC MALE TO HD15 MALE - 75 FT PLENUM RATED     |
| 3    | 2214293      | 1.000  | Yes      | CEILING COLUMN WITH FLANGE, 58CM                 |
| 4    | 2214292      | 1.000  | Yes      | 80-80 CM EXTENSION/SPRING ARM 10,3 KG (22.7 LBS) |
| 5    | 2349792      | 1.000  | Yes      | 18.1 IN LCD COLOR MONITOR                        |
| 6    | 2211031      | 1.000  | Yes      | LCD BRACKET - SHORT                              |
| 7    | 2212717      | 1.000  | Yes      | CABLE COVER FOR LCD SUSPENSION 3.6 METERS LONG   |
| 9    | 2302528      | 1.000  | Yes      | VIDIO CABLE FOR LCD SUSPE                        |
| 11   | 2213213      | 1.000  | Yes      | GROUNDING CABLE FOR LCD SUSPENSION               |
| 12   | 2213218      | 1.000  | Yes      | POWER CABLE FOR LCD SUSPENSION                   |
| 13   | 2376772      | 1.000  | Yes      | 1-IN 4-OUT RGBHV DISTRIBUTION AMP                |
| 27   | 2384323      | 10.000 | Yes      | 75 OHM TERMINATOR                                |
| 28   | 2384324      | 1.000  | Yes      | DVI TO HD15 CONVERTER                            |
| 1    | 46-302200P10 | 1.000  | N        | 1.72 X 1.10, MODEL#, SN, DATE, DESC              |
| 8    | 2213216      | 1.000  | N        | GROUNDING CABLE FOR LCD-CONSOLE TO LCD           |
| 10   | 2213219      | 1.000  | N        | POWER CABLE FOR LCD-CONSOLE TO LCD               |
| 14   | 2376770-2    | 1.000  | N        | 5 BNC MALE TO HD15 MALE (6 FT)                   |
| 16   | 2376771      | 1.000  | N        | 5 BNC MALE TO HD15 FEMALE (6 FT)                 |
| 17   | 2223870      | 1.000  | N        | SONATA HARDWARE COLLECTOR KIT                    |
| 18   | 2200583-100  | 1.000  | N        | CT/I (SONATA) UPGRADE MANUAL                     |
| 19   | 2211224-100  | 1.000  | N        | LIGHTSPEED QX/I OPTIONS INSTALLATION             |

Table 5-27 Boom-in-a-Room for Linux (2376773 BOM, rev 2)

| MARK | NUMBER  | QTY   | FRU CODE | DESCRIPTION/NAME               |
|------|---------|-------|----------|--------------------------------|
| 25   | 2212092 | 1.000 | N        | CEILING PLATE ASSEMBLY FOR LCD |
| 26   | 2300059 | 1.000 | N        | HANDLE FOR LCD DISPLAY MONITOR |

Table 5-27 Boom-in-a-Room for Linux (2376773 BOM, rev 2) (Continued)

### 9.3 HS/LS Remote Color (LNX) Monitor (B7530LC)

| MARK | NUMBER  | QTY   | FRU CODE | DESCRIPTION/NAME                                                     |
|------|---------|-------|----------|----------------------------------------------------------------------|
| 1    | 2377146 | 1.000 | N        | REMOTE MONITOR KIT FOR LI<br>{For further detail, see Section 9.3.1} |

Table 5-28 HS/LS Remote Color (LNX) Monitor (B7530LC BOM, rev 0)

#### 9.3.1 Remote Monitor Kit (2377146)

| MARK | NUMBER  | QTY   | FRU CODE | DESCRIPTION/NAME          |
|------|---------|-------|----------|---------------------------|
| 1    | 2333243 | 1.000 | Yes      | 21 IN COLOR CRT MONITOR   |
| 1A   | 2254212 | ALT   | Yes      | SONY GDM-5402T9 21" COLOR |

Table 5-29 Remote Monitor Kit (2377146 BOM, rev 0)