




GOC4 Console was introduced for LS5X and contains the HP-8200 CPU, a DARC 2 that contains both scan disks, one IG module, and the Intercom Unit at the far left.

DARC 2

DARC2 Dual Disk, 16 slice MDAS or GDAS
DARC2 Dual Disk, 4/8 slice MDAS
DARC2 Dual Disk, 4 slice SDAS


Westville

5114772
5114772-2
5114772-3

Jarrell

5147442
5147442-2
5147442-3

IG Module for GRE: **Westville** 2362872 or **Jarrell** 5147443-2




GOC3 Console was introduced for LS5X, but older systems have been upgraded. It has the HP-8000 CPU, one SDDA with 2 scan disks and Intercom, one DARC, one IG. **SDDA Module** 2362873

Westville DARC 1 is the only DARC available for GOC3

2362870-10 is a DARC for 16 slice MDAS or GDAS
2362870-12 is a DARC for 4/8 slice MDAS
2362870-13 is a DARC for 4 slice SDAS

IG Module for GRE: **Westville** 2362872 or **Jarrell** 5147443-2




GOC2 Console was introduced for the LS3X (8 slice) and LS4X (16 slice) systems, but not all 3X, 4X systems have this console type.

It contains the HP-8000 as the Linux Host computer shown in front. In the rear is the ICE Box or Recon Engine, with the RIP, DIP, SCSI, IG, 1 or 2 scan data disks, and VME power supply.



GOC1 Console was introduced for the LS2X (4 slice) system with H2 smaller gantry style.

The Blue Octane II IRIX CPU is in the rear and the ICE Box in the front contains RIP, DIP, SCSI, IG, one scan disk, and VME power supply.




OLDER Consoles were introduced for the CTI and LS1X systems with the H1 or larger square gantry. LS1X is a 4 slice and CTI is a single slice CT.

LS1X with O2 will have both the green Octane 1 CPU and O2 cpu on left. The O2 cpu controls the Recon Engine on the right side of the console. Recon contains the RIP, DIP, SCSI, SDC, IG, scan disk, VME supply.

LS1X without O2 cpu will have a software SBC instead of the O2 sbc.

CTI4X has an Indigo CPU and CTI6X has Octane 1 CPU, both on the left.




GOC6 Console was introduced for the **CT HD-750** system and contains the HP-8400 CPU, 2 HSDA Disk Arrays, VerB Recon, and DIG (DARC & IG)

HSDA 5199748 (High Speed Disk Arrays)
 VerB 5255299-30 (Volume Recon ASIR)
 DIG 5255299-10 (DARC and IG)
 HPcpu 5183547-37 (HP-8400 8GB mem)
 ICOM 5266222 (Upper Right Corner)
 Switch 5263798 (16 Port Ethernet Switch)

GOC6 Console will also be used on the **VCT**
 VCT High Def (CPU, DIG, VerB and 2 HSDA's)
 VCT Performance (CPU, DIG, VerB and 1 HSDA)
 VCT Standard (CPU, DIG and 1 HSDA)

GOC 6 Console for the HD-750 system



GOC5 Console was introduced for the LS7X - VCT system and contains the HP-8200 CPU, Scan Disk Array (RAID or JBOD), VDARC, and 1or 3 VIG's, and the Intercom Unit on the far left.

VDARC 5114523 Westville
 VDARC 5114523-2 Westville
 VDARC 5159833 Jarrell

VIG 5114533-2 Westville
 VIG 5159834-2 Jarrell
 VIG 5159834-3 Jarrell EMC


5114536-10 Scan Disk Array Hard drive Qty 8

Westville and Jarrell components CAN be mixed or interchanged on the VCT system if running 06MW29.4, 07MW18.4, or later software.

Original VCT GOC 5 Console

HP CPU's

2368697-3	HP-8000 , 2 GB Mem for GOC 2 or 3
5117866-24	HP-8200 , 2 GB Mem for GOC 3 or 4
5117866-28	HP-8200 , 4 GB Mem, FX1400 Graphics, for GOC 4 or 5
5117866-51	HP-8200 , 4 GB Mem, FX1500 Graphics, for GOC 4 or 5
5183547-37	HP-8400 , 8 GB Mem, FX1500 Graphics, for GOC 6 HD-750
5183547-38	HP-8400 , 4 GB Mem, FX1500 Graphics, for GOC 6 VCT
5183547-50	HP-8400 , 8 GB Mem, for All-In-One Console AIO



GOC ? This is NOT an approved configuration:

If the Westville DARC 1 is not in stock, the FE will probably order a Jarrell DARC 2 as a replacement. A problem occurs as the SDDA has 2 scan disks and the DARC 2 has 2 scan disks, and the system will not run with 4 scan disks. The scsi cables going to the SDDA disks must be disconnected.

This is NOT an approved configuration for any CT

If DARC 1 is not in stock, order the upgrade kits below for the appropriate system type and upgrade to GOC4.

GOC3 to GOC4 Jarrell Upgrade Kits:

5144058-500	5144058-501	5144058-502
(All G or MDAS-16)	(MDAS 4,8)	(SDAS - 4)



All-In-One Console (AIO) for Brightspeed

This Brightspeed console contains an HP-8400 CPU, one IG module which is optional, and NO DARC is needed. The LCD monitors may be placed on separate work counter.


HP-8400 with 8 GB mem is part 5183547-50

146 GB Disk Drives in CPU are part 5183547-26 Qty 4 used

CDIP Card in the CPU is part 5220229

IG Module for GRE: **Westville** 2362872 or **Jarrell** 5147443-2

All-In-One Console (AIO)



This **Brightspeed** Console is a **GOC4** console with the HP-8200 CPU, DARC 2 with 2 scan disks inside, and the IG module.

The IG module may not be found on the **LCGOC** console, as the IG module is optional on the Low-Cost GOC console.

DARC 2	Westville	Jarrell
DARC2 Dual Disk, MDAS-16 / GDAS	5114772	5147442

IG Module for GRE: **Westville** 2362872 or **Jarrell** 5147443-2

Original Brightspeed Console