

Chapter 2

Table

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
3	2115996-3	1.0	Yes	AXIAL HEADHOLDER ASM WITH RATING PLATE AND SELF-CATCHING LATCH
4	2115990-3	1.0	Yes	LCC HSA METALLESS SUPINE CORNAL HEADHOLDER ASM WITH RATING PLATE AND SELF-CATCHING LATCH
5	2115993-2	1.0	Yes	LCC METALLESS CRADLE EXTENDER HSA METALLESS FOOT EXTENDER WITH RATING PLATE AND SELF-CATCHING LATCH
8	2331933	1.0	Yes	METALLESS COMPATIBLE PHANTOM HOLDER
1	2335179	1.0	No	TABLE ASSY - H POWER {For further detail, see Section 1.0, beginning on page 32. }
2	2330508	1.0	No	FOOT SWITCH ASSEMBLY {For further detail, see Section 2.0, beginning on page 73. }

Table 2-1 Cat Coll/H Power Table with Footswitch (2373155 BOM, rev 0)

FRU = NO






Figure 2-2 Table Assembly - H Power (2335179, sheet 2, rev 2)

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
4	2261682	1.0	Yes	BRKT,ACTUAT CVR MT,(REF 46-296591P1)
5	2265868	1.0	Yes	BRACKET (REF 46-296820P1)
7	2271244	1.0	Yes	RIGHT BASE COVER ASM FOR H2 TABLE
8	2271247	1.0	Yes	LEFT BASE COVER ASM FOR H2 TABLE
16	2261683	1.0	Yes	COVER, ACTUATOR, (REF 46-296592P1)
17	2372371	1.0	Yes	COVER TABLE TOP LEFT {For further detail, see Section 1.2, beginning on page 38. }
18	2372372	1.0	Yes	COVER TABLE TOP RIGHT {For further detail, see Section 1.3, beginning on page 40. }
19	46-296594P1	1.0	Yes	DRIVE COVER
21	46-296679P2	1.0	Yes	ZEUS TABLE, REAR END COVER WITHOUT SWITCH OPENINGS
22	2261708	2.0	Yes	COVER GUARD, RAILS,(REF 46-296742P1)
29	2265851	2.0	Yes	BRACKET, LR SIDE PANEL (REF 2136285)
30	2265850	2.0	Yes	BRACKET, LF SIDE PANEL (REF 2136284)
31	2261669	2.0	Yes	BRKT,U-FRONT SIDE PNL, (REF 2138103)
32	2261668	2.0	Yes	BRKT, U-REAR SIDE PNL, (REF 2138101)
33	2265870	4.0	Yes	NUT PLATE (REF 46-297171P1)
35	2261688	1.0	Yes	BRKT, LWR COV SUP (REF 46-297324P1)
36	46-297329P2	2.0	Yes	1/4 TURN RECEPTACLE - FIXED .128~ DIA. MOUNTING HOLES
38	2329950	1.0	Yes	CHANNEL,COVER SUPPORT
43	2146815-2	26.0	Yes	10-32 X 3/8 HEX SOC BUTTON HD SST MA
45	46-208562P2	1.0	Yes	SCREW SCREW OLD STL F70B5A2 ZINC PL HT TR FOR HYD EMB
46	46-208562P3	4.0	Yes	SCREW SCREW OLD STL F70B5A2 ZINC PL HT TR FOR HYD EMB
47	46-208562P20	14.0	Yes	SCREW SCREW OLD STL F70B5A2 ZINC PL HT TR FOR HYD EMB N646P16010
52	2265882	8.0	Yes	SIDE PIVOT BUSHING (REF 46-297552P1)
55	46-297155G1	4.0	Yes	ZEUS TABLE, 9~ LONG CABLE
59	2261690	2.0	Yes	HEX STDF,9.5MM TAP,(REF 46-297596P1)
61	46-170498P23	6.0	Yes	SCREW SCREW OLD F70B5A2 ZINC PL HT TR FOR HYD EMB

Table 2-2 Table Assembly - H Power (2335179 BOM, rev 9)

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
62	46-221523P10	6.0	Yes	HOLE DIA 0.437 MAT~L THK .125 MAX BUTTON
63	46-170012P63	2.0	Yes	0010-32 HEX .375 NUT HT .239 STL ZINC PL ESNA 21NM-02
64	46-220186P20	4.0	Yes	1/8~ 120 DEGREE COUNTERSUNK POP RIVET .129-.133,GRIP RANGE .126-.187 USM CORPORATION PART # AK4385
65	46-170498P41	2.0	Yes	SCREW SCREW OLD F70B5A2 ZINC PL HT TR FOR HYD EMB
71	46-297695P1	2.0	Yes	COTTER PIN
72	46-297678P1	1.0	Yes	HINGES
73	2265878	1.0	Yes	PIN (REF 46-297676P1)
74	46-170490P50	1.0	Yes	SPRING-INCH EXTENSION 4 INCHES .65 I FREE LG 4.00 MUSIC WIRE RATE-LB/IN 1.2
80	46-220181P5	8.0	Yes	WASHER #10 (.190) SCREW SIZE, ID .194-.202 OD .334, WIDTH .062 THK .047, STEEL ZINC PLT
81	12-276	4.0	Yes	ID 0.2040 OD 0.5630 THK .0478 STL F70B5A
85	2146815-2	18.0	Yes	10-32 X 3/8 HEX SOC BUTTON HD SST MA
86	2265863	3.0	Yes	SHIM 0.80MM (REF 46-196354P1)
87	2265863-2	3.0	Yes	SHIM 0.40MM (REF 46-196354P4)
88	46-170106P1	0.0	Yes	DBL COATED FILM .007 THK 1.0W
92	1000904P358	1.0	Yes	ID 0.380 OD 1.000 THK .094 B4B33A F70D9 .0001/.0002
98	2265861-5	1.0	Yes	SPACER PLT 1.60MM (REF 46-327022P5)
100	46-208561P147	5.0	Yes	SCREW SCREW OLD F70BIAR ZINC PL HT TR FOR HYD EMB
103	2265845	5.0	Yes	PAD, LEVELING (REF 2105872)
108	2115992-5	1.0	Yes	METALLESS CRADLE YMS METALLESS CRADLE WITH RATING PLT AND KEEPER_FOR SELF-CATCHING LATCH {For further detail, see Section 1.4, beginning on page 42. }
109	2117299	1.0	Yes	METALLESS CRADLE COMPATIBLE FRONT END COVER FOR HSA TABLE, BACKWARD COMPATIBLE WITH ALL ZEUS TABLES
117	2117390-2	1.0	Yes	CE Compliance and WEEE Labels
119	2103580-12	8.0	Yes	SCREW COUNTERSUNK HEA 6 MM 12 MM CAP SCREWS BLACK OXIDE, STEEL
120	46-328417P12	8.0	Yes	SCREW HEXAGON SOCKET 6 MM 12 MM ZINC PLATED, STEEL
134	46-303268P1	1.0	Yes	PRODUCT LOCATOR CARD FORM FOR RATING PLATES, PRINTED BY DUPLITECH
137	2343484	1.0	Yes	COVER, CRADLE ENCODER

Table 2-2 Table Assembly - H Power (2335179 BOM, rev 9) (Continued)

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
138	2348433	1.0	Yes	BRACKET, COVER MOUNTING-RIGHT SIDE
139	2346979	1.0	Yes	COVER - TCB EMC
140	P9140ET	1.0	Yes	NAME PLATE
141	46-302200P7	1.0	Yes	SERIAL #, MODEL# DESCRIPTION & MANUFACTURED DATE 2.25 X 1.40 PLATE
144	46-328430P3	2.0	Yes	WASHER PLAIN - NORMAL 6.4 MM 12 MM ZINC PLATED, STEEL
145	46-328432P3	2.0	Yes	WASHER LOCK - SPRING 6.1 MM 11.8 MM ZINC PLATED, SPRING STEEL
6	2269167-2	1.0	No	SIDE PANEL KIT FOR H2 LCC CATHAY TBL {For further detail, see Section 1.1, beginning on page 37. }
13	2261673	2.0	No	BKT, REAR COVER, (REF 46-296832P1)
93	2265862	1.0	No	BOLT, SHIPPING (REF 2184717)
94	2265861	0.0	No	SPACER PLT 0.50MM (REF 46-327022P1)
95	2265861-2	0.0	No	SPACER PLT 0.80MM (REF 46-327022P2)
96	2265861-3	0.0	No	SPACER PLT 1.00MM (REF 46-327022P3)
97	2265861-4	0.0	No	SPACER PLT 1.20MM (REF 46-327022P4)
101	2265840	5.0	No	ADJUSTER, LEVELING PAD (REF 2105871)
102	2265846	5.0	No	LOCK RING (REF 2106207) DIMENSIONS 1.5-12 THDS, 0.25 THK
116	2394485	1.0	No	HPOWER TABLE ETL LABEL
118	2132620-5	1.0	No	EMC LABEL CLASS A+12 GROUP 1 EMC LABEL CLASS B GROUP 2
121	2335178	1.0	No	TABLE SUB ASSY - H POWER {For further detail, see Section 1.5, beginning on page 44. }
122	2384711	1.0	No	RATING PLATE
126	2148658	1.0	No	ESD GROUND STRAP, BRAIDED FLAT WIRE
142	46-170171P22	0.0	No	TAPE OLD ADHESIVE BACKED SPONGE RUBBER STRIP 50 FOOT LONG, 1.00 INCHES WIDE .563 INCHES THICK
143	2327686	2.0	No	WING NUT M6

Table 2-2 Table Assembly - H Power (2335179 BOM, rev 9) (Continued)

1.1 Side Panel Kit (2269167-2)

FRU = NO

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
9	2259861-2	1.0	Yes	SIDE PANEL,RT REAR, HELIOS 2
10	2259862-2	1.0	Yes	SIDE PANEL,LEFT REAR, HELIOS 2
11	2259863-2	1.0	Yes	SIDE PANEL,RIGHT FRONT, HELIOS 2
12	2259864-2	1.0	Yes	SIDE PANEL,LEFT FRONT, HELIOS 2

Table 2-3 Side Panel Kit for H2 LCC Cathay Table (2269167-2 BOM, rev 0)

1.2 Cover Table Top - Left (2372371)

FRU = 1




Figure 2-3 Cover Table Top - Left (2372371, sheet 1, rev 1)

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
3	46-208747P1	4.0	Yes	ADHESIVE MOUNT - CABLE TIE PANDUIT CORP, ABMM-A(STYLE A)
4	46-297698P3	1.0	Yes	27~ HIGH PROFILE BEAD, RIBBON SWITCH
5	46-297329P1	2.0	Yes	1/4 TURN RECEPTACLE WITH TWO SPACERS FLOATING (.074~ ALL DIRECTIONS) .261~ DIA. MOUNTING HOLES
6	46-220186P20	4.0	Yes	1/8~ 120 DEGREE COUNTERSUNK POP RIVET .129-.133,GRIP RANGE .126-.187 USM CORPORATION PART # AK4385
7	46-297721P1	1.0	Yes	4-POS PLUG HOUSING (DRAWER CONNECT). PLUG HOUSING, DRAWER CONNECTOR. (DWG REV 7/92, JFK - OK).
8	46-158905P16	2.0	Yes	MOUNTING SCREW FOR DRAWER CONNECTOR. SAE 6-32 THD, .966~-L, STAINLESS STL MOUNTING SCREW FOR FLOATING DRAWER C ONNECTORS. SAE 6-32 THD. (DWG REV 7/92, JFK - OK).
9	46-297328P2	2.0	Yes	1/4 TURN STUD AND TWO GROMMETS STUD LENGTHS; A=.500~ B=.330~
10	46-208758P1	4.0	Yes	3.62~ X .094~ CABLE TIE 1/16~ TO 5/8~ WIRE BUNDLE RANGE 18LB TENSILE STRENGTH, NYLON MATR'L.
11	2372346	1.0	Yes	CHANNEL TAPESWITCH
14	2199652	1.0	Yes	P9235LZ LABEL
2	2372348	1.0	No	COVER, TOP LEFT
12	2363367	6.0	No	VINYL CAP 1/8 INCH
13	2363369	6.0	No	T SHAPE HEAD STEEL CLIP

Table 2-4 Cover Table Top - Left (2372371 BOM, rev 01)

1.3 Cover Table Top - Right (2372372)

FRU = 1




Figure 2-4 Cover Table Top - Right (2372372, sheet 1, rev 1)

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
3	46-208747P1	4.0	Yes	ADHESIVE MOUNT - CABLE TIE PANDUIT CORP, ABMM-A(STYLE A)
4	46-297698P3	1.0	Yes	27~ HIGH PROFILE BEAD, RIBBON SWITCH
5	46-297329P1	2.0	Yes	1/4 TURN RECEPTACLE WITH TWO SPACERS FLOATING (.074~ ALL DIRECTIONS) .261~ DIA. MOUNTING HOLES
6	46-220186P20	4.0	Yes	1/8~ 120 DEGREE COUNTERSUNK POP RIVET .129-.133,GRIP RANGE .126-.187 USM CORPORATION PART # AK4385
7	46-297721P1	1.0	Yes	4-POS PLUG HOUSING (DRAWER CONNECT). PLUG HOUSING, DRAWER CONNECTOR. (DWG REV 7/92, JFK - OK).
8	46-158905P16	2.0	Yes	MOUNTING SCREW FOR DRAWER CONNECTOR. SAE 6-32 THD, .966~-L, STAINLESS STL MOUNTING SCREW FOR FLOATING DRAWER C ONNECTORS. SAE 6-32 THD. (DWG REV 7/92, JFK - OK).
9	46-297328P2	2.0	Yes	1/4 TURN STUD AND TWO GROMMETS STUD LENGTHS; A=.500~ B=.330~
10	46-208758P1	4.0	Yes	3.62~ X .094~ CABLE TIE 1/16~ TO 5/8~ WIRE BUNDLE RANGE 18LB TENSILE STRENGTH, NYLON MATR'L.
11	2372346	1.0	Yes	CHANNEL TAPESWITCH
14	2199652	1.0	Yes	P9235LZ LABEL
2	2372351	1.0	No	COVER, TOP RIGHT
12	2363367	6.0	No	VINYL CAP 1/8 INCH
13	2363369	6.0	No	T SHAPE HEAD STEEL CLIP

Table 2-5 Cover Table Top - Right (2372372 BOM, rev 1)

$$FRU = 1$$


MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
4	2268003	2.0	Yes	10-32 X .437 LONG, FLAT HEAD, CLOSED SLOT SCREW. INJECTION MOLDED MATERIAL, FIBER/LITE PLFC. FOR USE ON METALLESS CRADLE AND METALLESS ACCESSORIES
5	2222889-2	1.0	Yes	KEEPER FOR SELF-CATCHING LATCH ASM
7	46-303268P1	1.0	Yes	PRODUCT LOCATOR CARD FORM FOR RATING PLATES, PRINTED BY DUPLITECH
10	2390141	1.0	No	CRADLE ASSEMBLY
3A	2285525-3	1.0	No	RATING PLATE

Table 2-6 Metalless Cradle (2115992-5 BOM, rev 1)

1.5 Table Subassembly - H Power (2335178)

FRU = NO




Figure 2-6 Table Subassembly (2335178, sheet 1, rev 5)




Figure 2-7 Table Subassembly (2335178, sheet 2, rev 2)






Figure 2-9 Table Subassembly (2335178, sheet 4, rev 1)

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
3	2269168-2	1.0	Yes	CARRIAGE ASSEMBLY FOR HPOWER TABLE {For further detail, see Section 1.5.1, beginning on page 52. }
4	2269177	1.0	Yes	LATCH ASSEMBLY FOR CATHAY-TABLE {For further detail, see Section 1.5.2, beginning on page 54. }
7	46-296370P1	2.0	Yes	ROLLER
9	46-221597P2	4.0	Yes	MINOR VBM-3003 NAT RUBBER 70+/-5DURO 9/16 DIA X 1/2 HT 8-32 X 3/8 STUD
11	2339120	1.0	Yes	CRADLE DRIVE ASSY - H PWR {For further detail, see Section 1.5.3, beginning on page 56. }
12	2342727	1.0	Yes	ENCODER,MULTI-TURN W/ TAKE-UP SPOOL
13	2265867-2	1.0	Yes	WIDE GROOVE ROLLER (REF 46-296108P2)
14	46-136334P23	2.0	Yes	SPDT, 15A -125/250VAC BASIC SWITCH. ROLLER PLUNGER IS 90 DEG TO MAJOR AXIS OF SWITCH, 6-32 SCREW TERMINALS BASIC SWITCH WITH ROLLER LEVER 90 DE G TO MAJOR AXIS OF SWITCH. (DWG REV 8/91, JFK).
19	2337217	1.0	Yes	ENCODER ASSY, ELEVATION - H POWER {For further detail, see Section 1.5.4, beginning on page 62. }
20	46-170047P7	1.0	Yes	125 PITCHES 19.635 LENGTH
22	46-296626P1	1.0	Yes	LARGE GEAR
25	46-170623P2	0.0	Yes	BLACK, HEAVY-DUTY LUBRICATING PASTE. (1 PINT CAN) SHELF LIFE, UNDER NORMAL STORAGE CON DITIONS, HAS NO KNOWN LIMITS. (DWG REV 6/92, JFK - OK).
27	46-170498P13	8.0	Yes	SCREW SCREW OLD F70B5A2 ZINC PL HT TR FOR HYD EMB
29	12-276	5.0	Yes	ID 0.2040 OD 0.5630 THK .0478 STL F70B5A
30	46-220181P5	23.0	Yes	WASHER #10 (.190) SCREW SIZE, ID .194-.202 OD .334, WIDTH .062 THK .047, STEEL ZINC PLT
31	46-328417P15	4.0	Yes	SCREW HEXAGON SOCKET 6 MM 25 MM ZINC PLATED, STEEL
32	2146815-2	20.0	Yes	10-32 X 3/8 HEX SOC BUTTON HD SST MA
34	2265877	1.0	Yes	CALIBRATION PIN (REF 46-297576P1)
37	2261701	1.0	Yes	BAR, CALIBRATION, (REF 46-297934P1)
38	46-170684P2	0.0	Yes	LOCTITE 271, 10CC BOTTLE 12 MONTH SHELF LIFE FROM DATE OF SHI PMENT FROM THE MANUFACTURER. (REV, TK, 1/92).

Table 2-7 Table Subassembly (2335178 BOM, rev 8)

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
39	46-170686P2	0.0	Yes	LOCTITE 242, 10CC 12 MONTH SHELF LIFE FROM DATE OF SHIPMENT FROM THE MANUFACTURER
41	2261724	1.0	Yes	CAL PLATE FOR H2 LCC CATHAY TABLE (REF 46-297921P1)
43	46-328417P12	16.0	Yes	SCREW HEXAGON SOCKET 6 MM 12 MM ZINC PLATED, STEEL
44	12-275	4.0	Yes	WASHER, ID .2656, OD.75, THK .050 STEEL F70B5A
45	46-328432P3	2.0	Yes	WASHER LOCK - SPRING 6.1 MM 11.8 MM ZINC PLATED, SPRING STEEL
47	46-170015P28	1.0	Yes	SCREW SCREW OLD TOOTH F70B5A ZINC PL
51	2342729-2	2.0	Yes	H-POWER, SERVO AMP DRIVE
54	2258712-4	1.0	Yes	POWER SUPPLY AC-DC SINGLE 150 WATTS
57	2258704	1.0	Yes	POWER SUPPLY AC-DC SINGLE 50 WATTS 5
61	2349543	1.0	Yes	MTCB
62	2348054	2.0	Yes	SPACER, HEX-TCB COVER 10-32 FEMALE
64	46-328417P13	4.0	Yes	SCREW HEXAGON SOCKET 6 MM 16 MM ZINC PLATED, STEEL
65	46-328430P3	4.0	Yes	WASHER PLAIN - NORMAL 6.4 MM 12 MM ZINC PLATED, STEEL
66	46-328417P1	3.0	Yes	SCREW HEXAGON SOCKET 4 MM 6 MM ZINC PLATED, STEEL
68	46-170497P7	12.0	Yes	SCREW SCREW OLD HD STL F70B5A2 ZINC PLT HT TR FOR HYD EMB
69	46-170497P38	8.0	Yes	SCREW SCREW OLD HD STL F70B5A2 ZINC PL HT TR FOR HYD EMB N647P13008
71	46-170497P4	5.0	Yes	SCREW SCREW OLD HD STL F70B5A2 ZINC PLT HT TR FOR HYD EMB
74	46-328425P1	1.0	Yes	NUT HEXAGON 4 MM
75	46-328432P2	1.0	Yes	WASHER LOCK - SPRING 4.1 MM 7.6 MM ZINC PLATED, SPRING STEEL
76	46-208758P3	7.0	Yes	7.31~ X .184~ SELF-LOCKING CABLE TIE 1/16~ TO 1-3/4~ WIRE BUNDLE RANGE. 50LB TENSILE STRENGTH, NYLON MATR~L.
78	46-328431P2	2.0	Yes	WASHER PLAIN - LARGE 6.4 MM 18 MM ZINC PLATED, STEEL
79	46-297155G1	2.0	Yes	ZEUS TABLE, 9~ LONG CABLE
80	46-297155G4	1.0	Yes	GROUND CABLE_24~ LONG
81	12-297	8.0	Yes	ID 0.140 OD 0.312 THK .032 STL F70B5A ZINC PLATE
82	46-220181P3	8.0	Yes	WASHER HELICAL#6 SCREW SIZE (0.138) STEEL ZN PLT ID 0.141-0.148 OD 0.25 WIDTH 0.047 THK 0.031
83	46-297335P3	1.0	Yes	16A, 250V 2-STAGE PWR LINE FILTER

Table 2-7 Table Subassembly (2335178 BOM, rev 8) (Continued)

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
84	46-328430P2	4.0	Yes	WASHER PLAIN - NORMAL 4.3 MM 9 MM ZINC PLATED, STEEL
85	46-328432P2	9.0	Yes	WASHER LOCK - SPRING 4.1 MM 7.6 MM ZINC PLATED, SPRING STEEL
86	46-328417P4	4.0	Yes	SCREW HEXAGON SOCKET 4 MM 12 MM ZINC PLATED, STEEL
87	46-328430P3	1.0	Yes	WASHER PLAIN - NORMAL 6.4 MM 12 MM ZINC PLATED, STEEL
88	46-328432P3	1.0	Yes	WASHER LOCK - SPRING 6.1 MM 11.8 MM ZINC PLATED, SPRING STEEL
89	46-328417P11	1.0	Yes	SCREW HEXAGON SOCKET 6 MM 10 MM ZINC PLATED, STEEL
90	2380051	1.0	Yes	FILTER COVER
91	46-208758P1	1.0	Yes	3.62~ X .094~ CABLE TIE 1/16~ TO 5/8~ WIRE BUNDLE RANGE 18LB TENSILE STRENGTH, NYLON MATR'L.
5	2261680	1.0	No	PLATE, TABLE TOP, (REF 46-278308P1)
6	2265867	1.0	No	BLOCK GUIDE ROLLER (REF 46-296108P1)
8	2261723	2.0	No	BLOCK, BUMPER, (REF 46-278362P1)
10	2265854	1.0	No	PLATE, SWITCH (REF 46-278363P1)
15	2261679	1.0	No	BRACE, REAR (REF 46-296815P1)
16	2261698	1.0	No	BRACKET, SWITCH, (REF 46-296926P1)
26	46-170498P54	4.0	No	SCREW SCREW OLD F70B5A2 ZINC PL HT TR FOR HYD EMB
40	2146815	3.0	No	10-32 X 1/2 HEX SOC BUTTON HD SST MA
46	2335177	1.0	No	TABLE FRAME ASSY - H POWER {For further detail, see Section 1.5.5, beginning on page 64. }
52	2264567	1.0	No	BAR, WIRE GROUND (REF 46-297132P1)
55	2346974	1.0	No	BRACKET - 24V PS
56	2346976	2.0	No	BRACKET - POWER SUPPLY CLAMPING
58	2346975	1.0	No	BRACKET - 5V PS
60	2346977	1.0	No	PANEL - TCB MOUNTING
63	46-170171P22	0.0	No	TAPE OLD ADHESIVE BACKED SPONGE RUBBER STRIP 50 FOOT LONG, 1.00 INCHES WIDE .563 INCHES THICK
67	46-328417P73	3.0	No	SCREW HEXAGON SOCKET 3 MM 6 MM
70	2339118	1.0	No	BRACKET, CRADLE ENCODER MOUNTING
77	1000274P3	2.0	No	SPACER, 1/2~ OD 9/32~ ID 7/16~ LONG

Table 2-7 Table Subassembly (2335178 BOM, rev 8) (Continued)

This Page Intentionally Blank.

1.5.1 Carriage Assembly (2269168-2)

FRU = 1




Figure 2-10 Carriage Assembly (2269168, sheet 2, rev 1)

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
3	46-218193P1	2.0	Yes	WHEEL DIA 01.21 WIDTH 0.44 BORE 0.38 CAPACITY THRUST 110 LBS RADIAL 700 LBS
5	46-208580P6	3.0	Yes	CAM FOLLOWER THRD 003/8-24 X 0.375 LG STEEL STUD LGTH 0.875,HEX HOLE,SEALS CROWNED
6	46-208580P19	1.0	Yes	CAM FOLLOWER THRD 001/4-28 X 0.312 LG STEEL STUD LGTH 0.750, HEX HOLE, SEALS CROWNED
9	46-170012P77	3.0	Yes	LOCK NUT, 1/4-28, .437 X .312
10	46-170498P2	4.0	Yes	SCREW SCREW OLD F70B5A2 ZINC PL HT TR FOR HYD EMB
14	46-170686P2	0.0	Yes	LOCTITE 242, 10CC 12 MONTH SHELF LIFE FROM DATE OF SHIPMENT FROM THE MANUFACTURER
15	2356591	1.0	Yes	BRACKET, CRADLE ENCODER DRAW WIRE
16	46-170497P55	1.0	Yes	SCREW SCREW OLD HD STL F65D6A BLACK OXIDE
2	2262161-2	1.0	No	CRADLE CARRIAGE MACH.(REF 2128887-2)
4	2264566	2.0	No	STUD, ECCENTRIC (REF 46-296911P1)
7	2261695	1.0	No	LATCH ACTUATOR, (REF 2133779)
8	2264561	1.0	No	ACTU., LONG.LIMIT SWITCH(REF2133781)

Table 2-8 Carriage Assembly (2269168-2 BOM, rev 1)

1.5.2 Latch Assembly (2269177)

FRU = 1




Figure 2-11 Latch Assembly (2269177, sheet 1, rev 0)

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
8	46-296972G1	1.0	Yes	SOLENOID ASM
9	46-170490P54	1.0	Yes	SPRING-INCH EXTENSION 1 INCHES .25 I FREE LENGTH 1.00 MUSIC WIRE RATE LBS/IN 4.7
10	46-170497P36	3.0	Yes	SCREW SCREW OLD HD STL F70B5A2 ZINC PL HT TR FOR HYD EMB N647P13006
11	46-208732P14	1.0	Yes	SCREW SCREW OLD GE NO. N175P1612 10-32 X .750 LG. STL.
12	46-170012P63	1.0	Yes	0010-32 HEX .375 NUT HT .239 STL ZINC PL ESNA 21NM-02
17	403B320P94	1.0	Yes	2 POSITION MARKER STRIP, 1 & 2 MARKED ON BOTTOM, 0.437~ CENTERS
18	46-170497P38	2.0	Yes	SCREW SCREW OLD HD STL F70B5A2 ZINC PL HT TR FOR HYD EMB N647P13008
19	46-170497P7	4.0	Yes	SCREW SCREW OLD HD STL F70B5A2 ZINC PLT HT TR FOR HYD EMB
20	46-170686P2	0.0	Yes	LOCTITE 242, 10CC 12 MONTH SHELF LIFE FROM DATE OF SHIPMENT FROM THE MANUFACTURER
2	2261672	1.0	No	BRKT, TABLE HOME LATCH,(REF 2146883)
3	2261697	1.0	No	BLK,PVT, HOME LATCH(REF 46-278164P2)
4	2261721	1.0	No	BAR, (REF 46-278154P1)
5	2261725	1.0	No	BRKT, LATCH ASM, (REF 46-278153P1)
6	2261715	1.0	No	ARM, (REF 46-278495P1)
7	2261681	1.0	No	BRACKET, SPRING, (REF 46-278494P1)
13	46-170020P80	1.0	No	NOMINAL DIA 0.250 X 0.750 LG STD HARDENED & GROUND ALLOY STL
14	46-170020P66	1.0	No	NOMINAL DIA 0.125 X 0.250 LG STD HARDENED & GROUND ALLOY STL
15	46-170020P85	1.0	No	NOMINAL DIA 0.125 X 0.75 LG HARDENED & GROUND ALLOY STL
16	403B335P17	1.0	No	02 POSITION TERMINAL STRIP, 20 AMP, W/QUICK CONN TERMINALS (RIVETED). (7/16~ CENTERS, W/2 MOUNTING HOLES). TWO PUSH-ON TABS PER POSITION. (DWG REV 4/91, TK)

Table 2-9 Latch Assembly (2269177 BOM, rev 0)

$$FRU = 1$$

Figure 2-12 Cradle Drive Assembly (2339120, sheet 1, rev 2)






Figure 2-14 Cradle Drive Assembly (2339120, sheet 3, rev 0)

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
5	46-136282P30	2.0	Yes	BEARING BALL, SINGLE RO 20 MM 42 MM ID 0.7874~ OD 1.6535~ WIDTH 0.4724~ 2 SHIELDS, ABEC 1, STL SAE 52100 0.0002~-0.0008~ RAD. PLAY 09 BALLS, 1/4~ DIA, REF.
6	46-212989P2	2.0	Yes	WASHER
7	46-208562P8	2.0	Yes	SCREW 3/8X16X1~ FLAT HEAD STL F70B5A2 ZINC PL HT TR FOR HYD EMB
10	2342731	1.0	Yes	H-POWER, AC CRADLE MOTOR
13	46-170497P38	6.0	Yes	SCREW SCREW OLD HD STL F70B5A2 ZINC PL HT TR FOR HYD EMB N647P13008
14	403B320P86	1.0	Yes	NUMBERS 1 THU 6, LEFT TO RIGHT (DWG REV 3/91, TK)
16	46-170498P80	8.0	Yes	SCREW SCREW OLD F70B5A2 ZINC PL HT TR FOR HYD EMB
17	46-313575P1	4.0	Yes	HIGH COLLAR LOCK WASHER FOR M3 SCREW
18	1000904P116	1.0	Yes	ID 0.1495 OD 0.6250 THK .0598 STL B8A4B2 F70B5A
19	46-221532P18	1.0	Yes	PITCH 1/5 WIDTH 00.250 LG 009.600 NEOPRENE EXTRA LIGHT DUTY
20	46-170576P7	1.0	Yes	PITCH 1/5 TEETH 0L6 FACE 0.44 ALUM OD 00.999 ID 0.3125 LG 00.560 STOCK DRIVE 6A3-16DF02510
21	46-170576P6	1.0	Yes	PITCH 1/5 TEETH 013 FACE 0.44 ALUM OD 00.808 ID 0.250 LG 00.687 STOCK DRIVE 6A3-13DF02508
22	46-296972G1	1.0	Yes	SOLENOID ASM
26	46-170686P2	0.0	Yes	LOCTITE 242, 10CC 12 MONTH SHELF LIFE FROM DATE OF SHIPMENT FROM THE MANUFACTURER
28	46-208562P7	4.0	Yes	SCREW SCREW OLD STL F70B5A2 ZINC PL HT TR FOR HYD EMB
30	2265826	1.0	Yes	SHAFT (REF 46-296048P1)
32	46-170498P79	1.0	Yes	SCREW SCREW OLD F70B5A2 ZINC PL HT TR FOR HYD EMB
34	46-222894P1	1.0	Yes	USM CORP HDC3C-86-2BL
36	46-170498P115	6.0	Yes	SCREW SCREW OLD F65D6A BLK OX
38	46-220179P8	1.0	Yes	EXT AXIAL MOUNT 0.375 SHAFT DIA 0.338 FREE DIA .025 THK STL OIL DIP N900P37 BASIC
39	46-136282P33	2.0	Yes	BEARING ID 0.3750~ OD 0.8750~ WIDTH 0.2812~ 2 SHIELDS, ABEC 1, STL SAE 52100 0.0001~-0.0005~ RAD. PLAY 07 BALLS, 5/32~ DIA, REF.
40	46-136294P9	2.0	Yes	BEARING ID 2.3125 OD 2.8750 WIDTH 0.281 2 SHIELDS ABEC-1 STL SAE 52100 .0008-.0018 RAD. PLAY

Table 2-10 Cradle Drive Assembly (2339120 BOM, rev 6)

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
43	46-136303P10	1.0	Yes	BEARING ID 2.00 OD 2.500 WIDTH .250 KAYDON TYPE C KA020CP0
44	46-136282P62	2.0	Yes	BEARING BALL, SINGLE RO 17 MM 35 MM ID 0.6693~ OD 1.3780~ WIDTH 0.3937~ 2 SEALS, ABEC 1, STL SAE 52100 0.0001~-0.0007~ RAD. PLAY 10 BALLS, 3/16~ DIA, REF.
45	46-220179P34	1.0	Yes	EXT AXIAL MOUNT 0.669 SHAFT DIA 0.626 FREE DIA 0.037 THK STEEL-OIL DIP
46	46-170498P84	6.0	Yes	SCREW, CAP SOCKET HEAD 8-32 X .50 F70B5A2 ZINC PL HT TR FOR HYD_EMB
48	46-296368G1	1.0	Yes	No description provided
50	46-208718P2	2.0	Yes	5/16 ID LOOP TYPE TA MFG CO. TA713D5
51	509A859P69	1.0	Yes	SPRING-INCH COMPRESSION 1.84 INCHES FREE LGTH 1.84 5 ACT COILS RATE-LB/IN 1.5 RH OR LH WOUND
55	46-297820P1	1.0	Yes	SHOULDER SCREW
59	46-311873P8	1.0	Yes	PIN, M3 X 18
61	46-221560P4	1.0	Yes	SCREW SCREW OLD PT SST 18-8
63	46-220277P6	1.0	Yes	EXT RADIAL MOUNT 0.219 SHAFT DIA 0.185 FREE DIA-.025 THK STL BLK PHOS N910P21 E-RING WALDES TRUARC #X5133-21
64	46-170012P63	1.0	Yes	0010-32 HEX .375 NUT HT .239 STL ZINC PL ESNA 21NM-02
70	46-170497P7	5.0	Yes	SCREW SCREW OLD HD STL F70B5A2 ZINC PLT HT TR FOR HYD EMB
72	46-297118G1	1.0	Yes	CRDR SIG CBL
74	46-208758P3	4.0	Yes	7.31~ X .184~ SELF-LOCKING CABLE TIE 1/16~ TO 1-3/4~ WIRE BUNDLE RANGE. 50LB TENSILE STRENGTH, NYLON MATR~L.
76	46-297155G1	1.0	Yes	ZEUS TABLE, 9~ LONG CABLE
77	46-220181P5	3.0	Yes	WASHER #10 (.190) SCREW SIZE, ID .194-.202 OD .334, WIDTH .062 THK .047, STEEL ZINC PLT
78	12-276	2.0	Yes	ID 0.2040 OD 0.5630 THK .0478 STL F70B5A
79	46-170623P2	0.0	Yes	BLACK, HEAVY-DUTY LUBRICATING PASTE. (1 PINT CAN) SHELF LIFE, UNDER NORMAL STORAGE CON DITIONS, HAS NO KNOWN LIMITS. (DWG REV 6/92, JFK - OK).
84	46-328417P504	4.0	Yes	SCREW HEXAGON SOCKET 3 MM 20 MM
85	46-328430P9	4.0	Yes	WASHER PLAIN - NORMAL 3.2 MM 7 MM
86	46-328425P10	4.0	Yes	NUT HEXAGON 3 MM
2	2265831	1.0	No	END PLATE, LH (REF 46-296068P1)

Table 2-10 Cradle Drive Assembly (2339120 BOM, rev 6) (Continued)

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
3	2339121	1.0	No	PLATE, END - RH
9	2265818	1.0	No	IDLER SHAFT (REF 46-296038P1)
12	403B335P10	1.0	No	06 POSITION TERMINAL STRIP, 20 AMP, W/QUICK CONN TERMINALS (RIVETED). (7/16~ CENTERS, W/2 MOUNTING HOLES). TWO TABS PER POSITION. (DWG REV, TK, 4/91).
15	403B320P97	1.0	No	2 POSITION MARKER STRIP. 7 & 8 MARKED HORIZONTALY AT TOP. .437~ CENTERS, 2 MOUNTING HOLES. NUMBERS 7 & 8, LEFT TO RIGHT. (DWG R EV 6/92, JFK - OK).
23	2261718	1.0	No	BRACKET, SOLENOID, (REF 46-296107P1)
24	2265829	1.0	No	SPACER BAR (REF 46-296063P1)
25	2265830	2.0	No	PIVOT PIN (REF 46-296064P1)
27	2265833	2.0	No	SUPPORT BAR (REF 46-296070P1)
31	2265824	1.0	No	BEARING SUPPORT (REF 46-296042P1)
35	46-221451P1	0.0	No	EXXON BEACON 325 35 LB PAIL
37	2265865	1.0	No	KEY 2.38SQX15MMLG (REF 46-217252P4)
41	2265834	1.0	No	SHAFT (REF 46-296110P1)
42	2265825	1.0	No	BEARING SUPPORT (REF 46-296043P1)
49	403B335P17	1.0	No	02 POSITION TERMINAL STRIP, 20 AMP, W/QUICK CONN TERMINALS (RIVETED). (7/16~ CENTERS, W/2 MOUNTING HOLES). TWO PUSH-ON TABS PER POSITION. (DWG REV 4/91, TK)
54	46-297397P1	1.0	No	No description provided
56	2261694	1.0	No	CLUTCH LINK BAR, (REF 46-327185P1)
60	2261717	1.0	No	BRACKET, STOP, (REF 46-296084P1)
66	2265865-2	1.0	No	KEY 4.76SQX50MMLG
73	1000904P514	2.0	No	I.D. 0.789 O.D. 1.100 THK .0785 MATL STEEL B8A3A TRUARC 5900-78 OR EQUIV.
82	2134525	1.0	No	ZEUS TABLE CRADLE DRIVE; HIAWATHA CARBOXYLATED NITRILE
83	2134526	1.0	No	ZEUS TABLE CRADLE DRIVE; HIAWATHA CARBOXYLATED NITRILE

Table 2-10 Cradle Drive Assembly (2339120 BOM, rev 6) (Continued)

1.5.4 Encoder Assembly, Elevation - H Power (2337217)

FRU = 1




Figure 2-15 Encoder Assembly, Elevation - H Power (2337217, sheet 1, rev 3)

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
2	2342726	1.0	Yes	ABSOLUTE ENCODER, SINGLE TURN
4	46-296780P2	3.0	Yes	SYN-CLAMP
6	46-296259P9	1.0	Yes	ROCOM COUPLING: BORES 06MM, 06MM
10	46-136334P57	2.0	Yes	SPDT, MINIATURE BASIC SWITCH. 10A @125/250VAC, 0.25A @250VDC. ROLLER ACTUATOR, .188~ PUSH-ON TERM. (DWG REV 3/92, JFK - OK).
11	46-136282P75	2.0	Yes	BEARING ID 0.2500~ OD 0.6250~ WIDTH 0.1960~ 2 SHIELDS, ABEC 1, STL SAE 52100 0.0001~-0.0005~ RAD. PLAY 08 BALLS, 3/32~ DIA, REF. FLG OD 0.690~, FLG THK 0.042~
12	46-220277P7	1.0	Yes	EXT RADIAL MOUNT 0.250 SHAFT DIA 0.207 FREE DIA-.025 THK STL BLK PHOS N910P25 E-RING WALDES TRUARC #5133-25
14	46-170497P7	2.0	Yes	SCREW SCREW OLD HD STL F70B5A2 ZINC PLT HT TR FOR HYD EMB
16	46-170528P23	1.0	Yes	SHAFT SIZE .250 MAT 2024-T4 ALUM ANODIZE
19	46-220181P2	1.0	Yes	#4 SPRING LOCK WASHER, STEEL (0.112) ID 0.115-0.121 OD 0.212 WIDTH 0.040 THK 0.025
20	1000904P438	2.0	Yes	ID 0.12, OD 0.312, THK .032 B8A4B2 F70B5A GE 113
25	46-220205P1	1.0	Yes	ID 0.3125 OD 0.75 THK 0.0625 F70B5A (FOR 1/4 IN.SCREW)
26	46-297539P1	2.0	Yes	NO. 4 HI-COLLAR SPRING, CARBON STEEL ZINC PLATED.
3	2337218	1.0	No	BLOCK, ELEVATION ENCODER ASSY
5	2346925	1.0	No	SHAFT, ELEVATION ENCODER - H POWER
7	46-170048P8	1.0	No	MIN-E-PITCH, 16 T, PD 0.80, OD 0.861 ID .2498 WD .312, BERG P/N 3MC20A-16
8	2265261	1.0	No	CAM, ELEV SWITCH (REF 46-296636P1)
9	2261699	1.0	No	BRKT, SWT ELEV ASM,(REF 46-296944P1)
13	2265264	1.0	No	NUT PLATE (REF 46-296945P1)
15	46-170498P125	3.0	No	SCREW SCREW OLD F65D6A BLK OX
18	46-170020P63	2.0	No	NOMINAL DIA 0.250 X 0.625 LG STD HARDENED & GROUND ALLOY STL
23	46-297539P2	1.0	No	NO. 6 HI-COLLAR SPRING, CARBON STEEL ZINC PLATED.

Table 2-11 Encoder Assembly, Elevation - H Power (2337217 BOM, rev 3)

FRU = NO

Figure 2-16 Table Frame Assembly (2335177, sheet 1, rev 2)










Figure 2-20 Table Frame Assembly (2335177, sheet 5, rev 0)

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
4	2347434	1.0	Yes	SIGNAL HARNESS ASSY - H POWER TABLE
5	2265855	1.0	Yes	PIN, ROD END (REF 46-296770P1)
6	2343479-2	1.0	Yes	Actuator, Linear, H-Power based Tables, Pinned
8	2100671	2.0	Yes	CT Table gas spring
18	2259859	1.0	Yes	CARRIAGE_RAIL, (REF 46-278261P1)
19	2259860	1.0	Yes	CARRIAGE RAIL, V, (REF 46-278262P1)
23	46-297350P1	2.0	Yes	SPACER
24	46-220179P15	4.0	Yes	EXT AXIAL MOUNT 0.625 SHAFT DIA 0.579 FREE DIA .035 THK STL OIL DIP N900P62 BASIC
25	46-220277P15	2.0	Yes	EXT RADIAL MOUNT 0.312 SHAFT DIA 0.243 FREE DIA-.025 THK STL BLK PHOS N910P31 E-RING
26	46-220277P11	1.0	Yes	EXT RADIAL MOUNT 0.625 SHAFT DIA 0.480 FREE DIA-.042 THK STL BLK PHOS N910P62
28	46-328417P26	2.0	Yes	SCREW HEXAGON SOCKET 10 MM 40 MM ZINC PLATED, STEEL
29	46-328417P15	4.0	Yes	SCREW HEXAGON SOCKET 6 MM 25 MM ZINC PLATED, STEEL
30	46-170498P14	32.0	Yes	SCREW SCREW OLD F70B5A2 ZINC PL HT TR FOR HYD EMB
32	46-170012P81	1.0	Yes	005/8-18 HEX .940 NUT HT .750 STL ZINC PLATED ESNA 51NE-108
33	46-220181P6	33.0	Yes	1/4~ SCREW SIZE (0.250), STL NI PLT ID 0.255-0.263 OD 0.489 WIDTH 0.109 THK 0.062
35	46-170684P1	0.0	Yes	LOCTITE 271, 0.5CC VIAL 12 MONTH SHELF LIFE FROM DATE OF SHIPMENT FROM THE MANUFACTURER
37	2265876	2.0	Yes	PIN, GAS SPRING (REF 46-297436P1)
40	12-128	4.0	Yes	WASHER,FLAT ID 0.625 OD 1.156 THK. .0598 MATL: STEEL FINISH: PLAIN
41	46-170623P2	0.0	Yes	BLACK, HEAVY-DUTY LUBRICATING PASTE. (1 PINT CAN) SHELF LIFE, UNDER NORMAL STORAGE CONDITIONS, HAS NO KNOWN LIMITS. (DWG REV 6/92, JFK - OK).
42	2373415	1.0	Yes	HARNESS TABLE AC PWR
44	46-297329P2	6.0	Yes	1/4 TURN RECEPTACLE - FIXED .128~ DIA. MOUNTING HOLES
45	46-220186P20	12.0	Yes	1/8~ 120 DEGREE COUNTERSUNK POP RIVET .129-.133,GRIP RANGE .126-.187 USM CORPORATION PART # AK4385
49	12-275	2.0	Yes	WASHER, ID .2656, OD.75, THK .050 STEEL F70B5A

Table 2-12 Table Frame Assembly (2335177 BOM, rev 5)

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
50	2261663	2.0	Yes	BRKT, TBL TOP COVER, (REF 2138099)
52	46-297705P2	2.0	Yes	CONDUCTIVE TAPE
63	46-297687P1	1.0	Yes	8 OHM, 4W, 3-1/2~ SPEAKER. 2.9 OZ CERAMIC MAGNET, 90 DB. (0.187~ Q.C. TERMINALS) (DWG REV 3/92, JFK - OK).
64	46-297686P2	1.0	Yes	SPEAKER INSULATION FOR H2 HCC CATHAY TABLE
66	46-297155G1	4.0	Yes	ZEUS TABLE, 9~ LONG CABLE
75	46-208759P4	6.0	Yes	13.93~X .301~ SELF-LOCKING CABLE TIE 3/16~ TO 3-1/2~ WIRE BUNDLE RANGE. 120LBS TENSILE STRENGTH, NAT. NYLON. (10-32 SCREW MOUNTING HOLE SIZE) MOUNTING HOLE FOR 10-32 SCREW. (DWG REV 4/92, JFK - OK).
77	46-297648P1	1.0	Yes	CABLE CLAMP
79	46-297698P1	2.0	Yes	11~ LOW PROFILE BEAD, RIBBON SWITCH. 28 VAC OR VDC @ 2A, .12~ BEND RADIUS 8OZ ACTUATION FORCE FOR .177D ROD. (AXIAL LEADS W/ 2-PIN CONNECTORS) SEE TEXT DATA AND DRAWING FOR COMPLETE DETAILS. (DWG REV 3/92, JFK - OK) LOWER RIGHT & LOWER LEFT TAPESWITCH
81	1000904P395	4.0	Yes	ID 0.177 OD 0.312 THK .062 B4B33A F70B5A
82	46-208759P1	25.0	Yes	7.81~ X .184~ SELF-LOCKING CABLE TIE 1/16~ X 1-3/4~ WIRE BUNDLE RANGE. 50 LBS TENSILE STRENGTH, NAT. NYLON. (#10 SCREW MOUNTING HOLE SIZE) MAT~L: NYLON 6/6 PER MIL-N-20693 AND ASTM D4066 STOCK #: 08415 - NATURAL, TYPE I
83	46-208560P46	1.0	Yes	SCREW SCREW OLD ZINC PL
84	46-170497P38	4.0	Yes	SCREW SCREW OLD HD STL F70B5A2 ZINC PL HT TR FOR HYD EMB N647P13008
85	46-170012P63	16.0	Yes	0010-32 HEX .375 NUT HT .239 STL ZINC PL ESNA 21NM-02
86	46-170012P61	2.0	Yes	0006-32 HEX .313 NUT HT. .178 STL ZINC PL ESNA 21NM-62 OR AERO 21NM-0632
87	2367487	1.0	Yes	GROUND - TABLE TO RACEWAY GND BAR
88	2146815-2	21.0	Yes	10-32 X 3/8 HEX SOC BUTTON HD SST MA
90	12-276	6.0	Yes	ID 0.2040 OD 0.5630 THK .0478 STL F70B5A
92	46-208758P9	2.0	Yes	11.08~X .140~ SELF-LOCKING CABLE TIE 1/16~ TO 3~ WIRE BUNDLE RANGE. 40LB TENSILE STRENGTH, NYLON MATR~L. (DWG REV 5/92, JFK - OK).
96	46-208758P1	2.0	Yes	3.62~ X .094~ CABLE TIE 1/16~ TO 5/8~ WIRE BUNDLE RANGE 18LB TENSILE STRENGTH, NYLON MATR'L.
97	46-297805G1	2.0	Yes	JUMPER CONN.

Table 2-12 Table Frame Assembly (2335177 BOM, rev 5) (Continued)

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
98	46-297805G2	2.0	Yes	JUMPER CONN.
99	46-208562P7	12.0	Yes	SCREW SCREW OLD STL F70B5A2 ZINC PL HT TR FOR HYD EMB
100	46-170012P62	4.0	Yes	0008-32 HEX .343 NUT HT .229 STL ZINC PL ESNA 21NM-82
104	2106866-2	1.0	Yes	.75 IN WIDE INSULATED CABLE W/LUGS 9.00 INCHES LONG
114	46-328417P12	25.0	Yes	SCREW HEXAGON SOCKET 6 MM 12 MM ZINC PLATED, STEEL
119	46-170498P32	6.0	Yes	SCREW SCREW OLD F70B5A2 ZINC PL HT TR FOR HYD EMB
120	46-208562P20	6.0	Yes	SCREW SCREW OLD STL F70B5A2 ZINC PL HT TR FOR HYD EMB N646P16010
121	46-328416P23	4.0	Yes	SCREW HEXAGON HEAD 10 MM 40 MM ZINC PLATED, STEEL
122	46-328431P3	4.0	Yes	WASHER PLAIN - LARGE 10.5 MM 30 MM ZINC PLATED, STEEL
123	46-328432P4	4.0	Yes	WASHER LOCK - SPRING 10.2 MM 18.1 MM ZINC PLATED, SPRING STEEL
124	46-170686P2	0.0	Yes	LOCTITE 242, 10CC 12 MONTH SHELF LIFE FROM DATE OF SHIPMENT FROM THE MANUFACTURER
127	46-220181P5	8.0	Yes	WASHER #10 (.190) SCREW SIZE, ID .194-.202 OD .334, WIDTH .062 THK .047, STEEL ZINC PLT
128	2342733	1.0	Yes	H-POWER, AC ELEVATION MOTOR
129	46-313575P3	4.0	Yes	HIGH COLLAR LOCK WASHER FOR M5 SCREW
131	46-328424P36	2.0	Yes	SCREW SET SCREW 5 MM 8 MM
133	2373417	1.0	Yes	HARNESS BULKHEAD TO FILTER
9	2255160-2	1.0	No	FRONT LEG FOR H2 LCC CATHAY TABLE, MACHINING
12	46-136342P135	4.0	No	BUSHING BEARING FLANGE O.D. 1.000 THK. .125
13	2265856	1.0	No	SPACER, ROD END (REF 46-296771P1)
14	2265853	1.0	No	PIN, ACTUATOR (REF 46-278310P1)
15	2255158-2	1.0	No	REAR LEG FOR H2 LCC CATHAY TABLE, MACHINING
16	2259855	1.0	No	CHANNEL,LEFT SUPPORT,(REF 2138098)
17	2338713	1.0	No	CHANNEL, RIGHT SUPPORT
20	2261670	2.0	No	PIN, TABLE TOP, FRONT (REF 2140091)
21	2261671	2.0	No	PIN, TABLE TOP, REAR, (REF 2140092)
22	2261678	1.0	No	BRACE, FRONT, (REF 46-296811P1)

Table 2-12 Table Frame Assembly (2335177 BOM, rev 5) (Continued)

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
34	2261685	1.0	No	BRKT, R-CHANL CON, (REF 46-297055P1)
36	2261722	1.0	No	BLOCK, MOUNTING, (REF 46-297435P1)
43	2265871	6.0	No	BRACKET TBL BASE CVR (46-297205P1)
46	2329243	1.0	No	SHAFT
47	2329245	1.0	No	ROLLER MOUNT
48	46-170020P2	2.0	No	NOMINAL DIA 0.0938X 0.500 LG PREC. HARDENED & GROUND RC 36/40 SST #416
51	2261692	1.0	No	SPRING CLAMP, (REF 46-297677P1)
54	46-297705P4	1.0	No	MET-CON TAPE
61	2261689	1.0	No	CABLE TROUGH, (REF 46-297343P2)
62	2261674	1.0	No	SPEAKER GRILL, (REF 46-297684P1)
65	2265879	1.0	No	SPEAKER COVER (REF 46-297685P2)
69	2265875	2.0	No	CLAMP, GRND STRAP (REF 46-297427P1)
80	2146815	20.0	No	10-32 X 1/2 HEX SOC BUTTON HD SST MA
89	46-297731P1	1.0	No	MOTOR LABEL
94	2261712	1.0	No	BRKT, LH TBL TOP CVR, (REF 2138105)
95	2261712-2	1.0	No	BRKT, RH TBL TOP CVR,(REF 2138105-2)
101	2265880	4.0	No	SHOULDER SCREW (REF 46-297858P1)
113	2343440-2	1.0	No	BASE, TABLE - MACHINING H PWR
117	2261676	2.0	No	PIN, TBL LOWER, FRONT,(REF 2136121)
118	2261677	2.0	No	PIN, TBL LOWER, REAR, (REF 2138104)
130	46-328417P505	4.0	No	SCREW HEXAGON SOCKET 5 MM 16 MM
132	46-297705P16	6.0	No	METALLIC CONDUCTIVE TAPE, 1~ DIA
7A	2133760-2	1.0	No	ZEUS TABLE ACTUATOR BASE MOUNT MACHINING

Table 2-12 Table Frame Assembly (2335177 BOM, rev 5) (Continued)

Section 2.0 — Foot Switch Assembly (2330508)

FRU = NO




Figure 2-21 Foot Switch Assembly (2330508, sheet 1, rev 2)

MARK	NUMBER	QTY	FRU	DESCRIPTION/NAME
3	46-296129G1	2.0	Yes	FOOTSWITCH
6	46-170497P8	6.0	Yes	SCREW SCREW OLD HD STL F65D6A BLACK OXIDE
7	46-271110P1	1.0	Yes	LABEL, PROTECTIVE EARTH (GROUND) IEC STANDARD GRAPHIC SYMBOL
10	46-221828P4	2.0	Yes	0.063 DIA X 0.625 LG 18-8 SST EXTENDED PRONG TYPE-SQ END
11	46-170012P63	3.0	Yes	0010-32 HEX .375 NUT HT .239 STL ZINC PL ESNA 21NM-02
13	46-208560P65	11.0	Yes	SCREW SCREW OLD ZINC PL
14	46-220181P6	11.0	Yes	1/4~ SCREW SIZE (0.250), STL NI PLT ID 0.255-0.263 OD 0.489 WIDTH 0.109 THK 0.062
15	1000274P289	3.0	Yes	SPACER
17	46-297971P1	2.0	Yes	TERMINAL GROUND LUG FOR #4 TO 2/0 CABLE. ALUMINUM BASE, .25~ BOLT HOLE. SCREW COLORED GREEN FOR GROUND IDENT IFICATION. (DWG REV 12/92, JFK - OK) .
19	46-328417P12	2.0	Yes	SCREW HEXAGON SOCKET 6 MM 12 MM ZINC PLATED, STEEL
20	46-328430P3	2.0	Yes	WASHER PLAIN - NORMAL 6.4 MM 12 MM ZINC PLATED, STEEL
23	46-170498P11	6.0	Yes	SCREW SCREW OLD F70B5A2 ZINC PL HT TR FOR HYD EMB
24	46-170686P3	0.0	Yes	LOCTITE 242, 50CC 12 MONTH SHELF LIFE FROM DATE OF SHIPMENT FROM THE MANUFACTURER.
26	46-170497P20	12.0	Yes	SCREW SCREW OLD HD STL F70B5A2 ZINC PLT HT TR FOR HYD EMB
27	46-136353P135	4.0	Yes	SPRING-INCH COMPRESSION 1.75 INCHES FREE LENGTH 1.750, RATE 41
28	2329241	4.0	Yes	FOOT PEDAL
29	2297598	1.0	Yes	FOOT SWITCH COVER
8	2329242	2.0	No	PEDAL ROD
9	2329240	1.0	No	GROUND FOOT SWITCH
21	2393793	2.0	No	BAR, FOOT SWITCH-SG
22	2329246	6.0	No	SPACER GROUND BAR
25	2329247	2.0	No	SPRING PLATE
30	2297597	1.0	No	FOOT SWITCH BASE

Table 2-13 Footswitch Assembly (2330508 BOM, rev 6)