

SYSTEM INSPECTION REPORT

1290 Elm st. Ontario, CA 91761 USA
Main: 951.734.3737, Fax: 951-735-3373



OEM ID	_____	Van ID	_____
Site Name	_____	City, State	_____
Site Contact	_____	Phone Number	_____
SMR Rep	_____	Inspection Date	_____

Inventory (Guided Install Hardware Tab)

Magnet		Serial Number	_____	Helium	_____	Pres.	_____	Date	_____
Package Name		Magnet Cover Type (Square or tight fit)	_____						
Gradients		Serial Number	_____	GE Part #	_____				
Body Coil Type		Magnet Bore Measurement (cm)		Upgrade Date	_____				
System		Serial Number	_____	GE Part #	_____				
CERD		Serial Number	_____	GE Part #	_____				
RF		Serial Number	_____	GE Part #	_____				
PDU		Serial Number	_____	GE Part #	_____				
Compressor		Serial Number	_____	hrs.	_____	Pres.	_____		
Coldhead		Serial Number	_____	Repair Date	_____				
Body Coil Chiller		Serial Number	_____	GE Part #	_____				
Other		Serial Number	_____	GE Part #	_____				
Other		Serial Number	_____	GE Part #	_____				

Room Layout

Check console cable run, magnet exit path, equipment exit path and flooring

SYSTEM INSPECTION REPORT

1290 Elm st. Ontario, CA 91761 USA
Main: 951.734.3737, Fax: 951-735-3373



OEM ID _____
Site Name _____
Site Contact _____
SMR Rep _____

Van ID _____
City, State _____
Phone Number _____
Inspection Date _____

Tested	Coils	Tested	Coils
☐	S/N _____	☐	S/N _____
☐	S/N _____	☐	S/N _____
☐	S/N _____	☐	S/N _____
☐	S/N _____	☐	S/N _____
☐	S/N _____	☐	S/N _____
☐	S/N _____	☐	S/N _____
☐	S/N _____	☐	S/N _____
☐	S/N _____	☐	S/N _____
☐	S/N _____	☐	S/N _____

System Performance

	OK	Cleaned	Adjusted	Needs Correction
Does System Start-up Without Errors?.....	☐	☐	☐	☐
Does Table Function (Up/Dn/In/Out/Alignment).....	☐	☐	☐	☐
Check SNR and RF output- Head.....	☐	☐	☐	☐
APS -R1 _____ R2 _____ TG _____ AX _____				
Check SNR and RF output- Body.....	☐	☐	☐	☐
APS -R1 _____ R2 _____ TG _____ AX _____				
Check SNR (CTLTOP).....	☐	☐	☐	☐
APS -R1 _____ R2 _____ TG _____ AX _____				
Check SNR (CLTBOT).....	☐	☐	☐	☐
APS -R1 _____ R2 _____ TG _____ AX _____				
Check Shim (45 DSV / 22 DSV)(make sure to run auto L-coil and DC off-sets).....	☐	☐	☐	☐
APS -R1 _____ R2 _____ TG _____ AX _____				

Shim Values Before X _____ Y _____ Z _____ Z2 _____

With Gradient Shim - 22cm DSV

Zero Gradient Shim - (Test mode) 45cm DSV

Shim Values After X _____ Y _____ Z _____ Z2 _____

Inhomogeneity	Z1(1,0) _____	X(1,1) _____	Z2X(3,1) _____
Spine	Z2(2,0) _____	Y(1,-1) _____	Z2Y(3,-1) _____
Shoulder	Z3(3,0) _____	ZX(2,1) _____	Zxy2(3,2) _____
	Z4(4,0) _____	ZY(2,-1) _____	ZXY(3,-2) _____
Average B field	Z5(5,0) _____	X2-Y2(2,2) _____	X3(3,3) _____
Std B field	Z6(6,0) _____	XY(2,-2) _____	Y3(3,-3) _____

Inhomogeneity	Z1(1,0) _____	X(1,1) _____	Z2X(3,1) _____
Spine	Z2(2,0) _____	Y(1,-1) _____	Z2Y(3,-1) _____
Shoulder	Z3(3,0) _____	ZX(2,1) _____	Zxy2(3,2) _____
	Z4(4,0) _____	ZY(2,-1) _____	ZXY(3,-2) _____
Average B field	Z5(5,0) _____	X2-Y2(2,2) _____	X3(3,3) _____
Std B field	Z6(6,0) _____	XY(2,-2) _____	Y3(3,-3) _____

SYSTEM INSPECTION REPORT

1290 Elm st. Ontario, CA 91761 USA
Main: 951.734.3737, Fax: 951-735-3373



OEM ID _____
Site Name _____
Site Contact _____
SMR Rep _____

Van ID _____
City, State _____
Phone Number _____
Inspection Date _____

S/C Shim Currents

AX1		T1-1		T2-1	
AX2		T1-2		T2-2	
AX3		T1-3		T2-3	
AX4		T1-4		T2-4	
AX5		T1-5		T2-5	
AX6		T1-6		T2-6	

Ramp Info

Current Center Frequency
Config Field Strength

Magnet S/N _____

Host Computer

Computer Type

Serial Number _____

AMD Processor
(using hinv)

Main
Memory

Software Revision
(using service browser)

Archive Media

☐ HP DAT

☐ DVD-ROM/RAM

Display Monitor

Host IP Address

Default Router

Magnet Monitor IP

Array Processor
(using hw_config_status)

Number of Recon
Processors

Recon Memory
(in Mbytes)

Options

- | | | | | | | |
|--|---|--|---|--|--|---|
| ☐ Echo Planar Imaging | ☐ Smart Prep | ☐ Multi-Nuclear Spectro | ☐ T2 Breathhold | ☐ ProbePRESS | ☐ BrainWave RT | ☐ Blood Flow and Volume Measurements |
| ☐ Fast Gradient Echo | ☐ SSFSE | ☐ Functool2 | ☐ SSFSE MRCP | ☐ CREATIV | ☐ BrainWave PA | ☐ Time Course |
| ☐ Cine | ☐ Three Plane Localizer | ☐ Voxtool | ☐ T1 Breathhold | ☐ Navigator | ☐ BrainWave HW | ☐ SWIFT |
| ☐ Fast Spin Echo & FLAIR | ☐ Modality Worklist | ☐ Interactive Vascular Imag | ☐ Line Scan Diffusion Imag | ☐ Diffusion Tensor | ☐ Propeller T2 | ☐ T2MAP |
| ☐ Time of Flight | ☐ E3DToF | ☐ Clairview | ☐ Image Filter | ☐ 3DFRFSE | ☐ 3T Restricted Apps | ☐ 2D MERGE |
| ☐ Phase Contrast Vascular | ☐ FSE_XL | ☐ Spectro Analysis GE | ☐ ACGD Plus | ☐ Asset Plus | ☐ 2D Fat Sat Fiesta | ☐ LAVA-XV |
| ☐ Research | ☐ Bloodsupp | ☐ Preformed Procedure Step | ☐ Probe 3D Prostate | ☐ Fat Water 2001 | ☐ MR-Echo | ☐ SMART-P |
| ☐ Proactive Service | ☐ Fastcine | ☐ High Speed | ☐ Fluoro-triggered MRA | ☐ Rapid Frame | ☐ 8 Channel System | ☐ BRAVO |
| ☐ Research PSD | ☐ Tagging | ☐ fgret | ☐ MRCP3 | ☐ TRICKS | ☐ 16 Channel System | ☐ Breast Single Voxel Spectroscopy |
| ☐ Spectroscopy/PROBE | ☐ sgdperf | ☐ fgret Real Time | ☐ PSIR | ☐ FIESTA-c | ☐ Lava | ☐ COSMIC |
| ☐ Videoconferencing | ☐ DW-EPIZ | ☐ Spiral Hi-Res | ☐ Dynamic R1 | ☐ BREAST2 | ☐ FiberTrak | ☐ 32 Channel System |
| ☐ SGD_EchoSpeed | ☐ iDrive Pro | ☐ Spiral Real Time | ☐ Fiesta 2D | ☐ Propeller DWI | ☐ FLAIR3D | ☐ Integrated Patient Comfort Module |
| ☐ DW EPI | ☐ iDrive | ☐ iDrive Pro Plus | ☐ Fiesta 3D | ☐ 3D Delayed Enhancements | ☐ Multi-Phase (variable delays) | ☐ Brainwave Fusion |
| ☐ FLAIR EPI | ☐ SmartPrep 2000 Upgrade | ☐ PROBE 3d Brain | ☐ Delayed Enhancement | ☐ 3D Fat Sat FIESTA | ☐ Dual Array | |
| ☐ SPECIAL | ☐ Probe 2000 Upgrade | ☐ Ultrashort TR | ☐ Asset | ☐ MRAppStudio | ☐ Timeout Application | |

SYSTEM INSPECTION REPORT

1290 Elm st. Ontario, CA 91761 USA
Main: 951.734.3737, Fax: 951-735-3373



OEM ID		Van ID	
Site Name		City, State	
Site Contact		Phone Number	
SMR Rep		Inspection Date	

Shipping Location

Site Name		Attention:			
Street Address					
Shipping Address			Loading Dock		
City		State		Zip Code	

Extras and Options - what is going with the system

Main Disconnect		DC Lighting		Stereo System	
Injector system		Chiller unit		Other	

Current De-install schedual

Ramp Down/Quench Date		Magnet Rigging date	
Magnet rigging location			
Equipment rigging location			

N
o
t
e
s