



INTRODUCTION**SYSTEM LEVEL****MAINS DISTRIBUTION****MAGNET****PATIENT SUPPORT****GRADIENT AMPLIFIER****DATA ACQUISITION SYSTEM****PHYSIOLOGY****OPERATOR CONSOLE****COMPUTER****OPTIONS**



CONTENTS:

Patient Ventilation System	Z1-4.1
Magnet Top Configuration	Z3-4.1
Helium Gas Supply System	Z3-4.2
Block Diagram Compressor Transformer AT.	Z3-4.3
Gas Exhaust Line	Z3-4.4
Iron Positions on the Shim rail	Z3-4.5
Lay Out Remote Magnet Monitoring Unit	Z3-4.6
Standard/Omni Refrigerator and He Gas System	Z3-4.7
Power/Master Refrigerator and He Gas System	Z3-4.8
Emergency Run Down Unit	Z3-4.9
Standard/Omni Magnet Assembly M.	Z6-4.1
Standard/Omni Magnet Assembly M.	Z6-4.2
Gradient Strips Left	Z6-4.3
Gradient Strips Right	Z6-4.4
Magnet Cabling Picu Left	Z6-4.5
Magnet Cabling Picu Left	Z6-4.6
Magnet Cabling Picu Left	Z6-4.7
Magnet Cabling Picu Right	Z6-4.8
Magnet Cabling Picu Right	Z6-4.9
Magnet Cabling Picu Right	Z6-4.10
Magnet Enclosures ME	Z6-4.11
Shim Template	Z6-4.12




Inter 0.5 T		Inter 1.0 T		Inter 1.5 T	
Standard	Omni	Power	Omni	Power	Master

PATIENT VENTILATION SYSTEM



Intero 0.5 T	Intero 1.0 T		Intero 1.5 T		
Standard	Omni	Power	Omni	Power	Master

MAGNET TOP CONFIGURATION




LEGEND

1. STATION VALVE
2. PIGTAIL
3. CHECK VALVE
4. CYLINDERS WITH HE-GAS WITH PURITY 99,995% CONTENTS 40-50 L
PRESSURE 150-200 BAR.
5. HIGH PRESSURE REGULATOR CYLINDER PRESSURE 0-200 BAR
DELIVERY PRESSURE 0-9 BAR
6. HIGH PRESSURE TEFLON HOSE DIAM. 6x4mm
7. SHUT-OFF VALVE
8. PRESSURE GAUGE 0-10 BAR
9. LOW PRESSURE LINE REGULATOR MAX INLET PRESSURE 17 BAR
DELIVERY PRESSURE 0,03-0,35 BAR WITH PRESSURE GAUGE
0-1 BAR WITH 0,02 BAR SCALE DEVISIONS
10. BLOW OFF VALVE
11. BLOW OFF SAFETY: PRESSURE LEVEL SET AT 0,28 +/- 0,02 BAR
12. COPPER TUBE DIAM. 6x4mm
13. 5 METER HOSE TO FIT ON THE CONNECTION NIPPLE OF THE
LIQUID HELIUM DEWAR
14. HIGH PRESSURE REGULATOR CYLINDER PRESSURE 0-200 BAR
DELIVERY PRESSURE 0-30 BAR
15. HIGH PRESSURE ARMoured HOSE MIN. 40 BAR
16. BALL VALVE
DELIVERY PRESSURE 0-30 BAR
17. COPPER TUBE DIAM 10x8mm
18. WALL FIXATION DEVICE
19. FEEDTHROUGH, PART OF RF FEEDTHROUGH HELIUM GAS LINES


Interø 0.5 T		Interø 1.0 T		Interø 1.5 T	
Standard	Omni	Power	Omni	Power	Master

HELIUM GAS SUPPLY SYSTEM






Intera 0.5 T			Intera 1.0 T			Intera 1.5 T		
Standard	Omni	Power	Omni	Power	Master			

BLOCK DIAGRAM COMPRESSOR TRANSF. AT



WARNING:
NEVER CUT THE FLEXIBLE HOSE IN ORDER TO ADAPT ITS LENGTH.
IN THAT CASE THE CONNECTION BETWEEN THE FLEXIBLE HOSE AND
ITS FLANGE IS TOO WEAK SO THAT YOU REMAIN WITH AN UNSAFE SITUATION.
THE GLUE THAT IS PRESENT BETWEEN HOSE AND FLANGE IS ESSENTIAL
FOR ITS STRENGTH.





MOUNTING MATERIALS OVERVIEW

ITEM NUMBER	DESCRIPTION
5	WASHER 4.3x9
6	NUT M4
7	SCREW M4x30
8	SCREW M4x25
10	ISOLATION RING
15	SPRINGWASHER 4.1


Intera 0.5 T	Intera 1.0 T	Intera 1.5 T
Standard	Omni	Power
	Omni	Power
		Master

GAS EXHAUST LINE




TYPE B1

THICKNESS 0.6
MOUNTABLE IN ANY POSITION



TYPE C1

THICKNESS 0.6
MOUNTABLE ON ANY PIN



TYPE D1



THICKNESS 0.6
MOUNTABLE ON ANY PIN




DIMENSIONS IN mm

Intera 0.5 T		Intera 1.0 T		Intera 1.5 T	
Standard	Omni	Power	Omni	Power	Master


IRON POSITIONS ON THE SHIM RAIL



TOP VIEW




FRONT VIEW



BOTTEM VIEW


Intere 0.5 T			Intere 1.0 T			Intere 1.5 T		
Standard	Omni	Power	Omni	Power	Master			

LAY OUT REMOTE MAGNET MONITORING UNIT



Intera 0.5 T	Intera 1.0 T	Intera 1.5 T
Standard	Omni	Omni


REFRIGERATOR AND He GAS SYSTEM



Technical Room



Intera 0.5 T	Intera 1.0 T	Intera 1.5 T
	Power	Power Master

REFRIGERATOR AND He GAS SYSTEM





Intera 2.5 T		Intera 1.8 T		Intera 1.5 T	
Standard	Omni	Power	Omni	Power	Master

EMERGENCY
RUN DOWN UNIT




Intera 0.5 T		Intera 1.0 T		Intera 1.5 T	
Standard	Omni	Power	Omni	Power	Master


MAGNET ASSY 2 M.




Intera 0.5 T		Intera 1.0 T		Intera 1.5 T	
Standard	Omni	Power	Omni	Power	Master


MAGNET ASSEMBLY M.









FRONT VIEW



LEFT SIDE VIEW


Intera 0.5 T	Intera 1.0 T		Intera 1.5 T		
Standard	Omni	Power	Omni	Power	Master

MAGNET CABLING PICU LEFT



Intera 0.5 T		Intera 1.0 T		Intera 1.5 T	
Standard	Omni	Power	Omni	Power	Master


MAGNET CABLING PICU LEFT




TOP VIEW

Interw 0.5 T		Interw 1.0 T		Interw 1.5 T	
Standard	Omni	Power	Omni	Power	Master


MAGNET CABLING
PICU LEFT



FRONT VIEW




RELIEF ALL CABLES
WITH TIE-WRAPS




RIGHT SIDE VIEW

Intera 0.5 T			Intera 1.0 T			Intera 1.5 T		
Standard	Omn	Power	Omn	Power	Master			

MAGNET CABLING PICU RIGHT




REAR VIEW



RIGHT SIDE VIEW

Intera 0.5 T		Intera 1.0 T		Intera 1.5 T	
Standard	Omni	Power	Omni	Power	Master


MAGNET CABLING PICU RIGHT



TOP VIEW

Inter- 8.5 T			Inter- 1.8 T		Inter- 1.5 T	
Standard	Omni	Power	Omni	Power	Master	

MAGNET CABLING
PICU RIGHT



Intera 0.5 T		Intera 1.0 T		Intera 1.5 T	
Standard	Omni	Power	Omni	Power	Master

MAGNET ENCLOSURES ME