

## Table of Contents

1. Introduction . . . . .	1
2. Demonstration Video . . . . .	1
3. Getting Started . . . . .	1
4. Running the Demo . . . . .	1
5. Use with Additional Post-Processing Effects . . . . .	2
6. Important Notes . . . . .	2
6.1. Performance Implications . . . . .	2
6.2. Pipeline Notes . . . . .	2
6.3. Render Path Limitations . . . . .	2
6.4. Physical Cameras . . . . .	2
6.5. Occlusion Culling Bugs . . . . .	2
6.6. Requirements for Builds . . . . .	3
7. Effect Options . . . . .	3
7.1. Parallax Options . . . . .	3
7.1.1. Eye Separation . . . . .	3
7.1.2. Convergence Distance . . . . .	3
7.2. Anaglyph Scheme Options . . . . .	4
7.2.1. Scheme Type . . . . .	4
7.3. Advanced Effect Options . . . . .	6
7.3.1. Correct Colour Space? . . . . .	6
8. Support . . . . .	6

# mikejzx's 3D Anaglyph Pro Manual (v1.1)

## 1. Introduction

Thank you for purchasing 3D Anaglyph Pro! This Unity package provides you with an image effect to render stereoscopic anaglyphs from scenes in realtime. This manual document will explain how to use the effect, and describes in detail each of the settings you may wish to adjust. Please also review *Section 6. Important Notes* for important information regarding the effect. A demo scene is also provided in the asset to demonstrate the effect (see *Section 4. Running the Demo* for more information).

## 2. Demonstration Video

Basic usage demonstration: <https://youtube.com/watch?v=fQaAiNZ8Iro>

## 3. Getting Started

Applying the anaglyph effect is very easy, and is a matter of simply adding the AnaglyphCamera component to the camera you wish to render with the effect.

This is outlined in five short steps below for readers who would like explicit instructions:

- i. In the scene Hierarchy pane, select the camera you wish to apply the 3D Anaglyph Effect to.
- ii. With the camera selected, navigate to the bottom of the Inspector pane.
- iii. Click “Add Component” in the Inspector pane. This should present you with a search box.
- iv. Type “AnaglyphCamera” in the given search box, and click the resulting AnaglyphCamera effect component. If the effect does not appear in the results; please re-install the package.
- v. The anaglyph effect is now active on the camera.

## 4. Running the Demo

A demo scene is provided in the *Demo* folder in the asset, and it demonstrates correct usage of the effect in it's simplest form. Click the play button in this scene to experiment with the anaglyph effect and see it in action. The demo features a first-person style camera, with the following controls:

W/A/S/D

Forward, leftward, backward, and rightward movements respectively.

Mouse

Adjust camera direction.

Mouse Scrollwheel Up/Down

Increase/decrease anaglyph convergence distance.

E/Q

Increase/decrease the eye separation distance.

Spacebar/Shift

Upward and downward movement.

## 5. Use with Additional Post-Processing Effects

As of 3D Anaglyph Pro version 1.1, post-processing effects work out-of-the-box and can be applied in conjunction to the anaglyph effect without any further intervention.

An alternative demo scene is also included with the package under the *Demo* folder, to demonstrate an example setup of the anaglyph effect being used with other post-processing effects.

## 6. Important Notes

### 6.1. Performance Implications

Due to the nature of how stereoscopic images are rendered; the anaglyph effect takes a significant toll on rendering performance. This is of course due to the fact that in order to generate a stereo image pair used to compose an anaglyph image, the scene must be rendered twice at the same resolution; this is obviously quite expensive to perform. This means that all geometry must be drawn twice, and hence the cost of rendering, including the cost of additional post-processing effects, becomes twofold. Please keep this in mind if you are targeting e.g. mobile platforms or devices with lower-end hardware. If this is an issue, please consider the following workarounds:

- Reduce the game's render resolution (or make it easily-configurable for players of your game); this can be done in the Unity Player settings or through Unity's scripting API.
- If using additional post-processing effects, try remove any that are unnecessary or have a particularly expensive performance cost.
- Try to keep scene geometry as simple as practically possible.
- Tweak Unity's quality settings, e.g. shadow quality settings, reduce texture resolution, reduce pixel light count, etc.

### 6.2. Pipeline Notes

The effect only officially supports the Built-in Render Pipeline at the moment, which is the default render pipeline in Unity.

### 6.3. Render Path Limitations

We recommend that the default Forward rendering path be used as it allows the effect to produce the best results. Deferred rendering may appear to work, and may be usable, however there are lighting bugs that become more obvious when the anaglyph effect is used with more extreme values. This seems to be due to bugs in Unity itself not handling custom camera projection matrices properly.

### 6.4. Physical Cameras

Unity 2018.2 introduced the "Physical Camera" option for cameras, to simulate real-world camera settings. The anaglyph effect **does not** support this option, because Unity does not provide any documentation on the method used to generate the projection matrices for the physical cameras, and as such it is much more difficult to generate a projection matrix that is both derived from the physical properties and also usable for anaglyph rendering.

### 6.5. Occlusion Culling Bugs

Unfortunately, there appears to be some kind of bug in Unity that prevents it from culling objects correctly when the camera's projection matrix is set to wildly differ from its original one. For this reason, issues of items "clipping" in and out of the scene may be prevalent if occlusion culling is enabled on the camera. This usually only occurs when the anaglyph effect is set to use extreme eye widths. If this becomes an issue for you, the only solution at the moment is to disable Occlusion Culling on the camera with the anaglyph effect. Depending on the scene, this could have a detrimental impact on performance.

## 6.6. Requirements for Builds

In order for the Anaglyph3D effect to work in player builds of your game, the Anaglyph3D.shader file **must** remain in a Resources folder (due to the way the Shader.Find Unity API method works). The asset package is structured like this for you already, so unless you deliberately modify the asset structure yourself, this needn't be of any concern.

## 7. Effect Options

This section will describe each of the various configuration options provided with the anaglyph effect. Additionally, methods of adjusting these properties during game run-time are also provided. Most of the properties have public members which you can modify through scripting.

### 7.1. Parallax Options

#### 7.1.1. Eye Separation

The eye separation refers to the width at which the stereo images are taken. In some sense, it mimicks the separation between human eyes. However, using widths *greater* than that of the human eyes is often more desirable as it can produce a more vivid perception of depth in the scene. A sane base value to start from is around 0.1 m, and gradually increase from there as desired. Note that as this width is increased, it generally becomes more difficult for the eyes to focus on the scene due to the extreme separation. The recommended range for this value for most scenes is from 0.05 to 0.50 metres. Larger values may be desired in very long-distance-viewing scenes.

This can be modified at scene run-time via the public `AnaglyphCamera.eyeSeparation` float property.

#### 7.1.2. Convergence Distance

The simplest definition of this is the distance from the in-game camera that represents the physical location of the display (monitor, screen) in the scene. This means that any objects after this distance will appear “inside the screen”, whereas those that are closer than the distance appear to “pop out” of the screen.

For most situations this value should not be set too high, as the sense of depth in the scene for nearer objects is generally reduced at higher convergence distances. The recommended value for this for most situations is from 1 to 10 metres, as this gives an illusion of “looking into the scene” as if it were being viewed through a physical “window.” Much larger values of this option may be desired in longer range viewing.

This can be modified at scene run-time via the public `AnaglyphCamera.convergence` float property.

## 7.2. Anaglyph Scheme Options

### 7.2.1. Scheme Type

This allows you to choose the set of colours you wish to render the stereo images in. Many options are provided for this option, those of note are described below.

The scheme type can be modified at scene run-time via the public `AnaglyphCamera.scheme` `AnaglyphScheme` enum property.

#### **Classic Red/Cyan** (Simple Colour Pairs)

Produces a standard red/cyan anaglyph, with no additional filtering. The output image consists of the left image's red channel, and the right image's green & blue channels. This scheme is also referred to as a "Full-Colour Red/Cyan" scheme as it takes into account all the colour of the scene.

This is a very common anaglyph scheme, however it is subject to ghosting and "retinal rivalry" (i.e. viewing discomfort) when highly-saturated colours are present in the scene.

#### **Zhang-McAllister Red/Cyan** (Dubois Matrices) (Recommended)

This scheme applies an optimised red/cyan anaglyph matrix for LCD screens that was derived through the Dubois anaglyph matrix generation method, developed by Eric Dubois in 2001.

This scheme is effective in eliminating ghosting in images, by replacing colours with colours that do not ghost.

This particular matrix is derived from a paper by Z. Zhang and D. McAllister, entitled "A Uniform Metric for Anaglyph Calculation" (2006).

#### **Sanders-McAllister Red/Cyan** (Dubois Matrices)

This scheme applies a Dubois matrix similar to the above, one that seems to be more commonly-used in software, despite originally being designed for CRT displays. It produces similar results to the above.

This matrix was derived from a paper by W. Sanders and D. McAllister, entitled "Producing Anaglyphs from Synthetic Images" (2003).

#### **Half-Colour Red/Cyan** (Experimental)

This scheme is a popular attempt to reduce ghosting by using the greyscale of the left image as the red channel in the output.

The name is derived from the fact that only the right image is in full colour, whereas the left image is in greyscale.

#### **Monochrome Red/Cyan** (Experimental)

This scheme produces monochrome/greyscale anaglyph images.

#### **Optimised Red/Cyan** (Experimental)

This scheme is an attempt of reducing ghosting by not incorporating any of the red channel from the left image into any of the output colour.

#### **Custom Colour Pair** (Simple Colour Pairs)

Select this option if you wish to generate a simple matrix from two colours. Selecting this will present you with two colour pickers to shade the left and right image.

The custom colour pair can also be modified at scene run-time via the `AnaglyphCamera.customLeft` and `AnaglyphCamera.customRight` Color properties.

### Specify Custom Matrix (Advanced)

This advanced option allows you to provide a custom anaglyph matrix of your own to the effect, for maximum control over the output of the image. This option is provided for advanced users who have matrices of their own they wish to apply.

Selecting this will present you with a field for entering the 3x6 anaglyph matrix values. The format of matrix may appear daunting at first, but is actually rather simple to understand, and the rows/columns have labels in the Editor to help make clear how it works.

The custom matrix can also be modified at scene run-time via the public `AnaglyphCamera.customMatrix` property, which is an 18-element array of floats representing the 3x6 matrix in row-major order.

A brief explanation of the values of the matrix is given below:

There are three rows in the matrix. The rows represent the red, green, and blue values that will be outputted to the final image. There are six columns, but it's best to think of them as two sets of three-columns—the left group of three columns is for the left-eye image, and the right group of three columns is for the right-eye image. As you may have guessed, the values in these columns represent a normalised factor (generally 0.0 to 1.0, but it is possible in e.g. Dubois matrices, to have negatives or values that exceed 1.0) to multiply the red, green, and blue components of their image, and output the multiplied value to the output channel corresponding to the row.

The following example is a matrix that produces regular red/cyan anaglyphs:

$$\begin{bmatrix} 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}$$

The example should be relatively simple to understand; the first row is the output red colour. The first column is the only column in the row that has any contribution, and it corresponds to the left image's red channel. Therefore all of the red in the image comes from the red channel of the left image. The second row represents the output green colour. The fifth column of the second row is the only column that contributes to it, and it corresponds to the green channel of the right image. The blue channel of the output has all of its colour come from the blue channel of the right image.

### 7.3. Advanced Effect Options

These are options for advanced usage of the effect.

#### 7.3.1. Correct Colour Space?

(Linear colour space only)

Setting this option will enable the SRGB-to-linear, and linear-to-SRGB, colour space conversions in the shader. This produces more accurate colours in the output image (when using Linear colour workflow in Unity's project settings) but may come with a performance penalty, especially on weaker and older video cards. This is recommended when maximum colour accuracy is desired and when using Dubois matrices. This is not recommended when using Simple Colour Pair schemes.

Can be modified at scene run-time via the `AnaglyphCamera.correctColourSpace` bool property.

*This option has no effect when the project is using a Gamma workflow* (this can be changed in the Unity Player settings).

## 8. Support

Please thoroughly check this manual to see if your problem, or anything that sounds like your problem, is mentioned. If not, you may wish to e-mail [skec@protonmail.ch](mailto:skec@protonmail.ch) for support, questions, bugs reports, or suggestions.