

Optimize Your Drupal Site with Google Analytics



July 22, 2015

Mike Nescot

Web Ops & Security Manager
JBS International, Inc.

Nick Grace

Front-end Dev Manager
JBS International, Inc.



JBS International, Inc.

DESIGN. DEVELOP. DRUPAL

Quick Web Analytics Overview

- Measure health of your content.
- Track site performance, including things like site speed.
- Identify broken links.
- Benchmark your content against itself.
- Identify key external drivers of traffic to your site.
- See what users are clicking on.
- Track business goals for your site.
- Identify user pain points and poor performing content.
- Measure effectiveness of social media and e-mail campaigns.

Dimensions


Users	Behavior
Browser	Event Action
City	Exit Page
Country	Full Referrer
Language	Landing Page
Network Domain	Page
OS	Page Title
Acquisition	Search Term
Referral Path	Time
Source	Day of the Month
Social	Day of Week
Social Network	Hour
Social Source	Minute
	Year

Metrics

Acquisition
Sessions
% New Sessions
New Users
Behavior
Bounce Rate
Pages/Session
Avg. Session Duration
Pageviews
Unique Pageviews
Entrances
% Exit

Quick Web Analytics Overview

Customer Behavior: The How & Why



Google Analytics: Intro



Google Analytics is a service offered by Google that generates detailed statistics about a Web site's traffic and traffic sources and measures conversions and sales. The product is aimed at marketers as opposed to webmasters and technologists from which the industry of web analytics originally grew.

Google Analytics: Sign up

<https://www.google.com/analytics>

 Analytics

[Analytics Premium](#) [Analytics for Mobile Apps](#) [Analytics Standard](#) [Tag Manager](#)

[SIGN IN TO GOOGLE ANALYTICS](#)



Turn insights into action.

Improve performance across your sites, apps, and other marketing channels. Google Analytics and related products can help you turn customer insights into actionable solutions for your business.

Solutions for your business.

Choose the analytics solution that's the perfect fit for growing your business.



Analytics Premium

Enterprise-scale data.
Premium-level service.



Analytics for Mobile Apps

Measure the end-to-end value of your app.



Analytics Standard

Get insights you need to improve your business. For free.



Tag Manager

Update your website tags easily, without having to edit code.

Google Analytics: Accounts, Properties, Views

The screenshot displays the Google Analytics interface, organized into three main columns: ACCOUNT, PROPERTY, and VIEW. Each column has a dropdown menu at the top and a list of settings below.

ACCOUNT

- John Batchelor Show
- Account Settings
- User Management
- All Filters
- Change History


PROPERTY

- http://johnbatchelorshow.com
- Property Settings
- User Management
- Tracking Info
- PRODUCT LINKING**
- AdWords Linking
- AdSense Linking
- All Products
- Remarketing
- Custom Definitions
- Data Import
- Social Settings


VIEW

- johnbatchelorshow.com
- View Settings
- User Management
- Goals
- Content Grouping
- Filters
- Channel Settings
- Ecommerce Settings
- PERSONAL TOOLS & ASSETS**
- Segments
- Annotations
- Attribution Models
- Custom Channel Groupings
- Private Channel Groupings (BETA)
- Custom Alerts
- Scheduled Emails
- Shortcuts
- Share Assets

Google Analytics: Accounts, Properties, Views



Google Analytics: Accounts, Properties, Views



Google Analytics: Sign up

New Account

What would you like to track?

Website

Mobile app

Setting up your account

Account Name

Accounts are the top-most level of organization and contain one or more tracking IDs.

My New Account Name

Setting up your property

Website Name

My New Website

Website URL

http://

Example: http://www.mywebsite.com

Industry Category

Select One

Reporting Time Zone

United States

(GMT-08:00) Pacific Time

Google Analytics: Sign up

Tracking ID

Status: Receiving Data

UA-12358817-1

Website tracking

This is the Universal Analytics tracking code for this property. **To get all the benefits of Universal Analytics for this property, copy and paste this code into every webpage you want to track.**

This is your tracking code. Copy and paste it into the code of every page you want to track.

```
<script>
(function(i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r]||function(){
(i[r].q=i[r].q||[]).push(arguments)},i[r].l=1*new Date();a=s.createElement(o),
m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,m)
})(window,document,'script','//www.google-analytics.com/analytics.js','ga');

ga('create', 'UA-12358817-1', 'auto');
ga('send', 'pageview');

</script>
```

Audience Overview

Email Export Add to Dashboard Shortcut



All Sessions
0.00%



+ Add Segment

Overview

Sessions vs. [Select a metric](#)

Hourly Day Week Month

Sessions

1

0

Jun 22

Jun 29

Jul 6

Jul 13

Sessions

0

Users

0

Pageviews

0

Pages / Session

0.00

There is no data for this view.

Avg. Session Duration

00:00:00

Bounce Rate

0.00%

% New Sessions

0.00%

Audience Overview

Jun 20, 2015 - Jul 20, 2015

Email Export Add to Dashboard Shortcut



All Sessions
100.00%




+ Add Segment

Overview

Sessions VS. [Select a metric](#)

Hourly Day Week Month



Sessions

137,837

Users

32,188

Pageviews

409,464

Pages / Session

2.97

Avg. Session Duration

00:06:37


Bounce Rate

27.74%

% New Sessions

18.70%


Returning Visitor New Visitor





Google Analytics Module

https://www.drupal.org/project/google_analytics



Download & Extend

[Download & Extend Home](#) [Drupal Core](#) [Distributions](#) [Modules](#) [Themes](#)

Google Analytics

Recommended releases

Version	Download	Date
7.x-2.1	tar.gz (38.72 KB) zip (45.83 KB)	2014-Nov-29
6.x-4.1	tar.gz (37.5 KB) zip (43.08 KB)	2014-Nov-29

Other releases

Version	Download	Date
7.x-1.4	tar.gz (31.44 KB) zip (36.25 KB)	2013-Oct-17
6.x-3.6	tar.gz (26.88 KB) zip (30.41 KB)	2013-Oct-17

Development releases

Version	Download	Date
8.x-2.x-dev	tar.gz (39.05 KB) zip (54.29 KB)	2015-Jul-13
7.x-2.x-dev	tar.gz (39.03 KB) zip (46.25 KB)	2015-Jul-13
6.x-4.x-dev	tar.gz (37.79 KB) zip (43.48 KB)	2015-Jul-05

- Changing URL fragments can be tracked as pageviews
- Debug mode with analytics_debug.js

em to



pages

,

3S

3NS

own

:king

ver for improved page loading times

Maintainers for Google Analytics

[hass](#) – 1084 commits
last: 1 week ago, first: 8 years ago

[budda](#) – 50 commits
last: 3 years ago, first: 9 years ago

[View all committers](#)

[View commits](#)

Issues for Google Analytics

To avoid duplicates, please search before submitting a new issue.

[Advanced search](#)

All issues

29 open, 958 total

Bug report

6 open, 193 total

[Subscribe via e-mail](#)

Statistics

New issues  1
Response rate  50 %

Google Analytics Module Features

- Single/multi/cross domain tracking
- Selectively track/exclude certain users, roles and pages
- Monitor what type of links are tracked (downloads, outgoing and mailto)
- Monitor what files are downloaded from your pages
- Custom dimensions and metrics support with tokens
- Custom code snippets
- Site Search support
- AdSense support
- Demographics and Interests support (formerly known as DoubleClick remarketing support)
- Anonymize visitors IP address
- DoNotTrack support (non-cached content only)
- Drupal messages tracking
- Modal dialog tracking
- Access denied (403) and Page not found (404) tracking
- Cache the Google Analytics code on your local server for improved page loading times
- Enhanced Link Attribution support
- User ID tracking across devices

Google Analytics Module

SYSTEM



[Site information](#)

Change site name, e-mail address, slogan, default front page, and number of posts per page, error pages.



[Actions](#)

Manage the actions defined for your site.



[Backup and Migrate](#)

Backup/restore your database and files or migrate data to or from another Drupal site.



[Google Analytics](#)

Configure tracking behavior to get insights into your website traffic and marketing effectiveness.



[Cron](#)

Manage automatic site maintenance tasks.

GENERAL SETTINGS

Web Property ID

UA-12358817-1

This ID is unique to each site you want to track separately, and is in the form of UA-xxxxxxx-yy. To get a Web Property ID, [register your site with Google Analytics](#), or if you already have registered your site, go to your Google Analytics Settings page to see the ID next to every site profile. [Find more information in the documentation](#).

Plug in your GA Web Property ID

Tracking scope

Domains

A single domain

Pages

All pages with exceptions

Roles

Excepted: administrator

Users

Not customizable

Links and downloads

Outbound links, Mailto links, Downloads enabled

Messages

Not tracked

Search and Advertising

Display features enabled

Privacy

Universal web tracking opt-out enabled

What are you tracking?

- ☒ A single domain (default)
Domain: johnbatchelorshow.com
- ☐ One domain with multiple subdomains
Examples: www.example.com, app.example.com, shop.example.com
- ☐ Multiple top-level domains
Examples: www.example.com, www.example.net, www.example.org

List of top-level domains

If you selected "Multiple top-level domains" above, enter all related top-level domains. Add one domain per line. By default, the data in your reports only includes the path and name of the page, and not the domain name. For more information see section *Show separate domain names* in [Tracking Multiple Domains](#).

▸ CUSTOM DIMENSIONS

▸ CUSTOM METRICS

▸ ADVANCED SETTINGS

Save configuration

Tracking scope

Domains

A single domain

Pages

All pages with exceptions

Roles

Excepted: administrator

Users

Not customizable

Links and downloads

Outbound links, Mailto links, Downloads enabled

Messages

Not tracked

Search and Advertising

Display features enabled

Privacy

Universal web tracking opt-out enabled

What are you tracking?

☒ A single domain (default)

Domain: johnbatchelorshow.com

☐ One domain with multiple subdomains

Examples: www.example.com, app.example.com, shop.example.com

☐ Multiple top-level domains

Examples: www.example.com, www.example.net, www.example.org

List of top-level domains

If you selected "Multiple top-level domains" above, enter all related top-level domains. Add one domain per line. By default, the data in your reports only includes the path and name of the page, and not the domain name. For more information see section *Show separate domain names* in [Tracking Multiple Domains](#).

Tracking scope

Exclude your admin paths.

Domains A single domain	Add tracking to specific pages ☒ Every page except the listed pages ☐ The listed pages only admin admin/* batch node/add* node/*/* user/*/* Specify pages by using their paths. Enter one path per line. The '*' character is a wildcard. Example paths are <i>blog</i> for the blog page and <i>blog/*</i> for every personal blog. <front> is the front page.
Pages All pages with exceptions	
Roles Excepted: administrator	
Users Not customizable	
Links and downloads Outbound links, Mailto links, Downloads enabled	
Messages Not tracked	
Search and Advertising Display features enabled	
Privacy Universal web tracking opt-out enabled	


Tracking scope

Exclude your admin users.

Domains A single domain	Add tracking for specific roles ☐ Add to the selected roles only ☒ Add to every role except the selected ones
Pages All pages with exceptions	
Roles Excepted: administrator	Roles ☐ anonymous user ☐ authenticated user ☒ administrator ☐ author
Users Not customizable	
Links and downloads Outbound links, Mailto links, Downloads enabled	
Messages Not tracked	
Search and Advertising Display features enabled	
Privacy Universal web tracking opt-out enabled	

If none of the roles are selected, all users will be tracked. If a user has any of the roles checked, that user will be tracked (or excluded, depending on the setting above).

Tracking scope

Domains A single domain	☒ Track clicks on outbound links	Track basic clicks and downloads. 
Pages All pages with exceptions	☒ Track clicks on mailto links	
Roles Excepted: administrator	☒ Track downloads (clicks on file links) for the following extensions	
Users Not customizable	<code>7z aac arc arj asf asx avi bin csv doc exe flv gif gz gzip hqx jar jpe?g js mp(2 3 4 e?g) mov(ie)? msi msp pdf phps png ppt qtm? ra(m r)? s</code> A file extension list separated by the character that will be tracked as download when clicked. Regular expressions are supported. For example: 7z aac arc arj asf asx avi bin csv doc exe flv gif gz gzip hqx jar jpe?g js mp(2 3 4 e?g) mov(ie)? msi msp pdf phps png ppt qtm? ra(m r)? sea sit tar tgz torrent txt wav wma wmv wpd xls xml z zip	
Links and downloads Outbound links, Mailto links, Downloads enabled	☐ Track enhanced link attribution	
Messages Not tracked	Enhanced Link Attribution improves the accuracy of your In-Page Analytics report by automatically differentiating between multiple links to the same URL on a single page by using link element IDs. Enable enhanced link attribution in the Admin UI of your Google Analytics account.	
Search and Advertising Display features enabled	☐ Track changing URL fragments as pageviews	
Privacy Universal web tracking opt-out enabled	By default, the URL reported to Google Analytics will not include the "fragment identifier" (i.e. the portion of the URL beginning with a hash sign), and hash changes by themselves will not cause new pageviews to be reported. Checking this box will cause hash changes to be reported as pageviews (in modern browsers) and all pageview URLs to include the fragment where applicable.	

Tracking scope

Domains A single domain	Track messages of type ☐ Status message ☐ Warning message ☐ Error message This will track the selected message types shown to users. Tracking of form validation errors may help you identifying usability issues in your site. For each visit (user session), a maximum of approximately 500 combined GATC requests (both events and page views) can be tracked. Every message is tracked as one individual event. Note that – as the number of events in a session approaches the limit – additional events might not be tracked. Messages from excluded pages cannot be tracked.
Pages All pages with exceptions	
Roles Excepted: administrator	
Users Not customizable	
Links and downloads Outbound links, Mailto links, Downloads enabled	
Messages Not tracked	
Search and Advertising Display features enabled	
Privacy Universal web tracking opt-out enabled	

Tracking scope

Domains A single domain	☐ Track internal search If checked, internal search keywords are tracked. You must configure your Google account to use the internal query parameter <code>search</code>. For more information see Setting Up Site Search for a Profile. Requires: Search (enabled) ☐ Track AdSense ads If checked, your AdSense ads will be tracked in your Google Analytics account. ☒ Track display features The display features plugin can be used to enable Display Advertising Features in Google Analytics, such as Remarketing, Demographics and Interest Reporting, and more. Learn more about Display Advertising Features in Google Analytics. If you choose this option you will need to update your privacy policy.
Pages All pages with exceptions	
Roles Excepted: administrator	
Users Not customizable	
Links and downloads Outbound links, Mailto links, Downloads enabled	
Messages Not tracked	
Search and Advertising Display features enabled	
Privacy Universal web tracking opt-out enabled	

Tracking scope

Domains A single domain	
Pages All pages with exceptions	
Roles Excepted: administrator	
Users Not customizable	
Links and downloads Outbound links, Mailto links, Downloads enabled	
Messages Not tracked	
Search and Advertising Display features enabled	
Privacy Universal web tracking opt-out enabled	☐ Anonymize visitors IP address Tell Google Analytics to anonymize the information sent by the tracker objects by removing the last octet of the IP address prior to its storage. Note that this will slightly reduce the accuracy of geographic reporting. In some countries it is not allowed to collect personally identifying information for privacy reasons and this setting may help you to comply with the local laws. ☒ Universal web tracking opt-out If enabled and your server receives the Do-Not-Track header from the client browser, the Google Analytics module will not embed any tracking code into your site. Compliance with Do Not Track could be purely voluntary, enforced by industry self-regulation, or mandated by state or federal law. Please accept your visitors privacy. If they have opt-out from tracking and advertising, you should accept their personal decision. This feature is currently limited to logged in users and disabled page caching.

Right now

33


active users on site

MOBILE DESKTOP TABLET



Pageviews

Per minute



Per second



Top Referrals:

Source	Active Users
1. talkstreamlive.com	1
2. wabcradio.com	1

Top Social Traffic:

Source	Active Users
1. reddit	1

Top Keywords:


Keyword	Active Users
1. (not provided)	6
2. the john batchelor show	1

Top Active Pages:

Active Page	Active Users
1. /podcasts	11 33.33%
2. /	9 27.27%
3. /podcasts/mon-72015-hr-1-...-cabinet-jonathan-schneer	2 6.06%
4. /podcasts/mon-72015-hr-2-...-cabinet-jonathan-schneer	2 6.06%
5. /podcasts/sun-71915-jbs-a...th-moving-pictures-edward	2 6.06%
6. /404.html?page=/sites/def...count=100&after=t3_362315	1 3.03%
7. /blog/2015/video-f-35-boondoggle	1 3.03%
8. /podcasts/2014/11/11/second-hour	1 3.03%
9. /podcasts/mon-72015-hr-4-...ichael-neiberg-part-ii-ii	1 3.03%
10. /podcasts/sat-71815-jbs-a...ly-drives-suicide-bombers	1 3.03%

Google Analytics






Universal Analytics



The User ID is a Universal Analytics feature that you can use to associate multiple sessions. When you send a unique ID and any related engagement data to Google Analytics, all activity is attributed to one user in your reports. With the User ID, you can get a more accurate user count, analyze the signed-in user experience, and get access to the new Cross Device reports.

Universal Analytics



Google Analytics: Dashboard

Audience Overview

Jun 20, 2015 - Jul 20, 2015

Email Export Add to Dashboard Shortcut



All Sessions
100.00%




+ Add Segment

Overview

Sessions VS. [Select a metric](#)

Hourly Day Week Month

Sessions



Sessions

137,837

Users

32,188

Pageviews

409,464

Pages / Session

2.97

Avg. Session Duration

00:06:37


Bounce Rate

27.74%

% New Sessions

18.70%


Returning Visitor New Visitor



Audience




Google Analytics: Audience



Google Analytics: Demographics


Age

57.75% of total sessions



Gender

59.14% of total sessions



● Sessions ● 55-64 ● 65+ ● 45-54 ● 35-44 ● 25-34 ● 18-24

4,000


2,000

Jun 22

Jun 29

Jul 6

Jul 13



Google Analytics Module: Demographics Setup


Tracking scope

Domains A single domain	☐ Track internal search If checked, internal search keywords are tracked. You must configure your Google account to use the internal query parameter search . For more information see Setting Up Site Search for a Profile . Requires: Search (enabled)
Pages All pages with exceptions	
Roles Excepted: administrator	☐ Track AdSense ads If checked, your AdSense ads will be tracked in your Google Analytics account.
Users Not customizable	☒ Track display features The display features plugin can be used to enable Display Advertising Features in Google Analytics, such as Remarketing, Demographics and Interest Reporting, and more. Learn more about Display Advertising Features in Google Analytics . If you choose this option you will need to update your privacy policy .
Links and downloads Outbound links, Mailto links, Downloads enabled	
Messages Not tracked	
Search and Advertising Display features enabled	
Privacy Universal web tracking opt-out enabled	

Acquisition



Google Analytics: Acquisition



Google Analytics: SEO



This report requires Webmaster Tools to be enabled.

Set up Webmaster Tools data sharing

What is Webmaster Tools?

Webmaster Tools is a free product that provides data and analytics to help improve your site's performance in Google search.

Enabling Webmaster Tools data within Analytics

Once you connect a site you own in Webmaster Tools to your Analytics property, its data becomes visible in your Search Engine Optimization reports. You can visit the Property Settings page in Analytics account management to change which of your Webmaster Tools sites' data you wish to show, and control which views on your Web Property have access to view the data.

How to use Webmaster Tools data within Analytics

Webmaster Tools provides data about what users see in Google search results before they decide to click to your site (or some other site). You can use this data to identify opportunities and prioritize development effort to increase the number of visitors to your site. Examples:

- Identify landing pages on your site that have good clickthrough rates (CTR), but have poor average positions in search results. These could be pages that people want to see, but have trouble finding.
- Identify search queries (keywords) for which your site has good average positions, but poor click through rates. These are queries for which your pages get attention and improved content could lead to more visitors.

Google Analytics: SEO

Property Settings

[Move to Trash Can](#)

Basic Settings

Tracking Id

UA-12358817-1

Property Name

http://johnbatchelorshow.com

Default URL

http:// ▾

johnbatchelorshow.com

Default View

johnbatchelorshow.com ▾

Industry Category

News ▾

Google Analytics: SEO



johnbatchelorshow.com Website

Manage property ▼

You don't have access to this property. Verify this property or ask a property owner to add you as a user. - [Verify this property](#)

Today

Google Analytics: SEO

Search Console

Help ▾

❗ Verification failed for **http://johnbatchelorshow.com/** using the Google Analytics method (173 days ago). The Google Analytics tracking code on your site is in the wrong location. You can verify site ownership with the asynchronous snippet placed in the <head> section of your home page. [Learn more](#).

Verify your ownership of **http://johnbatchelorshow.com/**. [Learn more](#).

Recommended method

Alternate methods

History

Recommended: Google Analytics

Use your Google Analytics account.

- You must be using the [asynchronous tracking code](#) .
- Your tracking code should be in the <head> section of your page.
- You must have the "edit" permission for the Analytics web property.

The Google Analytics tracking code is used only to verify site ownership. No Google Analytics data will be accessed.

VERIFY

Not now

Google Analytics: SEO

Recommended method

Alternate methods

History



HTML file upload

Upload an HTML file to your site.

1. **Download** [this HTML verification file](#). [google312ac9f858d5cf7a.html]
2. **Upload** the file to <http://johnbatchelorshow.com/>
3. **Confirm** successful upload by visiting <http://johnbatchelorshow.com/google312ac9f858d5cf7a.html> in your browser.
4. **Click** Verify below.

To stay verified, don't remove the HTML file, even after verification succeeds.



HTML tag

Add a meta tag to your site's home page.



Domain name provider

Sign in to your domain name provider.



Google Tag Manager

Use your Google Tag Manager account.

VERIFY

Not now

Google Analytics: SEO

Search Console



Congratulations, you have successfully verified your ownership of **<http://johnbatchelorshow.com/>**.

[Continue](#)

Dashboard

Messages (3)

Search Appearance

Search Traffic

Google Index

Crawl

Security Issues

Other Resources

New and important

No new messages or recent critical issues. [View all](#)

Current Status

Crawl Errors



Site Errors

DNS



Server connectivity



Robots.txt fetch




URL Errors

17 Access denied
4,550 Not found

Search Analytics



15,341
Total Clicks



Sitemaps

No Sitemaps



[Why submit a Sitemap?](#)

Search Analytics (beta)

Analyze your performance on Google Search. Filter and compare your results to better understand your user's search patterns. [Learn more.](#)

Go back to old "Search Queries" report.

☒ Clicks ☐ Impressions ☐ CTR ☐ Position

☒ **Queries**
No filter ↕

☐ Pages
No filter ↕

☐ Countries
No filter ↕

☐ Devices
No filter ↕


☐ Search Type
Web ↕

☐ Dates
Jun 22 - Jul 19 ↕

Total clicks

15,341

Clicks



	Queries	Clicks▼
1	john batchelor ↗	5,558 >>
2	john batchelor podcast ↗	2,928 >>
3	john batchelor show ↗	1,259 >>
4	john batchelor podcasts ↗	524 >>
5	the john batchelor show ↗	417 >>

Queries

Jun 20, 2015 - Jul 20, 2015

Google Search: Top 1,000 daily queries.

[Customize](#) [Email](#) [Export](#) [Shortcut](#)

No data is available from the most recent 2 calendar days.


 % of clicks: 55.56%

Explorer

Impressions  vs. [Select a metric](#)



● Impressions



Primary Dimension: [Query](#) [Other](#)

Secondary dimension 



[advanced](#)




Query	Impressions 	Clicks 	Average Position 	CTR 
	55,634 % of Total: 50.58% (110,000)	9,351 % of Total: 62.34% (15,000)	7.7 Avg for View: 36 (-80.76%)	16.81% Avg for View: 13.64% (23.26%)
1. john batchelor	15,000 (26.96%)	4,500 (48.12%)	1.0	30.00%
2. batchelor	6,500 (11.68%)	16 (0.17%)	3.3	0.25%
3. john batchelor podcast	3,500 (6.29%)	1,600 (17.11%)	1.0	45.71%
4. john batchelor show	2,500 (4.49%)	900 (9.62%)	1.0	36.00%
5. john bachelor	900 (1.62%)	320 (3.42%)	1.0	35.56%
6. the john batchelor show	900 (1.62%)	250 (2.67%)	1.0	27.78%
7. john show	700 (1.26%)	5 (0.05%)	5.0	0.71%

Behavior



Google Analytics: Behavior




Google Analytics: Site Search

Overview

Sessions with Search vs. [Select a metric](#)

Hourly Day Week Month

● Sessions with Search



2.64% of your visits used site search

Sessions with Search

196



Total Unique Searches

373



Results Pageviews / Search

2.02



% Search Exits

13.67%



% Search Refinements

28.29%




Time after Search

00:03:36



■ Visits Without Site Search ■ Visits With Site Search



VIEW

www.ncfy.com

View Settings

User Management

Goals

Content Grouping

Filters

Channel Grouping

PERSONAL TOOLS & ASSETS

Segments

Annotations

Attribution Models

Custom Channel Groupings

Custom Alerts

Scheduled Emails

Shortcuts

Share Assets

Reporting View Settings

Basic Settings

View ID
15475145

View Name

www.ncfy.com

Website's URL

http:// www.ncfy.com

Time zone country or territory

United States

(GMT-05:00) Eastern Time

Default page optional ?

Exclude URL Query Parameters optional

Currency displayed as ?

US Dollar (USD \$)

Ecommerce Settings

Ecommerce tracking optional

OFF

Site Search Settings

Site search Tracking optional ?

ON

Query parameter

Use commas to separate up to 5 parameters (case insensitive)

search,site

☐ Strip query parameters out of URL ?

Site search categories optional

OFF

Site Search Settings

Site search Tracking optional ?

ON

Query parameter

Use commas to separate up to 5 parameters (case insensitive)

search,site

☐ Strip query parameters out of URL ?

Site search categories optional

OFF


Google Analytics: Site Search

Tracking scope

Domains A single domain	☐ Track internal search If checked, internal search keywords are tracked. You must configure your Google account to use the internal query parameter <code>search</code> . For more information see Setting Up Site Search for a Profile . Requires: Search (enabled)
Pages All pages with exceptions	☐ Track AdSense ads If checked, your AdSense ads will be tracked in your Google Analytics account.
Roles Excepted: administrator	☒ Track display features The display features plugin can be used to enable Display Advertising Features in Google Analytics, such as Remarketing, Demographics and Interest Reporting, and more. Learn more about Display Advertising Features in Google Analytics . If you choose this option you will need to update your privacy policy .
Users Not customizable	
Links and downloads Outbound links, Mailto links, Downloads enabled	
Messages Not tracked	
Search and Advertising Display features enabled	
Privacy Universal web tracking opt-out enabled	


Track internal site search.

Google Analytics: Site Search



Google Analytics: Site Search

- Search Engine Optimization
- Behavior
 - Overview
 - Behavior Flow
 - Site Content
 - All Pages
 - Content Drilldown
 - Landing Pages
 - Exit Pages
 - Site Speed
 - Site Search
 - Overview
 - Usage
 - Search Terms



Primary Dimension: **Site Search Status**

Secondary dimension

Sort Type: Default

Search advanced



Site Search Status ?	Acquisition			Behavior			Conversions		
	Sessions ? ↓	% New Sessions ?	New Users ?	Bounce Rate ?	Pages / Session ?	Avg. Session Duration ?	Goal Conversion Rate ?	Goal Completions ?	Goal Value ?
	42,777 % of Total: 100.00% (42,777)	75.98% Site Avg: 75.91% (0.09%)	32,501 % of Total: 100.09% (32,471)	62.26% Site Avg: 62.26% (0.00%)	2.86 Site Avg: 2.86 (0.00%)	00:02:41 Site Avg: 00:02:41 (0.00%)	0.00% Site Avg: 0.00% (0.00%)	0 % of Total: 0.00% (0)	\$0.00 % of Total: 0.00% (\$0.00)
1. Visits Without Site Search	42,097 (98.41%)	76.30%	32,119 (98.82%)	63.23%	2.74	00:02:35	0.00%	0 (0.00%)	\$0.00 (0.00%)
2. Visits With Site Search	680 (1.59%)	56.18%	382 (1.18%)	2.06%	10.11	00:09:36	0.00%	0 (0.00%)	\$0.00 (0.00%)

Google Analytics: Site Search

Behavior

Technology

Mobile

Custom

Users Flow

Acquisition

Behavior

Overview

Behavior Flow

Site Content

Site Speed

Site Search

Overview

Usage

Search Terms

Pages

Secondary dimension

Sort Type: Default

advanced

Search Term	Total Unique Searches	Results Pageviews / Search	% Search Exits	% Search Refinements	Time after Search	Average Search Depth
	60,439 % of Total: 100.00% (60,439)	1.55 Site Avg: 1.55 (0.00%)	19.23% Site Avg: 19.23% (0.00%)	25.75% Site Avg: 25.75% (0.00%)	00:03:26 Site Avg: 00:03:26 (0.00%)	2.56 Site Avg: 2.56 (0.00%)
1. alzheimers	592 (0.98%)	1.36	16.22%	29.69%	00:03:06	2.48
2. dementia	524 (0.87%)	1.73	19.85%	12.38%	00:04:29	3.53
3. alzheimer	366 (0.61%)	1.58	20.49%	16.21%	00:05:45	3.27
4. exercise	344 (0.57%)	1.54	11.34%	13.99%	00:04:46	3.86
5. menopause	232 (0.38%)	1.45	15.52%	14.54%	00:05:00	2.93
6. alzheimer's	223 (0.37%)	1.75	12.11%	21.54%	00:04:23	3.81
7. forgetfulness	183 (0.30%)	1.98	19.67%	9.37%	00:06:13	2.50
8. diabetes	173 (0.29%)	2.01	17.34%	14.08%	00:04:30	3.28
9. falls	168 (0.28%)	1.86	14.29%	17.31%	00:03:26	3.88
10. nutrition	166 (0.27%)	2.00	11.45%	14.46%	00:04:24	5.19

Show rows: 10

Go to: 1

1 - 10 of 36082

Events



Google Analytics: Events

Events

Events

The screenshot shows the New Zealand Red Cross website. Red arrows originate from the word 'Events' on the left and right sides of the page. On the left, one arrow points to the Red Cross logo and another points to the 'DONATE' button. On the right, one arrow points to the 'Donate' button in the top navigation bar and another points to the 'Sign up' button in the 'Get involved' section.

Member login Checkout

NEW ZEALAND RED CROSS

Home What we do Get involved First aid Retail shops About us Blog Donate

Preparing for the Pacific cyclone season

Pacific communities and the Red Cross societies are gearing up for a typical cyclone season, which runs from November through to April next year. 'Typical', however, can mean disastrous. [Read more](#)

DONATE

First aid training

Book first aid training with New Zealand Red Cross - We're the leading first aid provider in Aotearoa.

[Book a first aid course](#)

How we help

From delivering meals on wheels to resettling refugee families in New Zealand, our dedicated volunteers are there to help wherever the need is greatest.

[Services in New Zealand](#)

Get involved

Sign up for our newsletter.

Your email address

Whether you have an hour or a dollar, you can help make a difference.

Google Analytics: Events

Event Category	Total Events	% Total Events
1. Outbound links	1,365	 45.45%
2. Navigation	813	 27.07%
3. Subpage Interactions	327	 10.89%
4. Header	197	 6.56%
5. Homepage	166	 5.53%
6. Footer Links	84	 2.80%
7. Downloads	33	 1.10%
8. Mails	18	 0.60%

Google Analytics: Events

https://drupal.org/project/google_analytics_et

[Get Started](#) [Community](#) [Documentation](#) [Support](#) [Download & Extend](#) [Marketplace](#) [About](#)

Drupal™

[Drupal Homepage](#) [Log In / Register](#)

[Search](#)

Refine your search ▼

Download & Extend

[Download & Extend Home](#) [Drupal Core](#) [Distributions](#) [Modules](#) [Themes](#)

Google Analytics Event Tracking

[View](#) [Version control](#)

Posted by [frob](#) on November 15, 2011 at 5:31pm

This is a companion piece to the Google Analytics module.

Google Analytics is a free service that tracks users, demographic, and statistical data. On a typical site it is easy to set up --especially in Drupal using the Google Analytics module. Under a typical set-up Google Analytics tracks a user as he/she navigates from page to page within a site. This is fine for a typical site where every action on a site requires a new page view. What if, however, the site owner wanted to track how a user is using the ajax form built into views or some other custom ajax event. Google Analytics has a control for this called Event Tracking.

Event Tracking is a way to track user interaction with out registering a page view. Using Google Maps as an example site, event tracking would allow the user to track Zoom, Drag, and View Change events without contaminating the page view statistic.

This module allows an interface for Google Analytics event tracking capabilities. It provides a hook for other modules or "glue code" and also has some handy drush commands.

I will be refering to the [example module](#) that is included with **Google Analytics Event Tracking**.

Steps to Making Google Analytics Event Tracking To Work

First, write a module that implements `hook_google_analytics_et_api()` -- this can most easily be done by copying (and renaming) the example module that is included with **Google Analytics Event Tracking**.

Second, edit the array that is returned by the example's `hook_google_analytics_et_api()` implementation.

Maintainers for Google Analytics Event Tracking

[frob](#) - 39 commits
last: 2 months ago, first: 2 years ago

[View all committers](#)
[View commits](#)

Issues for Google Analytics Event Tracking

To avoid duplicates, please search before submitting a new issue.

[Search](#)

[Advanced search](#)

All issues
[7 open](#), [20 total](#)

Bug report
[0 open](#), [4 total](#)
[Subscribe via e-mail](#)

Resources


[View project translations](#)

Google Analytics: Events


The image shows a screenshot of the National Clearinghouse on Families & Youth (NCFY) website. Red arrows point from text labels to specific parts of the website interface:

- Logo**: Points to the NCFY logo and tagline "National Clearinghouse on Families & Youth A Resource of the Family and Youth Services Bureau".
- Search**: Points to the search bar in the top right corner.
- Navigation**: Points to the horizontal menu bar containing links like News, Features, Funding, Publications, Start a Youth Program, Online Training, Media Center, and Library.
- Live Chat**: Points to the "ASKNCFY LIVE CHAT" button, which also displays the chat schedule "Monday-Friday 9:00 am Eastern".
- Hero**: Points to the main content area featuring a large image of two young women and the headline "Lessons Learned From the Youth Count! Project".
- Hero Sidebar**: Points to the right-hand column of the hero section, which includes articles like "Bright Idea: Youth Participants Can Improve Point-in-Time Counts", "Q&A: Researchers and Practitioners Put Their Heads Together to Measure Youth Connections", and "Webinar Series For Communities Counting Homeless Young People".
- Latest Posts**: Points to the "LATEST POSTS" section, which lists recent articles such as "Primary Sources: How Are the Lives of LGBTQ Youth Improved by Gay-Straight Alliances?", "Youth Speak Out: A New Perspective on HIV Awareness", and "For Youth Experiencing Homelessness, A New Toolkit Puts College Within Reach".
- Footer**: Points to the bottom of the page, which includes a "Primary Sources: What Motivates Homeless Youth to Stay on the Streets?" article.
- Homepage Sidebar**: Points to the right-hand column of the lower section, which includes a "FEATURES" section, a "START A YOUTH PROGRAM" section, and a "SUBSCRIBE TO NEWSLETTER" form.

Google Analytics: Events



Google Analytics: GA Events Tracking module



Google Analytics: Events

```
<?php
```

```
function google_analytics_et_google_analytics_et_api() {  
    return _google_analytics_et_set_selectors_array();  
}
```

```
function _google_analytics_et_set_selectors_array() {  
    $selectors = array();
```

```
    $selectors = array(  
        array(  
            'event' => 'mousedown',  
            'selector' => '#nice-menu-0 li a',  
            'category' => 'Navigation',  
            'action' => 'Main Nav Click',  
            'label' => '!text',  
            'value' => 0,  
            'noninteraction' => TRUE,  
        ),  
    );
```

```
    return $selectors;  
}
```

Advanced




Google Analytics: Goals



Conversions

- Goals
- Ecommerce
- Multi-Channel Funnels
- Attribution



Google Analytics: Goals

1

Goal setup

☒ Template

Select a template to start with a pre-filled configuration

REVENUE

☐ Place an order

Completed purchase or pre-order request

☐ Register online

Signed up for a class or scheduled an appointment

ACQUISITION

☐ Create an account

Successful sign up, account, or view created

INQUIRY

☐ Refer a friend

Emailed link

☐ View more

Viewed product or service details

☐ Download or print

Downloaded or printed brochure information

ENGAGEMENT

☐ Add to favorites

Saved product or information to a list☐ Media play☐ Share / social connect☐ Contribute content☐ Custom

Next step

Cancel

2

Goal description

3


Goal details

Google Analytics: Goals

+ NEW GOAL Import from Gallery Search				
☐	Goal ↓	Id	Past 7 day conversions	Recording
☐	Download PDFs	Goal ID 6 / Goal Set 2	2451	ON
☐	GA Course	Goal ID 4 / Goal Set 1	13412	ON
☐	Navigation Interactions	Goal ID 2 / Goal Set 1	3099	ON
☐	Pages Per Visit	Goal ID 16 / Goal Set 4	4336	ON
☐	Product Page	Goal ID 3 / Goal Set 1	16519	ON
☐	Shopping Cart	Goal ID 1 / Goal Set 1	0	ON
☐	Visit Duration	Goal ID 11 / Goal Set 3	8813	ON

13 goals left

Google Analytics: Goals Overview



Content Experiments (A/B Testing)



Google Analytics: Content Experiments



Behavior

Overview

Behavior Flow

▸ Site Content

▸ Site Speed

▸ Site Search

▸ Events

▸ AdSense

Experiments

In-Page Analytics

Content Experiments - Create a new experiment

1 Choose an experiment objective

Name for this experiment

Untitled experiment

Objective for this experiment ?

Select a metric ▾

- or - [Create a new objective](#)

Percentage of traffic to experiment ?

100% ▾

Email notification for important changes

OFF

[Advanced Options](#) ?

Next Step

Save for Later

Discard

2 Configure your experiment

3 Setting up your experiment code

4 Review and start

Content Experiments - Create a new experiment

✓ Choose an experiment objective

[edit](#)

The experiment, Email Newsletter CTA, will evaluate Session Duration on 50% of user traffic.
Email notification is not set for this experiment.
2 weeks minimum run time, 95% confidence threshold.

2 Configure your experiment

Original Page URLs with dynamic parameters are supported. [?](#)

Web page to experiment [?](#)

Name for the page

☐ Consolidate experiment for other content reports [?](#)



Variation 1 [?](#)

Web page to experiment [?](#)

Name for the page



[+ Add Variation](#)

[Next Step](#)

[Save for Later](#)

[Discard](#)

3 Setting up your experiment code

4 Review and start

How do you want to set up your experiment code?

Manually insert the code

Send the code to webmaster

Adding script code to your page ?

1. Make sure your original and variation pages have [Google Analytics tracking code installed](#).
2. Then, paste this experiment code immediately after the opening head tag at **the top** of your original page.

```
<!-- Google Analytics Content Experiment code -->
<script>function utmx_section(){function utmx(){function(){var
k='25056217-0',d=document,l=d.location,c=d.cookie;
if(l.search.indexOf('utm_expid='+k)>0)return;
function f(n){if(c){var i=c.indexOf(n+'=');if(i>-1){var j=c.
indexOf(';');return escape(c.substring(i+n.length+1,j<0?c.
length:j))}}var x=f('__utmx'),xx=f('__utmxx'),h=l.hash;d.write(
'<script src="'+http'+(l.protocol=='https':'s':'ssl':
'://www')+'.google-analytics.com/ga_exp.js?'+'utmkey='+k+
'&utm='+x?'x:'+'&utmxx='+xx?'xx:'+'&utmxtime='+new Date().
valueOf()+h?'&utmhash='+escape(h.substr(1)):'')+
'" type="text/javascript" charset="utf-8"></script>'))();
</script><script>utmx('url','A/B');</script>
<!-- End of Google Analytics Content Experiment code -->
```

Additional information for your experiment code:

Experiment ID: 7-FjqzOhQqW4dDmJn1vSqq

Experiment Key: 25056217-0

Publish experiment pages

Publish your original and variation pages to the web.

When you're done - Click **Next Step** to continue.

Google Analytics: Content Experiments

All Experiments




Create experiment



Experiment Name	Status	Details	Sessions	Start Date	End Date
Email Newsletter CTA	☐ Setup	Step 4	--	--	--

Show rows: 10 Go to: 1 1 - 1 of 1

Google Analytics: Content Experiments



Google Analytics: Content Experiments

https://www.drupal.org/project/content_experiments

Content Experiments

[View](#) [Version control](#) [Automated Testing](#)

Posted by [Morris Singer](#) on February 11, 2013 at 4:10pm

This module allows a Drupal site administrator to create [Google Content Experiments](#) within a Drupal site.

In short, this module allows an administrator to insert Google Content Experiments IDs into any nodes serving as control pages in an experiment. The module then automatically generates valid Google Content Experiments JavaScript in the header of each control page.

A user should create an experiment in Google Content Experiments, and then simply paste the Experiment ID provided by Google Content Experiments into the box provided when editing the control page node.

Related projects

- [Content Experiments Context](#)

Project Information

Maintenance status: [Minimally maintained](#)

Development status: [Under active development](#)

Module categories: [Commerce/Advertising](#) , [Content](#)

Reported installs: **269** sites currently report using this module. [View usage statistics](#).

Downloads: 2,041

Last modified: December 2, 2014

Downloads

Other releases

Version	Download	Date
7.x-1.4	tar.gz (11.39 KB) zip (13.04 KB)	2013-Jul-26

[View all releases](#)

Maintainers for Content Experiments

[Isolesen](#) – 7 commits

last: 1 year ago, first: 1 year ago

[Morris Singer](#) – 10 commits

last: 2 years ago, first: 2 years ago

[View all committers](#)

[View commits](#)

Issues for Content Experiments

To avoid duplicates, please search before submitting a new issue.

[Advanced search](#)

All issues


[14 open](#), [23 total](#)

Bug report

[4 open](#), [9 total](#)

[Subscribe via e-mail](#)

Statistics



Google Analytics: Content Experiments

https://www.drupal.org/project/content_experiments

Content Experiments

[View](#) [Version control](#) [Automated Testing](#)

Posted by [Morris Singer](#) on February 11, 2013 at 4:10pm

This module allows a Drupal site administrator to create [Google Content Experiments](#) within a Drupal site.

In short, this module allows an administrator to insert Google Content Experiments IDs into any nodes serving as control pages in an experiment. The module then automatically generates valid Google Content Experiments JavaScript in the header of each control page.

A user should create an experiment in Google Content Experiments, and then simply paste the Experiment ID provided by Google Content Experiments into the box provided when editing the control page node.

Related projects

- [Content Experiments Context](#)

Project Information

Maintenance status: [Minimally maintained](#)

Development status: [Under active development](#)

Module categories: [Commerce/Advertising](#) , [Content](#)

Reported installs: **269** sites currently report using this module. [View usage statistics](#).

Downloads: 2,041

Last modified: December 2, 2014

Downloads

Other releases

Version	Download	Date
7.x-1.4	tar.gz (11.39 KB) zip (13.04 KB)	2013-Jul-26

[View all releases](#)

Maintainers for Content Experiments

[Isolesen](#) – 7 commits

last: 1 year ago, first: 1 year ago

[Morris Singer](#) – 10 commits

last: 2 years ago, first: 2 years ago

[View all committers](#)

[View commits](#)

Issues for Content Experiments

To avoid duplicates, please search before submitting a new issue.

[Advanced search](#)

All issues


[14 open](#), [23 total](#)

Bug report

[4 open](#), [9 total](#)

[Subscribe via e-mail](#)

Statistics



Google Analytics: Content Experiments

https://www.drupal.org/project/js_injector

JS injector

[View](#) [Version control](#) [Automated Testing](#)

Posted by [ponsich](#) on April 8, 2009 at 4:21pm

Allows administrators to inject JS into the page output based on configurable rules. It's useful for adding simple JS tweaks without modifying a site's official theme – for example, a 'nighttime' color scheme could be added during certain hours. The JS is added using Drupal's standard `drupal_add_js()` function and respects page caching, etc.

This module is definitely not a replacement for full-fledged theming, but it provides site administrators with a quick and easy way of tweaking things without diving into full-fledged theme hacking.

The rules provided by JS injector typically are loaded last, even after the theme JS, although another module could override these.

7.x-2.x stable release

This is a complete rewrite of the module to take advantage of the new API's available in both drupal 7 and ctools (this is a new dependency).

New features:

- retains all existing functionality from 7.x-1.x
- new ctools export API integration
- new ctools export UI API integration
- new features integration (you can now export your rules into code)
- code tidy ups including:
 - removed legacy `css_injector` code
 - removed D6 hangover code
 - utilised new D7 API enhancements
 - fully commented
- support for placing the javascript in the header or footer
- options for code placement:



Maintainers for JS injector

[wiilm](#) – 9 commits
last: 7 months ago, first: 3 years ago
[ponsich](#) – 8 commits
last: 3 years ago, first: 6 years ago
[mrfelton](#) – 5 commits
last: 5 years ago, first: 5 years ago

[View all committers](#)
[View commits](#)

Issues for JS injector

To avoid duplicates, please search before submitting a new issue.

[Advanced search](#)

All issues


25 open, 48 total

Bug report

7 open, 17 total

[Subscribe via e-mail](#)

Statistics




Resources

[Read license](#)

Custom Dashboards



Google Analytics: Custom Dashboard



Google Analytics: Custom Dashboard

Blog Overview Sep

+ Add Widget

2.1
METRIC

TIMELINE

GEOMAP

TABLE

PIE

BAR

2.1
COUNTER

TIMELINE

GEOMAP

TABLE

Show the following metric:

Add a [metric](#)

Filter this data:
[Add a filter](#)

Link to Report or URL: 

Save [Cancel](#)

[Clone widget](#)

Google Analytics: Custom Dashboard

Add a Widget

×

Widget title:

Standard:

2.1
METRIC


TIMELINE


GEOMAP


TABLE


PIE


BAR

Real-time:

2.1
COUNTER


TIMELINE


GEOMAP


TABLE

Graph the following metric over time:

Sessions

Compare with (optional):

% New Sessions


Filter this data:
[Add a filter](#)

Link to Report or URL: 

Save Cancel

Clone widget

Google Analytics: Custom Dashboard



Google Analytics: Custom Dashboard

Widget Settings

×

Widget title:

Standard:

2.1
METRIC


TIMELINE


GEOMAP


TABLE


PIE


BAR

Real-time:

2.1
COUNTER


TIMELINE


GEOMAP


TABLE

Display the following columns:

Page

↓

Sessions

↓

% New Sessions

⊗

Show a table with

Filter this data:
[Add a filter](#)

Link to Report or URL: 

Save

Cancel

[Clone widget](#) [Delete widget](#)

Google Analytics: Custom Dashboard

Widget Settings

×

Widget title:

Standard:

2.1
METRIC

TIMELINE

GEOMAP

TABLE

PIE

BAR

Real-time:

2.1
COUNTER

TIMELINE

GEOMAP

TABLE

Display the following columns:

Source / Medium

Sessions

% New Sessions

Show a table with

Filter this data:

Don't show

Campaign

Exactly matching

(not set)

Only show

Campaign

Exactly matching

blogposts2014

[Add a filter](#)

Link to Report or URL: 


Save

Cancel


Clone widget

Delete widget

Google Analytics: Custom Dashboard



Google Analytics: Custom Dashboard



Google Analytics: Custom Dashboard

Blog Overview

Nov 4, 2014 - Nov 10, 2014

Compare to: Oct 28, 2014 - Nov 3, 2014

+ Add Widget

Share

Email

Export

Customize Dashboard

Delete Dashboard


All Sessions
+0.00%

+ Add Segment

Sessions and % New Sessions

Nov 4, 2014 - Nov 10, 2014: Sessions % New Sessions

Oct 28, 2014 - Nov 3, 2014: Sessions % New Sessions



Total Sessions

Nov 4, 2014 - Nov 10, 2014

603

% of Total: 100.00% (603)

Oct 28, 2014 - Nov 3, 2014

130

% of Total: 100.00% (130)

New Users

Nov 4, 2014 - Nov 10, 2014

486

% of Total: 100.00% (486)

Oct 28, 2014 - Nov 3, 2014

78

% of Total: 100.00% (78)

Sessions and % New Sessions by Page

Page	Sessions	% New Sessions
/update-setting-up-ga-via-gtms-new-ux/		
Nov 4, 2014 - Nov 10, 2014	502	84.66%
Oct 28, 2014 - Nov 3, 2014	0	0.00%
% Change	100.00%	100.00%
/		
Nov 4, 2014 - Nov 10, 2014	29	58.62%
Oct 28, 2014 - Nov 3, 2014	23	78.26%
% Change	26.09%	-25.10%
/setting-up-gtm-and-ga-wordpress/		

E-mail Alerts



Google Analytics: E-mail Alerts




Reporting Tools




Excel

	NIA	ADEAR	Health	Spanish
Jan-14	390,684	104,285	0	62,050
Feb-14	401,317	126,054	0	72,415
Mar-14	487,884	144,811	0	88,130
Apr-14	386,736	116,227	0	77,853
May-14	404,160	118,820	0	88,075
Jun-14	377,685	101,035	0	78,921
Jul-14	374,392	105,558	0	78,046
Aug-14	381,359	92,456	0	90,051
Sep-14	461,376	122,706	0	102,365
Oct-14	491,000	149,956	0	107,605
Nov-14	490,934	148,578	0	119,626
Dec-14	460,847	103,555	0	96,849
Jan-15	545,184	149,703	234,817	106,595




Google Analytics - Google Sheets Add-on




Introduction to the Google Analytics Spreadsheet Add-on: <http://youtu.be/azOPpD9yg5Q>

Building a dashboard with the Google Analytics Spreadsheet Add-on: http://youtu.be/N_Ok0rJwj2U

http://datahero.com



<http://analyticscanvas.com>



http://quillengage.narrativescience.com

[◀ BACK TO REPORT ARCHIVE](#)
[◀ BACK TO PROFILES LIST](#)

[DOWNLOAD WORD DOC](#) 

www.nia.nih.gov Report for the Week of Feb. 09 - Feb. 15

Sessions
+ 2%

Pageviews
- 3%

Avg Time On Site
- 1%

Sessions Increase, Far Exceed Yearly Average

Your site saw record-high [traffic](#) last week (compared to the last year), increasing 2% week-over-week to 133,097 sessions. [Organic search](#) drove the rise in traffic, growing 9% to 96,830 sessions.

- Your site had fewer pageviews last week, down 3% to 219,393. Not surprisingly, your pages per session were also down 5% to 1.7, which is the same as your weekly average for the year.
- There were more unique users last week (up 2% to 118,238). That's also more than the same week a year ago when your site had 85,377.


Sessions At Highest Level In 13 Weeks



DevOps



DevOps Web Analytics: Metrics Life Cycle




DevOps Web Analytics: Situational Objectives

- **E-commerce:** Selling products or services
- **Lead generation:** Collect user information for sales teams to connect with potential leads
- **Content publishers:** Encourage engagement and frequent visitation
- **Online informational or support:** Helping users find the information they need at the right time
- **Branding:** Drive awareness, engagement and loyalty
- **Ranking**

DevOps Web Analytics: Situational Performance Standards

- **Greater than 15 seconds:** Few acceptable scenarios
- **Greater than 4 seconds:** Strains short-term memory, inhibits problem-solving and data entry
- **2 to 4 seconds:** Inhibits operations that demand a high level of concentration (e.g., comparing product features)
- **Less than 2 seconds:** Disrupts the user remembering information over responses or involved in complex activities (e.g., multidimensional select)
- **Subsecond response time:** Thought-intensive work (e.g., writing, apps rich in graphics with short response times)
- **Decisecond:** Games

DevOps Web Analytics: Improvement Process



DevOps Web Analytics: Usability Testing

<Topic> Usability Test Plan

Last updated <date> by <author>

Goals/Objectives

- Bulleted list of the top 3-5 goals for the test
 - Why are you doing the test?
 - What do you hope to learn?
 - Etc.

Users

- Bulleted list of the primary and secondary user groups who may be recruited as participants
 - What characteristics do they have?
 - What are their major differences?
 - Etc.

Scenario

- Short description of the participant's "current state" used to set the context for the test or task.
 - What information do you need to provide the participant to "set the stage" for the tasks s/he is about to perform?

Tasks

- List of tasks you would like users to perform during the test
 - What tasks do users commonly perform?
 - What task(s) will help support your test goals?
 - What tasks will reveal issues with the product?
 - Etc.

Create your first project



User Experience Suite



Survey



Card Sorting



Web Testing



Click Testing



Conversion Suite



Click Tracking



Visitor Recording



Form Tester



Feedback Form

Voice of Customer




DevOps Web Analytics: Continuous Integration/Testing

- Behat/Jenkins
- Align features, scenarios, and steps to GA Goals, Usability testing scenarios and problems

```
1 Feature: Test DrupalContext
2   In order to prove the Drupal context using the blackbox driver is working properly
3   As a developer
4   I need to use the step definitions of this context
5
6 Scenario: Test the ability to find a heading in a region
7   Given I am on the homepage
8   When I click "Download & Extend"
9   Then I should see the heading "Core" in the "content" region
10
11 Scenario: Clicking content in a region
12   Given I am at "download"
13   When I click "About Distributions" in the "content" region
14   Then I should see "Page status" in the "right sidebar"
15   And I should see the link "Drupal News" in the "footer" region
16
17 Scenario: Viewing content in a region
18   Given I am on the homepage
19   Then I should see "Come for the software, stay for the community" in the "left header"
20
21 Scenario: Test ability to find text that should not appear in a region
22   Given I am on the homepage
23   Then I should not see the text "Proprietary software is cutting edge" in the "left header"
24
25 Scenario: Submit a form in a region
26   Given I am on the homepage
27   When I fill in "Search Drupal.org" with "Views" in the "right header" region
28   And I press "Search" in the "right header" region
29   Then I should see the text "Search again" in the "right sidebar" region
30
31 Scenario: Check a link should not exist in a region
32   Given I am on the homepage
33   Then I should not see the link "This link should never exist in a default Drupal install" in
34
```

DevOps Web Analytics: Experiments

A/B



Multivariate



- **Google Tag Manager**
- **Experiments API**

DevOps Web Analytics: Statistics (R)

The screenshot shows the RStudio interface with the following components:

- Source Editor:** Contains a script with line numbers 1 through 6.
- Console:** Displays the output of the script, showing a list of URLs and a data frame summary.
- Workspace:** Shows the objects loaded in the environment, including 'df', 'ga.data', and 'viewID'.

Console Output:

```
82 53/41/0/ alzhaimers.org
83 105412337 All Web Site Data
84 51888644 www.wocrn.nih.gov/
85 53813363 NIA cart
86 56637904 Ideas Exchange
87 82640740 All Web Site Data
88 105441182 All Web Site Data
> df
  deviceCategory sessions users bounceRate
1      desktop      2192   1810    55.47445
2        mobile       223    175    66.81614
3        tablet        59     53    57.62712
4      desktop     1427   1243    66.50315
5        mobile      193    165    81.86528
6        tablet       50     47    74.00000
7      desktop      456    425    77.19298
8        mobile       20     19    80.00000
9        tablet       10     10    80.00000
10     desktop     1238   1132    65.91276
11        mobile      104     99    74.03846
12        tablet       59     56    62.71186
```

Workspace Data:

Object	Summary
df	12 obs. of 4 variables
ga.data	3 obs. of 4 variables
viewID	88 obs. of 2 variables

Values:

Variable	Value
category1	character[4]
client.id	"386565022572-dqetb6qjm6s9ptd17arrj0752qfk2p2v.apps.googleusercontent.com"
client.secret	"Kt1phq8IucvRA_fClEud0oJ6"
end.date	"2015-04-30"

DevOps Web Analytics: Security Forensics

NetworkMiner Packet Analysis

```
..... HTTP header: X-Apple-Validation 99 : 1D3A762C-4D45E757E32DEC27090C5F25656A2383
..... HTTP header: X-Dauid 1 : 46103215
..... HTTP header: X-Dsuid 2 : 10969092
..... HTTP header: X-Prototype-Version 1 : 1.5.0
..... HTTP header: X-Requested-With 1 : XMLHttpRequest
..... HTTP header: X-SVN-Rev 1 : 111557
..... Screen resolution (Google Analytics) 1 : 1280x800
..... Screen resolution (Google Analytics) 2 : 1680x1050
..... Screen resolution (Google Analytics) 3 : 1050x778
```

Resources & Thank You!

Google Analytics Blog: <http://analytics.blogspot.com>

Occam's Razor Blog: www.kaushik.net/avinash

Krista Seidan: www.bloggerchica.com

Training & Certification: www.google.com/analytics/learn

Mike Nescot
@mnescot

Nick Grace
@nickgrace