GAMUT METRIC DATA TALLY SHEET

Includes All Available Metrics

Use this sheet to keep track of your monthly metrics until you can enter them into the GAMUT Platform. Only enter numbers or zeros for those metrics you intend to report. If you are not reporting a metric, leave it blank.

Month/Year

Total Patients:	Totals By Patient Type		
	Neonatal	**Pediatrics**	**Adult**

Total Transports:	Totals By Transport Mode		
	Surface	**Rotor Wing**	**Fixed Wing**

Advanced Airway Management

Number of patient contacts during the calendar month involving a patient with an advanced airway supported by a mechanical ventilator (adv_airway_ventilator) (AAC) (NUM)	
Number of patient contacts during the calendar month involving a patient with an advanced airway excluding patients with tracheostomies not requiring ventilatory support (adv_airway_non_trach) (AAC) (DEN)	
Number of neonatal patient contacts during the calendar month involving a patient with an advanced airway supported by a mechanical ventilator (neo_adv_airway_vent) (VUN) (NUM)	
Number of neonatal patient contacts during the calendar month involving a patient with an advanced airway excluding patients with tracheostomies not requiring ventilatory support (neo_adv_airway_non_trach) (VUN) (DEN)	
Number of pediatric patient contacts during the calendar month involving a patient with an advanced airway supported by a mechanical ventilator (ped_adv_airway_vent) (VUP) (NUM)	
Number of pediatric patient contacts during the calendar month involving a patient with an advanced airway excluding patients with tracheostomies not requiring ventilatory support (ped_adv_airway_non_trach) (VUP) (DEN)	
Number of adult patient contacts during the calendar month involving a patient with an advanced airway supported by a mechanical ventilator (adult_adv_airway_vent) (VUA) (NUM)	
Number of adult patient contacts during the calendar month involving a patient with an advanced airway excluding patients with tracheostomies not requiring ventilatory support (adult_adv_airway_non_trach) (VUA) (DEN)	
Number of patient contacts during the calendar month with an advanced airway for whom waveform capnography is initiated and/or maintained throughout transport by the transport team excluding patients with tracheostomies not requiring ventilatory support or patients that require HFOV (adv_airway_wave_capno) (CAP) (NUM)	
Number of patient contacts during the calendar month involving a patient with an advanced airway excluding patients with tracheostomies not requiring ventilatory support or patients that require HFOV (adv_airwary_no_hfov) (CAP) (DEN)	

GAMUT METRIC DATA TALLY SHEET

Includes All Available Metrics

Use this sheet to keep track of your monthly metrics until you can enter them into the GAMUT Platform. Only enter numbers or zeros for those metrics you intend to report. If you are not reporting a metric, leave it blank.

Month/Year

Advanced Airway Management

Number of neonatal patient contacts during the calendar month with an advanced airway for whom waveform capnography is initiated and/or maintained throughout transport by the transport team excluding patients with tracheostomies not requiring ventilatory support or patients that require HFOV (neo_adv_airway_capno) (CAPN) (NUM)	
Number of neonatal patient contacts during the calendar month involving a patient with an advanced airway excluding patients with tracheostomies not requiring ventilatory support or patients that require HFOV (neo_adv_airway_no_hfov) (CAPN) (DEN)	
Number of pediatric patient contacts during the calendar month with an advanced airway for whom waveform capnography is initiated and/or maintained throughout transport by the transport team excluding patients with tracheostomies not requiring ventilatory support or patients that require HFOV (ped_adv_airway_capno) (CAPP) (NUM)	
Number of pediatric patient contacts during the calendar month involving a patient with an advanced airway excluding patients with tracheostomies not requiring ventilatory support or patients that require HFOV (ped_adv_airway_no_hfov) (CAPP) (DEN)	
Number of adult patient contacts during the calendar month with an advanced airway for whom waveform capnography is initiated and/or maintained throughout transport by the transport team excluding patients with tracheostomies not requiring ventilatory support or patients that require HFOV (adult_adv_airway_capno) (CAPA) (NUM)	
Number of adult patient contacts during the calendar month involving a patient with an advanced airway excluding patients with tracheostomies not requiring ventilatory support or patients that require HFOV (adult_adv_airway_no_hfov) (CAPA) (DEN)	
Number of patient contacts during the calendar month with successful ETT placement during the 1st intubation attempt by the transport team (intub_overall_first_success) (INTT) (NUM)	
Number of patient contacts during the calendar month with an ETT attempted by the transport team (intub_overall_ett_attempts) (INTT) (DEN)	
Number of neonatal patient contacts during the calendar month with successful ETT placement during the 1st intubation attempt by the transport team (intub_neo_first_success) (INTN) (NUM)	
Number of neonatal patient contacts during the calendar month an ETT attempted by the transport team (intub_neo_ett_attempts) (INTN) (DEN)	
Number of pediatric patient contacts during the calendar month with successful ETT placement during the 1st intubation attempt by the transport team (intub_ped_first_success) (INTP) (NUM)	
Number of pediatric patient contacts during the calendar month an ETT attempted by the transport team (intub_ped_ett_attempts) (INTP) (DEN)	
Number of adult patient contacts during the calendar month with successful ETT placement during the 1st intubation attempt by the transport team (intub_adult_first_success) (INTA) (NUM)	

GAMUT METRIC DATA TALLY SHEET

Includes All Available Metrics

Use this sheet to keep track of your monthly metrics until you can enter them into the GAMUT Platform. Only enter numbers or zeros for those metrics you intend to report. If you are not reporting a metric, leave it blank.

Month/Year

Advanced Airway Management

Number of adult patient contacts during the calendar month an ETT attempted by the transport team (intub_adult_ett_attempts) (INTA) (DEN)	
Number of neonatal patient contacts during the calendar month with successful advanced airway device placement during 1st airway attempt by the transport team WITHOUT associated hypoxia or hypotension within 10 minutes of intubation medication administration (intub_neo_no_hypoxia) (DASHN) (NUM)	
Number of neonatal patient contacts during the calendar month with an advanced airway device placement attempted by the transport team (intub_neo_attempts) (DASHN) (DEN)	
Number of pediatric patient contacts during the calendar month with successful advanced airway device placement during 1st airway attempt by the transport team WITHOUT associated hypoxia or hypotension within 10 minutes of intubation medication administration (intub_ped_no_hypoxia) (DASHP) (NUM)	
Number of pediatric patient contacts during the calendar month with an advanced airway device placement attempted by the transport team (intub_ped_attempts) (DASHP) (DEN)	
Number of adult patient contacts during the calendar month with successful advanced airway device placement during 1st airway attempt by the transport team WITHOUT associated hypoxia or hypotension within 10 minutes of intubation medication administration (intub_adult_no_hypoxia) (DASHA) (NUM)	
Number of adult patient contacts during the calendar month with an advanced airway device placement attempted by the transport team (intub_adult_attempts) (DASHA) (DEN)	
Number of patient contacts during the calendar month with endotracheal tubes, regardless of whether or not the transport team placed them themselves, for which there is documentation confirming placement at the time of assuming care of the patient using capnography plus at least 1 of the following methods for endotracheal tube confirmation: direct visualization, chest radiograph, or symmetric breath sounds (adv_airway_ett_confirmed) (VERTT) (NUM)	
Number of patient contacts during the calendar month with endotracheal tubes (adv_airway_ett_cases) (VERTT) (DEN)	
Number of patient contacts during the calendar month where ALL indicated elements of the transport team's Rapid Sequence Intubation/Induction (RSI) protocol were completed (intub_rsi_compliant) (RSI) (NUM)	
Number of patient contacts during the calendar month that received advanced airway management by the transport team and met inclusion criteria for use of the transport team's RSI protocol (intub_rsi_cases) (RSI) (DEN)	
Number of pediatric patient contacts (29 days to 17 years) during the calendar month with appropriately sized cuffed endotracheal tubes placed by the transport team (an uncuffed endotracheal tube is not counted in the numerator) (peds_cuffed) (TTSIZ) (NUM)	
Number of pediatric patient contacts (29 days to 17 years) during the calendar month with endotracheal tubes placed by the transport team (peds_cuffed_trach) (TTSIZ) (DEN)	

GAMUT METRIC DATA TALLY SHEET

Includes All Available Metrics

Use this sheet to keep track of your monthly metrics until you can enter them into the GAMUT Platform. Only enter numbers or zeros for those metrics you intend to report. If you are not reporting a metric, leave it blank.

Month/Year

Advanced Airway Management

Number of neonatal patient contacts during the calendar month where a supraglottic airway device (SGA) was used as a primary invasive airway device by the transport team or continued from referring facility (this numerator does not include SGA used as a rescue from failed intubation attempt) (neo_sga_primary) (SGAN) (NUM)	
Number of neonatal patient contacts during the calendar month with a SGA at any point during contact with the transport team (neo_sga_pts) (SGAN) (DEN)	
Number of pediatric patient contacts during the calendar month where a supraglottic airway device (SGA) was used as a primary invasive airway device by the transport team or continued from referring facility (this numerator does not include SGA used as a rescue from failed intubation attempt) (peds_sga_primary) (SGAP) (NUM)	
Number of pediatric patient contacts during the calendar month with a SGA at any point during contact with the transport team (peds_sga_pts) (SGAP) (DEN)	
Number of adult patient contacts during the calendar month where a supraglottic airway device (SGA) was used as a primary invasive airway device by the transport team or continued from referring facility (this numerator does not include SGA used as a rescue from failed intubation attempt) (adult_sga_primary) (SGAA) (NUM)	
Number of adult patient contacts during the calendar month with a SGA at any point during contact with the transport team (adult_sga_pts) (SGAA) (DEN)	

Ventilator Management

Number of invasively mechanically ventilated pediatric patient contacts during the calendar month with at least one documented plateau pressure of < 30 cm H2O while in the care of the transport team (peds_mech_vent_monitor) (LUNGP) (NUM)	
Number of invasively mechanically ventilated pediatric patient contacts during the calendar month (peds_mech_vent) (LUNGP) (DEN)	
Number of invasively mechanically ventilated adult patient contacts during the calendar month with at least one documented plateau pressure of < 30 cm H2O while in the care of the transport team (adult_mech_vent_monitor) (LUNGA) (NUM)	
Number of invasively mechanically ventilated adult patient contacts during the calendar month (adult_mech_vent) (LUNGA) (DEN)	

Non-Invasive Ventilation

Number of neonatal patient contacts during the calendar month in which NPPV initiated by the transport team or continued from referring facility is discontinued during transport in order to place an advanced airway (NPPV initiated at the bedside as a trial that is converted to invasive ventilation prior to transport is not included in the numerator) (neo_nppv_switched) (NPPVN) (NUM)	

GAMUT METRIC DATA TALLY SHEET

Includes All Available Metrics

Use this sheet to keep track of your monthly metrics until you can enter them into the GAMUT Platform. Only enter numbers or zeros for those metrics you intend to report. If you are not reporting a metric, leave it blank.

Month/Year

Non-Invasive Ventilation

Number of neonatal patient contacts during the calendar month in which NPPV is initiated by the transport team or continued from referring facility (neo_nppv_total) (NPPVN) (DEN)	
Number of pediatric patient contacts during the calendar month in which NPPV initiated by the transport team or continued from referring facility is discontinued during transport in order to place an advanced airway (NPPV initiated at the bedside as a trial that is converted to invasive ventilation prior to transport is not included in the numerator) (peds_nppv_switched) (NPPVP) (NUM)	
Number of pediatric patient contacts during the calendar month in which NPPV is initiated by the transport team or continued from referring facility (peds_nppv_total) (NPPVP) (DEN)	
Number of adult patient contacts during the calendar month in which NPPV initiated by the transport team or continued from referring facility is discontinued during transport in order to place an advanced airway (NPPV initiated at the bedside as a trial that is converted to invasive ventilation prior to transport is not included in the numerator) (adult_nppv_switched) (NPPVA) (NUM)	
Number of adult patient contacts during the calendar month in which NPPV is initiated by the transport team or continued from referring facility (adult_nppv_total) (NPPVA) (DEN)	

Blood/Blood Products

Number of patient contacts during the month with a documented blood or blood product transfusion-related allergic reaction from the time the transport team assumes care of the patient to handoff at the receiving facility (blood_reaction) (TFNRXN) (NUM)	
Number of patient contacts during the calendar month that received blood or blood products from the time the transport team assumes care to handoff at the receiving facility (blood) (TFNRXN) (DEN)	

Cardiopulmonary Resuscitation

Number of transports during the calendar month in which chest compressions are performed from the time the transport team assumes care (“hands on”) until the patient hand-off is completed at the destination facility (cpr_cases) (RTCPR) (NUM)	
Number of pediatric patient contacts during the calendar month undergoing CPR with real-time assessment of chest compression adequacy (this includes use of technology that measures compression adequacy or automated chest compression devices) (peds_cpr_check) (CPRP) (NUM)	
Number of pediatric patient contacts during the calendar month undergoing CPR (peds_cpr) (CPRP) (DEN)	

GAMUT METRIC DATA TALLY SHEET

Includes All Available Metrics

Use this sheet to keep track of your monthly metrics until you can enter them into the GAMUT Platform. Only enter numbers or zeros for those metrics you intend to report. If you are not reporting a metric, leave it blank.

Month/Year

Cardiopulmonary Resuscitation

Number of adult patient contacts during the calendar month undergoing CPR with real-time assessment of chest compression adequacy (this includes use of technology that measures compression adequacy or automated chest compression devices) (adult_cpr_check) (CPRA) (NUM)	
Number of adult patient contacts during the calendar month undergoing CPR (adult_cpr) (CPRA) (DEN)	

Clinical Management

Number of patient contacts during the calendar month with GCS < 15 or focal neurologic deficit with suspicion of stroke at the time of initial transport evaluation that have a documented blood glucose check (alt_ment_bg_checks) (GLUC) (NUM)	
Number of patient contacts during the calendar month with GCS <15 or focal neurologic deficit with suspicion of stroke at the time of initial transport team evaluation (alt_ment_cases) (GLUC) (DEN)	
Number of patient contacts during the calendar month with known or suspected aortic dissection with heart rates less than 60 beats per minute and systolic blood pressures less than 120 mm Hg OR documented interventions during transport aimed at achieving these parameters (aortic_dissect_managed) (BPAOR) (NUM)	
Number of patient contacts during the calendar month with known or suspected aortic dissection (aortic_dissect_cases) (BPAOR) (DEN)	
Number of patient contacts during the calendar month with status asthmaticus or asthma exacerbation that has received corticosteroids prior to arrival at the receiving hospital (includes corticosteroids given by the transport team or at the referring hospital) (asthma_pt_treat) (STRD) (NUM)	
Number of patient contacts during the calendar month with status asthmaticus or asthma exacerbation (asthma_pts) (STRD) (DEN)	
Number of known hemorrhagic stroke patient contacts during the calendar month with goal systolic blood pressure (SBP) less than 160 (OR 20% less than initial MAP for initial SBP greater than 200) at transfer of care to the receiving hospital (hem_stroke_bp_managed) (BPCVA) (NUM)	
Number of known hemorrhagic stroke patient contacts during the calendar month (hem_stroke_cases) (BPCVA) (DEN)	
Number of patient contacts during the calendar month with documented pain assessments using age-appropriate pain scales (pain_scale_used) (PAIN) (NUM)	
Number of patient contacts during the calendar month with suspected sepsis that received antibiotics no later than 1 hour after direct patient contact with the transport team including antibiotics administered by referring facility (antibiotics) (ABX) (NUM)	

GAMUT METRIC DATA TALLY SHEET

Includes All Available Metrics

Use this sheet to keep track of your monthly metrics until you can enter them into the GAMUT Platform. Only enter numbers or zeros for those metrics you intend to report. If you are not reporting a metric, leave it blank.

Month/Year

Clinical Management

Number of patient contacts during the month with suspected sepsis (sepsis_pts) (ABX) (DEN)	
Number of patient contacts during the calendar month with hemorrhagic shock in which 1) hemorrhage control measures are initiated if applicable, 2) IV administration of blood products if available, and 3) IV fluid resuscitation meeting the following: 1. Signs of adequate tissue perfusion, or 2. SBP>=70 + 2 x age (yrs) or >= 90mmHg or MAP >65 3. Maximum of 2 liters in adults or 40 ml/kg in children <16 years of age (hem_shock_managed) (SHOCK) (NUM)	
Number of patient contacts during the calendar month with hemorrhagic shock (hem_shock_cases) (SHOCK) (DEN)	
Number of neonatal patient contacts (infants less than 29 days) during the calendar month with admission temperatures at the destination facility less than 36.5 axillary (excluding those being intentionally cooled, either actively or passively) (unintended_hypothermia) (UNH) (NUM)	
Number of patient contacts during the calendar month for which a patient's temperature is documented with the first set of vital signs taken by the transport team (temperature) (TEMP) (NUM)	
Number of neonatal (<29 days) patient contacts in the calendar month meeting criteria for moderate or severe HIE and eligible for therapeutic hypothermia based HIE risk with active targeted temperature management (i.e., active cooling) and admission core temperature 33-34C° (neo_hypotherm_received) (TTMN) (NUM)	
Number of neonatal (<29 days) patient contacts in the calendar month meeting criteria for moderate or severe HIE and eligible for therapeutic hypothermia based HIE risk (neo_hypotherm_total) (TTMN) (DEN)	
Number of adult patient contacts during the calendar month status post out-of-hospital cardiac arrest and coma with active target temperature management resulting in an admission core temperature 32-34C° (adult_hypotherm_received) (TTMA) (NUM)	
Number of adult patient contacts during the calendar month status post out-of-hospital cardiac arrest (adult_cardiac_arrest) (TTMA) (DEN)	

Efficiency

The sum (in minutes) of mobilization times for the calendar month (excluding transports scheduled in advance and transports out of the originating facility) from the start of the referral phone call to the transport team to the time the transport team is en route to the referral facility (total_mobilization) (MOBTM) (NUM)	
Number of transports during the calendar month (excluding transports scheduled in advance and transports out of the originating facility) (mobilization_cases) (MOBTM) (DEN)	
The sum (in minutes) of bedside times for the calendar month for all patient contacts with STEMI activations. (total_bedside_stemi) (STEMIB) (NUM)	

GAMUT METRIC DATA TALLY SHEET

Includes All Available Metrics

Use this sheet to keep track of your monthly metrics until you can enter them into the GAMUT Platform. Only enter numbers or zeros for those metrics you intend to report. If you are not reporting a metric, leave it blank.

Month/Year

Efficiency

Number of patient contacts during the calendar month with STEMI activations (stemi_cases) (STEMIB,STEMIS) (DEN)	
The sum (in minutes) of scene times for the calendar month for all patient contacts with STEMI activations (total_scene_stemi) (STEMIS) (NUM)	
The sum (in minutes) of bedside times for neonatal patient contacts during the calendar month (total_neo_time) (BEDN) (NUM)	
The sum (in minutes) of bedside times for all pediatric patient contacts during the calendar month (total_peds_time) (BEDP) (NUM)	
The sum (in minutes) of bedside times for all adult patient contacts during the calendar month (total_adult_time) (BEDA) (NUM)	

Safety Events

Number of SREs during the calendar month (sre) (SRE) (NUM)	
Number of documented transport-related patient near-misses or patient precursor adverse events during the calendar month (near_miss) (MISS) (NUM)	
Number of documented medication administration errors (may be more than 1 per transport) during any patient contact during the calendar month (medication_errors) (RXERR) (NUM)	
Number of patient contacts during the calendar month for which there is documentation of an unanticipated drug related event during transport (ade) (ADE) (NUM)	
Number of documented unplanned dislodgement (may be more than 1 per transport) during the calendar month while under the care of the transport team of the following devices (IOs, IVs, UACs/UVCs, central venous lines, arterial lines, advanced airway, chest tubes, and tracheostomy tubes) (dislodgements) (DISL) (NUM)	
Number of patient contacts during the calendar month which the documented pulse oximetry reading drops below 90% (excluding those with chronic oxygen saturations lower than 90% or oxygen saturations lower than 90% that persist throughout the entire transport) (hypoxia_events) (HYPOX) (NUM)	
Number of patient contacts during the calendar month (excluding those with chronic oxygen saturations lower than 90% or oxygen saturations lower than 90% that persist throughout the entire transport) (hypoxia_event_cases) (HYPOX) (DEN)	
Number of documented medical equipment failures (may be more than 1 per transport) during the calendar month while under the care of the transport team (med_equip_failure) (EQUIP) (NUM)	

GAMUT METRIC DATA TALLY SHEET

Includes All Available Metrics

Use this sheet to keep track of your monthly metrics until you can enter them into the GAMUT Platform. Only enter numbers or zeros for those metrics you intend to report. If you are not reporting a metric, leave it blank.

Month/Year

Safety Events

Number of documented transport-related patient injuries or deaths during the calendar month (excluding those related to the medical/surgical conditions themselves) (patient_injuries) (INJRP) (NUM)	
Number incidences involving ground or water-based transport vehicles for which there is official documentation concerning damage sustained while in motion during the calendar month (collision) (CRASH) (NUM)	
Number of transport-related crew injuries or deaths reported to the institution's employee health department or equivalent during the calendar month (crew_injuries) (INJRC) (NUM)	

Medical Documentation

Number of transport charts audited for completion and accuracy by at least 1 additional team member (peer, clinical supervisor, medical director) during the calendar month (audits) (CLNDOC) (NUM)	

Maternal Transport

Number of pregnant patient contacts during the calendar month that experiences seizure activity from the time the transport team assumes care of patient until handoff at the receiving facility (pregnant_pts_seizure) (OBSZ) (NUM)	
Number of pregnant patient contacts during the calendar month (pregnant_pts) (OBSZ) (DEN)	
Number of pregnant patient contacts during the calendar month that experiences persistent systolic or diastolic hypertension (a systolic BP >160 mm Hg, diastolic BP >110 mm Hg for greater than 15 minutes) during the time the transport team assumes care of patient until handoff at the receiving facility AND are treated with an antihypertensive medication (preg_hypertension_treat) (OBHTN) (NUM)	
Number of pregnant patient contacts during the calendar month that experiences persistent systolic or diastolic hypertension (a systolic BP >160 mm Hg, diastolic BP >110 mm Hg for greater than 15 minutes) during the time the transport team assumes care of patient until handoff at the receiving facility (preg_hypertension) (OBHTN) (DEN)	
Number of pregnant patient contacts during the calendar month that delivers from the time the transport team departs the referring facility until arrival at the receiving facility (delivery during transport) (preg_deliver) (OBDEL) (NUM)	
Number of pregnant patient contacts during the calendar month with gestational age >20 weeks (high_risk_ob) (OBDEL) (DEN)	