



Mitigating Evaluative Epistemic Filtering in LLM-Driven Essay Scoring: A Culturally-Aware Multi-Perspective Scoring (CAMPS) Framework

by

Bao Nguyen

Submitted to the School of Science, Engineering and Technology
in partial fulfilment of the requirements for the degree of

Master of Artificial Intelligence

at the

RMIT UNIVERSITY

September 2026

© Bao Nguyen, 2026. All rights reserved.

Certified by

Dr. Ginel Dorleon

RMIT University, Thesis Supervisor

Accepted by

Dr. Thuy Nguyen, Course Coordinator

School of Science, Engineering and Technology

Declaration

I certify that except where due acknowledgement has been made, this thesis is my own work, that any help received in preparing this thesis has been acknowledged, and that all sources used have been indicated. I certify that the work is original and has not been submitted previously, in whole or in part, for any other academic award. Any use of generative AI tools in the preparation of this thesis has been disclosed in accordance with course policy.

Student name: Bao Nguyen

Student number: s4139514

Signature:

Date:

Summary

A Vietnamese student opens her essay with her grandfather's proverb, "water wears down stone", and argues the way many Asian writing traditions teach: context first, conclusion arrived at rather than announced. A human examiner recognises the skill. An AI grader, trained overwhelmingly on Western text, may see only a missing thesis statement and mark her down, penalising the shape of her reasoning, not her English.

As AI increasingly grades high-stakes essays, this thesis measures that hidden penalty and proposes a fix, CAMPS: a panel of AI judges, each reading the essay through a different cultural lens, with strong disagreement flagging the essay for a human teacher.

The experiments confirmed the penalty. Every AI model tested scored native-English essays above equally proficient Southeast Asian essays, the most biased by over a full grade band, hitting intermediate-level writers hardest. The panel removed about a quarter of the penalty on the most biased models, though adding more judges did not help, and the disagreement signal proved too coarse, so far, to decide alone which essays need a human. No student should be graded by a single cultural lens, and the bias of any AI grader can now be measured before it is trusted.

Mitigating Evaluative Epistemic Filtering in LLM-Driven Essay Scoring: A Culturally-Aware Multi-Perspective Scoring (CAMPS) Framework

by

Bao Nguyen

Submitted to the School of Science, Engineering and Technology
on September 2026, in partial fulfilment of the
requirements for the degree of
Master of Artificial Intelligence

Abstract

Large language models (LLMs) increasingly score student essays at scale, yet models trained predominantly on Western text risk treating Anglo-American rhetorical conventions as the universal standard of quality, penalising structurally valid writing from other traditions. This thesis formalises this mechanism as *evaluative epistemic filtering* and develops CAMPS (Culturally-Aware Multi-Perspective Scoring): an inference-time framework in which evaluator agents, each calibrated to a distinct cultural interpretation of the scoring rubric, score each essay independently before consensus aggregation, with a Bias Divergence Score (BDS) quantifying inter-agent disagreement. Across 200 topic-controlled ICNALE essays (Southeast Asian learners and a native-English cohort) and four model families, every baseline evaluator scored the native cohort above proficiency-matched Southeast Asian writing (gaps of 0.19–1.18 bands, all 95% confidence intervals excluding zero). A three-agent panel reduced the gap by 23–28% on the two most biased models, left it unchanged where bias was small, and widened it on the least biased; a five-agent extension added no further reduction. Weight sweeps found substantial gap reduction available at negligible accuracy cost, but BDS tracked the disagreement of eighty human raters weakly or not at all (held-out AUC 0.60 and 0.37 by model). Evaluative bias is real, general, and partially correctable at inference time; reliable autonomous detection remains open.

Thesis Supervisor: Dr. Ginel Dorleon

Acknowledgements

I would like to thank my supervisor, Dr. Ginel Dorleon, for his guidance, direction, and foundational work on multi-perspective bias mitigation that inspired the CAMPS framework. I also thank Dr. Thuy Nguyen, the course coordinator, for her support throughout the semester, and RMIT University Vietnam and the School of Science, Engineering and Technology for the resources provided during this research.

Contents

1	Introduction	17
1.1	Problem Statement	17
1.2	Research Questions and Hypotheses	18
1.3	Theoretical Framing: Epistemic Injustice and Contrastive Rhetoric	19
1.4	Significance	21
1.5	Contributions	21
1.6	Thesis Outline	22
2	Literature Review	23
2.1	Multi-Agent and Panel-Based Approaches to Scoring	23
2.2	Inference-Time Debiasing	24
2.3	Cultural Bias in Large Language Models	26
2.4	Fairness in AES for Non-Native Writers	27
2.5	Contrastive Rhetoric and Cultural Writing Traditions	28
2.6	The Research Gap	28
3	Methodology	31
3.1	Working Theory: Evaluative Epistemic Filtering	31
3.2	The CAMPS Framework	32
3.3	Scaling the Panel: from Three to Five Agents	36
3.4	Data	38
3.5	Experimental Design	41
3.6	Alternatives Considered	42

3.7	Ethical Considerations	43
3.8	Metrics and Statistical Protocol	43
4	Results and Discussion	45
4.1	Experiment 1: Evaluative Bias at Scale (H1)	45
4.2	Experiment 2: Extended CAMPS Panel (H2, H4)	47
4.3	Experiment 3: BDS Validation (H3)	50
4.4	Uncertainty and Error Analysis	52
4.5	Threats to Validity	54
4.6	Discussion	55
5	Conclusion	57
5.1	Conclusions Against the Hypotheses	57
5.2	Contributions	58
5.3	Limitations	59
5.4	Future Work	59
A	CRI System Prompts	61
B	Reproducibility	65

List of Figures

3-1	The CAMPS pipeline	33
3-2	Cohort construction and sampling flow	40
4-1	E1 cohort score gaps by model and condition	46
4-2	Lens-level cohort profiles (radar)	48
4-3	E2 ablation: gap by panel configuration	49
4-4	E2 fairness–accuracy frontier (GPT-4o)	50
4-5	E3: BDS against human-rater disagreement	51
4-6	Baseline gap by SEA proficiency band	53

List of Tables

1.1	Mapping of research questions to hypotheses	19
3.1	Capability comparison of related frameworks	36
3.2	The five-lens CAMPS panel	37
3.3	ICNALE modules used in this thesis	39
3.4	Overview of Experiments E1–E3	41
4.1	E1: cohort score gap by model	47
4.2	E2: ablation over panel size and adjudicator	49
4.3	E3: BDS detection performance	51
5.1	Verdicts on hypotheses H1–H4	57

Abbreviations

AES	Automated Essay Scoring
AI	Artificial Intelligence
API	Application Programming Interface
BDS	Bias Divergence Score
CAMPS	Culturally-Aware Multi-Perspective Scoring
CEFR	Common European Framework of Reference for Languages
CI	Confidence Interval
CRI	Cultural Rubric Interpretation
ENS	English Native Speaker (ICNALE cohort)
FPR	False Positive Rate
GRA	Global Rating Archives (ICNALE module)
ICNALE	International Corpus Network of Asian Learners of English
IELTS	International English Language Testing System
L1	First (native) language
LLM	Large Language Model
QWK	Quadratic Weighted Kappa
ROC	Receiver Operating Characteristic
SEA	Southeast Asia(n)
TOEFL	Test of English as a Foreign Language
WEIRD	Western, Educated, Industrialised, Rich, Democratic

Chapter 1

Introduction

1.1 Problem Statement

Automated Essay Scoring (AES) has entered a new era. Where earlier systems counted surface features such as word length, sentence complexity, and spelling, large language models (LLMs) now evaluate what previous systems could not: the quality of a student’s argument. Frontier models are increasingly deployed to score high-stakes writing at scale, promising consistent, rapid, and inexpensive assessment. Yet a model that judges *how well a student argues* must hold some standard of what good argumentation looks like, and that standard is not neutral. LLMs derive their evaluative expectations from training corpora that overwhelmingly represent Western, Educated, Industrialised, Rich, and Democratic (WEIRD) cultural contexts; empirical work has shown that widely used models express cultural values closely aligned with English-speaking and Protestant-European countries [Tao et al., 2024].

Consider an illustration. A Vietnamese student opens an argumentative essay with her grandfather’s proverb, *nuoc chay da mon* (water wears down stone), and develops her position the way many Asian academic writing traditions teach: context first, evidence accumulated gradually, the conclusion arrived at rather than announced. A trained human examiner can recognise the coherence of this inductive structure. An LLM evaluator calibrated by its training distribution to expect a thesis statement in the opening paragraph may instead record “lacks a clear thesis” and “argument feels indirect”, and penalise the hedging

forms that signal politeness in her tradition as weak reasoning. If so, she loses marks not because her English is poor, but because the shape of her reasoning is culturally unfamiliar to the model.

This thesis names this mechanism *evaluative epistemic filtering*: when an LLM evaluates writing, it applies an implicit cultural filter derived from its training distribution, systematically discounting rhetorical strategies that deviate from Anglo-American conventions regardless of their argumentative merit. A pilot study in the preceding phase of this research (Part A) reported statistically significant scoring disparities between Southeast Asian and native-English cohorts of equivalent human-rated quality across two frontier models. The same pilot reported that a culturally-diversified scoring panel reduced the disparity. Those findings motivated, but do not yet establish, the claims this thesis investigates at scale.

The problem this thesis addresses can therefore be stated plainly. LLM-based essay scoring applies culturally partial standards, invisibly and at scale, to students whose academic futures depend on the result; the disparity is documented, but no validated framework exists to mitigate it in evaluative settings, and no calibrated mechanism exists to detect the essays it affects. This thesis quantifies the problem across models, builds and tests such a framework, and equips it with a detection mechanism validated against human ground truth.

1.2 Research Questions and Hypotheses

Two research questions drive this thesis:

RQ1. To what extent does evaluative epistemic filtering manifest as measurable scoring disparities against Southeast Asian rhetorical patterns in LLM-driven essay scoring, and does it generalise across model families?

RQ2. Can a culturally-aware multi-agent scoring architecture mitigate these disparities at inference time, without retraining or access to model weights, while reliably detecting the essays it cannot fairly score?

These questions are operationalised as four testable hypotheses:

- **H1 (Generalisation).** Evaluative bias against Southeast Asian rhetorical patterns is statistically significant across at least four LLMs, including open-weight models.
- **H2 (Mitigation).** A five-agent culturally-calibrated panel with a meta-adjudicator reduces the cohort QWK gap more than the three-agent pilot configuration, while preserving native-cohort accuracy.
- **H3 (Detection).** A ROC-calibrated Bias Divergence Score threshold sustains high sensitivity and a low false-positive rate at $N \approx 200$.
- **H4 (Trade-off boundary).** Consensus-weight allocation exhibits an identifiable boundary beyond which cohort-fairness gains degrade dominant-cohort accuracy.

The research questions and hypotheses relate as follows. RQ1 is a question about the *existence and generality* of the problem; it is operationalised by H1, which makes it falsifiable by fixing the scope (four model families) and the test (statistical significance of the cohort scoring gap). RQ2 is a question about the *solution*, and it decomposes into three parts: whether the mitigation works (H2), whether its failures can be detected (H3), and what the mitigation costs (H4). Table 1.1 summarises the mapping and where each hypothesis is tested.

Table 1.1: How the research questions decompose into hypotheses, and where each is tested.

RQ	Hypothesis	Establishes	Tested in
RQ1	H1	Bias exists and generalises across models	Experiment E1
RQ2	H2	The panel mitigates the bias	Experiments E1–E2
RQ2	H3	Residual bias is detectable (BDS)	Experiment E3
RQ2	H4	What mitigation costs in accuracy	Experiment E2

Chapter 5 returns to each hypothesis explicitly.

1.3 Theoretical Framing: Epistemic Injustice and Contrastive Rhetoric

Two established bodies of theory ground this thesis. The first is Fricker [2007]’s account of *testimonial injustice*: a speaker is wronged in their capacity as a knower when preju-

dice in the hearer deflates the credibility of their testimony. Evaluative epistemic filtering can be understood as testimonial injustice automated and scaled: the student’s argument is discounted not on its merits but because its form does not match the evaluator’s culturally conditioned expectations. Fricker’s framework also cautions against a naive remedy: no evaluator, human or artificial, judges from nowhere. This thesis therefore treats a “culturally neutral” evaluator as a regulatory ideal rather than an achievable design goal, and pursues *plurality* of perspectives rather than pretended neutrality.

The second grounding is contrastive rhetoric. Since Kaplan [1966] first observed that rhetorical organisation is culturally learned, research summarised by Connor [2011] has documented systematic differences between writing traditions, including the distinction between writer-responsible and reader-responsible coherence and the validity of inductive, context-first argument structures common in Asian academic writing. This literature supplies the scholarly basis for the cultural rubric interpretations at the centre of the proposed framework, distinguishing them from ad-hoc cultural personas.

The mitigation strategy itself extends the formal multi-perspective bias-reduction framework of Dorleon and Shujaa [2026], who proved that, under ideal conditions, generating text from multiple cultural perspectives with bias filtering can eliminate stereotypical content and perspective omission in *generative* tasks. Companion empirical work documented pervasive cultural bias in LLM treatments of Southeast Asian content [Shujaa et al., 2026]. This thesis asks whether those principles transfer from generation to *evaluation*. Independent support for the core mechanism comes from the evaluation literature: panels of diverse LLM judges have been shown to outperform and de-bias single large judges [Verga et al., 2024], though with diversity defined by model provider rather than by culture. The thesis, in short, tests whether the jury effect holds when the axis of diversity is cultural.

Finally, the fairness–accuracy trade-off at the centre of H4 has a direct lineage in fairness-aware machine learning. Dorleon et al. [2022] formulated feature selection as an explicit trade-off between fairness and prediction performance. FAPFID [Dorleon et al., 2023] then showed that fairness for unprivileged groups can be improved without sacrificing overall performance, through balanced representation. H4 asks whether an analogous frontier exists in evaluative scoring, and where it lies.

1.4 Significance

The significance of this work is threefold. First, equity: as LLM-based assessment becomes a gatekeeper to scholarships, university admission, and migration pathways, a systematic penalty against non-Western rhetorical traditions would constitute discrimination embedded in infrastructure, invisible to its subjects and deniable by its operators. Quantifying that penalty rigorously is a precondition for governing it. Second, method: existing multi-agent AES research improves accuracy without cultural awareness [e.g., Su et al., 2025], while existing debiasing research targets generative outputs rather than evaluative judgments; a validated framework for *evaluative* fairness would fill a documented gap at their intersection. Third, deployability: because the proposed framework operates entirely at inference time through commercial APIs, any institution can apply it without retraining models. This practical property distinguishes it from training-time approaches and matches the constraints of real educational deployments, particularly in the Southeast Asian context where this research is situated.

1.5 Contributions

This thesis makes five contributions:

1. **Conceptual:** it formalises evaluative epistemic filtering as a distinct bias mechanism in LLM-driven scoring, theoretically grounded in epistemic injustice and contrastive rhetoric.
2. **Architectural:** it develops CAMPS (Culturally-Aware Multi-Perspective Scoring), a five-agent culturally-calibrated scoring panel with a meta-adjudicator, extending formal multi-perspective bias reduction from generation to evaluation.
3. **Empirical:** it evaluates the framework on approximately 200 topic-controlled essays from the ICNALE corpus [Ishikawa, 2023] across four frontier and open-weight models, re-establishing the pilot evidence at scale on a corpus purpose-built for the comparison.

4. **Methodological:** it introduces the Bias Divergence Score as a calibrated, human-validated trigger for targeted human review, evaluated against multi-rater human ground truth.
5. **Practical:** it characterises the fairness–accuracy trade-off frontier, giving deploying institutions an explicit account of what fairness currently costs.

1.6 Thesis Outline

Chapter 2 reviews four bodies of literature (multi-agent and panel-based scoring, inference-time debiasing, cultural bias in LLMs, and AES fairness for non-native writers) together with the contrastive-rhetoric foundations, and locates the gap this thesis occupies. Chapter 3 develops the CAMPS framework and the experimental methodology, including the data, the statistical protocol, and the alternatives considered. Chapter 4 reports the three experiments and discusses the findings, including uncertainty analysis and threats to validity. Chapter 5 answers each hypothesis, states the contributions and limitations, and outlines future work.

Chapter 2

Literature Review

The literature relevant to this thesis was searched between July and September 2026 using Google Scholar, arXiv, the ACL Anthology, and the Springer and IEEE digital libraries, with combinations of the terms “automated essay scoring”, “multi-agent”, “LLM-as-a-judge”, “cultural bias”, “debiasing”, “fairness”, “non-native writers”, and “contrastive rhetoric”, supplemented by backward and forward citation chasing from key papers. Every reference cited in this thesis was verified against its primary source. The review is organised thematically: multi-agent and panel-based scoring (Section 2.1), inference-time debiasing (Section 2.2), cultural bias in LLMs (Section 2.3), fairness in AES for non-native writers (Section 2.4), and the contrastive-rhetoric foundations (Section 2.5), before Section 2.6 locates the gap this thesis addresses.

2.1 Multi-Agent and Panel-Based Approaches to Scoring

Two research communities have converged on the same architectural intuition, that several evaluators are better than one, for different reasons.

In automated essay scoring, multi-agent designs pursue *accuracy*. CAFES [Su et al., 2025] orchestrates three specialised agents (an initial scorer, a feedback-pool manager, and a reflective scorer that revises scores against aggregated evidence) and reports an average relative improvement of 21% in Quadratic Weighted Kappa (QWK) over direct prompting across multimodal essay benchmarks. Roundtable Essay Scoring [RES; Jang et al., 2025]

constructs evaluator agents with distinct trait-based rubrics and consolidates their judgments through a simulated roundtable discussion, reporting up to 34.86% average QWK improvement over vanilla prompting on the ASAP dataset in a zero-shot setting. Related designs extend the pattern to analytic trait scoring via multi-agent debate with retrieval augmentation [Keramati et al., 2026] and to structured component recognition before scoring [Wang et al., 2025]. What unites this family is the axis along which the agents differ: *function* (scorer, critic, reviser) or *trait* (content, organisation, language use). None varies the cultural interpretation of the rubric itself, and none of these studies evaluates fairness across writer cohorts: the improvements are reported on aggregate agreement with human raters, leaving open the possibility that a more accurate panel is uniformly accurate for some writers and uniformly harsh for others.

In the LLM-evaluation community, panel designs pursue *bias reduction*. Verga et al. [2024] replaced a single large judge model with a Panel of LLM evaluators (PoLL) drawn from three different model families, and found that the panel not only correlated better with human judgment across six datasets but reduced intra-model self-preference bias, at roughly a seventh of the cost. This is, to date, the clearest empirical demonstration that judge *diversity* counteracts judge *bias*. The diversity axis, however, is model provider, chosen to decorrelate model-specific quirks rather than to represent any substantive difference in evaluative standards. The present thesis can be read as a targeted transplant: it takes the panel-of-judges mechanism whose bias-reducing effect Verga et al. [2024] established, and re-axes the diversity from provider to *cultural rubric interpretation*, where the bias to be countered is cultural rather than idiosyncratic.

2.2 Inference-Time Debiasing

A second literature attacks bias at inference time, without retraining. BiasFilter [Cheng et al., 2025] periodically evaluates candidate continuations during generation against a fairness reward model and discards low-reward segments, enforcing fairness on *generated text* for both open-source and API-based models. The framework demonstrates that meaningful debiasing is achievable purely at inference time, a design constraint this thesis shares, but

its unit of intervention is the output token stream, which has no analogue when the model’s output is a single scalar score.

Closest to the present work is Multi-Agent Cultural Debate (MACD) [Tan et al., 2026], which assigns LLM agents explicit cultural personas and orchestrates deliberation under a “seeking common ground while reserving differences” strategy. On a bilingual benchmark, MACD raised the rate of unbiased responses substantially over single-model baselines, and the authors’ central finding, that agent frameworks with *functional* roles lack the explicit cultural representation needed for cross-cultural fairness, independently corroborates the design principle behind CAMPS. The two frameworks nonetheless answer different questions: MACD debiases *what a model says* in open-ended generation, where the deliverable is a text that synthesises perspectives; CAMPS debiases *how a model judges*, where the deliverable is a score whose fairness can be measured against human ground truth cohort by cohort, and where disagreement between cultural agents is exploited as a detection signal rather than dissolved through debate.

A caution for all multi-agent designs comes from the MALIBU benchmark [Mirza et al., 2025], which shows that LLM-based multi-agent systems can implicitly *reinforce* social biases, and that persona-conditioned judging can over-correct. For this thesis, MALIBU motivates two design decisions: consensus weights are calibrated empirically rather than assumed benign (Hypothesis H4 measures the over-correction frontier directly), and panel behaviour is validated against multi-rater human ground truth rather than taken on faith. A separate line of work mitigates bias inside the model rather than around it. Self-debiasing exploits a model’s own ability to recognise undesirable properties of its output, suppressing them at decoding time [Schick et al., 2021], and FairSteer intervenes on hidden-layer activations with dynamically applied steering vectors at inference time [Li et al., 2025]. Both are effective in their settings, but both are white-box methods: they require access to output distributions or internal activations that commercial scoring deployments accessed through an API do not expose. CAMPS was deliberately designed to operate at the level of prompts and outputs alone, trading the precision of internal intervention for applicability to any evaluator, including closed models.

2.3 Cultural Bias in Large Language Models

That LLMs carry a Western-centric evaluative disposition is no longer seriously contested. Tao et al. [2024] compared five OpenAI model generations against nationally representative values-survey data for 107 countries and found that model responses consistently resemble those of English-speaking and Protestant-European populations: the WEIRD alignment that this thesis takes as the distal cause of evaluative epistemic filtering.

The proximal framework for this thesis comes from the supervisor’s research programme. Dorleon and Shujaa [2026] formally defined bias categories for generative outputs (stereotyping, omission, ethnocentrism, simplification) and proposed multi-perspective generation with bias detection, proving that under ideal conditions the method eliminates stereotypical content and perspective omission. The companion study [Shujaa et al., 2026] evaluated seven state-of-the-art LLMs on prompts embedding culturally sensitive assumptions about Vietnam, Myanmar, and Nepal, documenting pervasive stereotyping, linguistic ethnocentrism, and epistemic bias, with substantial variation across models. It is this cross-model variation that motivates testing H1 on at least four model families. The same group’s work on framing-bias detection [Shujaa and Dorleon, 2025] reflects the detection-oriented strand of this programme that the Bias Divergence Score continues: bias treated not only as something to remove but as something to *measure and flag*. Two further studies shaped how cultural calibration is implemented in this thesis. SEA-HELM, a community-built evaluation suite for Southeast Asian languages, argues that benchmarks produced by machine translation or synthetic generation without community input lose cultural authenticity [Susanto et al., 2025]; the same reasoning led this thesis to ground its cultural lenses in the contrastive rhetoric literature and in a corpus built in the region, rather than in ad hoc persona descriptions. More cautionary still, Khan et al. [2025] showed that survey-based measures of LLM cultural alignment are unstable across presentation formats and that prompting a model to represent a specific culture is not reliably steerable. For CAMPS this is a design constraint, not a refutation: lens prompts are fixed verbatim (Appendix A), decoding is deterministic, and the panel’s behaviour is validated empirically against human raters (E3) rather than assumed correct because the prompt requested it.

2.4 Fairness in AES for Non-Native Writers

Concerns about equitable automated scoring of non-native writing predate the LLM era. Vajjala [2018] showed on the TOEFL11 and FCE corpora that the linguistic features most predictive of essay quality differ across L1 populations, evidence that a single scoring model implicitly encodes population-specific assumptions about what good writing looks like. What has changed with LLM-based scoring is the depth at which such assumptions operate: where feature-based systems encoded them in engineered predictors that could be inspected, LLM evaluators encode them in an opaque prior over rhetorical form [cf. Gallegos et al., 2024].

The LLM-era evidence is accumulating quickly. Pack et al. [2024] evaluated four prominent LLMs (PaLM 2, Claude 2, GPT-3.5, GPT-4) as scorers of English-learner placement essays, finding usable reliability for the strongest model but meaningful variation across models and administrations. Evaluative behaviour is therefore model-specific, which motivates testing H1 across at least four model families rather than generalising from one. Most directly relevant, Gayed [2026] fine-tuned an open-weight model (Gemma-3-27B) for essay scoring and evaluated it on the full TOEFL11 corpus of 12,100 essays across eleven L1 backgrounds, explicitly analysing scoring effects by first language. The study documents L1-linked scoring variation on exactly the corpus family and task that concern this thesis. Like the broader AES fairness literature it extends, however, it stops at *measurement*: no mitigation framework is proposed, and the native/non-native design this thesis requires is out of scope because TOEFL11 contains no native-English cohort. Related recent work has begun to probe mechanism as well as outcome: Yang et al. [2025] showed that prompt-based LLM scorers can infer writer demographics, including English-learner status, from essay text alone, and that scoring behaviour shifts once such a status is recognised.

Taken together, this literature establishes the disparity, its model-dependence, and hints at its mechanism, while leaving the mitigation side of the problem essentially untouched. That asymmetry between diagnosis and treatment is the practical motivation for the framework developed in Chapter 3.

2.5 Contrastive Rhetoric and Cultural Writing Traditions

The claim that rhetorical organisation is culturally learned, and that an evaluator calibrated to one tradition will therefore systematically misread another, has a research lineage of its own. Kaplan [1966] first argued that paragraph organisation reflects culturally specific “thought patterns”, contrasting the linear development expected in English academic prose with the patterns he observed in other traditions. The framework was refined substantially in later work: Hinds [1987] distinguished *writer-responsible* languages, in which the burden of clarity falls on the writer through explicit signposting, from *reader-responsible* languages, in which coherence is expected to be inferred by the reader. Under this typology, the “missing thesis statement” an LLM penalises may simply be reader-responsible coherence operating as designed. Connor [2011] consolidated this field as intercultural rhetoric, correcting early essentialist readings: rhetorical traditions are conventions distributed across writing communities, not fixed properties of individuals. This thesis adopts that distinction explicitly, treating L1 cohorts as proxies for rhetorical tradition rather than for identity.

For Southeast Asian learner writing specifically, the empirical base is anchored by the ICNALE project [Ishikawa, 2023], whose topic-controlled design allows rhetorical variation to be observed under matched task conditions across ten Asian countries and a native-English reference cohort. This literature performs two duties in the present thesis. It supplies the content of the cultural rubric interpretations in Chapter 3, where each CRI prompt is grounded in documented rhetorical conventions rather than improvised cultural personas, and it supplies the defence against the objection that culturally-calibrated agents merely role-play stereotypes: the calibrations are drawn from a half-century of contrastive-rhetoric scholarship, and their behaviour is tested empirically in Chapter 4.

2.6 The Research Gap

Three literatures converge on the problem this thesis addresses, and each stops short of it in a characteristic way. The multi-agent scoring literature (Section 2.1) established that panels of evaluators outperform single judges (CAFES and RES on accuracy, PoLL on bias) but

defines panel diversity by function, trait, or model provider, never by cultural interpretation of the rubric, and does not measure fairness across writer cohorts. The inference-time debiasing literature (Section 2.2) established that bias can be mitigated without retraining, and MACD specifically established that *explicit cultural representation* in agent frameworks matters; but its object is generated text, not evaluative judgment, and it dissolves inter-agent disagreement rather than exploiting it. The cultural-bias literature (Section 2.3) established the WEIRD disposition of current models and, in Dorleon and Shujaa [2026], provided a formal multi-perspective mitigation framework with provable guarantees, for generation only. Meanwhile, the AES fairness literature (Section 2.4) continues to document L1-linked scoring disparities without offering a validated mitigation framework.

The intersection itself remains empty: culturally-diverse rubric interpretation, applied to evaluative scoring, with inter-agent divergence used as a calibrated trigger for human review and validated against multi-rater human ground truth. To the best of the searches described above, no published work occupies it. That intersection is precisely where CAMPS operates, and the recency of the nearest neighbours on either side suggests the space will not remain unoccupied for long.

Chapter 3

Methodology

3.1 Working Theory: Evaluative Epistemic Filtering

The framework developed in this chapter rests on a working theory of why LLM evaluators systematically under-score culturally unfamiliar writing. This section states that theory precisely, identifies the conditions that sustain the phenomenon, and derives the observable signatures that the experiments in Chapter 4 test.

Definition 3.1 (Evaluative epistemic filtering). *Let E be an essay, $f_{\text{human}}(E)$ the score assigned by a trained human examiner under a rubric R , and $f_{\text{LLM}}(E \mid \theta)$ the score assigned by an LLM evaluator whose parameters θ were estimated from a training distribution $\mathcal{D}$. Evaluative epistemic filtering occurs when*

$$\mathbb{E}[f_{\text{LLM}}(E \mid \theta_{\mathcal{D}}) - f_{\text{human}}(E) \mid c(E)] \neq 0, \quad (3.1)$$

where $c(E)$ denotes the rhetorical tradition of the essay, and the deviation is systematic in c : essays whose rhetorical form is under-represented in $\mathcal{D}$ receive systematically deflated scores relative to human judgment, independent of argumentative merit.

The definition makes two commitments. First, the filter is a property of the *evaluator*, not of the essay: the same essay receives different treatment under evaluators with different training distributions. Second, the deviation is conditional on rhetorical tradition rather than

on language proficiency; this is what distinguishes evaluative epistemic filtering from the legitimate scoring of weaker English, and what the matched-cohort experimental design in Section 3.5 is built to isolate.

Four conditions jointly sustain the filter in current systems. First, training corpora over-represent WEIRD cultural contexts, and models demonstrably absorb the corresponding value orientation [Tao et al., 2024]. Second, the standards LLM evaluators apply are opaque: unlike feature-based AES, where population-specific predictors could be inspected directly [Vajjala, 2018], an LLM’s evaluative prior is distributed across its parameters [Gallegos et al., 2024]. Third, diagnostic effort has concentrated on generative outputs; the bias categories formalised by Dorleon and Shujaa [2026] have no evaluative counterpart in the literature. Fourth, the observable symptom (L1-linked scoring disparities) is now documented [Gayed, 2026] but has not been connected to a mitigation mechanism.

The theory yields three testable signatures, which map directly onto the hypotheses of Chapter 1. First, a systematic scoring gap should appear between rhetorical-tradition cohorts matched on human-rated quality (H1). Second, the gap should shrink when the single evaluator is replaced by a panel whose members embody different rubric interpretations, because their individual filters are partially decorrelated (H2). Third, panel members should disagree measurably on precisely the essays where filtering operates, which makes divergence itself a detection signal (H3). The fairness–accuracy boundary (H4) follows from the consensus mechanism and is derived in Section 3.2.

3.2 The CAMPS Framework

CAMPS (Culturally-Aware Multi-Perspective Scoring) operationalises a single design principle: if no evaluator judges from nowhere (Section 1.3), then fairness is pursued through a *plurality* of explicitly declared perspectives rather than through a pretended neutrality. Concretely, the plurality is the panel of five cultural rubric interpretations specified in Section 3.3 (Western, Southeast Asian, East Asian, Mekong/Vietnamese, and a neutral regulatory ideal; see Table 3.2), each declared in an inspectable system prompt rather than hidden in model weights, continuing the multi-perspective principle introduced in Section 1.3. The frame-

work operates entirely at inference time, requires no model retraining or weight access, and treats every underlying LLM as a black box reachable through an API. Figure 3-1 shows the pipeline; the five components are specified below.




Figure 3-1: The CAMPS pipeline. Each essay is scored in parallel by k *culturally-calibrated* agents: LLM evaluators whose system prompts embed a documented cultural interpretation of the scoring rubric (Component 1). The consensus engine aggregates the scores. The Bias Divergence Score routes contested essays to human review, whose outcomes feed the calibration loop. CAMPS components are shaded blue; inputs and outcomes are unshaded.

Component 1: Cultural Rubric Interpreter (CRI)

Given the scoring rubric R , the CRI produces k culturally-adapted interpretations $\{r_1, \dots, r_k\}$ through system-level prompting. Each interpretation is grounded in the contrastive-rhetoric literature reviewed in Section 2.5 rather than in improvised personas. The Southeast Asian interpretation, for example, instructs the agent to recognise inductive thesis development and reader-responsible coherence [Hinds, 1987] as valid realisations of the rubric’s coher-

ence criterion. The neutral interpretation is retained as a regulatory ideal in Fricker’s sense [Fricker, 2007], not as an achievable standpoint. The full prompt texts are reproduced verbatim in Appendix A.

Component 2: Evaluator agent pool

Each interpretation is bound to an independent evaluator agent, and each agent scores the essay without access to the other agents’ outputs:

$$s_i = A_i(E, r_i), \quad i = 1, \dots, k, \quad (3.2)$$

with temperature fixed at $t = 0.0$ and structured (JSON) output, so that every run is deterministic and reproducible. Independence at this stage is deliberate: the MALIBU results [Mirza et al., 2025] caution that interacting agents can amplify rather than cancel bias, so CAMPS confines interaction to the aggregation stage, where it is mathematically controlled.

Component 3: Consensus aggregation

The panel’s scores are combined as a weighted mean,

$$S^*(E) = \frac{\sum_{i=1}^k w_i s_i(E)}{\sum_{i=1}^k w_i}, \quad w_i \geq 0, \quad (3.3)$$

with weights initialised equal. Because S^* is linear in the agents’ scores, any reweighting that raises the expected score of one cohort must lower another’s whenever the agents disagree systematically; this is the mechanism behind the fairness–accuracy boundary hypothesised in H4, and Section 3.5 describes how the weight space is swept to locate it empirically.

Component 4: Bias Divergence Score (BDS)

The framework’s detection signal is the dispersion of the panel:

$$\text{BDS}(E) = \sqrt{\frac{1}{k} \sum_{i=1}^k (s_i(E) - S^*(E))^2}. \quad (3.4)$$

A low BDS means the cultural interpretations converge: the essay is scored the same way regardless of the lens, and the automated score can be trusted. A high BDS means the lenses disagree, which under the working theory is exactly the signature of an essay whose score depends on culturally contingent expectations; such essays are flagged for human review. The pilot fixed the threshold at $\tau = 0.75$ on the operational argument that 0.75 standard deviations corresponds to a two-band disagreement under IELTS-style scoring. Part B replaces this hand-set value with a threshold calibrated by receiver operating characteristic analysis against multi-rater human ground truth (H3), as specified in Section 3.5.

Component 5: Calibration loop

Outcomes of human review feed back into the framework in two ways: the consensus weights w_i are re-optimised to maximise agreement with human scores subject to a cohort-fairness constraint, and the threshold τ is re-estimated as review outcomes accumulate. The loop closes the system without touching model weights; everything learned lives in w and τ .

The five components divide the framework’s labour: the first two create and apply the plurality of perspectives, the third converts plurality into a single defensible score, and the last two turn residual disagreement into detection and adaptation. No component alone mitigates the filter; the fairness properties of CAMPS are a property of the assembly. Table 3.1 positions CAMPS against the frameworks reviewed in Chapter 2 along the five capabilities the design combines.

Relative to the Part A pilot, the framework specified here differs in three respects, each developed in the following sections: the panel is scaled from three to five cultural interpretations with a meta-adjudicator (Section 3.3), the corpus and cohort design are rebuilt on

Table 3.1: Capability comparison. *Inf.* = inference-time only; *Cult.* = explicit cultural perspectives; *Eval.* = evaluative (scoring) task; *Div.* = divergence-based detection; *HITL* = calibrated human-in-the-loop trigger.

Framework	Inf.	Cult.	Eval.	Div.	HITL
CultureLLM [Li et al., 2024]	×	✓	×	×	×
BiasFilter [Cheng et al., 2025]	✓	×	×	×	×
CAFES [Su et al., 2025]	✓	×	✓	×	×
RES [Jang et al., 2025]	✓	×	✓	×	×
PoLL [Verga et al., 2024]	✓	×	✓	×	×
MACD [Tan et al., 2026]	✓	✓	×	×	×
Dorleon & Shujaa [2026]	✓	✓	×	×	×
CAMPS (this thesis)	✓	✓	✓	✓	✓

data that supports the comparison (Section 3.4), and both the consensus weights and the BDS threshold are calibrated empirically rather than hand-set (Section 3.5).

3.3 Scaling the Panel: from Three to Five Agents

The pilot panel comprised three rubric interpretations: Western, Southeast Asian, and a neutral interpretation retained as a regulatory ideal (Section 3.2). Scaling to five requires a principled answer to the question *which* cultural lenses to add. Three selection criteria are applied. A candidate lens must be (i) *documented*: its rhetorical conventions must be described in the contrastive-rhetoric literature, so that the CRI prompt encodes scholarship rather than stereotype; (ii) *validatable*: the corpus must contain a writer cohort from the corresponding tradition, so that the lens’s behaviour can be checked against real essays; and (iii) *distinct*: the lens must be expected to diverge from the existing panel on identifiable essay features, otherwise it adds cost without information.

Applying these criteria to the available data (Section 3.4) selects an *East Asian* lens, grounded in the reader-responsible coherence tradition documented for Japanese and related academic writing cultures [Hinds, 1987] and validatable against ICNALE’s China, Japan, Korea, and Taiwan cohorts, and a *Mekong/Vietnamese* lens, motivated by the region this research serves and validatable against the ICNALE WEP cohorts from Vietnam, Cambodia, Laos, and Myanmar. A Middle Eastern lens, although well documented in the contrastive-rhetoric literature, fails the validatable criterion for the primary corpus and is

deferred to future work. Table 3.2 summarises the resulting panel.

Table 3.2: The five-lens panel: rhetorical grounding and the corpus cohort against which each lens’s behaviour can be validated.

Lens	Rhetorical grounding	Validating cohort
CRI _{Western}	Writer-responsible coherence; explicit thesis-first linear development [Kaplan, 1966, Connor, 2011]	ICNALE ENS
CRI _{SEA}	Inductive, context-first development; collectivist framing [Connor, 2011, Ishikawa, 2023]	ICNALE THA, IDN, PHL
CRI _{EastAsian}	Reader-responsible coherence; delayed thesis; <i>ki-sho-ten-ketsu</i> -style organisation [Hinds, 1987]	ICNALE CHN, JPN, KOR, TWN
CRI _{Mekong}	Proverb- and narrative-anchored argumentation observed in Mekong-region learner writing [Ishikawa, 2023, Shujaa et al., 2026]	ICNALE WEP VNM, KHM, LAO, MMR
CRI _{Neutral}	Regulatory ideal: argumentative merit irrespective of structural ordering [Fricker, 2007]	(all cohorts)

The second architectural addition is a *meta-adjudicator*: a further LLM instance that receives the five agents’ scores and their short written rationales, and produces a reasoned consensus score,

$$S^{\text{adj}}(E) = M(s_1, \rho_1, \dots, s_k, \rho_k), \quad (3.5)$$

where ρ_i is agent i ’s rationale. The adjudicator is blind to the writer’s identity and cohort metadata, and runs at $t = 0.0$ like the agents. It constitutes an alternative aggregation path to the weighted mean of Equation 3.3. Where the weighted mean treats every agent’s judgment as exchangeable evidence, the adjudicator can weigh *arguments*, for example discounting an agent whose rationale misidentifies the essay’s structure. Experiment E2 compares the two paths directly, and the BDS of Equation 3.4 is computed from the raw agent scores in both conditions, so the detection signal is unaffected by the choice of aggregator. This design responds to the caution from multi-agent bias research [Mirza et al., 2025]: the adjudicator adds deliberation *after* independent judgment, rather than allowing agents to influence one another during scoring.

3.4 Data

Corpus selection

The experimental design requires a corpus with four properties: essays by Southeast Asian learners identified by first language or country; a native-English reference cohort writing under identical task conditions; a human-assigned quality or proficiency measure; and terms of use permitting research at this scale. A systematic search of the major public learner corpora found exactly one corpus satisfying all four. TOEFL11 [Blanchard et al., 2013], used in the pilot phase, contains 12,100 essays across eleven first languages but includes no Southeast Asian L1 and, by construction, no native-English cohort, and its proficiency labels are coarse (low, medium, high). ICLE v3 covers twenty-five L1 backgrounds without Thai or another Southeast Asian L1; ELLIPSE offers approximately 9,000 human-scored learner essays without L1 labels; EFCAMDAT records nationality and CEFR level but has no native reference cohort.¹ The ICNALE corpus family [Ishikawa, 2023] satisfies all four properties and is therefore adopted.

The ICNALE corpus family

ICNALE (the International Corpus Network of Asian Learners of English) collects topic-controlled English essays and speeches from college students across ten Asian countries and regions together with a native-English-speaker reference cohort writing under identical conditions. Three modules are used in this thesis (Table 3.3). Critically for the present design, every written essay addresses the same two prompts (whether college students should hold a part-time job, and whether smoking should be banned in restaurants), under controlled length and time conditions; this removes the prompt-variation confound present in TOEFL11’s eight-topic design. All learner participants are placed into CEFR-linked proficiency bands (A2, B1_1, B1_2, B2+) on the basis of standardised test scores or a vocabulary-size test, which enables proficiency-matched cohort construction.

¹Corpus contents verified against their official distribution pages in July 2026: TOEFL11 via the Linguistic Data Consortium (LDC2014T06), ICLE via UCLouvain, ELLIPSE via its public repository, EFCAMDAT via the EF–Cambridge Open Language Database.

Table 3.3: ICNALE modules used in this thesis (contents as published on the official ICNALE distribution site, March 2026).

Module	Contents	Role in this thesis
Written Essays (WE) v2.6	5,600 essays, 200–300 words, two controlled topics; ten Asian countries/regions plus native ENS cohort	Primary cohorts: SEA learners and native reference
Written Essays Plus (WEP) v0.7	2,340 essays from additional countries including Vietnam, Cambodia, Laos, Myanmar	Mekong cohort; validation of CRI_{Mekong}
Global Archives v2.1	Rating (GRA) 140 essays, each rated by 80 raters of varied L1 and occupational backgrounds (22,400 ratings)	Multi-rater human ground truth for BDS validation (E3)

Cohort construction and sampling

Figure 3-2 summarises the construction of the experimental sample. The Southeast Asian cohort draws essays from the Thailand, Indonesia, and Philippines components of the WE module, optionally extended with the Vietnam component of WEP; the native cohort draws from the ENS component. Both cohorts are restricted to the two upper proficiency bands (B1_2 and B2+) and stratified by topic and band, with $n \approx 100$ essays per cohort drawn under a fixed random seed. Restricting to the upper bands serves the same purpose as the pilot’s matched-score design: it narrows the range of underlying proficiency so that systematic scoring differences between cohorts cannot be attributed to proficiency alone, with residual band-composition differences controlled in analysis. The GRA’s 140 essays are retained in full as the validation set for Experiment E3, since each carries eighty independent human ratings; inter-rater dispersion in the GRA additionally provides a human benchmark against which BDS values can be compared, essay by essay.

Scoring target and ground truth

Agents score each essay on the rubric’s band scale; agreement with ground truth is computed against the corpus’s proficiency bands for the main cohorts and against the GRA’s multi-rater consensus for the validation set. Inspection of the downloaded GRA archive (v2.1) confirms its structure: each of the 140 essays carries ratings from 80 raters of varied




Figure 3-2: Cohort construction and sampling. Essay texts remain within licensed storage; the reproducibility manifest records essay identifiers only.

L1 backgrounds, each scoring ten analytic dimensions (0–10) grouped as Language, Content, and Attitude, plus a holistic score out of 100. Per-essay rating dispersion across the 80 raters provides the human-disagreement benchmark against which BDS is compared. Two properties of the archive shape the E3 design. First, all 140 rated essays address the part-time-job prompt, so the validation set is single-topic. Second, the raters disagree substantially among themselves (mean within-essay standard deviation of the Content ratings ≈ 1.8 on the 0–10 scale): disagreement among evaluators, human or artificial, is the normal condition of essay assessment, and the question E3 asks is whether the panel’s divergence tracks the essays on which *humans* diverge.

Licence and handling

ICNALE is distributed free for research; its terms of use prohibit redistribution of any part of the data, and the project’s required citation is the ICNALE Guide [Ishikawa, 2023]. In this project, essay texts are stored only in access-controlled university storage, never committed to version control, and no essay text is reproduced in this thesis beyond short quotation where the licence permits; the reproducibility package releases code, prompts, configurations, and essay-ID manifests only. The data are de-identified by the distributor, and their use falls under the ethics exemption described in Section 3.7.

3.5 Experimental Design

Three experiments test the four hypotheses (Table 3.4). All conditions share the same determinism guarantees: temperature fixed at 0.0, structured JSON outputs, exact model versions pinned in the experiment configuration, and a fixed random seed for all sampling, so that every result in Chapter 4 is reproducible from the released configuration, prompts, and essay-identifier manifest.

Table 3.4: Overview of the three experiments: data, conditions, and the hypotheses each tests.

Exp.	Data	Conditions	Tests
E1	SEA + native cohorts ($n \approx 100$ each)	Single-agent baseline vs. CAMPS $k=3$, four models	H1; H2 (part)
E2	Same cohorts	CAMPS $k=5$ with and without meta-adjudicator; consensus-weight sweep ($\Delta w = 0.05$); ablation over $k \in \{1, 3, 5\}$	H2; H4
E3	GRA validation set (140 essays $\times$ 80 raters)	CAMPS $k=5$; ROC calibration of τ on a calibration split, evaluation on a hold-out split	H3

Experiment E1 (scaled replication) scores both cohorts under the single-agent baseline and the pilot’s three-agent panel on all four models, establishing whether the gap exists at scale (H1) and providing the $k=3$ reference for E2.

Experiment E2 (extended architecture) scores the same essays under the five-agent panel, with and without the meta-adjudicator, and sweeps the consensus weights in steps of 0.05 under $\sum_i w_i = 1$, tracing the fairness–accuracy frontier from which H4’s boundary is read off empirically. The ablation over k separates the contribution of panel size from that of the adjudicator.

Experiment E3 (detection validation) computes BDS for the 140 GRA essays. Human rating dispersion provides the reference notion of a genuinely contested essay; the threshold τ is calibrated on a random half of the GRA set (Youden’s J) and evaluated on the held-out half, reporting sensitivity, false-positive rate, and area under the ROC curve.

3.6 Alternatives Considered

The rubric of this thesis requires critical awareness of alternatives; this section records the designs considered and rejected, and why.

Training-time cultural adaptation, as in CultureLLM [Li et al., 2024], fine-tunes models on culturally augmented data. It is rejected on deployment grounds: it requires weight access or fine-tuning budgets unavailable to most educational institutions, must be repeated for every model generation, and cannot be audited by the deploying institution. *Activation steering*, as in FairSteer [Li et al., 2025], intervenes on internal representations and is infeasible for API-only access by construction (Section 2.2).

Single-prompt debiasing, instructing one evaluator to “score fairly across cultures”, was considered and rejected for two reasons: it collapses the plurality of standards back into a single opaque judgment, so cultural bias cannot be measured, only asserted away; and it provides no divergence signal, so there is nothing to calibrate a human-review trigger against. The single-agent baseline in E1 approximates this design and provides its empirical comparison.

Inter-agent debate, as in MACD [Tan et al., 2026], lets agents deliberate before judgment. For evaluative scoring this is rejected on two grounds: the MALIBU results [Mirza et al., 2025] show that agent interaction can amplify bias, and deliberation before scoring destroys the independence that makes the Bias Divergence Score meaningful. CAMPS instead confines deliberation to the optional meta-adjudicator, which operates after independent scores are recorded.

Recruiting external human raters for validation was rejected on ethics-scope and timeline grounds (Section 3.7); the GRA archive supplies eighty raters per essay without new data collection. Alternative corpora were considered and eliminated on design grounds in Section 3.4.

3.7 Ethical Considerations

This research analyses de-identified secondary data only and is covered by an RMIT human research ethics exemption (Project ID 31036). The ICNALE corpus is distributed for research with all personal identifiers removed by the distributor; no attempt is made to re-identify any writer, no essay text is redistributed or committed to version control, and storage follows the project’s research data management plan (university-managed storage, access restricted to the research team). Validation re-scoring is performed by the research team only; no external participants are recruited, and any future extension involving human participants would require a new ethics assessment before commencing.

Two further considerations shape the design rather than merely constrain it. First, cultural essentialism: scoring agents are calibrated to *documented rhetorical traditions*, not to nationalities, and L1 cohorts are treated throughout as proxies for rhetorical tradition rather than identity (Section 2.5). Second, downstream welfare: CAMPS is designed as a human-in-the-loop system precisely because the cost of a misclassified essay falls on a student; the BDS mechanism exists to route uncertain judgments to a human rather than automate them. The use of generative AI tools in this project is disclosed in accordance with course policy.

3.8 Metrics and Statistical Protocol

Primary metric. The primary fairness quantity is the *cohort score gap*: the difference in mean panel score between the native and Southeast Asian cohorts,

$$\Delta = \overline{S}_{\text{native}}^* - \overline{S}_{\text{SEA}}^*, \quad (3.6)$$

computed on proficiency-matched cohorts so that, absent bias, the expected gap is near zero. This operationalisation follows the pilot and is forced by a property of the reference data: the native cohort writes as an unbanded reference group (ICNALE assigns CEFR bands to learners only), so band-agreement statistics are undefined for it. Agreement with graded

ground truth is reported secondarily where such truth exists: Quadratic Weighted Kappa,

$$\kappa_w = 1 - \frac{\sum_{i,j} w_{ij} O_{ij}}{\sum_{i,j} w_{ij} E_{ij}}, \quad w_{ij} = \frac{(i - j)^2}{(R - 1)^2}, \quad (3.7)$$

against proficiency bands for the learner cohorts, and against the multi-rater human consensus for the GRA validation set (E3).

Uncertainty. Every reported statistic carries its n , and every proportion or κ_w is reported with a 95% percentile bootstrap confidence interval (10,000 resamples, fixed seed). Following the statistical-reporting guidance adopted for this thesis, confidence intervals are the primary inferential device; p -values are reported only for the pre-registered hypothesis tests (Fisher’s z on cohort correlation differences for H1), and no post-hoc significance testing is performed on exploratory findings.

Detection metrics. BDS performance in E3 is reported as sensitivity, false-positive rate, and area under the ROC curve on the held-out split, with the calibrated threshold τ stated explicitly.

Weight calibration. The E2 weight sweep reports the full frontier rather than a single optimum: at each weight vector, the cohort score gap (fairness) and κ_w against CEFR bands on the banded learner cohort (accuracy; the native reference is unbanded) are recorded, and the H4 boundary is read off the resulting Pareto frontier.

Reproducibility. All tables and figures in Chapter 4 are generated by the analysis scripts in the project repository from the logged scoring calls; no statistic is computed by hand. The configuration file, prompts, essay-identifier manifest, and analysis code are released; essay texts are not (Section 3.4).

Chapter 4

Results and Discussion

4.1 Experiment 1: Evaluative Bias at Scale (H1)

Experiment E1 scored all 200 cohort essays under the single-agent baseline and the three-agent panel on four models; each condition comprised 800 scoring calls per model, all deterministic and logged. Table 4.1 reports the mean panel score per cohort and the native—SEA score gap with bootstrap confidence intervals.

Three findings emerge. First, the evaluative gap exists on every model tested. Under the baseline evaluator, native-cohort essays received higher mean scores than proficiency-matched Southeast Asian essays on all four models, and each gap’s 95% confidence interval excludes zero: 1.18 bands [0.86, 1.50] for Claude Sonnet, 0.80 [0.60, 1.00] for GPT-4o, 0.23 [0.07, 0.39] for Qwen3 14B, and 0.19 [0.07, 0.31] for Gemini Pro ($n = 100$ per cohort throughout). H1 is therefore supported: evaluative epistemic filtering generalises across model families, including open-weight models.

Second, the *magnitude* of the gap varies systematically across models, spanning a factor of six. The two US frontier models exhibit the largest gaps, while the Google model and the Chinese-trained open-weight model show gaps four to six times smaller, both scoring within a visibly compressed range. This ordering is consistent with the working theory’s claim that the filter reflects the training distribution rather than model quality, although provenance is confounded with model scale and score range in this sample, so the ordering is reported as an observation rather than a causal claim.

Third, the panel’s effect depended on the size of the bias it was asked to mitigate. Using a paired bootstrap over essays (10,000 resamples), the three-agent panel reduced the gap by 0.27 bands [0.07, 0.48], or 23% ($p = 0.003$), on Claude Sonnet, and by 0.23 bands [0.13, 0.33], or 28% ($p < 0.0001$), on GPT-4o. On Qwen3 14B, whose baseline gap was already small, the panel produced no change (-0.04 bands [$-0.16, 0.09$]). On Gemini Pro, whose baseline gap was the smallest of the four, the panel *widened* the gap, from 0.19 to 0.45 bands (change -0.26 [$-0.39, -0.13$]). The lens-level scores locate the mechanism: within Gemini’s panel the neutral lens scored far higher than the baseline evaluator and with a much larger cohort gap (7.18 native vs. 6.33 SEA, a 0.85-band gap on its own; $n = 100$ per cohort), while the Western and Southeast Asian lenses remained compressed. On this model the lens prompts shifted how much of the score range was used, not merely which rhetorical features were rewarded, and the panel mean inherited the expanded lens’s gap. This over-correction on a low-bias model is exactly the failure mode the MALIBU benchmark warns of for persona-conditioned judging, and it is treated as a boundary condition for H2 in Section 4.6.

Figure 4-1 visualises the primary result: the gap on every model under both conditions, with its confidence intervals.




Figure 4-1: Native–SEA score gap by model and condition, with 95% bootstrap confidence intervals ($n=100$ per cohort). Every baseline gap excludes zero; the panel narrows the gap on the two models where it is largest, leaves it unchanged on Qwen3, and widens it on Gemini Pro.

The pattern in these results anticipates the fuller treatment in Sections 4.2 and 4.6: the panel’s effect tracks the size of the bias being mitigated, from substantial reduction (large-gap models) through no effect (Qwen3) to over-correction (Gemini Pro). Cultural plurality in the evaluator is therefore not a free intervention to be applied indiscriminately; it is a treatment whose dose–response behaviour must be measured per model, which is precisely what the BDS flag and the calibration in Experiment 3 are designed to support.

Table 4.1: Experiment E1: mean consensus score by cohort and the native–SEA score gap on proficiency-matched cohorts, with 95% bootstrap confidence intervals (10,000 resamples).

Model	Condition	Mean score _{SEA}	Mean score _{native}	Gap [95% CI]
Claude Sonnet	Baseline	4.44 ($n=100$)	5.62 ($n=100$)	1.18 [0.86, 1.50]
Claude Sonnet	CAMPS $k=3$	3.73 ($n=100$)	4.64 ($n=100$)	0.91 [0.61, 1.21]
Gemini Pro	Baseline	4.83 ($n=100$)	5.02 ($n=100$)	0.19 [0.07, 0.31]
Gemini Pro	CAMPS $k=3$	5.24 ($n=100$)	5.69 ($n=100$)	0.45 [0.30, 0.60]
GPT-4o	Baseline	5.03 ($n=100$)	5.83 ($n=100$)	0.80 [0.60, 1.00]
GPT-4o	CAMPS $k=3$	4.70 ($n=100$)	5.27 ($n=100$)	0.57 [0.37, 0.78]
Qwen3 14B	Baseline	5.64 ($n=100$)	5.88 ($n=100$)	0.23 [0.07, 0.39]
Qwen3 14B	CAMPS $k=3$	5.60 ($n=100$)	5.87 ($n=100$)	0.27 [0.14, 0.40]

4.2 Experiment 2: Extended CAMPS Panel (H2, H4)

Experiment E2 extended the panel from three lenses to five, adding the East Asian and Mekong Cultural Reference Instructions, and added the meta-adjudicator, scoring the same 200 cohort essays on GPT-4o and Claude Sonnet (2,200 calls per model, all conditions complete). Table 4.2 and Figure 4-3 report the ablation.

The extension did not improve mitigation. On GPT-4o, the five-lens gap was 0.55 bands [0.36, 0.74] against 0.57 [0.37, 0.78] for three lenses; the paired bootstrap over essays put the additional reduction at 0.02 bands $[-0.02, 0.07]$ ($n = 200$ essays, $P(\Delta \leq 0) = 0.13$), no evidence of improvement. The adjudicator behaved similarly: its final scores gave a gap of 0.52 [0.31, 0.73], a further paired change of 0.03 $[-0.03, 0.09]$ ($P = 0.16$). The panel’s effect against the single-agent baseline remained robust, 0.25 bands [0.15, 0.35], a 31% reduction ($P < 0.0001$), so what E2 rules out is not the panel but the premise that its power grows with its size. On Claude Sonnet the five-lens panel was significantly *worse*

than three lenses: the gap rose from 0.91 [0.61, 1.21] to 1.01 [0.71, 1.31], a paired change of -0.10 bands $[-0.15, -0.06]$, and its advantage over baseline weakened to 0.17 $[-0.02, 0.36]$; the adjudicator changed nothing on this model (gap 1.01 [0.69, 1.34], paired change 0.001 $[-0.08, 0.08]$). Hypothesis H2, which predicted stronger mitigation at $k = 5$ than $k = 3$, is therefore rejected on both models tested.

The lens-level scores suggest why, and Figure 4-2 makes the pattern visible at a glance: each axis is one cultural lens, and the native cohort's profile (outer polygon) encloses the Southeast Asian cohort's on every lens of both models, the graphical signature of a penalty that no single lens escapes. The shape of the two profiles, however, is nearly parallel on the two added lenses: East Asian and Mekong scored the cohorts almost in lock-step, so their inclusion diluted, rather than reinforced, the corrective contrast that the Southeast Asian lens contributes. On Claude the five-lens panel also deepened the severity shift, visible as the radically smaller polygons (cohort means fell to 3.81 SEA and 4.82 native, from 4.44 and 5.62 at baseline; $n = 100$ each). Mitigation, on this evidence, is driven by lens *composition* rather than lens *count*: a panel is a set of measurement instruments, and adding instruments that do not discriminate the construct adds noise.




Figure 4-2: Mean lens-level score by cohort on the five-lens panel. The native profile (red) encloses the Southeast Asian profile (blue) on every lens of both models; the added East Asian and Mekong lenses track the cohorts in parallel, explaining why enlarging the panel did not enlarge the correction.

The weight sweep addresses H4 directly. Recomputing the five-lens consensus at every weight vector on a $\Delta = 0.05$ simplex grid (10,626 vectors, zero additional API calls) traces




Figure 4-3: Cohort score gap by panel configuration and model, with 95% bootstrap confidence intervals. Enlarging the panel beyond $k = 3$ yields no further reduction on GPT-4o and a significant regression on Claude Sonnet.

Table 4.2: Experiment E2: ablation over panel size k and the meta-adjudicator, with 95% bootstrap confidence intervals ($n=100$ per cohort).

Model	Configuration	Mean _{SEA}	Mean _{native}	Gap [95% CI]
GPT-4o	Baseline ($k=1$)	5.03	5.83	0.80 [0.60, 1.00]
GPT-4o	CAMPS $k=3$	4.70	5.27	0.57 [0.37, 0.78]
GPT-4o	CAMPS $k=5$	4.73	5.28	0.55 [0.36, 0.74]
GPT-4o	CAMPS $k=5$ + adjudicator	4.77	5.29	0.52 [0.31, 0.73]
Claude Sonnet	Baseline ($k=1$)	4.44	5.62	1.18 [0.86, 1.50]
Claude Sonnet	CAMPS $k=3$	3.73	4.64	0.91 [0.61, 1.21]
Claude Sonnet	CAMPS $k=5$	3.81	4.82	1.01 [0.70, 1.32]
Claude Sonnet	CAMPS $k=5$ + adjudicator	3.75	4.76	1.01 [0.69, 1.34]

the fairness–accuracy frontier in Figure 4-4, with accuracy measured as QWK against the corpus’s CEFR bands on the banded Southeast Asian cohort and fairness as the absolute cohort gap. The frontier is shallow. On GPT-4o, moving from equal weights (gap 0.55, QWK 0.086) to the gap-minimising vector, which loads entirely on the Southeast Asian lens, cut the gap to 0.32 while QWK changed by only -0.007 ; on Claude Sonnet the gap-minimising vector *raised* QWK, from 0.169 to 0.190, while cutting the gap from 1.01 to 0.79. Within the operating range measured here, fairness and validity were not in material tension: H4’s predicted trade-off boundary exists but is nearly flat. Two qualifications bound this reading: absolute QWK is low throughout (0.08–0.24), because integer panel scores compress against a four-band scale, and the sweep evaluates reweighting only, not the stronger interventions a deployer might consider.




Figure 4-4: Weight-sweep fairness–accuracy frontier for GPT-4o: each point is one weight vector over the five lenses. The Pareto frontier is nearly flat: substantial gap reduction is available at negligible cost in agreement with the corpus’s proficiency bands.

4.3 Experiment 3: BDS Validation (H3)

Experiment E3 tested whether the Bias Divergence Score identifies the essays on which human raters themselves disagree. The five-lens panel scored all 140 GRA essays on GPT-4o and Claude Sonnet (700 calls per model); each essay carries holistic ratings from 80 human raters, whose standard deviation defines the human-disagreement ground truth, with

“contested” operationalised as the top dispersion quartile. Half the essays, selected by the pre-registered seed, calibrated the threshold τ (Youden’s index); the other half was held out for evaluation.

H3 is not supported, on either model. On GPT-4o, at the calibrated $\tau = 0.40$, held-out sensitivity reached 0.875 ($n = 68$), but at a false-positive rate of 0.712, nowhere near the pre-registered target of at least 90% sensitivity at or below 5% false positives; the area under the ROC curve was 0.603 and the correlation between BDS and human dispersion was $r = 0.16$ ($n = 136$ matched essays). On Claude Sonnet the association was absent entirely: held-out AUC 0.370, below chance, with $r = -0.18$. Table 4.3 and Figure 4-5 report both models: as an automatic review trigger at this operating point, BDS performed at best modestly better than chance, and at worst no better than a coin flip.

Table 4.3: Experiment E3: BDS detection performance against top-quartile human-rater dispersion on the held-out GRA split, per model.

Quantity	GPT-4o	Claude Sonnet
Calibrated threshold τ	0.40	0.49
Sensitivity (held-out, $n=68$)	0.875	0.312
False-positive rate (held-out)	0.712	0.462
Area under ROC curve (held-out)	0.603	0.370
Correlation of BDS with human dispersion	0.158	-0.177




Figure 4-5: Left: ROC of BDS against top-quartile human dispersion on the held-out GRA split (both models). Right: BDS against the dispersion of 80 human raters; the discreteness of BDS under integer lens scores is visible as horizontal bands.

The figure shows two reasons, one mechanical and one conceptual. The mechanical reason is resolution: integer lens scores at $k = 5$ concentrate BDS onto a handful of values,

visible as horizontal bands in the scatter, leaving the score too coarse to rank 140 essays against a continuous dispersion measure. The conceptual reason is a construct mismatch that the case study of Section 4.4 makes concrete: BDS measures *cultural* contestation, disagreement between calibrated lenses about rhetorical form, whereas the dispersion of 80 raters aggregates every source of human disagreement, including severity, halo, and attention effects unrelated to culture, and the GRA essays vary over only a narrow dispersion range on a single topic. A detector of cultural contestation was evaluated against a benchmark of general disagreement and, unsurprisingly in hindsight, tracked it weakly. The honest conclusions are that the review-trigger claim of the working theory is unproven at this operating point, and that validating it properly requires either continuous lens scores (restoring resolution to BDS) or human annotation of *cultural* contestation specifically, which no public corpus currently provides.

4.4 Uncertainty and Error Analysis

How the panel narrows the gap. The gap reductions in Section 4.1 conceal a severity shift that deserves honest statement: the panel lowers mean scores for *both* cohorts on the frontier models, and lowers native-cohort scores more. On GPT-4o, mean SEA scores fell by 0.33 bands under the panel and native scores by 0.56 ($n = 100$ each); on Claude Sonnet, by 0.71 and 0.98 respectively. The gap therefore narrows substantially through native-score deflation rather than SEA-score elevation. Whether this constitutes fairness or levelling down is taken up in Section 4.6; the empirical point is that the panel makes the frontier models harsher and more even-handed at once, while leaving the low-gap model (Qwen3, -0.04 and -0.00) essentially unchanged.

Where the bias concentrates. Disaggregating the baseline gap by proficiency band shows the filter operating most strongly on mid-proficiency writing. For B1_2 essays ($n = 74$), the baseline gap against the native cohort was 0.95 bands on GPT-4o and 1.50 on Claude Sonnet; for B2+ essays ($n = 26$), it fell to 0.37 and 0.27. Figure 4-6 visualises this concentration. High-proficiency Southeast Asian writers largely escape the penalty, plausibly because their essays more closely realise the Anglo-American form the baseline evaluator

expects; the filter’s cost falls on writers whose English is sound but whose rhetoric is most distinctly local.




Figure 4-6: Baseline cohort gap disaggregated by the Southeast Asian writers’ proficiency band: the penalty concentrates on mid-proficiency (B1 upper) writing across all models.

Panel divergence. With $k = 3$ agents scoring integer bands, BDS takes few distinct values and its distribution is coarse; this discreteness is a design limit of the small panel, and one motivation for the five-agent panel of E2. Mean BDS was of similar magnitude in both cohorts (for example 0.39 SEA vs. 0.51 native on GPT-4o), so panel disagreement alone does not yet separate the cohorts at $k = 3$; the calibrated evaluation of divergence as a detection signal, against human ground truth, is E3’s task.

A concrete case. The highest-divergence Southeast Asian essay under GPT-4o (a Philippine B1_2 essay, $BDS = 0.94$) illustrates the theorised mechanism directly. The Western-calibrated agent scored it 5.0, noting the absence of upfront thesis structure; the SEA-calibrated agent scored the same essay 7.0, describing “a coherent and cohesive structure, with the thesis emerging through contextual development”; the neutral agent agreed at 7.0. The disagreement is not noise: it is two documented rubric interpretations reaching different verdicts on the same rhetorical choice, which is precisely the signal BDS is designed to expose.

4.5 Threats to Validity

Construct validity. The central construct risk is the use of first-language and country cohorts as proxies for rhetorical tradition. Rhetorical conventions are distributed across writing communities, not fixed properties of individuals [Connor, 2011], so cohort-level results must not be read as claims about any individual writer; this thesis draws cohort-level conclusions only. A second construct risk concerns the agents themselves: a prompted “cultural lens” may perform a stereotype of a tradition rather than a calibration to it, and cultural-alignment evaluations of LLMs can be unstable across elicitation choices. Three design features address this: each CRI prompt is grounded in named contrastive-rhetoric sources rather than improvised (Section 3.3); agent behaviour is checked against the corpus cohort corresponding to each lens; and all runs are deterministic, removing sampling variation from the elicitation.

Internal validity. Scores may be sensitive to prompt wording and output format. All prompts are fixed before the experiments, reproduced verbatim in Appendix A, and identical across cohorts, so wording effects cannot differentially affect one cohort. Caching and fixed model versions eliminate drift within an experiment; model version identifiers are recorded in Appendix B.

External validity. ICNALE’s topic control is a strength for causal comparison and a limit on generality: two essay prompts in the main cohorts, and a single prompt in the GRA validation set. Findings therefore generalise to short argumentative learner essays of this kind; extension to other genres, lengths, and scoring rubrics is future work. The model set spans two closed and two open-weight systems, but all are contemporary instruction-tuned LLMs; conclusions are bounded to this model class.

Statistical validity. The GRA validation set is $n = 140$, which limits the precision of E3’s sensitivity and false-positive estimates; all E3 statistics are reported with their n and confidence intervals, and the calibration/evaluation split is fixed by seed before analysis. Across all experiments, confidence intervals are the primary inferential device and no post-hoc significance testing is performed (Section 3.8).

4.6 Discussion

In plain terms, the experiments found that current language models score Southeast Asian students’ essays lower than native speakers’ essays of matched proficiency, on every model tested; that the size of this penalty differs six-fold across models; that a small panel of culturally-calibrated evaluators removes about a quarter of the penalty on the models where it is largest, while over-correcting on the model where it is smallest; that enlarging the panel from three lenses to five adds nothing and can subtract; that reweighting the panel can buy substantial gap reduction at almost no cost in agreement with the corpus’s proficiency labels; and that the panel’s internal disagreement, as currently measured, does not reliably predict which essays human raters dispute.

Three aspects of these results bear on the working theory. First, the universality of the gap across four model families, including an open-weight model, is what Definition 3.1 predicts if the filter derives from training distributions shared across the industry rather than from any vendor’s alignment choices. Second, the cross-model ordering, largest in the US frontier models and smallest in the Chinese-trained model, is consistent with the distributional account, though it must be held loosely given confounds of scale and scoring style. Third, the mitigation profile is dose-dependent: effective where bias is large, inert where it is small, and over-correcting where it is smallest. The first two arms are the signature of a decorrelation mechanism rather than a blanket adjustment, supporting the design argument of Section 3.2; the third arm, Gemini Pro’s widened gap, shows that the same lens prompts that decorrelate a strongly filtered evaluator can perturb the scoring behaviour of a weakly filtered one, in its case by expanding the neutral lens’s use of the score range. The practical reading is that CAMPS should be deployed *after* a baseline audit of the kind E1 provides, and only on evaluators whose measured bias clears the panel’s own perturbation floor; a framework that ships with its own audit instrument makes this an operational check rather than a research exercise.

A natural objection deserves direct treatment: are current frontier models not simply too capable for cultural bias to matter? The E1 results answer empirically. The most capable models in the set showed the *largest* gaps, not the smallest, because capability and evalua-

tive neutrality are different properties: a model can apply a culturally partial standard with great fluency, and the fluency of its justifications makes the partiality harder, not easier, to see. Moreover, the five-fold variation in gap size across vendors means the choice of scoring model is itself a fairness decision, one that institutions currently make without evidence. Even under a future model with no measurable gap, the contribution of this thesis would stand as the audit instrument by which such a claim is verified: matched-cohort measurement, divergence-based detection, and a human-disagreement benchmark, re-runnable on any model at negligible cost.

The severity shift documented in Section 4.4 raises a question the fairness literature knows as levelling down: the panel achieves part of its equalisation by scoring native essays lower, not only by treating Southeast Asian essays more generously. If the baseline native scores were inflated by the same familiarity that penalised Southeast Asian essays, this is a correction; if not, it is a cost. The evidence gathered here bounds the question without settling it. The weight sweep shows that the equalisation obtainable by reweighting comes at negligible cost, and on Claude Sonnet a small gain, in agreement with the corpus's own proficiency bands, so whatever is being removed from native scores is not information those bands contain. But bands are coarse, and E3's construct mismatch means the GRA human ratings cannot arbitrate directly; settling correction-versus-cost requires graded human ground truth on the cohort essays themselves, which is identified as future work rather than claimed.

The E2 and E3 results together also discipline how the framework should be described. What survives scrutiny is the panel as an *audit and mitigation* instrument: measured bias, dose-dependent correction, an explicit and shallow fairness–accuracy frontier. What does not yet survive scrutiny is the panel as an autonomous *triage* instrument: BDS at integer resolution is a coarse signal, honestly reported as such. A version of this thesis that claimed all four hypotheses were confirmed would have been less useful than the one the data wrote: the field's working assumption that more perspectives are monotonically better is contradicted on two models, and the popular idea of using judge disagreement as a router is shown to need a construct-valid benchmark before it can be trusted. Both null results test prespecified hypotheses on the full sample and carry the same evidentiary weight as the confirmations.

Chapter 5

Conclusion

5.1 Conclusions Against the Hypotheses

This thesis asked whether LLM essay evaluators penalise valid non-Western rhetoric, and whether a culturally plural panel can mitigate and detect that penalty. Table 5.1 answers each hypothesis explicitly against the evidence of Chapter 4.

Table 5.1: Verdicts on the four hypotheses. All statistics from Chapter 4; $n=100$ per cohort (E1/E2), $n=68$ held-out (E3); 95% bootstrap CIs.

Hypothesis	Verdict	Decisive evidence
H1 existence & generality	Supported	Baseline gap positive on all four families, every CI excluding zero: 1.18 (Claude), 0.80 (GPT-4o), 0.23 (Qwen3), 0.19 (Gemini) bands; concentrated at $B1_2$
H2 mitigation, $k=5 > k=3$	Rejected as stated	$k=3$ panel cut the gap 23–28% where bias was large; $k=5$ added 0.02 $[-0.02, 0.07]$ on GPT-4o, regressed $-0.10 [-0.15, -0.06]$ on Claude; over-corrected on Gemini ($0.19 \rightarrow 0.45$); adjudicator null on both
H3 detection $\geq 90\%/\leq 5\%$	Not supported	Held-out AUC 0.603 (GPT-4o; sens. 0.875 at FPR 0.712) and 0.370 (Claude); $r(\text{BDS, human dispersion}) = 0.16$ and -0.18
H4 trade-off boundary	Supported (shallow)	10,626-vector sweep: gap $0.55 \rightarrow 0.32$ at 0.007 QWK cost (GPT-4o); gap $1.01 \rightarrow 0.79$ with QWK gain $0.169 \rightarrow 0.190$ (Claude)

Three sentences interpret the table. Evaluative epistemic filtering is real, general across model families, six-fold heterogeneous in magnitude, and concentrated on mid-proficiency

writers (H1). Mitigation works where bias is large but is driven by lens composition rather than lens count, and can over-correct where bias is minimal, so cultural plurality is a treatment whose dose must be measured per model, not a universally safe default (H2, H4). The panel’s divergence signal, at integer resolution, does not track general human disagreement, so the review-trigger use of BDS remains a hypothesis for future work rather than a validated capability (H3).

Answering the research questions: RQ1 is answered affirmatively, with the qualification that the filter’s strength is a property of the individual model family; RQ2 is answered conditionally: inference-time cultural plurality mitigates the penalty where it is material, at negligible measured cost to validity, but its self-diagnostic signal is not yet reliable enough to route essays autonomously.

5.2 Contributions

This thesis makes five contributions. Conceptually, it formalises *evaluative epistemic filtering* as a distinct bias mechanism in LLM-driven scoring (Definition 3.1), grounded in epistemic injustice and contrastive rhetoric. Architecturally, it specifies CAMPS, a five-lens culturally-calibrated scoring panel with a meta-adjudicator and a divergence-based human-review trigger, extending multi-perspective bias mitigation from generation [Dorleon and Shujaa, 2026] to evaluation. Empirically, it evaluates the framework on topic-controlled ICNALE cohorts across four model families, confirming the existence claim at scale while overturning two working assumptions: that panel benefit grows with panel size, and that inter-judge divergence transfers directly into a detection signal. Methodologically, it introduces the Bias Divergence Score with ROC calibration against the disagreement of eighty human raters, an evaluation design that exposed the construct gap between cultural contestation and general rater disagreement. Practically, it characterises the fairness–accuracy frontier explicitly and finds it shallow, giving deploying institutions an evidence-based answer, near zero at the measured operating points, to the question of what fairness costs under current models.

5.3 Limitations

Beyond the validity threats analysed in Section 4.5, four limitations bound this work. First, corpus scope: the evidence rests on short, topic-controlled argumentative essays by university students; high-stakes examination writing differs in genre, length, and stakes. Second, the cultural lenses cover five perspectives and leave others (notably Middle Eastern, South Asian, and African traditions) to future work, constrained by the absence of validating cohorts in public corpora. Third, CAMPS is an inference-time mitigation: it treats the symptom at the point of judgment and cannot correct the training-distribution causes of the filter; a panel of biased judges is fairer than one, not unbiased. Fourth, the framework multiplies inference cost by the panel size and routes contested essays to humans, so its operational cost scales with exactly the essays that most need care; whether that cost is acceptable is an institutional decision this thesis can inform but not make.

5.4 Future Work

Three directions follow directly. First, extending the panel to further rhetorical traditions as validating corpora become available, including a Middle Eastern lens for which the contrastive-rhetoric literature is rich but public rated corpora are lacking. Second, a theoretical treatment of evaluative consensus: the formal guarantees established for multi-perspective generation [Dorleon and Shujaa, 2026] suggest an analogous proposition for scoring, stating conditions under which panel consensus provably narrows cohort gaps; developing that result would give the architecture a foundation independent of any particular model generation. Third, deployment study: a classroom pilot measuring how BDS-triggered human review affects teacher workload and student outcomes, which would require a new ethics assessment with human participants and sits deliberately outside this project’s scope.

Appendix A

CRI System Prompts

This appendix reproduces, verbatim, the system prompt of every evaluator agent used in the experiments, for reproducibility. The Western, Southeast Asian, and Neutral prompts are carried over unchanged from the Part A pilot; the East Asian and Mekong/Vietnamese prompts and the meta-adjudicator prompt were introduced in Part B (Section 3.3) and are grounded in the contrastive-rhetoric literature reviewed in Section 2.5.

Baseline (single evaluator)

You are an essay evaluator. Evaluate coherence and cohesion using the standard IELTS Coherence and Cohesion band descriptors. Score 1-9.

CRI_{Western} (Agent 1)

You are an essay evaluator calibrated to Western academic conventions. Evaluate coherence and cohesion based on: (1) clear thesis statement in the opening paragraph, (2) linear logical progression with explicit topic sentences, (3) direct evidence marshalling with assertive hedging, (4) explicit cohesive devices (however, therefore, moreover). Score 1-9 on the IELTS Coherence and Cohesion band descriptors.

CRI_{SEA} (Agent 2)

You are an essay evaluator calibrated to Southeast Asian rhetorical traditions. Evaluate coherence and cohesion recognising that: (1) thesis may emerge gradually through contextual development rather than appearing in the opening paragraph, (2) coherence may follow an inductive pattern where evidence and context precede the main claim, (3) hedging language ("perhaps," "one might consider") indicates respectful, reader-considerate argumentation rather than weak reasoning, (4) collectivist framing and appeals to shared values constitute valid argumentative strategies. Score 1-9 on the IELTS Coherence and Cohesion band descriptors.

CRI_{EastAsian} (Agent 3, introduced in Part B)

You are an essay evaluator calibrated to East Asian academic writing traditions. Evaluate coherence and cohesion recognising that: (1) coherence may be reader-responsible: transitions and the essay's central claim may be left for the reader to infer rather than explicitly signposted, (2) organisation may follow a four-part development (introduction, development, turn, conclusion) in which an apparent digression before the conclusion is a valid structural move, (3) the thesis may be stated late or implied by the accumulated development, (4) restraint and understatement in argumentation reflect rhetorical convention rather than lack of conviction. Score 1-9 on the IELTS Coherence and Cohesion band descriptors.

CRI_{Mekong} (Agent 4, introduced in Part B)

You are an essay evaluator calibrated to Mekong-region (Vietnamese, Khmer, Lao, Myanmar) learner writing traditions. Evaluate coherence and cohesion recognising that: (1) arguments may be anchored in proverbs, family or community narratives that carry the essay's claim implicitly, (2) contextual and relational framing may precede the position statement, (3) deference markers and indirectness reflect politeness conventions rather than uncertainty, (4) the conclusion may perform the thesis rather than restate it. Score 1-9 on the IELTS Coherence and Cohesion band descriptors.

CRI_{Neutral} (Agent 5)

You are an essay evaluator focused purely on argumentative merit regardless of cultural rhetorical conventions. Evaluate coherence and cohesion based on: (1) whether the writer's position is ultimately clear by the end of the essay, (2) whether ideas connect logically regardless of structural ordering, (3) whether evidence supports claims regardless of presentation style, (4) whether the essay achieves its communicative purpose. Score 1-9 on the IELTS Coherence and Cohesion band descriptors.

Meta-adjudicator (introduced in Part B)

You are a meta-adjudicator for an essay-scoring panel. You receive the scores and short rationales of five evaluators, each applying a different documented cultural interpretation of the same rubric. Weigh the arguments in the rationales (not the identities of the evaluators). Discount a rationale that misidentifies the essay's structure or contradicts the essay's text. You are not told anything about the writer. Respond with JSON: {"score": <band 1-9>, "confidence": <0-1>, "rationale": "<3-4 sentences>"}.

Appendix B

Reproducibility

All experiments are reproducible from the public code repository (`github.com/mikenk2010/vs4139514-Fir`) which contains the pipeline, prompts, configurations, analysis code, and essay-identifier manifests. Corpus texts are not distributed, per the ICNALE licence; they are obtainable free of charge through the ICNALE registration process.

Pipeline

Experiments are driven by a single configuration file (`configs/experiment.yaml`) specifying models, conditions, cohorts, and the sampling seed (4139514). Every scoring call uses temperature 0.0 with structured JSON output, is cached on disk keyed by (model, agent, essay, prompt), and is logged as one JSON line; runs are resumable. The sampling manifest (essay identifiers only) is generated by `src/sample_icnale.py`; the GRA validation manifest and the human-dispersion ground truth are generated by `src/make_gra_manifest.py` from the archive’s rating workbook.

Analysis

All results tables and figures in Chapter 4 are generated by `src/make_tables.py` and `src/sweep_weights.py` directly from the experiment logs; no statistic is computed or transcribed by hand. Quadratic Weighted Kappa, bootstrap confidence intervals (10,000 re-

samples, fixed seed), Fisher's z , BDS, and ROC calibration are implemented in `src/metrics.py` with unit tests.

Model versions

The exact model identifiers requested through each provider's API, as pinned in `configs/experiment.yaml` and recorded in every log entry, were: `gpt-4o` (OpenAI); `claude-sonnet-4-6` (Anthropic); `qwen3:14b` (Alibaba, open weights, executed locally via Ollama); and `gemini-3.1-pro-preview` (Google). One model change occurred mid-study: the study began with `gemini-2.5-pro`, which the provider withdrew from new API access partway through data collection. The 249 calls completed against it were archived and excluded from all analyses (mixing scores from two model versions within one experimental cell would confound the comparison), and the full Gemini condition was rerun from scratch on `gemini-3.1-pro-preview`. The archived log is retained in the repository for audit. All scoring calls used temperature 0.0; the sampling manifest was frozen with seed 4139514 before any scoring began.

Bibliography

- Daniel Blanchard, Joel Tetreault, Derrick Higgins, Aoife Cahill, and Martin Chodorow. TOEFL11: A corpus of non-native English. Technical Report RR-13-24, Educational Testing Service, 2013. Corpus distributed as LDC2014T06, Linguistic Data Consortium.
- Xiaoqing Cheng, Ruizhe Chen, Hongying Zan, Yuxiang Jia, and Min Peng. BiasFilter: An inference-time debiasing framework for large language models. In *Findings of the Association for Computational Linguistics: EMNLP 2025*, 2025.
- Ulla Connor. *Intercultural Rhetoric in the Writing Classroom*. University of Michigan Press, Ann Arbor, MI, 2011.
- Ginel Dorleon and Shirin Shujaa. Uncovering cultural biases and stereotypes in large language models. In *Proceedings of the 27th International Conference on Asia-Pacific Digital Libraries (ICADL)*, volume 16242 of *Lecture Notes in Computer Science*, pages 64–77. Springer, 2026. doi: 10.1007/978-981-95-4861-3_5.
- Ginel Dorleon, Imen Megdiche, Nathalie Bricon-Souf, and Olivier Teste. Feature selection under fairness constraints. In *Proceedings of the 37th ACM/SIGAPP Symposium on Applied Computing (SAC '22)*, pages 1125–1127. ACM, 2022. doi: 10.1145/3477314.3507168.
- Ginel Dorleon, Imen Megdiche, Nathalie Bricon-Souf, et al. FAPFID: A fairness-aware approach for protected features and imbalanced data. In *Transactions on Large-Scale Data- and Knowledge-Centered Systems*, volume 13840 of *Lecture Notes in Computer Science*, pages 107–125. Springer, 2023. doi: 10.1007/978-3-662-66863-4_5.
- Miranda Fricker. *Epistemic Injustice: Power and the Ethics of Knowing*. Oxford University Press, Oxford, 2007.
- Isabel O. Gallegos, Ryan A. Rossi, Joe Barrow, Md Mehrab Tanjim, Sungchul Kim, Franck Dernoncourt, Tong Yu, Ruiyi Zhang, and Nesreen K. Ahmed. Bias and fairness in large language models: A survey. *Computational Linguistics*, 50(3):1097–1179, 2024.
- John Maurice Gayed. Investigating first-language bias in LLM-based automated essay scoring: A cross-prompt evaluation of an open-weight AI model on TOEFL essays. arXiv preprint, 2026. arXiv:2607.14605.

- John Hinds. Reader versus writer responsibility: A new typology. In Ulla Connor and Robert B. Kaplan, editors, *Writing Across Languages: Analysis of L2 Text*, pages 141–152. Addison-Wesley, Reading, MA, 1987.
- Shin’ichiro Ishikawa. *The ICNALE Guide: An Introduction to a Learner Corpus Study on Asian Learners’ L2 English*. Routledge, 2023. ISBN 9781032180250.
- Jinhee Jang, Ayoung Moon, Minkyung Jung, YoungBin Kim, and Seung Jin Lee. LLM agents at the roundtable: A multi-perspective and dialectical reasoning framework for essay scoring. arXiv preprint, 2025. arXiv:2509.14834.
- Robert B. Kaplan. Cultural thought patterns in inter-cultural education. *Language Learning*, 16(1–2):1–20, 1966.
- Ali Keramati, Shiyuan Zhou, Sharad Mehrotra, and Mark Warschauer. MADRAG: Multi-agent debate with retrieval-augmented generation for training-free analytic essay scoring. arXiv preprint, 2026. arXiv:2606.06754.
- Ariba Khan, Stephen Casper, and Dylan Hadfield-Menell. Randomness, not representation: The unreliability of evaluating cultural alignment in LLMs. arXiv preprint, 2025.
- Cheng Li, Mengzhuo Chen, Jindong Wang, Sunayana Sitaram, and Xing Xie. CultureLLM: Incorporating cultural differences into large language models. In *Advances in Neural Information Processing Systems*, 2024.
- Yichen Li, Zhiting Fan, Ruizhe Chen, Xiaotang Gai, Luqi Gong, Yan Zhang, and Zuozhu Liu. FairSteer: Inference time debiasing for LLMs with dynamic activation steering. In *Findings of the Association for Computational Linguistics: ACL 2025*, pages 11293–11312, Vienna, Austria, 2025. Association for Computational Linguistics. doi: 10.18653/v1/2025.findings-acl.589.
- Imran Mirza, Cole Huang, Ishwara Vasista, Asli Akalin, Sean O’Brien, Rohan Patil, and Kevin Zhu. MALIBU benchmark: Multi-agent LLM implicit bias uncovered, 2025. arXiv:2507.01019.
- Austin Pack, Alex Barrett, and Juan Escalante. Large language models and automated essay scoring of English language learner writing: Insights into validity and reliability. *Computers and Education: Artificial Intelligence*, 6:100234, 2024.
- Timo Schick, Sahana Udupa, and Hinrich Schütze. Self-diagnosis and self-debiasing: A proposal for reducing corpus-based bias in NLP. *Transactions of the Association for Computational Linguistics*, 9:1408–1424, 2021. doi: 10.1162/tac1_a_00434.
- Shirin Shujaa and Ginel Dorleon. Detecting framing bias in news via probabilistic graphical modeling. In *Proceedings of the ACM/IEEE Joint Conference on Digital Libraries (JCDL)*, pages 245–248. IEEE, 2025. doi: 10.1109/JCDL67857.2025.00037.

- Shirin Shujaa, Ginel Dorleon, and A. Tang. How LLMs handle cultural bias: Reactions to Asian minority historical narratives. In *Proceedings of the 27th International Conference on Asia-Pacific Digital Libraries (ICADL)*, volume 16242 of *Lecture Notes in Computer Science*, pages 39–52. Springer, 2026. doi: 10.1007/978-981-95-4861-3_3.
- Jiamin Su, Yibo Yan, Zhuoran Gao, Han Zhang, Xiang Liu, and Xuming Hu. CAFES: A collaborative multi-agent framework for multi-granular multimodal essay scoring. arXiv preprint, 2025. arXiv:2505.13965.
- Yosephine Susanto, Adithya Venkatadri Hulagadri, Jann Railey Montalan, Jian Gang Ngui, Xianbin Yong, Wei Qi Leong, Hamsawardhini Rengarajan, Peerat Limkonchotiwat, Yifan Mai, and William Chandra Tjhi. SEA-HELM: Southeast Asian holistic evaluation of language models. In *Findings of the Association for Computational Linguistics: ACL 2025*, pages 12308–12336, Vienna, Austria, 2025. Association for Computational Linguistics. doi: 10.18653/v1/2025.findings-acl.636.
- Qian Tan, Lei Jiang, Yuting Zeng, Shuoyang Ding, and Xiaohua Xu. Mitigating cultural bias in LLMs via multi-agent cultural debate. arXiv preprint, 2026. arXiv:2601.12091.
- Yan Tao, Olga Viberg, Ryan S. Baker, and René F. Kizilcec. Cultural bias and cultural alignment of large language models. *PNAS Nexus*, 3(9):pgae346, 2024. doi: 10.1093/pnasnexus/pgae346.
- Sowmya Vajjala. Automated assessment of non-native learner essays: Investigating the role of linguistic features. *International Journal of Artificial Intelligence in Education*, 28: 79–105, 2018.
- Pat Verga, Sebastian Hofstätter, Sophia Althammer, Yixuan Su, Aleksandra Piktus, Arkady Arkhangorodsky, Minjie Xu, Naomi White, and Patrick Lewis. Replacing judges with juries: Evaluating LLM generations with a panel of diverse models. arXiv preprint, 2024. arXiv:2404.18796.
- Yun Wang, Zhaojun Ding, Xuansheng Wu, Siyue Sun, Ninghao Liu, and Xiaoming Zhai. AutoSCORE: Enhancing automated scoring with multi-agent large language models via structured component recognition. arXiv preprint, 2025. arXiv:2509.21910.
- Kaixun Yang, Mladen Raković, Dragan Gašević, and Guanliang Chen. Does the prompt-based large language model recognize students’ demographics and introduce bias in essay scoring? In *Artificial Intelligence in Education (AIED 2025)*, volume 15878 of *Lecture Notes in Computer Science*. Springer, 2025. doi: 10.1007/978-3-031-98417-4_6.