TPPA PAYMENTS

Super admin guide

The owner's account: two-step sign-in, administrators, and keeping the system in safe hands.

For: Super admins (the owner of the installation)

Version 1.0 · 2026-11-10

The screenshots come from a demonstration system: every name, account, amount and code in them is made up.

Contents

1 About this guide

- What is different from an admin
- Your menu

2 How the first super admin is created

3 Signing in with two-step sign-in

- The first time: set it up
- Every later sign-in
- No phone: a recovery code
- Lost your phone, or used up your codes
- Confirm it is you

4 Your Overview

5 Managing administrators

- Create an administrator
- Change an administrator
- What you cannot do

6 Helping people who cannot sign in

7 Your responsibilities

- Keep two super admins
- Approve fees and receipt layouts
- Decide who receives the alert emails
- Review the audit log
- Handle lockouts and lost two-step devices

8 Everything else: see the Admin guide

9 When something is not right

10 Quick reference

1. About this guide

This guide is for the **super admin**: the owner's account of TPPA Payments. A super admin can do everything an admin can, and is the only one who can manage **administrators**.

This guide covers what only a super admin does. For the shared work (branches, users, terminals, utilities, fees, receipt layouts, the daily work, the audit log and the alert emails) see the **Admin guide**: it applies to you word for word.

The screenshots come from a demonstration system: names, accounts, OR numbers and codes in them are made up.

What is different from an admin

Super admin	Admin
Creates and changes **admins and super admins**: role, details, password, unlock, two-step, status	Sees administrators read only
Resets the **two-step sign-in** of an administrator who lost their phone	Only for people who are not administrators
Always receives the alert emails (with an email address on the account); cannot be removed from the list	Receives them only if added as a recipient
Two-step sign-in is always required	Required if head office requires it for admins
The **first account** of a new installation is a super admin, created by IT	Created by a super admin


The same rules bind you as everyone else:

- **Nobody can change their own role, branch or status**, or reset their own password or two-step sign-in. Another super admin does it for you.
- **The last active super admin cannot be removed**: it cannot be deactivated or given another role until another active super admin exists.

The permission list of the system also gives the super admin a "system settings" permission. No page of the console uses it in this version: the server settings (the mail server, which roles need two-step sign-in, the lockout) are set by IT on the server.

Your menu

Your menu has every page of the console:



1 The menu: only the pages your role may use
2 Who is signed in, and the role
3 Light, dark or as this computer
4 Sign out

The menu of a super admin: every page.

2. How the first super admin is created

A new installation has no accounts. IT creates the first super admin on the server, with the **bootstrap command**, then hands the account to you. You do not run it yourself; this section says what IT does so you know what to expect.

On a server, IT runs:

```
docker compose run --rm --no-deps api node dist/admin-bootstrap.js --username <username> --name "<Full Name>"
```

- The command asks for the password twice, **without showing it**: it is never typed on the command line. The password has at least 12 characters; the username 4 to 30 letters, digits, `.` or `_`.
- It creates **one** super admin, and only if **no super admin exists yet** (active or not). If one exists, it refuses with "A super admin already exists. Create further accounts in the web console (Users)." and changes nothing, so it can never be used later as a back door.
- It records "First super admin created" in the audit log.
- When it is done it says: `Created super admin "<username>". Sign in to the web console now: it will ask you to set up two-step sign-in. Then create a second super admin as a backup.`

On a developer's computer (never on a server), the development seed `db:seed` creates a super admin and branch 0001 from the settings `SEED_ADMIN_USERNAME`, `SEED_ADMIN_PASSWORD` and `SEED_ADMIN_EMAIL`. It refuses to run in production.

After that, every account is created in the console (Users), with your password confirmed and an entry in the audit log.

Your first steps, once IT gives you the account:

1. Sign in and set up two-step sign-in (next section). Store the recovery codes somewhere safe and separate from the phone.
2. Add your **e-mail** to your own account (Users, your name, **E-mail (optional)**, **Save**), so that you receive the alert emails. The bootstrap command does not set one.
3. **Create a second super admin** for another trusted person (see Create an administrator), so the system is never locked out if one phone is lost.
4. Create the admins, then set up the system as the Admin guide describes ("Setting up, in order").


3. Signing in with two-step sign-in

Two-step sign-in is always required for super admins: after your password, you type a code from an authenticator app on your phone. Head office may require it for admins too.

The first time: set it up

You need your phone with an authenticator app (Google Authenticator, Microsoft Authenticator or similar).

1. On the sign-in page, type your **Username** and **Password** and click **Sign in**.
2. The console opens **Set up two-step sign-in**. Until it is on, you cannot use the console. Type your password again in **Confirm your password** (1) and click **Continue** (2).



1 Your password again

2 Continue

First sign-in of a super admin: two-step sign-in must be set up.

Note: The page says "Required for administrators". On this system it is always required for super admins, and for admins when head office requires it.

3. The page shows a QR code, a key and your recovery codes.



1. Scan with the authenticator app
2. Can't scan? Type this key
3. Recovery codes: write them down
4. Confirm you saved them
5. The 6-digit code the app shows
6. Turn on two-step sign-in

Scan the QR code, save the recovery codes, enter the first code.

4. In the authenticator app, add an account and scan the QR code (1). If the phone cannot scan it, type the key shown under **Can't scan? Type this key** (2). The app then shows **TPPA Payments** with a 6-digit code.
5. Write down the **10 recovery codes** (3). Each works once, if you lose your phone. Keep them somewhere safe, **not on this phone** (for example sealed in the office safe).
6. Tick **I have saved these codes somewhere safe (not on this phone)** (4). **Turn on two-step sign-in** stays greyed until you do.
7. Type the code the app shows now in **6-digit code from the app** (5).
8. Click **Turn on two-step sign-in** (6).


The console opens on the **Overview**. Your row on the Users page now shows "Two-step on", and the audit log has "Two-step sign-in turned on".

Message	What to do
"Wrong password." (first step)	Type your password again.
"That code is not right. Check the time on your phone and use the newest code."	Type the code shown now; check that the phone's clock is right.
"Enter the 6-digit code from the app."	The code must have 6 digits.

Important: The recovery codes are shown only on this page. Write them down before you click **Turn on two-step sign-in**.

Every later sign-in

1. Type your **Username** and **Password** and click **Sign in**.
2. Open the authenticator app and type the 6-digit **Code** (1).
3. Click **Verify** (2).



1 The code from the authenticator app
2 Verify
3 No phone? A recovery code

Later sign-ins: after the password, the code from the app.

Enter the code within a few minutes of your password; if the page has waited too long, sign in again from the start. The console never "remembers" a computer: every sign-in asks for a code.

No phone: a recovery code

1. On the **Two-step sign-in** page, click **Use a recovery code instead** (3).
2. Type one of the recovery codes you saved in **Recovery code**.
3. Click **Verify**.

Each recovery code works once: cross it off when used. **Use the authenticator app instead** goes back to the code from the app.


Message	What to do
"That recovery code is not valid or was already used."	Use another code from your list.
"Too many wrong codes. The account is locked for 15 minutes."	Wait 15 minutes, then sign in again.
"Too many attempts. Wait a few seconds and try again."	Wait a few seconds.

Lost your phone, or used up your codes

Two-step sign-in cannot be switched off by its owner. If you lost the phone, sign in with a recovery code while you still have some, and ask another super admin to **Reset two-step** on your account: at your next sign-in you set it up again with the new phone (and get new recovery codes). If you have no codes left, only another super admin can reset it for you. This is why a second super admin matters.

Confirm it is you

Sensitive changes ask for your password again ("Confirm it is you"), as for an admin. Creating or changing users, including administrators, always asks the first time in a while.




1 Your own password again 2 Confirm

Sensitive changes ask for the password again.

4. Your Overview

The Overview shows the same as an admin's: **Today** for every branch, and **Needs your attention** (locked users, drafts waiting for approval, terminals not set up, kiosks to collect or count, and so on). The Admin guide explains every item.



1 Greeting, date and your role
2 Today, per branch
3 Opens that branch's daily report
4 Needs your attention, most urgent first


Overview as a super admin.

5. Managing administrators

On **Setup, Users**, a super admin can choose every role, including **Super admin** and **Admin**. Admins see these two roles as "(super admin only)" and cannot change an administrator.

Create an administrator


1. Click **New user**.
2. Type the **Full name** (1) and the **Username** (2: 4-30 letters, digits, `.` or `_`).
3. Choose the **Role** (3): **Admin**, or **Super admin** for a backup owner.
4. The **Branch** reads "Head office (no branch)" (4): head-office roles have no branch.
5. Type a **Temporary password** (5) of at least 12 characters. Give it to the person directly.
6. Type their **E-mail (optional)**. For a super admin, the address is where the alert emails go.
7. Click **Create user** (6).
8. If the console asks "Confirm it is you", type your own password and click **Confirm**. The user is then created by itself: "User created. They can sign in now."



1. Name
2. Username
3. Role: Admin (super admins only)
4. Head-office roles have no branch
5. A temporary password
6. Create user

A super admin creates an administrator.

The new administrator is in the list. On their first sign-in they set up two-step sign-in when their role requires it (always for a super admin).



1 The new admin
2 Two-step sign-in is on
3 This is you

Users as a super admin.

The list shows the new admin (1), "Two-step on" under the people who have it (2) and your own row with the "you" tag (3).

Change an administrator

Open the admin or super admin in the list. You see the same page as for any user (see Users in the Admin guide), with every button:

Button	What it does	The console says
Save	Saves the name, role, branch and e-mail. A change of role signs them out on every device.	"Saved. Changes apply on their next click."
Unlock	Lifts a lockout at once (shown only while they are locked)	"Unlocked."
Reset password	Sets a new temporary password; signs them out everywhere and lifts any lockout	"Password reset. They are signed out everywhere."
Reset two-step	Removes their two-step setup (shown only when it is on); signs them out everywhere; they set it up again at next sign-in	"Two-step sign-in reset. They set it up again at next sign-in."
Deactivate	They can no longer sign in; signed out everywhere	"Deactivated and signed out everywhere."

Button	What it does	The console says
Reactivate	For an inactive person: they may sign in again	"Reactivated."

Reset two-step and **Deactivate** act at once, without a second question (only "Confirm it is you" if it is due). Be sure you opened the right person.

To move an admin to another role (for example Accounting), choose the role and the branch if it needs one, and click **Save**.

What you cannot do

Message	Why
"This is the only active super admin; create another one first"	You tried to deactivate, or give another role to, the last active super admin
"Ask another administrator to change your role, branch or status"	Your own account: you may correct only your name and e-mail
"Ask another administrator to reset your password"	Your own password
"Ask another administrator to reset your two-step sign-in"	Your own two-step sign-in

When you open your own account, the page says "This is you. You can correct your name and e-mail; another administrator changes your role, branch or status." and has no **Unlock**, **Reset password**, **Reset two-step** or **Deactivate**.

6. Helping people who cannot sign in

You are the last resort when someone cannot sign in. What you can do depends on who it is:

Who cannot sign in	Locked out (5 wrong passwords)	Forgot the password	Lost the two-step phone and codes
Accounting, branch manager, teller, kiosk custodian	Any admin or super admin: **Unlock**	Any admin or super admin: **Reset password**	Any admin or super admin: **Reset two-step** (when they have it on)
An admin	A super admin	A super admin	A super admin
Another super admin	Another super admin	Another super admin	Another super admin
You	Wait 15 minutes, or another super admin	Another super admin	A recovery code, or another super admin

A lockout ends by itself after 15 minutes. Before you reset a password or two-step sign-in, make sure the request really comes from that person (call them, or see them in person): a reset hands over their account. Give a new temporary password to the person directly, never by email.

Every unlock and reset is in the audit log ("User unlocked", "Password reset", "Two-step sign-in reset"), with your name.

7. Your responsibilities

Keep two super admins


Keep at least two active super admins, both with two-step sign-in and their recovery codes stored safely. With only one, a lost phone and lost codes leave nobody who can reset that account in the console.

Approve fees and receipt layouts

Fees and receipt layouts reach the counters only once an admin or super admin approves them. Accounting drafts them; the Overview lists each draft as **Draft**. Check the fee, the VAT treatment, the note and the preview before you approve, and choose a start time that gives the terminals time to sync (at least 60 minutes ahead, except for a utility's very first version). See Fees and VAT and Receipt layout in the Admin guide.

Decide who receives the alert emails

On **System, Alert emails**, the active super admins with an email address are listed first with "Super admin, always": you cannot remove yourself there. Add the other people who must know at once (for example operations and Accounting), choose what is sent and the daily report hour, then **Save** and **Send a test email**. See Alert emails in the Admin guide.



1. Mail server (set by IT)
2. Super admins always receive them
3. Add a recipient
4. What is sent: critical, kiosk notices, daily report
5. When the daily report is sent
6. Save

Alert emails.

If you have no email address on your account, you receive nothing: add it on the Users page.

Review the audit log

Records, Audit log keeps every sign-in and change; entries can never be edited or deleted. Look regularly, for example each week, at:

Kind of action	What to look for
Users	"User created", "User changed", "Password reset", "User unlocked", "Two-step sign-in reset": were they asked for?
Sign-ins	"Sign-in failed", "Account locked", "Sign-in refused (locked)": repeated failures on one account
Fees and VAT, Receipt layout	Who drafted and who approved each version, and when it takes effect
Terminals, OR series	"Terminal registration reset", "Terminal revoked", "OR series closed": each with its reason
Collection files	"Collection files made before every terminal closed": the reasons
Exceptions	"Exception resolved": the notes
Alert emails	"Alert email not sent": a mail server problem for IT

Click an entry to see what changed, from which address and browser.

Handle lockouts and lost two-step devices

See Helping people who cannot sign in, above. A locked user also shows on the Overview as **Locked**.

8. Everything else: see the Admin guide

You do all of this exactly as an admin does:

Task	In the Admin guide
Signing in, the console's parts, the theme, signing out	Getting started
The Overview: Today and Needs your attention	The Overview
Branches, their codes and the utilities at each branch	Branches
Users who are not administrators	Users
Terminals: create, one-time code, OR series, reset, revoke, kiosk settings	Terminals
Utilities: account numbers, file names, client codes	Utilities
Fees and VAT, Receipt layout	Fees and VAT, Receipt layout
Daily report, Collection files, Exceptions	Daily report and the next sections
Kiosks: out of service, cash collections, counts	Kiosks
Audit log, Alert emails	Audit log, Alert emails

9. When something is not right

Problem	What to do
The console sends you to "Set up two-step sign-in"	Two-step sign-in is not on (first sign-in, or it was reset): set it up
"That code is not right..." every time	The phone's clock is wrong: set it to automatic time, then use the newest code
Lost the phone	Sign in with a recovery code; ask another super admin to reset your two-step sign-in
You cannot deactivate a super admin	It is the last active one: create another super admin first
You do not receive the alert emails	Add your e-mail on your account (Users); check the mail server on Alert emails; send a test email
The bootstrap command says "A super admin already exists."	A super admin was already created: sign in with it and create further accounts in Users

For anything else, see the Troubleshooting guide.

10. Quick reference

Task	Where
Set up two-step sign-in	Asked at your first sign-in
Sign in with a recovery code	Two-step sign-in, **Use a recovery code instead**
Create an admin or a super admin	Setup, Users, **New user**, Role
Change, unlock, reset or deactivate an admin	Setup, Users, the person

Task	Where
Reset someone's two-step sign-in	Setup, Users, the person, **Reset two-step**
Add your own e-mail (for the alerts)	Setup, Users, your name, **E-mail (optional)**, **Save**
Who receives the alert emails	System, Alert emails
Approve a fee version or a receipt layout	Rules, Fees and VAT / Receipt layout, the draft, **Approve…**
Who changed what	Records, Audit log
Everything else	The Admin guide