

Areacoon Tests documentation

Table of content

Table of content.....	2
Requirement.....	2
Setup.....	2
Testing the API.....	3

Requirement

To test the API, you'll need to have a few things in order to be properly ready. You'll need:

- The software Postman
- The Areacoon server set and running (see the user documentation)

You can download the last version of Postman here: <https://www.postman.com/>

Setup

First things first, launch postman. Once you're in, click on the little gear top right of the software's window. A smaller window should open right in front of you. Click on the "import" button and dive into the Test folder and choose the json file found here. You should now have on the software's left side a new collection. Inside you'll find every functional test for the Areacoon API.

Launch the Areacoon server and you'll be ready for testing.

Testing the API

For testing the API, you first need an account. In the Collection, open "Areacoon create account". Here, click on the "body" button. You'll see two parameters. Insert the wanted credentials in the Value zone and press send. If you've done it right, you should receive a response from the server in postman. Inside that response there should be a token. Keep it close because it will be used in almost every test.

Now you can open any test you want to try. After choosing a test, go into the Headers zone and replace the value of the token key by:

"token [your token]"

After that, go into the Body zone. You'll see the content of a json file with the Action and the Reaction (See user documentation for more details about the actions/reactions). You can change the value if you want, be sure to write them right. Once done with the preparation, hit "Send". The area will be created, and you can then test it.