

```
-- phpMyAdmin SQL Dump
-- version 3.5.1
-- http://www.phpmyadmin.net
--
-- Host: localhost
-- Database: easy_appointments
-- Date: 2013-11-16 16:58:08
-- Server: 5.5.24-log
-- PHP: 5.4.3
```

```
SET SQL_MODE="NO_AUTO_VALUE_ON_ZERO";
SET time_zone = "+00:00";
```

```
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8 */;
```

```
--
-- Database: `easy_appointments`
--
```

```
-----
```

```
--
-- Table structure for table `ea_appointments`
--
```

```
CREATE TABLE IF NOT EXISTS `ea_appointments` (
  `id` bigint(20) unsigned NOT NULL AUTO_INCREMENT,
  `book_datetime` datetime DEFAULT NULL,
  `start_datetime` datetime DEFAULT NULL,
  `end_datetime` datetime DEFAULT NULL,
  `notes` text,
  `hash` text,
  `is_unavailable` tinyint(4) DEFAULT '0',
  `id_users_provider` bigint(20) unsigned DEFAULT NULL,
  `id_users_customer` bigint(20) unsigned DEFAULT NULL,
  `id_services` bigint(20) unsigned DEFAULT NULL,
  `id_google_calendar` text,
  PRIMARY KEY (`id`),
  KEY `id_users_customer` (`id_users_customer`),
  KEY `id_services` (`id_services`),
  KEY `id_users_provider` (`id_users_provider`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 AUTO_INCREMENT=63 ;
```

```
-----
```

```
--
-- Table structure for table `ea_roles`
--
```

```
CREATE TABLE IF NOT EXISTS `ea_roles` (
  `id` bigint(20) unsigned NOT NULL AUTO_INCREMENT,
  `name` varchar(256) DEFAULT NULL,
  `slug` varchar(256) DEFAULT NULL,
  `is_admin` tinyint(4) DEFAULT NULL COMMENT '0',
  `appointments` int(4) DEFAULT NULL COMMENT '0',
  `customers` int(4) DEFAULT NULL COMMENT '0',
  `services` int(4) DEFAULT NULL COMMENT '0',
  `users` int(4) DEFAULT NULL COMMENT '0',
  `system_settings` int(4) DEFAULT NULL COMMENT '0',
  `user_settings` int(11) DEFAULT NULL,
  PRIMARY KEY (`id`)
```

<http://easy-appointments.googlecode.com/svn/trunk/src/assets/sql/structure.sql>

```
CREATE TABLE IF NOT EXISTS `ea_settings` (
  `id` bigint(20) unsigned NOT NULL AUTO_INCREMENT,
  `name` varchar(512) DEFAULT NULL,
  `value` longtext,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 AUTO_INCREMENT=16 ;
```

```
--
--
--
--
```

```
CREATE TABLE IF NOT EXISTS `ea_users` (
  `id` bigint(20) unsigned NOT NULL AUTO_INCREMENT,
  `first_name` varchar(256) DEFAULT NULL,
  `last_name` varchar(512) DEFAULT NULL,
  `email` varchar(512) DEFAULT NULL,
  `mobile_number` varchar(128) DEFAULT NULL,
  `phone_number` varchar(128) DEFAULT NULL,
  `address` varchar(256) DEFAULT NULL,
  `city` varchar(256) DEFAULT NULL,
  `state` varchar(128) DEFAULT NULL,
  `zip_code` varchar(64) DEFAULT NULL,
  `notes` text,
  `id_roles` bigint(20) unsigned NOT NULL,
  PRIMARY KEY (`id`),
  KEY `id_roles` (`id_roles`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 AUTO_INCREMENT=84 ;
```

```
--
--
--
--
```

```
CREATE TABLE IF NOT EXISTS `ea_user_settings` (
  `id_users` bigint(20) unsigned NOT NULL,
  `username` varchar(256) DEFAULT NULL,
  `password` varchar(512) DEFAULT NULL,
  `salt` varchar(512) DEFAULT NULL,
  `working_plan` text,
  `notifications` tinyint(4) DEFAULT '0',
  `google_sync` tinyint(4) DEFAULT '0',
  `google_token` text,
  `google_calendar` varchar(128) DEFAULT NULL,
  `sync_past_days` int(11) DEFAULT '5',
  `sync_future_days` int(11) DEFAULT '5',
  PRIMARY KEY (`id_users`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
```

```
--
--
--
```

```
--
--
--
```

```
ALTER TABLE `ea_appointments`
  ADD CONSTRAINT `ea_appointments_ibfk_2` FOREIGN KEY (`id_users_customer`) REFERENCES
`ea_users` (`id`) ON DELETE CASCADE ON UPDATE CASCADE,
  ADD CONSTRAINT `ea_appointments_ibfk_3` FOREIGN KEY (`id_services`) REFERENCES
`ea_services` (`id`) ON DELETE CASCADE ON UPDATE CASCADE,
  ADD CONSTRAINT `ea_appointments_ibfk_4` FOREIGN KEY (`id_users_provider`) REFERENCES
```

<http://easy-appointments.googlecode.com/svn/trunk/src/assets/sql/structure.sql>

