
numberCustomerSer.
totalIntlCharge_b
state:44
state:32
state:2_b
totalEveMinutes_b
voiceMailPlan_b
state:49_b
state:27_b
state:1
state:50_b
state:35_bcd
state:33
state:3_b
state:24_b
state:19
totalDayCalls_b
state:42
totalIntlCharge_a
totalIntlMinutes
totalNightCalls
totalNightMinutes
totalEveCharge_a
totalEveMinutes_a
totalDayCalls_a
totalDayMinutes_a
numberVmailMessag.
voiceMailPlan_a
internationalPlan
areaCode:510
areaCode:415
areaCode:408
accountLength
state:6
state:50_a
state:5
state:49_a
state:48
state:47
state:46
state:45
state:41_a
state:4
state:38
state:37
state:36
state:35_a
state:30
state:3_a
state:29
state:28
state:27_a
state:26
state:24_a
state:20
state:2_a
state:11
state:0
numberCustomerSer.
numberCustomerSer.
totalIntlCharge_c
totalEveCharge_b
totalDayMinutes_b
state:49_c
state:41_b
A2
intl_state_unit
A3
eve_minutes_hinge
A4
voicemail_chain
A5
state_offsets
A6
day_calls_state42
A7
linear_backbone
A8
service_call_nonlinear
0
A2 intl_state_unit
A3 eve_minutes_hinge
A4 voicemail_chain
A5 state_offsets
A6 day_calls_state42
A7 linear_backbone
A8 service_call_nonlinear
boxes: collapsed annotations (their own and descendants' nodes)
Null inputs omitted