nucieda-

(https://profile.intra.42.fr)

SCALE FOR PROJECT CPP MODULE 09 (/PROJECTS/CPP-MODULE-09)

You should evaluate 1 student in this team



Git repository

git@vogsphere-v2.42madrid.com:vogsphere/intra-uuid-5cb7508d-88ea-4d3



Introduction

- Remain polite, courteous, respectful and constructive throughout the evaluation process. The well-being of the community depends on it.
- Identify with the person (or the group) evaluated the eventual dysfunctions of the work. Take the time to discuss and debate the problems you have identified.
- You must consider that there might be some difference in how your peers might have understood the project's instructions and the scope of its functionalities. Always keep an open mind and grade him/her as honestly as possible. The pedagogy is valid only and only if peer-evaluation is conducted seriously.

Guidelines

- Only grade the work that is in the student or group's GiT repository.
- Double-check that the GiT repository belongs to the student or the group. Ensure that the work is for the relevant project and also check that "git clone" is used in an empty folder.
- Check carefully that no malicious aliases was used to fool you and make you evaluate something other than the content of the official repository.
- To avoid any surprises, carefully check that both the evaluating and the evaluated students have reviewed the possible scripts used to facilitate the grading.
- If the evaluating student has not completed that particular project yet, it is mandatory for this student to read the entire subject prior to starting the defence.
- Use the flags available on this scale to signal an empty repository, non-functioning program, a norm error, cheating etc. In these cases, the grading is over and the final grade is 0 (or -42 in case of cheating). However, with the exception of cheating, you are encouraged to continue to discuss your work (even if you have not finished it) in order to identify any issues that may have caused this failure and avoid repeating the same mistake in the future.

1 of 5 3/23/23, 3:09 PM

 Remember that for the duration of the defence, no segfault, no other unexpected, premature, uncontrolled or unexpected termination of the program, else the final grade is 0. Use the appropriate flag.

You should never have to edit any file except the configuration file if it exists. If you want to edit a file, take the time to explicit the reasons with the evaluated student and make sure both of you are okay with this.

- You must also verify the absence of memory leaks. Any memory allocated on the heap must be properly freed before the end of execution.

You are allowed to use any of the different tools available on the computer, such as leaks, valgrind, or e_fence. In case of memory leaks, tick the appropriate flag.

Attachments

input.csv (/uploads/document/document/15185/input.csv)
subject.pdf (https://cdn.intra.42.fr/pdf/pdf/79936/en.subject.pdf)
cpp_09.tgz (/uploads/document/document/15186/cpp_09.tgz)

Preliminary tests

If cheating is suspected, the evaluation stops here. Use the "Cheat" flag to report it. Take this decision calmly, wisely, and please, use this button with caution.

Prerequisites

The code must compile with c++ and the flags -Wall -Wextra -Werror Don't forget this project has to follow the C++98 standard. Thus, C++11 (and later) are NOT expected.

The purpose of this module is to use the STL. Then, using the containers is authorized.

Any of these means you must not grade the exercise in question:

- A function is implemented in a header file (except for template functions).
- A Makefile compiles without the required flags and/or another compiler than c++.

Any of these means that you must flag the project with "Forbidden Function":

- Use of a "C" function (*alloc, *printf, free).
- Use of a function not allowed in the exercise guidelines.
- Use of an external library, or features from versions other than C++98.



 \times No

Exercise 00: Bitcoin Exchange

For this first exercise, you have to find a makefile with the usual compilation rules and the files requested in the subject.

Code review

Check that a makefile is present with the usual compilation rules.

Check in the code that the program uses at least one container.

The person being evaluated must explain why they chose to use this container and not another?

If not, the evaluation stops here.

2 of 5 3/23/23, 3:09 PM

	⊗ Yes		
Error handle			
(a basic example exists in	n empty file or a file with errors the subject). The program must not stop g performed the operations on the whole		
You can use a wrong date			
You can enter a value gred	ater than 1000 or less than 0.		
If there is any problem dur	ing the execution then the evaluation stops here.		
	⊗ Yes	imesNo	
Main usage			
You must now use the "inp	ut.csv" file located at the top of this page.		
You can modify this file wit	th the values you want.		
You have to run the progra	am with the input.csv file as parameter.		
Please compare some date	es manually with the specified value.		
If the date does not exist in nearest lower date.	n the database, the program will have to use the		
Exercise 01	⊗ Yes : Reverse Polish Notati	× _{No}	
For this second exercise, y		on	
For this second exercise, y	: Reverse Polish Notation where to find a makefile with the usual compilation	on	
For this second exercise, y Code review Check that a makefile is pr	: Reverse Polish Notati	on	
For this second exercise, y Code review Check that a makefile is pr Check in the code that the	: Reverse Polish Notation of the value of the second of th	on	
For this second exercise, y Code review Check that a makefile is pr Check in the code that the The person being evaluate	: Reverse Polish Notation of the usual compilation of the usual compilation resent with the usual compilation rules. Program uses at least one container. In the usual compilation rules and uses at least one container.	on	
For this second exercise, y Code review Check that a makefile is pr Check in the code that the The person being evaluate use this container and not	: Reverse Polish Notation of the usual compilation of the usual compilation resent with the usual compilation rules. program uses at least one container. and must explain why they chose to another?	on	
For this second exercise, y Code review Check that a makefile is pr Check in the code that the The person being evaluate use this container and not If not, the evaluation stops If the container chosen her	: Reverse Polish Notation on have to find a makefile with the usual compilation rules. program uses at least one container. and must explain why they chose to another? there. re is present in the first exercise	on	
For this second exercise, y Code review Check that a makefile is pr Check in the code that the The person being evaluate use this container and not If not, the evaluation stops If the container chosen her	: Reverse Polish Notation on have to find a makefile with the usual compilation rules. program uses at least one container. and must explain why they chose to another? there. re is present in the first exercise	on	
For this second exercise, y Code review Check that a makefile is pr Check in the code that the The person being evaluate use this container and not If not, the evaluation stops If the container chosen her then the evaluation stops h	: Reverse Polish Notation of the usual compilation of the usual compilation rules. The program uses at least one container. The dimust explain why they chose to another? The here. The is present in the first exercise here.	ON rules and the files requested in the subject.	
Code review Check that a makefile is pr Check in the code that the The person being evaluate use this container and not If not, the evaluation stops If the container chosen her then the evaluation stops h	: Reverse Polish Notation of the usual compilation of the usual compilation rules. The program uses at least one container. The dimust explain why they chose to another? The here. The is present in the first exercise here.	ON rules and the files requested in the subject.	
For this second exercise, y Code review Check that a makefile is pr Check in the code that the The person being evaluate use this container and not If not, the evaluation stops If the container chosen her then the evaluation stops h Main usage Check that the program ru The program is not require	: Reverse Polish Notation of the variable of variable of the v	ON rules and the files requested in the subject.	
Code review Check that a makefile is pr Check in the code that the The person being evaluate use this container and not If not, the evaluation stops If the container chosen her then the evaluation stops h Main usage Check that the program ru The program is not require- number.	: Reverse Polish Notation of the usual compilation of the usual compilation of the usual compilation rules. The program uses at least one container. The draw and the usual compilation rules. The draw are set least one container. The draw are set le	ON rules and the files requested in the subject.	

3/23/23, 3:09 PM

Check that the program runs correctly using different formulas of your choice.

Here is some tests:

You can use the examples in the topic if you don't know which formula to use.

If there is any problem during the execution then the evaluation stops here.



Exercise 02: PmergeMe

As usual, there has to be enough tests to prove the program works as expected. If there isn't, do not grade this exercise. If any non-interface class is not in orthodox canonical class form, do not grade this exercise.

Code review

Check that a makefile is included with the usual compilation rules rules.

Check in the code that the program uses at least two containers.

If not, the evaluation stops here.

The person being evaluated must explain why they chose to use these containers and not another?

Check in the code that the merge-insert sort algorithm is present and is used for each container.

If one of the containers chosen here is included in one of the previous exercises then the evaluation stops here.



Main usage

You can now manually check that the program works correctly by using between 5 and 10 different positive integers of your choice as program arguments.

If this first test works and gives a sorted sequence of numbers you can continue. If not, the evaluation stops now.

Now you have to check this operation by using the following command as an argument to the program:

For linux:

```
`shuf -i 1-1000 -n 3000 | tr "\n" " `
```

For OSX:

```
`jot -r 3000 1 1000 | tr '\n' ' '`
```

If the command works correctly, the person being evaluated should be able to explain the difference in time used for each container selected.

If there are any problems during the execution and/or explanation then the evaluation stops here.

4 of 5



5 of 5