INSTITUT UNIVERSITAIRE DES SCIENCES

FACULTÉ DES SCIENCES ET TECHNOLOGIES(FST)

Licence 3

Travaux Pratique N°3 dans le cadre du cours de réseauI.

Étudiant : Mike Willens AGNANT


Professeur : Ismaël SAINT-AMOUR


Cap-Haitien, 03 novembre 2026


Objectif du TP :


- ❖ L’objectif de ce TP est de savoir attribuer des adresses IP valides aux machines
- ❖ Comprendre l’adressage IPv4 et IPv6.
- ❖ Configurer des adresses IP sur des hôtes et routeurs dans Cisco Packet Tracer.
- ❖ Vérifier la connectivité avec les commandes ping et ping IPv6


1- Topologie avec 4 PC et un Hub connecté, configuré et avec IPv4 et IPv6
















2- Reproduction de Topologies



Cisco Packet Tracer
Logical
Physical
Laptop-PT
Laptop0
PC-PT
PC1
PC-PT
PC2
Hub-PT
Hub0
PC-PT
PC3
PC-PT
PC5
PC-PT
PC4
Realtime
Simulation


Cisco Packet Tracer
Laptop0
Physical
Config
Desktop
Programming
Attributes
IP Configuration
Interface
FastEthernet0
DHCP
Static
IPv4 Address
192.168.1.10
Subnet Mask
255.255.255.0
Default Gateway
0.0.0.0
DNS Server
IPv6 Configuration
Automatic
Static
IPv6 Address
Link Local Address
FE80::202:17FF:FE1B:A2D1
802.1X
Use 802.1X Security
Authentication
MD5
Username
Password
Top
Realtime
Simulation


Cisco Packet Tracer
Laptop0
Physical
Config
Desktop
Programming
Attributes
Command Prompt
Cisco Packet Tracer PC Command Line 1.0
C:\> ping 192.168.1.11
Pinging 192.168.1.11 with 32 bytes of data:
Reply from 192.168.1.11: bytes=32 time<1ms TTL=128
Reply from 192.168.1.11: bytes=32 time<1ms TTL=128
Reply from 192.168.1.11: bytes=32 time<1ms TTL=128
Reply from 192.168.1.11: bytes=32 time<1ms TTL=128
Ping statistics for 192.168.1.11:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\>
Top
Realtime
Simulation


Cisco Packet Tracer
File Edit Options View Tools Extensions Window Help
Logical Physical
Laptop-PT Laptop0
PC-PT PC0
PC-PT PC1
PC-PT PC2
PC-PT PC3
PC-PT PC4
PC-PT PC5
Server-PT Server0
Realtime Simulation


Laptop0
Physical Config Desktop Programming Attributes
IP Configuration
Interface FastEthernet0
DHCP
Static
IPv4 Address
Subnet Mask
Default Gateway 0.0.0.0
DNS Server 0.0.0.0
IPv6 Configuration
Automatic
Static
IPv6 Address 3000:159:1::1
Link Local Address FE80::209:BEFF:FE33:2897
Default Gateway
DNS Server
802.1X
Use 802.1X Security
Authentication MD5
Username
Password
Top
Realtime Simulation


Laptop0
Physical Config Desktop Programming Attributes
Command Prompt
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 3000:159:1::2/64
Ping request could not find host 3000:159:1::2/64. Please check the name and try again.
C:\>ping 3000:159:1::2
Pinging 3000:159:1::2 with 32 bytes of data:
Reply from 3000:159:1::2: bytes=32 time<1ms TTL=128
Reply from 3000:159:1::2: bytes=32 time<1ms TTL=128
Reply from 3000:159:1::2: bytes=32 time<1ms TTL=128
Reply from 3000:159:1::2: bytes=32 time=1ms TTL=128
Ping statistics for 3000:159:1::2:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 1ms, Average = 0ms
C:\>
Top
Realtime Simulation

Conclusion :

Pour ce TP, j’ai appris :

- A attribuer des adresses IP valides aux machines
- Les bases de l’adressage IPv4 et IPv6
- A configurer des adresses IP sur des hôtes et routeurs dans Cisco Packet Tracer.
- A Vérifier la connectivité avec les commandes ping et ping IPv6