

Module 10 - Quiz

- Due Nov 4 at 11:59pm
- Points 100
- Questions 10
- Time Limit 30 Minutes
- Allowed Attempts 2

Instructions

The purpose of this quiz is to check your understanding of and reinforce key concepts covered in this module.

[Take the Quiz Again](#)

Attempt History

	Attempt	Time	Score
LATEST	Attempt 1	13 minutes	100 out of 100

❗ Correct answers are hidden.

Score for this attempt: 100 out of 100

Submitted Nov 4 at 3:35am

This attempt took 13 minutes.



Question 1

10 / 10 pts

A concrete subject class in the Observer pattern typically provides a method called update that will contain customized behavior for how the subject should respond to a state change.

- ☐ True
- ☒ False



Question 2

10 / 10 pts

Studies have shown that what percentage of the total cost of large software projects is expended after initial delivery (i.e., during the maintenance phase)?

- ☐ 50%
- ☒ 70%
- ☐ 10%

☐ 30%



Question 3

10 / 10 pts

The Façade pattern is an example of which of the following design pattern categories?

- ☒ Structural
- ☐ Creational
- ☐ Interface
- ☐ Behavioral



Question 4

10 / 10 pts

Software reliability is measured in what units?

- ☐ Absolute number (no units)
- ☐ Percentage
- ☒ Time (hours, days, months, years, etc.)
- ☐ Effort (person-hours, person-weeks, etc.)



Question 5

10 / 10 pts

Which of the following are key components in the Singleton design pattern solution? (Select all that apply)

- ☒ A non-public class constructor.
- ☐ A counter that ensures only a single instance has been created.
- ☒ A static instance variable.
- ☐ A class destructor.



Question 6

10 / 10 pts

The type of reuse where the developer fills in the details in a partially built application is called:

- ☐ Glue code
- ☐ Component reuse
- ☒ Framework reuse
- ☐ Hole reuse



Question 7

10 / 10 pts

The type of reuse where you can read the reused code, but you can't change it is called:

- ☐ Black box
- ☒ Translucent box
- ☐ Clear box
- ☐ Red box



Question 8

10 / 10 pts

Which of the following is not likely to be an impediment to reuse?

- ☐ Liability
- ☐ NIH (Not Invented Here)
- ☐ Intellectual property disputes
- ☒ Time and cost of reusing is greater than building the code yourself



Question 9

10 / 10 pts

Of the following, which is the poorest way to determine whether we can trust the quality of a reusable component?

- ☒ The documentation provided by the developer
- ☐ Internal testing
- ☐ An independent testing organization
- ☐ Feedback from other users



Question 10

10 / 10 pts

Of the following, which kind of maintenance activity accounts for the most effort over the life of a piece of software?

- ☐ Adaptive
- ☐ Preventive
- ☒ Perfective
- ☐ Corrective

Quiz Score: 100 out of 100