

CampusCenter v26 - furniture, artwork and support correction

Actual saved Blender B05 and Unreal Desktop R21 support correction. Frozen v25, desktop R16 and Vive baseline artifacts remain separate.

68 physical-item placement groups: 23 reuse actual geometry; eight reuse only style/materials and remain generic; 37 are other generic estimated assemblies. The earlier 31 donor records included those eight, not 31 complete geometry donors. These are placements, not 68 manufacturer products. 277 new Unreal component actors include 11 shallow framed photo presentations.

All 1,951 baseline actors accounted for; zero unexpected property failures across the scoped preservation comparison, with 214 protected checks. The support patch intentionally replaces one U218 furniture mesh; other scoped actor properties remain unchanged. All 7,299 copied baseline files passed byte comparison. The iLab, native materials, effects, lights and rendering settings are preserved. 213 explicitly superseded or relocated actors are retained hidden with collision disabled in this enhancement only.

All 68 groups passed five floor-support samples. All 377 material assignments have Nanite usage and no WorldGrid default. Revision runtime mesh defaults now match the reviewed actor materials.

Configured doorway walking passes 11 of 12 probes, equal to baseline. The Research +25 cm offset failure is inherited. This is not full navigation, product-use or regulatory clearance certification. Nine groups have all four broad side-space samples blocked by nearby walls, furniture or integrated assemblies; the detailed classification remains in the shared release.

Art is photographic presentation, not reconstructed sculpture. All 12 original photo hashes pass; IMG_1795 and IMG_1869 cover the same main work, so only one is displayed. Physical size, framing and corridor placement are reversible estimates. No artist identity is inferred.

Eleven source-dependent references, two floor zones and two closed closets remain distinct from missing products. AV underlay measurement uncertainty remains about 13-16 cm at endpoints. Generic heights/mechanics are estimates. The native sofa donor is 52.8 mm taller than its Blender proxy.

The clean-project consumer pilot saved/reopened all 277 recipes with zero mesh, material, transform or collision mismatches. Editor validation is complete within this scope. Final support-corrected desktop cook and stage completed with exit 0. Final normal launch exited 0, with no material or fatal warnings. Profiling camera capture returned 777003 on closure; this separate harness limitation remains unresolved. Packaged furniture views were inspected; art is verified in editor and the first packaged views, while follow-up art cameras hit a wall.

Source versions
Blender: Campus_Center_New_Plans_Furniture_v26_b05.blend
SHA-256: 3013db5f7f8171b403bd5fac8561c84e24591875aa049683f950c3ee4e19e56e
Unreal map: /Game/Campus/Maps/CampusCenter_FA26_Desktop_R21_Support
SHA-256: 5535d2c636f94e75288ff38d63644e51cda05cbdeb08a34658c1ce3b1a514578
Immutable consumer release: shared_furniture_art_v26_r03
Manifest SHA-256: a311ac1bcecff89ff5e661a244c2d05441112023f095830e851de3a8973c241f

Commons - matched native Unreal views

Before - unchanged renderer and matched camera



After - unchanged renderer and matched camera



Native tables, chairs, benches, fireplace, finishes and lighting retained. Curved seating/counter estimates are reversible.

Trainer - matched native Unreal views

Before - unchanged renderer and matched camera



After - unchanged renderer and matched camera



Generic treatment/taping/whirlpool and service assemblies replace only confirmed missing items. Retired legacy block furniture is hidden, not deleted.

Fitness - matched native Unreal views

Before - unchanged renderer and matched camera



After - unchanged renderer and matched camera



Existing rack/treadmill/bench assets retained; new named missing equipment is generic geometry following accepted footprints.

Gym - matched native Unreal views

Before - unchanged renderer and matched camera



After - unchanged renderer and matched camera



Native bleacher components reused; low rows face the court, high/back rails face the west wall. Source row/capacity specifications remain absent.

Protected_iLab - matched native Unreal views

Before - unchanged renderer and matched camera



After - unchanged renderer and matched camera



Protected room: native source equipment, finishes and lights retained. No geometry changes to the accepted iLab.

LockerNorth - matched native Unreal views

Before




After




New locker benches retain the existing locker/wet-fixture layout. Sizes marked 4, 6 and 8 ft come from source; width/height/style remain estimates.

GallerySofa - matched native Unreal views

Before



After



Existing textured six-component native sofa reused and fitted to accepted footprint. This is a donor, not a verified source product.

LockerSouth - matched native Unreal views

Before



After



South locker room uses the same generic bench family. One WC, two urinals, three lavatories and one identifiable shower retained; user-assumed janitor closet stays closed.


New art photo presentations - ResearchDisplayWest



Actual native Unreal image. The four photographs whose numeric filenames resembled UDIM tile numbers were reimported from identical derivative bytes with nonnumeric filename suffixes. Each presentation now uses its own image; no tiled-atlas substitution.

All 11 unique framed presentations are on research-corridor display faces, clear of the modeled wall openings. Proposed Gallery-wall locations were rejected after native finish/occlusion checks. Placement and display scale are estimates for owner review. Existing Gallery art/AV systems remain intact.

EXIF rotations are applied only to derivatives; original files remain unchanged. The MPO file uses its primary RGB photo, not its auxiliary image. These are shallow photo panels, not modeled mannequins, ceramics or unseen sculpture surfaces.



Actual native Unreal image. The four photographs whose numeric filenames resembled UDIM tile numbers were reimported from identical derivative bytes with nonnumeric filename suffixes. Each presentation now uses its own image; no tiled-atlas substitution.

All 11 unique framed presentations are on research-corridor display faces, clear of the modeled wall openings. Proposed Gallery-wall locations were rejected after native finish/occlusion checks. Placement and display scale are estimates for owner review. Existing Gallery art/AV systems remain intact.

EXIF rotations are applied only to derivatives; original files remain unchanged. The MPO file uses its primary RGB photo, not its auxiliary image. These are shallow photo panels, not modeled mannequins, ceramics or unseen sculpture surfaces.

Replacement register - placements 1 to 8

G102 | Curved Commons seat - segment 1 | GENERIC ESTIMATED

Stable ID: PH11_Commons_UpperCurvedPiece_0
Source raw dimensions: Not printed / accepted scaled footprint
Modeled envelope: 1.413 x 1.279 m; scaled footprint, not a manufacturer specification
Basis: Approximate rectangular bounding footprint of drawn curved piece; shape/product unspecified
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G102 | Curved Commons seat - segment 2 | GENERIC ESTIMATED

Stable ID: PH11_Commons_UpperCurvedPiece_1
Source raw dimensions: Not printed / accepted scaled footprint
Modeled envelope: 1.413 x 1.279 m; scaled footprint, not a manufacturer specification
Basis: Approximate rectangular bounding footprint of drawn curved piece; shape/product unspecified
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G102 | Glazing counter | GENERIC ESTIMATED

Stable ID: PH12_G102_GlazingCounter
Source raw dimensions: Not printed / accepted scaled footprint
Modeled envelope: 0.705 x 7.063 m; scaled footprint, not a manufacturer specification
Basis: Drawn approximate rectangular bounding footprint, product/height unspecified
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G105 | Gallery sofa | REUSED GEOMETRY

Stable ID: PH12_G105_Sofa
Source raw dimensions: Not printed / accepted scaled footprint
Modeled envelope: 2.725 x 0.774 m; scaled footprint, not a manufacturer specification
Basis: Drawn approximate rectangular bounding footprint, product/height unspecified
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U202 | Head-of-School sofa | REUSED GEOMETRY

Stable ID: PH12_U202_Sofa
Source raw dimensions: Not printed / accepted scaled footprint
Modeled envelope: 2.152 x 0.751 m; scaled footprint, not a manufacturer specification
Basis: Drawn approximate rectangular bounding footprint, product/height unspecified
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G121 | PH14 G121 Bench 0 | REUSED GEOMETRY

Stable ID: PH14_G121_Bench_0
Source raw dimensions: Printed length: 8 ft
Modeled envelope: 2.438 x 0.3 m; scaled footprint, not a manufacturer specification
Basis: Length literal printed 8 feet; width estimated0.30m; center/orientation scaled underlay, +/-0.16m registration uncertainty
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G121 | PH14 G121 Bench 1 | REUSED GEOMETRY

Stable ID: PH14_G121_Bench_1
Source raw dimensions: Printed length: 8 ft
Modeled envelope: 2.438 x 0.3 m; scaled footprint, not a manufacturer specification
Basis: Length literal printed 8 feet; width estimated0.30m; center/orientation scaled underlay, +/-0.16m registration uncertainty
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G121 | PH14 G121 Bench 2 | REUSED GEOMETRY

Stable ID: PH14_G121_Bench_2
Source raw dimensions: Printed length: 8 ft
Modeled envelope: 2.438 x 0.3 m; scaled footprint, not a manufacturer specification
Basis: Length literal printed 8 feet; width estimated0.30m; center/orientation scaled underlay, +/-0.16m registration uncertainty
Height/style/mechanics: Modeled estimate, not architectural/product elevation

Replacement register - placements 9 to 16

G121 | PH14 G121 Bench 3 | REUSED GEOMETRY

Stable ID: PH14_G121_Bench_3
Source raw dimensions: Printed length: 8 ft
Modeled envelope: 2.438 x 0.3 m; scaled footprint, not a manufacturer specification
Basis: Length literal printed 8 feet; width estimated0.30m; center/orientation scaled underlay, +/-0.16m registration uncertainty
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G121 | PH14 G121 Bench 4 | REUSED GEOMETRY

Stable ID: PH14_G121_Bench_4
Source raw dimensions: Printed length: 8 ft
Modeled envelope: 2.438 x 0.3 m; scaled footprint, not a manufacturer specification
Basis: Length literal printed 8 feet; width estimated0.30m; center/orientation scaled underlay, +/-0.16m registration uncertainty
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G121 | PH14 G121 Bench 5 | REUSED GEOMETRY

Stable ID: PH14_G121_Bench_5
Source raw dimensions: Printed length: 4 ft
Modeled envelope: 1.219 x 0.3 m; scaled footprint, not a manufacturer specification
Basis: Length literal printed 4 feet; width estimated0.30m; center/orientation scaled underlay, +/-0.16m registration uncertainty
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G121 | PH14 G121 Bench 6 | REUSED GEOMETRY

Stable ID: PH14_G121_Bench_6
Source raw dimensions: Printed length: 6 ft
Modeled envelope: 0.3 x 1.829 m; scaled footprint, not a manufacturer specification
Basis: Length literal printed 6 feet; width estimated0.30m; center/orientation scaled underlay, +/-0.16m registration uncertainty
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G121 | PH14 G121 Bench 7 | REUSED GEOMETRY

Stable ID: PH14_G121_Bench_7
Source raw dimensions: Printed length: 6 ft
Modeled envelope: 0.3 x 1.829 m; scaled footprint, not a manufacturer specification
Basis: Length literal printed 6 feet; width estimated0.30m; center/orientation scaled underlay, +/-0.16m registration uncertainty
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G122 | PH14 G122 Bench 0 | REUSED GEOMETRY

Stable ID: PH14_G122_Bench_0
Source raw dimensions: Printed length: 8 ft
Modeled envelope: 2.438 x 0.3 m; scaled footprint, not a manufacturer specification
Basis: Length literal printed 8 feet; width estimated0.30m; center/orientation scaled underlay, +/-0.16m registration uncertainty
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G122 | PH14 G122 Bench 1 | REUSED GEOMETRY

Stable ID: PH14_G122_Bench_1
Source raw dimensions: Printed length: 8 ft
Modeled envelope: 2.438 x 0.3 m; scaled footprint, not a manufacturer specification
Basis: Length literal printed 8 feet; width estimated0.30m; center/orientation scaled underlay, +/-0.16m registration uncertainty
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G122 | PH14 G122 Bench 2 | REUSED GEOMETRY

Stable ID: PH14_G122_Bench_2
Source raw dimensions: Printed length: 4 ft
Modeled envelope: 1.219 x 0.3 m; scaled footprint, not a manufacturer specification
Basis: Length literal printed 4 feet; width estimated0.30m; center/orientation scaled underlay, +/-0.16m registration uncertainty
Height/style/mechanics: Modeled estimate, not architectural/product elevation

Replacement register - placements 17 to 24

G122 | PH14 G122 Bench 3 | REUSED GEOMETRY

Stable ID: PH14_G122_Bench_3
Source raw dimensions: Printed length: 8 ft
Modeled envelope: 2.438 x 0.3 m; scaled footprint, not a manufacturer specification
Basis: Length literal printed 8 feet; width estimated0.30m; center/orientation scaled underlay, +/-0.16m registration uncertainty
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G122 | PH14 G122 Bench 4 | REUSED GEOMETRY

Stable ID: PH14_G122_Bench_4
Source raw dimensions: Printed length: 8 ft
Modeled envelope: 2.438 x 0.3 m; scaled footprint, not a manufacturer specification
Basis: Length literal printed 8 feet; width estimated0.30m; center/orientation scaled underlay, +/-0.16m registration uncertainty
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G122 | PH14 G122 Bench 5 | REUSED GEOMETRY

Stable ID: PH14_G122_Bench_5
Source raw dimensions: Printed length: 8 ft
Modeled envelope: 2.438 x 0.3 m; scaled footprint, not a manufacturer specification
Basis: Length literal printed 8 feet; width estimated0.30m; center/orientation scaled underlay, +/-0.16m registration uncertainty
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G122 | PH14 G122 Bench 6 | REUSED GEOMETRY

Stable ID: PH14_G122_Bench_6
Source raw dimensions: Printed length: 6 ft
Modeled envelope: 0.3 x 1.829 m; scaled footprint, not a manufacturer specification
Basis: Length literal printed 6 feet; width estimated0.30m; center/orientation scaled underlay, +/-0.16m registration uncertainty
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G122 | PH14 G122 Bench 7 | REUSED GEOMETRY

Stable ID: PH14_G122_Bench_7
Source raw dimensions: Printed length: 6 ft
Modeled envelope: 0.3 x 1.829 m; scaled footprint, not a manufacturer specification
Basis: Length literal printed 6 feet; width estimated0.30m; center/orientation scaled underlay, +/-0.16m registration uncertainty
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G126 | PH19 G126 TrophyCase 0 | GENERIC - STYLE / MATERIAL REUSE

Stable ID: PH19_G126_TrophyCase_0
Source raw dimensions: Not printed / accepted scaled footprint
Modeled envelope: 0.606 x 2.423 m; scaled footprint, not a manufacturer specification
Basis: Drawn approximate rectangular bounding footprint, product/height unspecified
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G126 | PH19 G126 TrophyCase 1 | GENERIC - STYLE / MATERIAL REUSE

Stable ID: PH19_G126_TrophyCase_1
Source raw dimensions: Not printed / accepted scaled footprint
Modeled envelope: 0.606 x 2.423 m; scaled footprint, not a manufacturer specification
Basis: Drawn approximate rectangular bounding footprint, product/height unspecified
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G_GYM | BLEACHERS - placement proxy | REUSED GEOMETRY

Stable ID: PH_Gym_BleacherBank_01
Source raw dimensions: Not printed / accepted scaled footprint
Modeled envelope: 2.995 x 6.46 m; scaled footprint, not a manufacturer specification
Basis: Actual two source west-side banks; northern extent clipped, width/length scaled estimate; rows/heights/product unresolved
Height/style/mechanics: Modeled estimate, not architectural/product elevation

Replacement register - placements 25 to 32

G_GYM | BLEACHERS - placement proxy | REUSED GEOMETRY

Stable ID: PH_Gym_BleacherBank_02
Source raw dimensions: Not printed / accepted scaled footprint
Modeled envelope: 2.995 x 10.364 m; scaled footprint, not a manufacturer specification
Basis: Actual two source west-side banks; northern extent clipped, width/length scaled estimate; rows/heights/product unresolved
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G_TRAINER | Treatment table | GENERIC ESTIMATED

Stable ID: PH02_Trainer_046
Source raw dimensions: 73x31
Modeled envelope: 0.758 x 1.89 m; scaled footprint, not a manufacturer specification
Basis: Drawn estimated footprint; Fitness global registered fit / Trainer furniture-only local interior fit. Raw size units implicit, not certified.
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G_TRAINER | Treatment table | GENERIC ESTIMATED

Stable ID: PH02_Trainer_047
Source raw dimensions: 73x31
Modeled envelope: 0.758 x 1.89 m; scaled footprint, not a manufacturer specification
Basis: Drawn estimated footprint; Fitness global registered fit / Trainer furniture-only local interior fit. Raw size units implicit, not certified.
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G_TRAINER | Taping | GENERIC ESTIMATED

Stable ID: PH02_Trainer_048
Source raw dimensions: 35x26
Modeled envelope: 0.867 x 0.691 m; scaled footprint, not a manufacturer specification
Basis: Drawn estimated footprint; Fitness global registered fit / Trainer furniture-only local interior fit. Raw size units implicit, not certified.
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G_TRAINER | Storage unit (corrected source identity) | GENERIC ESTIMATED

Stable ID: PH02_Trainer_049
Source raw dimensions: 35x24; corrected by source-local v10 trace
Modeled envelope: 0.867 x 0.621 m; scaled footprint, not a manufacturer specification
Basis: Drawn estimated footprint; Fitness global registered fit / Trainer furniture-only local interior fit. Raw size units implicit, not certified.
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G_TRAINER | Taping station (corrected source identity) | GENERIC ESTIMATED

Stable ID: PH02_Trainer_050
Source raw dimensions: 35x26.5; corrected by source-local v10 trace
Modeled envelope: 0.867 x 0.691 m; scaled footprint, not a manufacturer specification
Basis: Drawn estimated footprint; Fitness global registered fit / Trainer furniture-only local interior fit. Raw size units implicit, not certified.
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G_TRAINER | Low treatment table | GENERIC ESTIMATED

Stable ID: PH02_Trainer_051
Source raw dimensions: 84x48
Modeled envelope: 1.181 x 2.142 m; scaled footprint, not a manufacturer specification
Basis: Drawn estimated footprint; Fitness global registered fit / Trainer furniture-only local interior fit. Raw size units implicit, not certified.
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G_TRAINER | Rehabilitation | GENERIC ESTIMATED

Stable ID: PH02_Trainer_052
Source raw dimensions: 60x48
Modeled envelope: 1.473 x 0.939 m; scaled footprint, not a manufacturer specification
Basis: Drawn estimated footprint; Fitness global registered fit / Trainer furniture-only local interior fit. Raw size units implicit, not certified.
Height/style/mechanics: Modeled estimate, not architectural/product elevation

Replacement register - placements 33 to 40

G_TRAINER | Whirlpool | GENERIC ESTIMATED

Stable ID: PH02_Trainer_053
Source raw dimensions: 64x72
Modeled envelope: 1.56 x 1.856 m; scaled footprint, not a manufacturer specification
Basis: Drawn estimated footprint; Fitness global registered fit / Trainer furniture-only local interior fit. Raw size units implicit, not certified.
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G_TRAINER | First-aid counter | GENERIC ESTIMATED

Stable ID: PH10_Trainer_059
Source raw dimensions: 66x24
Modeled envelope: 1.624 x 0.623 m; scaled footprint, not a manufacturer specification
Basis: Drawn estimated footprint; Fitness global registered fit / Trainer furniture-only local interior fit. Raw size units implicit, not certified.
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G_TRAINER | Sink | GENERIC ESTIMATED

Stable ID: PH10_Trainer_060
Source raw dimensions: size not written; drawn estimate
Modeled envelope: 0.422 x 0.481 m; scaled footprint, not a manufacturer specification
Basis: Drawn estimated footprint; Fitness global registered fit / Trainer furniture-only local interior fit. Raw size units implicit, not certified.
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G_TRAINER | Undercounter appliance | GENERIC ESTIMATED

Stable ID: PH10_Trainer_061
Source raw dimensions: size not written; drawn estimate
Modeled envelope: 0.489 x 0.57 m; scaled footprint, not a manufacturer specification
Basis: Drawn estimated footprint; Fitness global registered fit / Trainer furniture-only local interior fit. Raw size units implicit, not certified.
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G_TRAINER | PH24 Trainer StoolLike 1 | REUSED GEOMETRY

Stable ID: PH24_Trainer_StoolLike_1
Source raw dimensions: Not printed / accepted scaled footprint
Modeled envelope: 0.392 x 0.414 m; scaled footprint, not a manufacturer specification
Basis: Actual circle bounding box; identity stool-like is interpretation, not product specification
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G_TRAINER | PH24 Trainer StoolLike 2 | REUSED GEOMETRY

Stable ID: PH24_Trainer_StoolLike_2
Source raw dimensions: Not printed / accepted scaled footprint
Modeled envelope: 0.392 x 0.414 m; scaled footprint, not a manufacturer specification
Basis: Actual circle bounding box; identity stool-like is interpretation, not product specification
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G_TRAINER | PH24 Trainer StoolLike 3 | REUSED GEOMETRY

Stable ID: PH24_Trainer_StoolLike_3
Source raw dimensions: Not printed / accepted scaled footprint
Modeled envelope: 0.392 x 0.414 m; scaled footprint, not a manufacturer specification
Basis: Actual circle bounding box; identity stool-like is interpretation, not product specification
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G_TRAINER_OFFICE | Storage TBC | GENERIC ESTIMATED

Stable ID: PH02_Trainer_056
Source raw dimensions: 18x42
Modeled envelope: 1.052 x 0.511 m; scaled footprint, not a manufacturer specification
Basis: Drawn estimated footprint; Fitness global registered fit / Trainer furniture-only local interior fit. Raw size units implicit, not certified.
Height/style/mechanics: Modeled estimate, not architectural/product elevation

Replacement register - placements 41 to 48

G_TRAINER_OFFICE | Printer and north service counter | GENERIC ESTIMATED

Stable ID: PH10_Trainer_063
Source raw dimensions: printer footprint/counter identity schematic
Modeled envelope: 1.214 x 0.772 m; scaled footprint, not a manufacturer specification
Basis: Drawn estimated footprint; Fitness global registered fit / Trainer furniture-only local interior fit. Raw size units implicit, not certified.
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G127 | PH12 G127 NorthBand | GENERIC ESTIMATED

Stable ID: PH12_G127_NorthBand
Source raw dimensions: Not printed / accepted scaled footprint
Modeled envelope: 2.628 x 0.309 m; scaled footprint, not a manufacturer specification
Basis: Drawn approximate rectangular bounding footprint, product/height unspecified
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G_ATHLETICS_NE | PH12 AthleticsNE WestBand | GENERIC ESTIMATED

Stable ID: PH12_AthleticsNE_WestBand
Source raw dimensions: Not printed / accepted scaled footprint
Modeled envelope: 0.312 x 3.705 m; scaled footprint, not a manufacturer specification
Basis: Drawn approximate rectangular bounding footprint, product/height unspecified
Height/style/mechanics: Modeled estimate, not architectural/product elevation

G_ATHLETICS_SW | PH12 G ATHLETICS SW NorthBand | GENERIC ESTIMATED

Stable ID: PH12_G_ATHLETICS_SW_NorthBand
Source raw dimensions: Not printed / accepted scaled footprint
Modeled envelope: 2.537 x 0.309 m; scaled footprint, not a manufacturer specification
Basis: Drawn approximate rectangular bounding footprint, product/height unspecified
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U203 | PH12 U203 SinkCounter | GENERIC ESTIMATED

Stable ID: PH12_U203_SinkCounter
Source raw dimensions: Not printed / accepted scaled footprint
Modeled envelope: 2.152 x 0.45 m; scaled footprint, not a manufacturer specification
Basis: Drawn approximate rectangular bounding footprint, product/height unspecified
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U218 | Bike | GENERIC ESTIMATED

Stable ID: PH02_Fitness218_001
Source raw dimensions: 48W x 24L
Modeled envelope: 0.576 x 1.03 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U218 | Bike | GENERIC ESTIMATED

Stable ID: PH02_Fitness218_002
Source raw dimensions: 48W x 24L
Modeled envelope: 0.576 x 1.03 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U218 | Bike | GENERIC ESTIMATED

Stable ID: PH02_Fitness218_019
Source raw dimensions: 48W x 24L on labeled Bikes
Modeled envelope: 1.023 x 0.566 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

Replacement register - placements 49 to 56

U218 | Bike | GENERIC ESTIMATED

Stable ID: PH02_Fitness218_020
Source raw dimensions: 48W x 24L on labeled Bikes
Modeled envelope: 1.023 x 0.566 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U218 | Bike | GENERIC ESTIMATED

Stable ID: PH02_Fitness218_021
Source raw dimensions: 48W x 24L on labeled Bikes
Modeled envelope: 1.023 x 0.566 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U218 | Erg Bike | GENERIC ESTIMATED

Stable ID: PH02_Fitness218_022
Source raw dimensions: 48W x 24L on labeled Bikes
Modeled envelope: 1.023 x 0.566 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U218 | Erg Bike | GENERIC ESTIMATED

Stable ID: PH02_Fitness218_023
Source raw dimensions: 48W x 24L on labeled Bikes
Modeled envelope: 1.023 x 0.566 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U218 | Assault Bike | GENERIC ESTIMATED

Stable ID: PH02_Fitness218_024
Source raw dimensions: 48W x 24L on labeled Bikes
Modeled envelope: 1.023 x 0.566 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U218 | Exercise Ball Rack #2 | GENERIC ESTIMATED

Stable ID: PH02_Fitness218_025
Source raw dimensions: 28W x 28D
Modeled envelope: 0.614 x 0.623 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U218 | Exercise Ball Rack #1 | GENERIC ESTIMATED

Stable ID: PH02_Fitness218_026
Source raw dimensions: 29W x 28D
Modeled envelope: 0.614 x 0.623 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U218 | Core Machine | GENERIC - STYLE / MATERIAL REUSE

Stable ID: PH02_Fitness218_027
Source raw dimensions: 76W x 37D
Modeled envelope: 1.839 x 0.898 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

Replacement register - placements 57 to 64

U218 | Nautilus Pulldown | GENERIC - STYLE / MATERIAL REUSE

Stable ID: PH02_Fitness218_029
Source raw dimensions: 62W x 47D
Modeled envelope: 1.125 x 1.503 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U218 | Shoulder Press | GENERIC - STYLE / MATERIAL REUSE

Stable ID: PH02_Fitness218_030
Source raw dimensions: 43W x 48D
Modeled envelope: 1.146 x 1.049 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U218 | Exercise Ball Rack #2 | GENERIC ESTIMATED

Stable ID: PH02_Fitness218_031
Source raw dimensions: 28W x 28D
Modeled envelope: 0.614 x 0.614 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U218 | Exercise Ball Rack #1 | GENERIC ESTIMATED

Stable ID: PH02_Fitness218_032
Source raw dimensions: 29W x 28D
Modeled envelope: 0.632 x 0.623 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U218 | Weight Rack | GENERIC ESTIMATED

Stable ID: PH02_Fitness218_033
Source raw dimensions: 58W x 17D
Modeled envelope: 1.406 x 0.398 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U218 | Round-weight rack (smaller) | GENERIC ESTIMATED

Stable ID: PH02_Fitness218_034
Source raw dimensions: 37W x17D
Modeled envelope: 0.956 x 0.438 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U218 | Weight/Chalk storage | GENERIC ESTIMATED

Stable ID: PH02_Fitness218_040
Source raw dimensions: 18W x22D
Modeled envelope: 0.445 x 0.503 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U218 | Kettle Bell Rack | GENERIC ESTIMATED

Stable ID: PH02_Fitness218_043
Source raw dimensions: 61W x 20D
Modeled envelope: 1.482 x 0.471 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

Replacement register - placements 65 to 68

U218 | Yoga Mat Storage | GENERIC - STYLE / MATERIAL REUSE

Stable ID: PH02_Fitness218_044
Source raw dimensions: 20W x 11D
Modeled envelope: 0.649 x 0.285 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U218 | Wall Roller Rack | GENERIC - STYLE / MATERIAL REUSE

Stable ID: PH02_Fitness218_045
Source raw dimensions: height unspecified
Modeled envelope: 0.991 x 0.285 m; scaled footprint, not a manufacturer specification
Basis: Manually traced drawn footprint at 3 pixels/PDF point; orientation follows drawing, imperial annotations preserved without W/L reinterpretation
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U218 | Band rack | GENERIC - STYLE / MATERIAL REUSE

Stable ID: PH10_Fitness218_057
Source raw dimensions: 33W x7D; wall-mounted, plan projection
Modeled envelope: 0.844 x 0.184 m; scaled footprint, not a manufacturer specification
Basis: Drawn estimated footprint; Fitness global registered fit / Trainer furniture-only local interior fit. Raw size units implicit, not certified.
Height/style/mechanics: Modeled estimate, not architectural/product elevation

U218 | Chalk bowl stand | GENERIC ESTIMATED

Stable ID: PH10_Fitness218_058
Source raw dimensions: Diameter19in; rectangular bounding footprint
Modeled envelope: 0.427 x 0.427 m; scaled footprint, not a manufacturer specification
Basis: Drawn estimated footprint; Fitness global registered fit / Trainer furniture-only local interior fit. Raw size units implicit, not certified.
Height/style/mechanics: Modeled estimate, not architectural/product elevation

Packaged desktop - Commons / GallerySofa

Commons - actual packaged geometry



GallerySofa - actual packaged geometry



Packaged desktop - Fitness / Gym

Fitness - actual packaged geometry



Gym - actual packaged geometry



Packaged desktop - iLab / Trainer

iLab - actual packaged geometry



Trainer - actual packaged geometry



Fitness support correction - BenchClose

Before - matched native camera



After - matched native camera



Two standalone exercise benches no longer contain unsupported loaded bars. Five rack-station bars span their retained uprights. R21 has identical rendered geometry to this R20 view; the collision-only copy is hash-verified.

Fitness support correction - RackStations

Before - matched native camera



After - matched native camera



Two standalone exercise benches no longer contain unsupported loaded bars. Five rack-station bars span their retained uprights. R21 has identical rendered geometry to this R20 view; the collision-only copy is hash-verified.

Fitness support patch r02 - verification and ownership

The exercise-bench donor contained a pad, feet and loaded barbell as one mesh. Fitting that complete donor to two standalone bench footprints left bars with no rack. Those bars are removed; the retained pad and feet are oriented and fitted to the accepted footprint. Five rack-station donor bars are extended to the retained upright spans. This is a real support correction, not a product-style caveat.

Seven donor meshes changed. All 6,589 other mesh objects remain unchanged; mesh basis, material slots and visibility remain unchanged. The iLab remains untouched. Five shaft-to-upright intersection tests pass; both standalone benches retain feet above their finished floor. This verifies schematic geometry, not certified rack hardware or safety.

One native actor is replaced: R25_U218_Furniture. The complete group membership is retained, including unaffected treadmills, racks and other equipment. Native material mappings are retained through scoped Nanite-compatible copies. All 7,299 copied frozen baseline files still match. The original complex-as-simple collision policy is restored, avoiding the importer default convex collision.

Use immutable fitness_support_v26_r02 on top of shared_furniture_art_v26_r03. Hold r01: it had the importer collision default. Manifest SHA-256: 27f4cfb83f647a28ea322aaa26ecac1a0ea5c7327a0c36af095798af722c3678. Three new assets and nine existing dependencies are verified. Consumers create new maps and preserve source settings.

Blender B05 is the corrected donor for a separate simplified print variant. Bench feet and rack bars require scale-dependent thickening or fusion and slicer checks. Existing print outputs remain preserved. No physical printing or manufacturer dimensions are certified.

Final desktop package: review_build_enhancement_support_r04/Windows. Use Start_Enhanced_CampusCenter.cmd. Normal smoke and actual package captures are tested separately; the profiling capture closure limitation remains explicit. The earlier 11-of-12 walking result is inherited from the larger enhancement baseline, not a fresh full route certification of this patch.

Final packaged desktop R21 - corrected benches



Actual final packaged map: CampusCenter_FA26_Desktop_R21_Support. Both standalone Exercise Bench donors now have pads and floor-supported feet without the unsupported loaded bars. Their accepted plan footprints are retained. The five rack stations retain bars spanning their uprights.

Final cook and staging exited 0. Normal packaged launch and own-window closure exited 0; no runtime material or fatal warnings were found. The three diagnostic packaged cameras were inspected. Their profiling capture process again returned 777003 on closure; this separate harness limitation is retained, not reported as a passing capture exit.

The original complex-as-simple collision policy is restored. This is not a fresh full navigation, product-use safety or regulatory-clearance certification. The prior larger enhancement walking result was 11 of 12, with the Research offset failure inherited.

Launch the isolated review_build_enhancement_support_r04/Windows build through Start_Enhanced_CampusCenter.cmd. R03 and all earlier builds remain preserved.