


Campus Center - buildable plywood kit

Two floors, walls and stairs | No roof | 12 x 24 inch sheets



2 sheets

Each sheet is 609.6 x 304.8 mm. Cut files use millimetres and already include the stated kerf allowance.

157 numbered parts

Two floor plates, 131 wall panels, 22 stair laminations and two coupon parts. Numbers on cut pieces and in this guide are the same.

Slot-and-tab assembly

Walls and stair cores locate in floor slots. Use wood glue on these joints and on the wall butt joints.

Test before cutting

Run the small coupon first. Stock thickness and kerf vary; this kit has not been physically cut or assembled.

Build the ground unit and upper unit separately. The upper plate rests on the lower walls; the gym walls remain full height on the ground unit. This is a laser-cut adaptation of the floor-plan model, with practical plywood wall thickness and simplified stair widths.

01 Material, fit coupon and laser layers


Complete the fit check before committing either sheet

Material: 1/8 inch plywood, nominal 3.175 mm. Measure the actual stock before cutting.

Design: 1:200. Nominal kerf compensation is 0.15 mm, with 0.05 mm assembly clearance. Do not apply a second kerf offset in the laser software.

Sequence: engrave ENGRAVE and optional LABELS first, then cut internal openings, then outer contours. CUT is red; ENGRAVE is blue; LABELS is gray.

LABELS contains only thin vector strokes, not text objects or images. Hide or disable that entire layer to omit the numbers. Keep the numbered guide available if you do.



Coupon part 156; insert tongue 157

Coupon slots (raw cut-path widths)

01	2.900 mm	07	3.100 mm
02	2.950 mm	08	3.125 mm
03	3.000 mm	09	3.150 mm
04	3.025 mm	10	3.175 mm
05	3.050 mm	11	3.200 mm
06	3.075 mm	12	3.250 mm


Cut Test_Fit_Coupon.svg or select only the coupon and tongue from sheet 2. Insert the plywood edge of the tongue into each numbered slot. Choose a fit that seats fully with light hand pressure. Do not force a narrow slot.

Slot 6 (3.075 mm cut path) corresponds to the supplied compensation: $3.175 + 0.05 - 0.15 = 3.075$ mm. If slot 6 is suitable, use the supplied sheets unchanged.

If another slot is better, revise the kerf setting and regenerate first: $\text{assumed kerf} = \text{measured stock thickness} + \text{desired clearance} - \text{preferred raw slot width}$. The editable config and generator are included. This is a starting calibration; confirm with another coupon.

02 How the joints work

Dry-fit first; glue after confirming the panel position and direction



Wall body

The body stands above the floor. The bottom tab passes through the matching slot; its end finishes flush with the floor underside.

Floor slot

The slot width matches the stock thickness plus fit clearance. Its length matches the tab width plus clearance. Both are kerf-compensated in the supplied sheet files.

Wall intersections


Horizontal plan panels remain continuous. Vertical plan panels butt against their faces. Floor slots locate the joint; apply a small bead of wood glue along the butt seam. There are no interlocking wall-edge fingers to force.

Assembly habits: keep the numbered face oriented as shown on the maps, test the adjacent panels before glue sets, check walls for square, and support delicate window mullions while handling. Narrow tabs belong to narrow wall piers; they are locating features rather than force-fit fasteners.

Geometry adaptations: wall centerlines are consolidated to suit 3.175 mm stock; some fine partitions and frame widths are therefore thicker than scale. Window openings retain solid webs and headers. Floor edges have local material around slots, rather than an added rectangular plinth. The stair side profiles reproduce the rise and run with a practical laminated width.

03 Ground floor - orientation


Floor plate 001 | Numbers identify wall and stair parts



- 1 Lay the floor plate numbered face upward. Sort the wall panels by their IDs.
- 2 Fit the long horizontal-map walls first. Add the vertical-map partitions, butting them to the continuous panels.
- 3 Use the four detail maps that follow to locate every wall. The parts list gives the sheet and dimensions.
- 4 Install the full-height gym walls as part of this lower unit. Their height is intentional.
- 5 Fit the stair assemblies after the surrounding walls are located; see the stair pages.

03 Ground floor - NW detail

Locate the panel by number; tabs enter the matching numbered floor slots




Panels in this view

26, 27, 29, 30, 31, 32, 33, 34,
35, 39, 40, 41, 43, 48, 49, 50,
51, 53, 56, 57, 61, 64

Tan = wall footprints Blue = stair laminations White openings = cutouts / slots

03 Ground floor - NE detail

Locate the panel by number; tabs enter the matching numbered floor slots




Panels in this view

28, 35, 71, 78

Tan = wall footprints Blue = stair laminations White openings = cutouts / slots

03 Ground floor - SW detail

Locate the panel by number; tabs enter the matching numbered floor slots




Panels in this view

7, 8, 9, 10, 11, 12, 13, 16, 17, 18, 19, 20, 21, 22, 24, 25, 26, 36, 37, 38, 42, 44, 45, 46, 47, 52, 54, 55, 58, 59, 60, 62, 63, 65, 66, 67

Tan = wall footprints Blue = stair laminations White openings = cutouts / slots

03 Ground floor - SE detail

Locate the panel by number; tabs enter the matching numbered floor slots




Panels in this view

3, 4, 5, 6, 8, 14, 15, 20, 23,
25, 68, 69, 70, 72, 73, 74, 75,
76, 77, 78, 79

Tan = wall footprints Blue = stair laminations White openings = cutouts / slots

04 Upper floor - orientation

Floor plate 002 | Numbers identify wall and stair parts




- 1 Lay the floor plate numbered face upward. Sort the wall panels by their IDs.
- 2 Fit the long horizontal-map walls first. Add the vertical-map partitions, butting them to the continuous panels.
- 3 Use the four detail maps that follow to locate every wall. The parts list gives the sheet and dimensions.
- 4 Build this unit on a flat surface separately from the lower unit. Bottom tabs finish flush.
- 5 The gym is open at this level. Its full-height walls belong to the ground unit; do not add duplicate upper walls.

04 Upper floor - NW detail

Locate the panel by number; tabs enter the matching numbered floor slots

Panels in this view

98, 99, 100, 101, 102, 107,
108, 111, 113, 114, 118




Tan = wall footprints Blue = stair laminations White openings = cutouts / slots

04 Upper floor - NE detail

Locate the panel by number; tabs enter the matching numbered floor slots

Panels in this view


100, 103, 133



Tan = wall footprints Blue = stair laminations White openings = cutouts / slots

04 Upper floor - SW detail

Locate the panel by number; tabs enter the matching numbered floor slots




Panels in this view

84, 85, 86, 87, 91, 92, 93, 94,
95, 96, 97, 98, 99, 100, 104,
105, 106, 109, 110, 112, 115,
116, 117, 119, 120, 121, 122,
123

Tan = wall footprints Blue = stair laminations White openings = cutouts / slots

04 Upper floor - SE detail

Locate the panel by number; tabs enter the matching numbered floor slots



Panels in this view

80, 81, 82, 83, 88, 89, 90,
100, 122, 123, 124, 125, 126,
127, 128, 129, 130, 131, 132


Tan = wall footprints Blue = stair laminations White openings = cutouts / slots

05 Stairs - laminate, then locate

Match the stepped profiles, glue flat face to flat face, then insert the core tab

North flight


Pieces 134, 135



Glue 2 layers to make a 6.35 mm wide stair.
Align the bottom edge and the etched registration marks. The tabbed layer locates the unit in the ground plate.

North grade landing


Pieces 136, 137



Glue 2 layers to make a 6.35 mm wide stair.
Align the bottom edge and the etched registration marks. The tabbed layer locates the unit in the ground plate.

South lower

Pieces 138, 139



Glue 2 layers to make a 6.35 mm wide stair.
Align the bottom edge and the etched registration marks. The tabbed layer locates the unit in the ground plate.

South mid landing


Pieces 140, 141



Glue 2 layers to make a 6.35 mm wide stair.
Align the bottom edge and the etched registration marks. The tabbed layer locates the unit in the ground plate.

South upper


Pieces 142, 143



Glue 2 layers to make a 6.35 mm wide stair.
Align the bottom edge and the etched registration marks. The tabbed layer locates the unit in the ground plate.

Stair A half landing

Pieces 144, 145




Glue 2 layers to make a 6.35 mm wide stair.
Align the bottom edge and the etched registration marks. The tabbed layer locates the unit in the ground plate.

05 Stairs - laminate, then locate

Match the stepped profiles, glue flat face to flat face, then insert the core tab

Stair A lower


Pieces 146, 147



Glue 2 layers to make a 6.35 mm wide stair.
Align the bottom edge and the etched registration marks. The tabbed layer locates the unit in the ground plate.

Stair A upper


Pieces 148, 149



Glue 2 layers to make a 6.35 mm wide stair.
Align the bottom edge and the etched registration marks. The tabbed layer locates the unit in the ground plate.

Stair B landing


Pieces 150, 151



Glue 2 layers to make a 6.35 mm wide stair.
Align the bottom edge and the etched registration marks. The tabbed layer locates the unit in the ground plate.

Stair B lower


Pieces 152, 153



Glue 2 layers to make a 6.35 mm wide stair.
Align the bottom edge and the etched registration marks. The tabbed layer locates the unit in the ground plate.

Stair B upper

Pieces 154, 155




Glue 2 layers to make a 6.35 mm wide stair.
Align the bottom edge and the etched registration marks. The tabbed layer locates the unit in the ground plate.

The upper floor provides the final arrival surface where a stair meets its opening. Minor profile trimming and floor clearance are intentional. Exterior stairs stay connected to the lower floor through narrow floor extensions following their landing paths.

06 Bring the two floors together

Keep the upper floor removable unless you specifically want a permanently glued model



1 Confirm the lower unit

Let the ground walls and stair laminations dry square. Check that tabs are seated fully and that the top wall edges are even.

2 Lower the upper unit

Align the gym edge and the stair openings. Lower the upper floor vertically onto the ground wall tops. The full-height gym walls pass beside it.

3 Check the stair arrivals


The upper plate must not bear on a misplaced stair. Recheck the matching stair IDs and the laminated width if it does not sit flat.

4 Finish

Keep the upper floor unglued for access to both layouts. No roof parts are included.

07 Sheet 01 - 12 x 24 inches

Cut from the SVG or DXF at 1:1 millimetres, not from this reduced guide drawing




The sheet files include only the part geometry: there is no cutting rectangle around the sheet boundary. Keep the three layers separate. The gray number strokes can be hidden; they are not cut contours.

83 pieces on this sheet. Minimum sheet-edge margin: 8 mm. Nominal spacing between packed parts: 3 mm.

07 Sheet 02 - 12 x 24 inches

Cut from the SVG or DXF at 1:1 millimetres, not from this reduced guide drawing



The sheet files include only the part geometry: there is no cutting rectangle around the sheet boundary. Keep the three layers separate. The gray number strokes can be hidden; they are not cut contours.

74 pieces on this sheet. Minimum sheet-edge margin: 8 mm. Nominal spacing between packed parts: 3 mm.

08 Parts list

Part numbers 001-034 | Dimensions include tabs

ID	Sheet	Type / floor	Size (mm)	Part / source description
001	1	FLOOR / G	329.58 x 247.25	GROUND floor plate
002	2	FLOOR / U	338.52 x 176.38	UPPER floor plate
003	2	WALL / G	57.72 x 21.34	Lab_south panel
004	1	WALL / G	5.05 x 21.34	Gallery_south_lintel0 panel
005	2	WALL / G	71.28 x 21.34	Gallery_south_head1 panel
006	1	WALL / G	22.34 x 21.34	Admissions_north_end panel
007	2	WALL / G	53.73 x 21.34	Classrooms_south panel
008	1	WALL / G	16.22 x 21.34	Store109_south_end panel
009	2	WALL / G	60.37 x 21.34	West_south_envelope_end panel
010	1	WALL / G	8.25 x 21.34	West_entry_storefront_head0 panel
011	1	WALL / G	8.25 x 21.34	West_entry_storefront_lintel1 panel
012	2	WALL / G	9.04 x 21.34	West_entry_storefront_lintel3 panel
013	1	WALL / G	4.26 x 21.34	West_entry_storefront_head4 panel
014	1	WALL / G	11.17 x 21.34	Vestibule_south_head0 panel
015	2	WALL / G	74.21 x 21.34	Office111_south_end panel
016	1	WALL / G	25.27 x 21.34	Store_to_mechanical_end panel
017	1	WALL / G	12.77 x 21.34	Lift_B_s panel
018	1	WALL / G	12.77 x 21.34	Lift_B_n_end panel
019	2	WALL / G	74.47 x 21.34	StairB_north panel
020	2	WALL / G	16.76 x 21.34	Office111_north panel
021	1	WALL / G	4.79 x 21.34	Janitor_north_lintel0 panel
022	2	WALL / G	35.11 x 21.34	Restrooms_north panel
023	1	WALL / G	11.17 x 21.34	Vestibule_north_head0 panel
024	1	WALL / G	76.07 x 21.34	Locker121_south_end panel
025	1	WALL / G	129.53 x 21.34	Gym_south panel
026	1	WALL / G	76.07 x 21.34	Locker_divider_end panel
027	1	WALL / G	76.07 x 21.34	Locker122_north_end panel
028	1	WALL / G	80.06 x 21.34	Commons_north_head0 panel
029	1	WALL / G	54.26 x 21.34	Athletics_south panel
030	1	WALL / G	13.56 x 21.34	Athletics_south_lintel2 panel
031	1	WALL / G	14.10 x 21.34	Trainer_storage_divider_end panel
032	2	WALL / G	28.46 x 21.34	Offices_divider_end panel
033	2	WALL / G	66.23 x 21.34	Athletics_north_sill0 panel
034	1	WALL / G	26.33 x 21.34	North_corridor_entry_lintel0 panel

08 Parts list

Part numbers 035-068 | Dimensions include tabs

ID	Sheet	Type / floor	Size (mm)	Part / source description
035	2	WALL / G	127.66 x 46.61	Gym_north panel
036	1	WALL / G	14.28 x 21.34	West_locker_and_service_envelope_end panel
037	1	WALL / G	22.79 x 21.34	West_locker_and_service_envelope_end panel
038	2	WALL / G	28.91 x 21.34	West_locker_and_service_envelope_end panel
039	2	WALL / G	29.97 x 21.34	West_locker_and_service_envelope_end panel
040	2	WALL / G	9.23 x 21.34	Athletics_west_lintel0 panel
041	2	WALL / G	37.46 x 21.34	Athletics_west_lintel0 panel
042	1	WALL / G	28.91 x 21.34	Locker121_wet_partition_end panel
043	2	WALL / G	29.97 x 21.34	Locker121_wet_partition_end panel
044	1	WALL / G	10.02 x 21.34	Athletic_store_east_end panel
045	1	WALL / G	9.49 x 21.34	Athletic_store_east_end panel
046	1	WALL / G	14.28 x 21.34	Janitor_east_end panel
047	1	WALL / G	10.02 x 21.34	Janitor_east_end panel
048	1	WALL / G	12.95 x 21.34	Trainer_office panel
049	2	WALL / G	19.60 x 21.34	Trainer_office panel
050	1	WALL / G	12.95 x 21.34	Athletics_centre_end panel
051	2	WALL / G	16.67 x 21.34	Athletics_centre_end panel
052	1	WALL / G	27.58 x 21.34	Restroom_divider_end panel
053	2	WALL / G	15.87 x 21.34	Office124_126_end panel
054	1	WALL / G	15.87 x 21.34	Restrooms_east_end panel
055	2	WALL / G	6.30 x 21.34	Restrooms_east_end panel
056	2	WALL / G	15.87 x 21.34	Athletics_east_end panel
057	1	WALL / G	16.67 x 21.34	Athletics_east_end panel
058	1	WALL / G	27.31 x 21.34	Corridor_stair_boundary_lintel1 panel
059	1	WALL / G	9.76 x 21.34	Corridor_stair_boundary_lintel1 panel
060	1	WALL / G	28.91 x 21.34	Corridor_stair_boundary_lintel1 panel
061	2	WALL / G	29.97 x 21.34	Corridor_stair_boundary_lintel1 panel
062	1	WALL / G	3.11 x 21.34	Classroom_strip_west_end panel
063	1	WALL / G	27.31 x 21.34	Classroom_strip_west_end panel
064	2	WALL / G	150.99 x 46.61	Gym_west_end panel
065	2	WALL / G	33.69 x 21.34	Folding_partition_113_112_end panel
066	2	WALL / G	14.81 x 21.34	Office111_west_end panel
067	2	WALL / G	15.08 x 21.34	Office111_west_end panel
068	2	WALL / G	29.17 x 21.34	Lab_west_end panel

08 Parts list

Part numbers 069-102 | Dimensions include tabs

ID	Sheet	Type / floor	Size (mm)	Part / source description
069	1	WALL / G	14.32 x 21.34	Lab_west_end panel
070	2	WALL / G	15.08 x 21.34	Office111_east_end panel
071	2	WALL / G	150.99 x 46.61	Gym_east panel
072	2	WALL / G	47.26 x 21.34	Lab_east_lintel0 panel
073	2	WALL / G	18.27 x 21.34	Admissions_west_end panel
074	1	WALL / G	11.66 x 21.34	Reception_return_end panel
075	1	WALL / G	18.84 x 21.34	Reception_admissions_east_head0 panel
076	2	WALL / G	20.93 x 21.34	Reception_admissions_east_head0 panel
077	1	WALL / G	21.73 x 21.34	Vestibule_internal_end panel
078	1	WALL / G	78.64 x 21.34	Commons_east_head0 panel
079	1	WALL / G	21.73 x 21.34	Vestibule_external_end panel
080	2	WALL / U	58.35 x 25.15	Offices_upper_south panel
081	2	WALL / U	58.62 x 25.15	Gallery_upper_south_head0 panel
082	1	WALL / U	18.38 x 25.15	Admin_south_end panel
083	1	WALL / U	10.66 x 25.15	Shaft_south_end panel
084	2	WALL / U	70.07 x 25.15	Classrooms_upper_south_sill0 panel
085	2	WALL / U	59.95 x 25.15	West_upper_south panel
086	1	WALL / U	13.06 x 25.15	Upper_entry_storefront_head0 panel
087	2	WALL / U	17.32 x 25.15	Upper_entry_storefront_head1 panel
088	1	WALL / U	10.66 x 25.15	IT205_south_end panel
089	2	WALL / U	28.51 x 25.15	IT_Admin_north panel
090	1	WALL / U	18.92 x 25.15	IT_Admin_north_lintel1 panel
091	2	WALL / U	30.64 x 25.15	Toilet211_divider_end panel
092	1	WALL / U	13.59 x 25.15	LiftB_upper_s panel
093	1	WALL / U	13.59 x 25.15	LiftB_upper_n panel
094	1	WALL / U	13.59 x 25.15	Toilet216_divider_end panel
095	2	WALL / U	20.25 x 25.15	StairB_upper_north panel
096	2	WALL / U	45.56 x 25.15	Collab219_north panel
097	2	WALL / U	71.94 x 25.15	Upper_classrooms_north panel
098	1	WALL / U	13.59 x 25.15	Toilet213_divider_end panel
099	2	WALL / U	39.17 x 25.15	Service214_south panel
100	2	WALL / U	124.39 x 25.15	Gym_south panel
101	2	WALL / U	97.70 x 25.15	Fitness_south panel
102	2	WALL / U	97.70 x 25.15	Fitness_north panel

08 Parts list

Part numbers 103-136 | Dimensions include tabs

ID	Sheet	Type / floor	Size (mm)	Part / source description
103	2	WALL / U	58.62 x 25.15	Upper_commons_north_head0 panel
104	1	WALL / U	11.65 x 25.15	Toilets_west_end panel
105	1	WALL / U	11.38 x 25.15	Toilets_west_end panel
106	1	WALL / U	7.92 x 25.15	Toilets_west_end panel
107	1	WALL / U	11.91 x 25.15	Toilets_west_end panel
108	2	WALL / U	50.28 x 25.15	Toilets_west_end panel
109	1	WALL / U	11.38 x 25.15	Collab219_west_end panel
110	2	WALL / U	7.12 x 25.15	Toilet216_east_lintel0 panel
111	1	WALL / U	11.91 x 25.15	Toilet213_east_lintel0 panel
112	1	WALL / U	11.65 x 25.15	Toilet212_east_end panel
113	1	WALL / U	10.31 x 25.15	Service214_west_end panel
114	1	WALL / U	10.31 x 25.15	Service214_east_end panel
115	2	WALL / U	27.10 x 25.15	Collab219_east_end panel
116	2	WALL / U	14.84 x 25.15	StairB_upper_west_end panel
117	2	WALL / U	6.58 x 25.15	StairB_upper_west_end panel
118	2	WALL / U	10.31 x 25.15	Storage215_east_end panel
119	2	WALL / U	33.53 x 25.15	Class210_west_end panel
120	2	WALL / U	32.43 x 25.15	Class210_209_end panel
121	2	WALL / U	32.43 x 25.15	Class209_208_end panel
122	2	WALL / U	29.76 x 25.15	Class208_east_end panel
123	2	WALL / U	32.43 x 25.15	Class208_east_end panel
124	2	WALL / U	5.78 x 25.15	IT205_west_end panel
125	2	WALL / U	7.38 x 25.15	IT205_west_end panel
126	1	WALL / U	24.70 x 25.15	Admin_west_end panel
127	1	WALL / U	5.78 x 25.15	Admin_west_end panel
128	2	WALL / U	7.38 x 25.15	Admin_west_end panel
129	2	WALL / U	19.37 x 25.15	Admin_east_lintel0 panel
130	2	WALL / U	43.88 x 25.15	Head_school_east_end panel
131	2	WALL / U	48.72 x 25.15	Gallery_upper_east_head0 panel
132	2	WALL / U	12.26 x 25.15	Terrace_access panel
133	2	WALL / U	85.49 x 25.15	Upper_commons_east_head0 panel
134	1	STAIR / G	24.25 x 20.57	North_flight lamination 1/2
135	1	STAIR / G	24.25 x 23.75	North_flight lamination 2/2
136	1	STAIR / G	7.46 x 7.62	North_grade_landing lamination 1/2

08 Parts list

Part numbers 137-157 | Dimensions include tabs

ID	Sheet	Type / floor	Size (mm)	Part / source description
137	1	STAIR / G	7.46 x 10.79	North_grade_landing lamination 2/2
138	1	STAIR / G	15.19 x 10.67	South_lower lamination 1/2
139	1	STAIR / G	15.19 x 13.84	South_lower lamination 2/2
140	1	STAIR / G	6.66 x 10.67	South_mid_landing lamination 1/2
141	2	STAIR / G	6.66 x 13.84	South_mid_landing lamination 2/2
142	1	STAIR / G	16.79 x 20.57	South_upper lamination 1/2
143	2	STAIR / G	16.79 x 23.75	South_upper lamination 2/2
144	1	STAIR / G	17.32 x 10.67	Stair_A_half_landing lamination 1/2
145	1	STAIR / G	17.32 x 13.84	Stair_A_half_landing lamination 2/2
146	1	STAIR / G	21.85 x 10.67	Stair_A_lower lamination 1/2
147	1	STAIR / G	21.85 x 13.84	Stair_A_lower lamination 2/2
148	1	STAIR / G	21.85 x 21.34	Stair_A_upper lamination 1/2
149	1	STAIR / G	21.85 x 24.51	Stair_A_upper lamination 2/2
150	1	STAIR / G	17.85 x 10.67	Stair_B_landing lamination 1/2
151	1	STAIR / G	17.85 x 13.84	Stair_B_landing lamination 2/2
152	1	STAIR / G	19.72 x 10.67	Stair_B_lower lamination 1/2
153	1	STAIR / G	19.72 x 13.84	Stair_B_lower lamination 2/2
154	2	STAIR / G	19.72 x 18.16	Stair_B_upper lamination 1/2
155	2	STAIR / G	19.72 x 21.34	Stair_B_upper lamination 2/2
156	2	COUPON / T	115.00 x 35.00	Fit coupon - uncorrected trial slots
157	2	COUPON / T	10.00 x 25.00	Fit coupon insert tongue

09 Verification and fabrication notes

Digitally checked; the coupon is still required for your stock and laser

Checked

Both sheet files were reopened as DXF, checked for millimetre units, separate CUT / ENGRAVE / LABELS layers, and vector-only numeric labels. Parts are nested within the sheet margins without overlaps. Actual part polygons were extruded into the assembly preview.

Joint and assembly checks

The floor slots and tab cross sections were checked for solid clashes. Wall-to-wall intersections were checked after consolidating the full-height gym walls and upper partitions. The digital checks do not replace a physical test cut.

Material allowances

The supplied files assume 3.175 mm stock, 0.15 mm kerf, and 0.05 mm clearance. The coupon slot widths are intentionally uncompensated. Other cut contours include compensation. Fit changes with actual plywood thickness, glue, charring and machine settings.

Source fidelity

The source is the existing architectural floor-plan model derived from the supplied King School PDFs. This kit prioritizes room relationships, floor outlines, stairs and major openings. Laser-cut thickness, broadened window webs, merged wall faces and laminated stair widths are fabrication adaptations.

Files

Use Sheet_01_12x24.svg / .dxf and Sheet_02_12x24.svg / .dxf. Test_Fit_Coupon.svg / .dxf isolates the coupon. LABELS is optional. parts_manifest.json and parts_list.csv contain the piece register. The Blender assembly is a visual reference, not a laser toolpath.

Scope

Two floors, walls and stairs only. No roof, furniture or loose glazing is included. Original Blender, STEP and earlier print files were preserved.