CSS BEST PRACTICE



css shorthand



```
1 .home {
2    background-color: #000;
3    background-image: url(images/bg.gif);
4    background-repeat: no-repeat;
5    background-position: left top;
6    color: #ffffff
7 }
```



```
1 .home {
2  background: #000 url(images/bg.gif) no-repeat left top;
3  color: #fff;
4 }
```

structure a stylesheet top to down

```
#side {
   /* ... */
   #side ul {
    /* .... */
   #content {
   /* ... */
10
11
12
   #header {
13
   /* ... */
14
15
16
   #header ul {
  /* ... */
19 }
20
21 /* FOOTER */
22 #footer {
23 /* ... */
24 }
25
26 #footer div {
27 /* ... */
28 }
```

```
#header {
   /* ... */
  #header ul {
 6 /* ... */
  /* SIDE BAR */
10 #side {
11 /* ... */
12 }
13
14 #side ul {
  /* .... */
16 }
17
  /* CONTENT */
19 #content {
  /* ... */
20
21 }
22
23 #content p {
24 /* .... */
25 }
26
27 /* FOOTER */
28 #footer {
29 /* ... */
30 }
31
32 #footer div {
33 /* .... */
34 }
```

keep individual selectors to a single line

```
1 .name, .number, .email, .img {
2    display: flex;
3    justify-content: space-evenly;
4    margin-right: 30%;
5    align-items: center;
6    margin-bottom: 30px;
7 }
```

```
1 .name,
2 .number,
3 .email,
4 .img {
5     display: flex;
6     justify-content: space-evenly;
7     margin-right: 30%;
8     align-items: center;
9     margin-bottom: 30px;
10 }
```

Don't prefix property values with a leading 0

```
1 .selectors {
2  margin-top: 0.5px;
3 }
4
```

```
1 .selectors {
2  margin-top: .5px;
3 }
```

Avoid specifying units for zero values

```
1 .selector {
2  border: 0px;
3 }
```

```
1 .selector {
2    border: 0
3 }
4
```

Declaration property in order



```
.selector {
        /* positioning */
        position: absolute;
        top: 0;
 4
        right: 0;
 6
        /* box model */
        display: block;
        width: 50%;
 8
        max-width: 500px;
 9
        padding: 1.5rem 2rem;
10
        border-radius: 16px;
11
        /* typography
12
        font-size: 2rem;
13
14
        font-family: sans-serif;
        /* visual */
15
        background: var(--bg-color);
16
        border: 12px solid var(--bg-color);
17
        filter: var(--filter);
18
19
    }
```

use meaningful class names with lowercase and dashes

```
.dLtButton {
    .detail {
    .msg {
                                  .success-message {
11
12
                                  .delete-button {
                              8
                              9
                                  .contactdetail {
                             10
                             11
```