



HI-PRECISION diagnostics

McArthur Hi-Way Corner Angeles Magalang Road Angeles City

Name : **MALLARI, BINLAYSON**
PID : A0271079
Age : 29 Sex : MALE
Source : MEDICARD-ACCOUNTING (ANGELES)
Clinician : N/A

Lab. Number : **2316051295**
Birthdate : 06-21-1994
Dispatch : ONLINE RESULT
Page : 1 of 2

Date Requested : 07-22-2023 11:22 AM

Received : 07-22-2023 11:24 AM

TEST	Result Reference Interval	(SI Unit)	Result Reference Interval	(Conv. Unit)
------	------------------------------	-----------	------------------------------	--------------

CHEMISTRY

FBS (HEXOKINASE)	↑ 5.76 3.89~5.49	mmol/L	↑ 103.80 70.10~98.93	mg/dL
------------------	----------------------------	--------	--------------------------------	-------

Comment/s:

ADA Recommendations 2015:

Pre-Diabetics: 5.55 - 6.94 mmol/L (100.01 - 125.06 mg/dL)

Diabetics : ≥ 7.00 mmol/L (≥ 126.14 mg/dL)

Lipid Profile

Cholesterol (CHOD-PAP)	3.27 < 5.20	mmol/L	126.25 < 200.77	mg/dL
------------------------	----------------	--------	--------------------	-------

Comment/s:

NCEP Recommendations:

Desirable: <5.20 mmol/L (<200.00 mg/dL)

Borderline High: 5.20-6.20 mmol/L (200.00-239.38 mg/dL)

High: ≥ 6.20 mmol/L (≥ 239.38 mg/dL)

Triglycerides (ENZYMATIC)	↑ 4.11 < 1.69	mmol/L	↑ 363.74 < 149.57	mg/dL
---------------------------	-------------------------	--------	-----------------------------	-------

Comment/s:

NCEP Recommendations:

Borderline High: 1.69-2.25 mmol/L (149.57-199.12 mg/dL)

High: 2.26-5.64 mmol/L (200.01-499.14 mg/dL)

Very High: ≥ 5.65 mmol/L (≥ 500.02 mg/dL)

HDL (DIRECT MEASURE- PEG)	0.92 > 0.90	mmol/L	35.52 > 34.75	mg/dL
---------------------------	----------------	--------	------------------	-------

Comment/s:

* >1.45 :No risk for CHD,based on HDL value

0.90-1.45:Moderate risk for CHD

<0.90:High risk for CHD

LDL	↓ 0.46 1.27~4.47	mmol/L	↓ 17.76 49.03~172.59	mg/dL
-----	----------------------------	--------	--------------------------------	-------

VLDL	↑ 1.89 < 0.78	mmol/L	↑ 72.69 < 30.00	mg/dL
------	-------------------------	--------	---------------------------	-------

CHOL/HDL Ratio	3.55 < 5.70			
----------------	----------------	--	--	--


Creatinine (ENZYMATIC)	97.00 59.00~104.00	umol/L	1.10 0.67~1.18	mg/dL
------------------------	-----------------------	--------	-------------------	-------

Uric Acid (ENZYMATIC)	↑ 523.24 202.30~416.50	umol/L	↑ 8.84 3.42~7.04	mg/dL
-----------------------	----------------------------------	--------	----------------------------	-------

LEGEND: ↑ - High ↑↑ - Alert Value High ↓ - Low ↓↓ - Alert Value Low

CH: 
CHUA, RODELL L.
Lic. # 0026297

SYSTEM VALIDATED


TAGAYUNA, PEDRITO Y., MD
Lic. # 0089935

REGISTERED MEDICAL TECHNOLOGIST

QUALITY CONTROL

PATHOLOGIST

** Report Electronically Signed Out **

HPD



HI-PRECISION diagnostics

McArthur Hi-Way Corner Angeles Magalang Road Angeles City

Name : **MALLARI, BINLAYSON**
PID : A0271079
Age : 29 Sex : MALE
Source : MEDICARD-ACCOUNTING (ANGELES)
Clinician : N/A

Lab. Number : **2316051295**
Birthdate : 06-21-1994
Dispatch : ONLINE RESULT
Page : 2 of 2

Date Requested : 07-22-2023 11:22 AM

Received : 07-22-2023 11:24 AM


TEST	Result	(SI Unit)	Result	(Conv. Unit)
	Reference Interval		Reference Interval	
SGPT / ALT (KINETIC)	↑ 113.42 10.00~50.00	U/L	↑ 113.42 10.00~50.00	U/L
SGOT / AST (KINETIC)	↑ 66.33 10.00~50.00	U/L	↑ 66.33 10.00~50.00	U/L

NOTE : *PAB Accredited test/s.

The results are best interpreted by a healthcare professional and are not intended to be used as the sole means for diagnosis or management.

Specimen rechecked, result/s verified.

LEGEND: ↑ - High ↑↑ - Alert Value High ↓ - Low ↓↓ - Alert Value Low

CH: 
CHUA, RODEL L.
Lic. # 0026297

SYSTEM VALIDATED


TAGAYUNA, PEDRITO Y., MD
Lic. # 0089935

REGISTERED MEDICAL TECHNOLOGIST

QUALITY CONTROL

PATHOLOGIST

** Report Electronically Signed Out **

HPD