MMDU MULLANA OFFICIAL SYLLABUS • BCSE-011 • UNIT 3

Unit 3: Expert Systems Architecture & Knowledge Acquisition (Cloning Human Experts)

Subject: Artificial Intelligence & Machine Learning (BCSE-011) • **Exam Weightage:** 20 - 24 Marks • **Study Time:** 30 mins

🗺️ UNIT 3 SYLLABUS ROADMAP & TOPIC INDEX (TABLE OF CONTENTS)

4 Modules • 12 Topics • Pages 1–14

1. 1. Expert Systems Architecture & The HOW/WHY Explanation Engine Pg. 1–5

- TOPIC 1. Classical Expert Systems: Architectural Decomposition Pg. 1
- TOPIC Decoupled Architecture Principle: Pg. 1
- TOPIC 2. Forward Chaining (Data-Driven) vs Backward Chaining (Goal-Driven) Pg. 3
- TOPIC 3. The Explanation Subsystem: Answering HOW and WHY Pg. 3

2. 2. The Expert System Triad & Human Collaboration Pg. 5–8

- TOPIC 1. The Expert System Triad & Human Collaboration Dynamics Pg. 5
- TOPIC 2. Conflict Resolution Strategies in the Inference Engine Pg. 6
- TOPIC 3. Certainty Factors & Reasoning Under Uncertainty (The MYCIN Model) Pg. 7
- TOPIC Combining Evidence Rules: Pg. 7

3. 3. Feigenbaum's Knowledge Acquisition Bottleneck Pg. 8–11

- TOPIC 1. Edward Feigenbaum's Knowledge Acquisition Bottleneck Pg. 8
- TOPIC The Knowledge Acquisition Bottleneck: Pg. 9
- TOPIC 2. Knowledge Elicitation Techniques Pg. 9

4. University Solved Examination Questions (Unit 3) Pg. 11–14

- TOPIC MMDU Official University Solved Examination Questions (Unit 3) Pg. 11

1. Expert Systems Architecture & The HOW/WHY Explanation Engine


1. Classical Expert Systems: Architectural Decomposition

An **Expert System (ES)** is a knowledge-intensive AI software program that achieves performance comparable to human domain experts in a specialized, narrow problem domain (e.g., medical diagnosis, geological prospecting, configuration engineering).

Decoupled Architecture Principle:

Unlike conventional software where domain rules and algorithmic execution logic are tangled together in procedural code (`if-else`), an Expert System enforces a strict mathematical separation:

> Expert System = Knowledge Base + Inference Engine



2. Forward Chaining (Data-Driven) vs Backward Chaining (Goal-Driven)

Feature	Forward Chaining (Data-Driven)	Backward Chaining (Goal-Driven)
Starting Point	Starts with known available facts in working memory.	Starts with a hypothesized goal state.
Reasoning Flow	**Bottom-Up:** Facts → Rules → New Inferences → Goal.	**Top-Down:** Goal → Supporting Sub-goals → Verifying Facts.
Search Mechanism	Pattern matches facts against rule antecedent (`IF`). Fires consequent (`THEN`).	Looks for rules whose consequent (`THEN`) matches goal. Recursively proves antecedent (`IF`).
Best Suited For	Monitoring, planning, synthesis, financial alerts.	Diagnostic systems (Medical diagnosis, fault localization).
Query Efficiency	Can generate millions of irrelevant inferences.	Highly focused; asks user ONLY questions relevant to candidate hypothesis.

3. The Explanation Subsystem: Answering HOW and WHY

A distinctive hallmark of expert systems is **transparency** (explainable AI):

1. **The `WHY` Explanation:** When the system prompts the user for information (e.g., "*Does the patient have chest pains?*"), the user can respond by asking `WHY?`.

- The engine traces the active goal in its backward-chaining stack and prints the rule it is currently trying to establish: \"*I am trying to determine if the patient is suffering from Myocardial Infarction. To confirm Rule 42, I need to know if chest pains are present.*\"

2. **The `HOW` Explanation:** When the system presents a final diagnosis, the user asks `HOW did you conclude that?`.

- The engine displays the exact sequence of fired rules and user-verified facts forming the deductive proof tree!

Problem:
Given the rule base:

- Rule 1: IF A and B, THEN C.

- Rule 2: IF C, THEN D.

Given facts: A is true, B is true. Determine whether D can be derived using Forward Chaining.

Step 1 🚀: Cycle 1 Match
Both antecedents of Rule 1 (A and B) are in the known fact database.
Fire Rule 1 ⇒ Add **C** to the fact base.

Step 2 ⚡: Cycle 2 Match
The antecedent of Rule 2 (C) is now in the fact base.
Fire Rule 2 ⇒ Add **D** to the fact base.

🎯 Forward Chaining fires Rule 1 then Rule 2 ⇒ **Fact D is proven TRUE**.

University Question (8 Marks):
An automotive diagnostic system has rules:

- R_1: IF `BatteryDead`, THEN `CarWontStart`.

- R_2: IF `LightsDim` AND `RadioSilent`, THEN `BatteryDead`.

- R_3: IF `AlternatorFailed`, THEN `BatteryDead`.

Goal: Prove `CarWontStart`. Trace Backward Chaining operation and specify what questions the system will ask the user.

Step 1 🚀: Top-Level Goal
Target: `CarWontStart`.
Match conclusion of R_1: Sub-goal established: Prove `BatteryDead`.

Step 2 ⚡: Sub-Goal Resolution
Match conclusion of R_2: Requires proving `LightsDim` AND `RadioSilent`.
Neither is in the rule conclusion database ⇒ These are **Askable Leaf Facts**!

Step 3 🎯: User Interaction Trace

- System queries: "*Are the car headlights dim?*" → User: "*Yes*".
- System queries: "*Is the car radio silent?*" → User: "*Yes*".

R_2 fires ⇒ `Battery_Dead` is established ⇒ R_1 fires ⇒ `Car_Wont_Start` is verified!

🎯 Backward Chaining asks only relevant leaf questions → Verifies car won't start due to dead battery.

University Question (10 Marks):
In a medical diagnostic expert system (like MYCIN), two independent diagnostic rules conclude that a patient has a bacterial infection:

- Rule 1 concludes `BacterialInfection` with Certainty Factor $CF_1 = +0.70$.
- Rule 2 concludes `BacterialInfection` with Certainty Factor $CF_2 = +0.50$.

Calculate the combined certainty factor CFcombined. Then calculate the resulting certainty if a third lab test contradicts the hypothesis with $CF_3 = -0.40$.


Step 1 🚀: Combine Two Positive Certainty Factors (CF_1, $CF_2 > 0$)
$CF_{12} = CF_1 + CF_2 \cdot (1 - CF_1)$
$CF_{12} = 0.70 + 0.50 \times (1 - 0.70) = 0.70 + 0.50(0.30) = 0.70 + 0.15 = +0.85$

Step 2 ⚡: Combine Positive $CF_{12} = +0.85$ with Negative Contradiction $CF_3 = -0.40$
When signs are opposite ($CF_a > 0$ and CFb
🎯 Combined Positive Certainty: $CF_{12} = +0.85$ | Final with Contradiction: $\mathbf{CF_{final}} = +\mathbf{0.75}$ (75 confidence).

2. The Expert System Triad & Human Collaboration

1. The Expert System Triad & Human Collaboration Dynamics

Building a production expert system requires a symbiotic triad of three distinct human roles:



---

2. Conflict Resolution Strategies in the Inference Engine

When multiple rules have their antecedents satisfied simultaneously, they enter the **Conflict Set**. The inference engine must select exactly one rule to fire using a deterministic strategy:

1. **Rule Specificity (Maximal Specialization):** Rules with more specific preconditions take precedence over general rules (e.g., `IF Bird AND CannotFly AND InWater THEN Penguin` overrides `IF Bird THEN AnimalCanFly`).

2. **Recency (Temporal Priority):** Rules that match facts most recently inserted into working memory fire first.

3. **Salience / Priority Weights:** Rules with explicitly assigned numerical priorities (e.g., `Priority = 100` for emergency shutdown rules) take precedence.

4. **Refraction:** A rule is never allowed to fire more than once on the exact same set of facts to prevent infinite execution loops!

---

3. Certainty Factors & Reasoning Under Uncertainty (The MYCIN Model)

In real-world domains (medicine, geology), knowledge is rarely binary. Stanford's **MYCIN** introduced the **Certainty Factor (CF)** framework:
CF(H, E) = MB(H, E) - MD(H, E)
where MB \in [0, 1] is Measure of Increased Belief, and MD \in [0, 1] is Measure of Increased Disbelief.
-1.0 ≤ CF(H, E) ≤ +1.0

Combining Evidence Rules:

- Conjunction: $CF(E_1 \land E_2) = \min(CF(E_1), CF(E_2))$.
- Rule Propagation: $CF(H) = CF(Rule) \times \max(0, CF(E))$.
- Combining Independent Hypotheses ($CF_1, CF_2 > 0$):

$$CF_{combine} = CF_1 + CF_2 - (CF_1 \times CF_2)$$

📘 Level 1 (Easy): Roles in the Expert System Triad

Problem:
Identify the primary responsibility of each participant in the Expert System Triad:

1. Domain Expert
2. Knowledge Engineer
3. End User

Step 1 🚀: Domain Expert
The human specialist (e.g. Cardiologist, Geologist) who possesses decades of accumulated heuristics, empirical rules of thumb, and domain wisdom.

Step 2 ⚡: Knowledge Engineer
The computer scientist who interviews the expert, extracts unstructured knowledge, and formalizes it into IF-THEN production rules and ontology networks.

Step 3 🎯: End User
The non-specialist technician, doctor, or operator who queries the system to obtain diagnoses and actionable advice.

🎯 Domain Expert (Provides knowledge) → Knowledge Engineer (Codes rules) → End User (Queries advice).

📘 Level 2 (Medium): Knowledge Extraction Protocol (Interview to Rules)

University Question (6 Marks):
A geologist explains: "*Whenever soil has high quartz content and low moisture, seismic vibration decay is slow.*"
Translate this into a formal production rule with appropriate certainty factor.

Step 1 🚀: Identify Antecedents & Consequent

- Antecedent 1: `Soil.Quartz_Content == High`
- Antecedent 2: `Soil.Moisture == Low`
- Consequent: `Seismic_Decay_Rate = Slow`

Step 2 ⚡: Formal Rule Syntax

```
RULE 104 [GeologicalDecay]
IF:
    SoilType IS SandyQuartz AND
    MoistureLevel < 15%
THEN:
    VibrationDecayRate = SLOW (CF = 0.85)
```

🎯 Formalized Production Rule with multi-attribute conditions and 85% confidence weight.

📘 **Level 3 (Hard): Conflict Resolution Strategies in Inference Engines**

University Question (8 Marks):
When 3 rules are simultaneously triggered into the Conflict Set:

- R_1: IF `Fever`, THEN `Paracetamol` (Rule added on day 1).
- R_2: IF `Fever` AND `Age < 2`, THEN `PediatricDrops` (More specific rule).
- R_3: IF `Fever` AND `HighBloodPressure`, THEN `ConsultPhysician` (Priority = 10).

Analyze how the inference engine resolves this conflict using: (1) Specificity, (2) Rule Priority, (3) Recency.

Step 1 🚀: Specificity (Most Specific / Longest Antecedent Rule Wins)
R_2 and R_3 have 2 conditions, while R_1 has only 1 condition.
Specificity eliminates the generic rule R_1, choosing between R_2 and R_3.

Step 2 ⚡: Rule Priority (Salience Weights)
If R_3 has explicit priority `Salience = 10` (danger of hypertension stroke), the inference engine executes **R_3 first** to ensure patient safety!

Step 3 🎯: Recency (Refractoriness)
Executes rules matching facts most recently added to the working memory, avoiding infinite loops.

🎯 Conflict resolution selects R_3 due to highest medical priority/salience and high specificity.

3. Feigenbaum's Knowledge Acquisition Bottleneck

1. Edward Feigenbaum's Knowledge Acquisition Bottleneck

In 1977, Turing Award laureate **Edward Feigenbaum** observed:

✅ **FUNDAMENTAL LAW / RULE:**
Feigenbaum's Axiom: "*The power of an expert system resides not in the sophistication of its inference algorithms, but in the quality and richness of the domain-specific knowledge accumulated in its knowledge base.*"

The Knowledge Acquisition Bottleneck:

Knowledge Acquisition is the process of extracting, transferring, and transforming domain problem-solving expertise from human experts into computational knowledge structures.

- **Why is it a Bottleneck?**

1. **Tacit / Subconscious Knowledge:** Experienced human doctors, pilots, and engineers make instantaneous diagnoses

based on instinct and muscle memory. When asked \"*How did you know?*\", they struggle to formulate explicit step-by-step logic.
2. **Vocabulary Impedance Mismatch:** Domain experts think in fuzzy clinical jargon; knowledge engineers think in mathematical logic, trees, and slot-filler tuples.
3. **Contradictory Knowledge:** Interviewing multiple senior doctors frequently yields conflicting diagnostic rules for identical symptoms.

---

2. Knowledge Elicitation Techniques

1. **Structured & Unstructured Interviews:** Systematic interrogation of the expert.

2. **Protocol Analysis (Think-Aloud Protocols):** The expert solves an actual clinical case while verbalizing every single thought, observation, and deduction out loud into a voice recorder.

3. **Critical Incident Technique:** The expert recounts extraordinary, catastrophic, or rare cases they encountered in their career, detailing what subtle clues averted disaster.

4. **Automated Machine Learning & Rule Mining:** Directly extracting decision trees and association rules from historical patient databases (the modern solution that eliminated the classical bottleneck!).

> 📘 **Level 1 (Easy): Identifying Feigenbaum's Bottleneck Symptoms**
>
> **Problem:**
> What is Edward Feigenbaum's "Knowledge Acquisition Bottleneck", and why is it considered the narrowest funnel in traditional AI development?
>
> ---
>
> **Step 1 🚀: The Definition**
> Human experts have extensive intuitive knowledge stored as "tacit knowledge"—they know how to diagnose a patient in 3 seconds, but cannot easily explain the mathematical logic in words!
>
> **Step 2 ⚡: The Funnel**
> Translating intuitive tacit human wisdom into rigid IF-THEN rules requires hundreds of hours of interviews, creating the **slowest bottleneck** in software engineering.
>
> 🎯 Knowledge Acquisition Bottleneck: The difficulty of extracting implicit human expert intuition into explicit machine rules.

📘 Level 2 (Medium): Tacit vs Explicit Knowledge Comparison

University Question (6 Marks):
Compare Tacit Knowledge with Explicit Knowledge in the context of expert system development.

Step 1 🚀: Tabular Comparison

Feature	[Tacit Knowledge]	[Explicit Knowledge]
Nature	Subconscious, intuitive, muscle memory	Formalized, documented, structured
Expression	Difficult to articulate into words or code	Easily written into manuals or tables
Examples	Medical instinct, face recognition	Textbook formulas, tax brackets, Ohm's law
AI Conversion	Extremely slow (Feigenbaum's bottleneck)	Fast (Direct rule translation)

🎯 Tacit knowledge is intuitive and hard to codify; Explicit knowledge is structured and easily written into rules.

📘 Level 3 (Hard): How Machine Learning Solved the Knowledge Acquisition Bottleneck

University Question (10 Marks):
Explain analytically how Modern Machine Learning (e.g., Deep Learning, Decision Trees) eliminated Feigenbaum's Knowledge Acquisition Bottleneck compared to 1980s Expert Systems.

Step 1 🚀: Traditional 1980s Expert System Paradigm
Human Expert Rules + Data \to {Manual Coding} Inference Engine ⇒ Decisions

- Failure: Cannot scale to vision or language; fragile when encountering unmodeled edge cases.

Step 2 ⚡: The Machine Learning Paradigm
Raw Training Data + Target Outputs \to {Optimization: Gradient Descent} \Learned Rules / Weights

- Eliminates the need to manually interview experts.

- Neural networks learn millions of parameter weights directly from millions of examples.

🎯 Machine Learning replaces manual expert interview funnels with automatic data-driven optimization.

University Solved Examination Questions (Unit 3)

MMDU Official University Solved Examination Questions (Unit 3)

Course: Fundamentals of AI & ML (`BCSE-011`)

Pattern: Sections A (1 Mark Compulsory), B (2 Marks Analytical), C (6 Marks In-Depth), D (6 Marks Design/Long)

📘 Question 7 (1 Mark): Explanation Facility in Expert Systems

Question:

Explain how an Expert System dynamically generates an answer to a user's "HOW" query.

> 📊 **Question Schematic / State Specification:**

QUESTION QUERY FLOW:

User prompts "HOW was Diagnosis D reached?" ➔ **Inference Engine traces active rule stack.**

Step-by-Step Solution:

> ⚡ **KEY TAKEAWAY:**
> **Solution Analytical Derivation & Schematic:**

```
Solution Derivation Tree Traceback:

        `Conclusion D ← Rule R14(Fact A &and; Fact B) ← Rule R2(Percept X)`. Displays rule
antecedents to user.
```

The Explanation Facility inspects the execution log of fired rules stored in working memory. To answer "HOW D", it displays the specific rule that concluded D along with the antecedent facts that triggered it.

🎯 **Verified Result:** Question 7 step-by-step resolution per MMDU university marking scheme.

📘 Question 8 (1 Mark): Forward Chaining vs. Backward Chaining Trigger Criteria

Question:
Under what condition is Backward Chaining vastly superior to Forward Chaining?

> 📊 **Question Schematic / State Specification:**

QUESTION SEARCH TREE COMPARISON:

Forward Chaining [Branching Factor 100 facts ➔

massive tree] vs Backward Chaining [1 specific goal hypothesis].

Step-by-Step Solution:

> ⚡ **KEY TAKEAWAY:**
> **Solution Analytical Derivation & Schematic:**

SOLUTION DIRECTED GOAL SUB-TREE PRUNING:

Target Hypothesis ➔ **checks ONLY rules establishing Goal** ➔ **prunes 95% irrelevant facts.**

Backward Chaining is superior when the number of known input facts is enormous but the system needs to verify one specific hypothesis (e.g. medical diagnosis: "Does the patient have Meningitis?"), avoiding millions of irrelevant forward rule deductions.

🎯 **Verified Result:** Question 8 step-by-step resolution per MMDU university marking scheme.

📘 Question 9 (1 Mark): The Knowledge Acquisition Bottleneck

Question:
Define the Knowledge Acquisition Bottleneck encountered by knowledge engineers.

> 📊 **Question Schematic / State Specification:**

QUESTION COMMUNICATION GAP:

Human Expert (Tacit, intuitive wisdom) ➔ **[Semantic Gap]** ➔ **Knowledge Engineer (Formal IF-THEN code).**

Step-by-Step Solution:

> ⚡ **KEY TAKEAWAY:**
> **Solution Analytical Derivation & Schematic:**

SOLUTION KNOWLEDGE ENGINEERING PROTOCOL:

Structured Interviews + Protocol Analysis ➔ **Intermediate Conceptual Models** ➔ **Formal Executable Rules.**

The Knowledge Acquisition Bottleneck refers to the difficulty of extracting intuitive, unstructured domain heuristics from human experts who cannot easily articulate their internal reasoning, and translating them into formal production rules.

🎯 **Verified Result:** Question 9 step-by-step resolution per MMDU university marking scheme.

📘 Question 15 (2 Marks): Certainty Factor (CF) Propagation in Rule-Based Systems

Question:
In MYCIN, if evidence E has certainty CF(E) = 0.8 and Rule R is "IF E THEN H (CF = 0.7)", compute the final hypothesis certainty CF(H, E).

> 📊 **Question Schematic / State Specification:**

QUESTION EVIDENCE-TO-HYPOTHESIS FLOW:

Evidence E [CF = 0.8] ➔ **Rule R [Attenuation Factor CF,ule = 0.7]** ➔ **Hypothesis H.**

Step-by-Step Solution:

> 🔥 **KEY TAKEAWAY:**
> **Solution Analytical Derivation & Schematic:**

```
Solution MYCIN Certainty Multiplication Model:

        `CF(H, E) = CF(E) × CF_rule = 0.8 × 0.7 = 0.56`.
```

When an antecedent fact is not known with absolute certainty, MYCIN scales the rule's confidence by the evidence certainty. Here, the final certainty in hypothesis H is exactly 0.56 (56% confidence).

🎯 **Verified Result:** Question 15 step-by-step resolution per MMDU university marking scheme.

📘 Question 19 (4 Marks): Conflict Resolution Strategies in Expert System Production Rules

Question:
Explain the Conflict Resolution problem when multiple rules match working memory simultaneously. Discuss Refractoriness, Recency, and Specificity.

> 📊 **Question Schematic / State Specification:**

QUESTION CONFLICT SET:

Working Memory (Fact 1, Fact 2) ➔ **Matches Rule 1, Rule 5, Rule 12** ➔ **Which rule fires?**

Step-by-Step Solution:

> ⚡ **KEY TAKEAWAY:**
> **Solution Analytical Derivation & Schematic:**

```
Solution Conflict Resolution Engine Model:

        `1. Specificity: Fire rule with most antecedents (IF A &and; B &and; C fires over IF A)`

        `2. Recency: Fire rule matching most recently asserted facts in Working Memory`

        `3. Refractoriness: Never fire same rule instance twice on identical data (prevents
loops)`

        `4. Rule Priorities / Weights: Pre-assigned static salience integers`
```

Without conflict resolution, the inference engine enters infinite loops or applies broad generic rules instead of domain-specific exceptions. Applying Specificity ensures specialized knowledge takes precedence over general defaults.

🎯 **Verified Result:** Question 19 step-by-step resolution per MMDU university marking scheme.

📘 Question 23 (6 Marks): Complete Engineering Design of a Medical Expert System

Question:

Design an Expert System for Infectious Disease Diagnosis. Specify the Knowledge Representation format, Inference Chaining Strategy, Explanation Dialogue, and Certainty Combination rules.

> 📊 **Question Schematic / State Specification:**

QUESTION CLINICAL DIAGNOSTIC ARCHITECTURE:

Patient Bloodwork ➔ **Rule Pattern Matcher** ➔ **Working Memory** ➔ **Explanation Generator.**

Step-by-Step Solution:

> **KEY TAKEAWAY:**
> **Solution Analytical Derivation & Schematic:**

```
Solution Multi-Tier Production System Design:

        `1. KB Rule Formalism: IF (Culture = GramNegative) &and; (Morphology = Rod) &and;
(Aerobicity = Anaerobic) THEN (Organism = Bacteroides [CF = 0.85])`

        `2. Inference: Backward Chaining from suspected critical pathogens; triggers Forward
Chaining on emergency vital flags`

        `3. Combining Uncertainties: CFc_omb(CF_1, CF_2) = CF_1 + CF_2 - (CF_1 × CF_2) for positive
certitudes`

        `4. Explanation Engine: Implements execution-stack unwinding for user inquiries`
```

This system decouples patient data from clinical disease rules. By maintaining certainty factors, it safely handles partial and ambiguous lab cultures. The explanation engine generates trust among clinicians by detailing the exact evidence trail behind every prescribed antibiotic regimen.

🎯 **Verified Result:** Question 23 step-by-step resolution per MMDU university marking scheme.
