



Проблемы
Выходные данные
Консоль отладки
Терминал
Порты
bash - HW26
Admin@DESKTOP-1TJKT0A UCRT64 /d/danit_homework/HW26 (main)
$ docker build -t node-efk-app ./app
=> [3/5] COPY package*.json ./ 0.1s
=> [4/5] RUN npm install 7.7s
=> [5/5] COPY . . 0.1s
=> exporting to image 2.5s
=> => exporting layers 1.1s
=> => exporting manifest sha256:e3599310c9a1dbab307eda9d9b4eca588fdc1815b1dafabc70cfa4a8839ae426 0.0s
=> => exporting config sha256:bd67f8ab67dc7bb66a835ac4501941c3febe55fe2e14b901b8d9c07556526966 0.0s
=> => exporting attestation manifest sha256:ff2a9cb156889ef04d39145e9aec7a2a704a6f402dc99cbe559a54083de63eae 0.0s
=> => exporting manifest list sha256:e2cb8f621a821716acd64b8a4a86b505d5cbc40b5e952ed4dee1cb605e97df30 0.0s
=> => naming to docker.io/library/node-efk-app:latest 0.0s
=> => unpacking to docker.io/library/node-efk-app:latest 1.2s
Admin@DESKTOP-1TJKT0A UCRT64 /d/danit_homework/HW26 (main)
$ docker images
Info
In Use
IMAGE ID DISK USAGE CONTENT SIZE EXTRA
docker.elastic.co/elasticsearch/elasticsearch:8.12.2 81b3bbd42d4d 2.06GB 687MB
docker.elastic.co/kibana/kibana:8.12.2 529459ea3b52 1.71GB 390MB
fluent/fluent-bit:5.1.4 a9cc9627aeab 180MB 51.1MB
node-efk-app:latest e2cb8f621a82 209MB 50.8MB
Admin@DESKTOP-1TJKT0A UCRT64 /d/danit_homework/HW26 (main)
$


Проблемы
Выходные данные
Консоль отладки
Терминал
Порты
bash efk
bash
Admin@DESKTOP-1TJKT0A UCRT64 /d/danit_homework (main)
$ docker ps
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS NAMES
1d7b99ecfd2e fluent/fluent-bit:5.1.4 "/fluent-bit/bin/flu…" 20 seconds ago Up 18 seconds 0.0.0.0:24224->24224/tcp, [::]:24224->24224/tcp fluent-bit
b31489b2b3c4 docker.elastic.co/kibana/kibana:8.12.2 "/bin/tini -- /usr/l…" 20 seconds ago Up 18 seconds 0.0.0.0:5601->5601/tcp, [::]:5601->5601/tcp efk-kibana-1
a956d7dc26a9 docker.elastic.co/elasticsearch/elasticsearch:8.12.2 "/bin/tini -- /usr/l…" 20 seconds ago Up 19 seconds 0.0.0.0:9200->9200/tcp, [::]:9200->9200/tcp efk-elasticsearch-1
Admin@DESKTOP-1TJKT0A UCRT64 /d/danit_homework (main)
$


localhost:9200
Discover - Elastic
localhost:9200
Структурний текст програми
{
"name" : "a956d7dc26a9",
"cluster_name" : "docker-cluster",
"cluster_uuid" : "oJReeNupQ3KIIuA136Ifcw",
"version" : {
"number" : "8.12.2",
"build_flavor" : "default",
"build_type" : "docker",
"build_hash" : "48a287ab9497e852de30327444b0809e55d46466",
"build_date" : "2024-02-19T10:04:32.774273190Z",
"build_snapshot" : false,
"lucene_version" : "9.9.2",
"minimum_wire_compatibility_version" : "7.17.0",
"minimum_index_compatibility_version" : "7.0.0"
},
"tagline" : "You Know, for Search"
}




```
Admin@DESKTOP-1TJKT0A UCRT64 /d/danit_homework (main)
$ docker inspect -f '{{range .NetworkSettings.Networks}}{{.IPAddress}}{{end}}' fluent-bit
172.18.0.4

Admin@DESKTOP-1TJKT0A UCRT64 /d/danit_homework (main)
$ docker run -d --rm --name node-app -p 10000:10000 --log-driver=fluentd --log-opt fluentd-address=172.18.0.4:24224 --log-opt fluentd-async=true --
log-opt tag=node-app node-efk-app
a59fa2b9ab6d5901618834d26b898fa6091a274dcecbfc7319c9ac85a92bd716


Admin@DESKTOP-1TJKT0A UCRT64 /d/danit_homework (main)
$
* Перезапуск терминала из-за потери подключения к процессу оболочки...


Admin@DESKTOP-1TJKT0A UCRT64 /d/danit_homework (main)
$ docker ps
CONTAINER ID   IMAGE                                                COMMAND                  CREATED         STATUS         PORTS
                    NAMES
a59fa2b9ab6d   node-efk-app                                         "docker-entrypoint.s…"   4 minutes ago   Up 4 minutes   0.0.0.0:10000->10000/
tcp, [::]:10000->10000/tcp   node-app
1d7b99ecfd2e   fluent/fluent-bit:5.1.4                              "/fluent-bit/bin/flu…"   9 minutes ago   Up 9 minutes   0.0.0.0:24224->24224/
tcp, [::]:24224->24224/tcp   fluent-bit
b31489b2b3c4   docker.elastic.co/kibana/kibana:8.12.2                "/bin/tini -- /usr/l…"   9 minutes ago   Up 9 minutes   0.0.0.0:5601->5601/tc
p, [::]:5601->5601/tcp       efk-kibana-1
a956d7dc26a9   docker.elastic.co/elasticsearch/elasticsearch:8.12.2 "/bin/tini -- /usr/l…"   9 minutes ago   Up 9 minutes   0.0.0.0:9200->9200/tc
p, [::]:9200->9200/tcp       efk-elasticsearch-1


Admin@DESKTOP-1TJKT0A UCRT64 /d/danit_homework (main)
```


```
Admin@DESKTOP-1TJKT0A UCRT64 /d/danit_homework (main)
$ curl localhost:10000
Home route accessed, Hello from NodeJS!
Admin@DESKTOP-1TJKT0A UCRT64 /d/danit_homework (main)
$ curl localhost:10000
Home route accessed, Hello from NodeJS!
Admin@DESKTOP-1TJKT0A UCRT64 /d/danit_homework (main)
$ curl localhost:10000
Home route accessed, Hello from NodeJS!
Admin@DESKTOP-1TJKT0A UCRT64 /d/danit_homework (main)
$ curl localhost:10000/error
An error occured!
Admin@DESKTOP-1TJKT0A UCRT64 /d/danit_homework (main)
$ curl localhost:10000/error
An error occured!
Admin@DESKTOP-1TJKT0A UCRT64 /d/danit_homework (main)
$
```


```
Admin@DESKTOP-1TJKT0A UCRT64 /d/danit_homework/hw26/efk (main)
$ docker compose up
fluent-bit  | * Fluent Bit is a CNCF graduated project under the Fluent organization
fluent-bit  | * https://fluentbit.io
fluent-bit  |
fluent-bit  | ______ _                  _    ______ _ _         _____  __
fluent-bit  | |  ___| |                | |   | ___ (_) |       |  ___|/  |
fluent-bit  | | |_  | |_   _  ___ _ __ | |_  | |_/ /_| |_  __   _|___ \ `| |
fluent-bit  | |  _| | | | | |/ _ \ '_ \| __| | ___ \ | __| \ \ / /   \ \| |
fluent-bit  | | |   | | |_| |  __/ | | | |_  | |_/ / | |_   \ V //\__/ /_| |_
fluent-bit  | \_|   |_|\__,_|\___|_| |_|\__| \____/|_|\__|   \_/ \____(_)___/
fluent-bit  |
fluent-bit  |
fluent-bit  | [2026/10/21 11:06:37.792] [ info] [fluent bit] version=5.1.4, commit=eef172226a, pid=1
fluent-bit  | [2026/10/21 11:06:37.792] [ info] [storage] ver=1.5.4, type=memory, sync=normal, checksum=off, max_chunks_up=128
fluent-bit  | [2026/10/21 11:06:37.792] [ info] [simd    ] SSE2
fluent-bit  | [2026/10/21 11:06:37.792] [ info] [cmetrics] version=2.2.5
fluent-bit  | [2026/10/21 11:06:37.792] [ info] [ctraces ] version=0.7.3
fluent-bit  | [2026/10/21 11:06:37.793] [ info] [input:forward:forward.0] initializing
fluent-bit  | [2026/10/21 11:06:37.793] [ info] [input:forward:forward.0] storage_strategy='memory' (memory only)
fluent-bit  | [2026/10/21 11:06:37.793] [ info] [input:forward:forward.0] listening on 0.0.0.0:24224 with 1 worker
fluent-bit  | [2026/10/21 11:06:37.794] [ info] [output:es:es.0] worker #0 started
fluent-bit  | [2026/10/21 11:06:37.794] [ info] [sp] stream processor started
fluent-bit  | [2026/10/21 11:06:37.794] [ info] [engine] Shutdown Grace Period=5, Shutdown Input Grace Period=2
fluent-bit  | [2026/10/21 11:06:37.794] [ info] [output:es:es.0] worker #1 started
fluent-bit  | [2026/10/21 11:06:37.794] [ info] [output:stdout:stdout.1] worker #0 started
fluent-bit  | [0] node-app: [[1792580858.000000000, {}], {"source"=>"stdout", "log"=>"Home route accessed, path: /", "container_id"=>"a59fa2b9ab6d5
901618834d26b898fa6091a274dcecbfc7319c9ac85a92bd716", "container_name"=>"/node-app"}]
fluent-bit  | [0] node-app: [[1792580863.000000000, {}], {"source"=>"stdout", "log"=>"Home route accessed, path: /", "container_id"=>"a59fa2b9ab6d5
901618834d26b898fa6091a274dcecbfc7319c9ac85a92bd716", "container_name"=>"/node-app"}]
fluent-bit  | [0] node-app: [[1792580865.000000000, {}], {"container_id"=>"a59fa2b9ab6d5901618834d26b898fa6091a274dcecbfc7319c9ac85a92bd716", "cont
ainer_name"=>"/node-app", "source"=>"stdout", "log"=>"Home route accessed, path: /"}]
fluent-bit  | [0] node-app: [[1792580868.000000000, {}], {"log"=>"An error occurred with NodeJS!, path: /error", "container_id"=>"a59fa2b9ab6d59016
18834d26b898fa6091a274dcecbfc7319c9ac85a92bd716", "container_name"=>"/node-app", "source"=>"stderr"}]
fluent-bit  | [0] node-app: [[1792580869.000000000, {}], {"log"=>"An error occurred with NodeJS!, path: /error", "container_id"=>"a59fa2b9ab6d59016
18834d26b898fa6091a274dcecbfc7319c9ac85a92bd716", "container_name"=>"/node-app", "source"=>"stderr"}]
fluent-bit  | [0] node-app: [[1792580870.000000000, {}], {"container_name"=>"/node-app", "source"=>"stderr", "log"=>"An error occurred with NodeJS!
, path: /error", "container_id"=>"a59fa2b9ab6d5901618834d26b898fa6091a274dcecbfc7319c9ac85a92bd716"}]
```


elastic
Find apps, content, and more.
Kibana
You have data in Elasticsearch.
Now, create a data view.
Data views identify the Elasticsearch data you want to explore. You can point data views to one or more data streams, indices, and index aliases, such as your log data from yesterday, or all indices that contain your log data.
Create data view
Want to learn more? Read the docs
Your data is not secure
Don't lose one bit. Enable our free security features.
Don't show again
Enable security
Dismiss


Create data view
Name
node-app
Index pattern
node-app*
Timestamp field
@timestamp
Select a timestamp field for use with the global time filter.
Show advanced settings
Close
Save data view to Kibana
Your index pattern matches 1 source.
All sources
Matching sources
node-app
Index
Rows per page: 10


elastic
Discover
New
Open
Share
Alerts
Inspect
Save
node-app
Filter your data using KQL syntax
Last 30 minutes
Refresh
container_name: node-app
16 hits
Break down by
Select field
Selected fields
log
container_name
Available fields
@timestamp
container_id
container_name
log
source
Empty fields
There are no empty fields.
Meta fields
Oct 21, 2026 @ 13:56:11.636 - Oct 21, 2026 @ 14:26:11.636 (interval: Auto - 30 seconds)
Documents
Field statistics
Columns
1 field sorted
Get the best look at your search results
Add relevant fields, reorder and sort columns, resize rows, and more in the document table.
Take the tour
Dismiss
@timestamp
log
container_name
Oct 21, 2026 @ 14:07:50.000 An error occurred with NodeJS!, path: /error /node-app
Oct 21, 2026 @ 14:07:49.000 An error occurred with NodeJS!, path: /error /node-app
Oct 21, 2026 @ 14:07:48.000 An error occurred with NodeJS!, path: /error /node-app
Oct 21, 2026 @ 14:07:45.000 Home route accessed, path: / /node-app
Add a field
Rows per page: 100


elastic
Discover
New
Open
Share
Alerts
Inspect
Save
node-app
Filter your data using KQL syntax
Last 30 minutes
Refresh
container_name: /node-app
16 hits
Break down by
Select field
Selected fields
log
container_name
Available fields
@timestamp
container_id
container_name
log
source
Empty fields
There are no empty fields.
Meta fields
Oct 21, 2026 @ 13:57:53.254 - Oct 21, 2026 @ 14:27:53.254 (interval: Auto - 30 seconds)
Documents
Field statistics
Columns
1 field sorted
Get the best look at your search results
Add relevant fields, reorder and sort columns, resize rows, and more in the document table.
Take the tour
Dismiss
@timestamp
log
container_name
Oct 21, 2026 @ 14:07:50.000 An error occurred with NodeJS!, path: /error /node-app
Oct 21, 2026 @ 14:07:49.000 An error occurred with NodeJS!, path: /error /node-app
Oct 21, 2026 @ 14:07:48.000 An error occurred with NodeJS!, path: /error /node-app
Oct 21, 2026 @ 14:07:45.000 Home route accessed, path: / /node-app
Add a field
Rows per page: 100


localhost:5601/app/discover#/?_g=(filters:!(),refreshInterval:(pause:!t,value:60000),time:(from:now-15m,to:now))&_a=(columns:!(log,container_name),filters:!(('$state':(store:appState...
elastic
Find apps, content, and more.
Discover
New
Open
Share
Alerts
Inspect
Save
node-app
error
Last 15 minutes
Refresh
container_name: node-app
Search field names
Selected fields
log
container_name
Available fields
@timestamp
container_id
container_name
log
source
Empty fields
Meta fields
3 hits
Break down by
Select field
Oct 21, 2026 @ 14:07:13.751 - Oct 21, 2026 @ 14:22:13.751 (interval: Auto - 30 seconds)
Documents
Field statistics
Columns
1 field sorted
Get the best look at your search results
Add relevant fields, reorder and sort columns, resize rows, and more in the document table.
Take the tour
Dismiss
@timestamp
log
container_name
Oct 21, 2026 @ 14:07:50.000 An error occurred with NodeJS!, path: /error /node-app
Oct 21, 2026 @ 14:07:49.000 An error occurred with NodeJS!, path: /error /node-app
Oct 21, 2026 @ 14:07:48.000 An error occurred with NodeJS!, path: /error /node-app
Add a field