

Search

[Alt+S]

Europe (Frankfurt)

mailnet (324621154857)

mailnet_jam

Amazon S3

Buckets

test-bucket-324621154857

Successfully created bucket "test-bucket-324621154857"

test-bucket-324621154857

Objects

Metadata

Properties

Permissions

Metrics

Management

File systems - new

Access Points

Objects (0)

Copy S3 URI

Copy URL

Download

Open

Delete

Actions

Create folder

Upload

Find objects by prefix

No objects

You don't have any objects in this bucket.

Upload

Search

[Alt+S]

Europe (Frankfurt)

mailnet (324621154857)

mailnet_jam

Amazon S3

Upload succeeded

For more information, see the Files and folders table.

Close

Upload: status

After you navigate away from this page, the following information is no longer available.

Summary

Destination

s3://test-bucket-324621154857

Succeeded

1 file, 1.6 KB (100.00%)

Failed

0 files, 0 B (0%)

Files and folders

Configuration

Files and folders (1 total, 1.6 KB)

Find by name

ssh-key-2026-07-02.key

Folder

-

Type

-

Size

1.6 KB

Status

Succeeded

Error

-

Search

[Alt+S]

Europe (Frankfurt)

mailnet (324621154857)

mailnet_jam

Amazon S3

Buckets

test-bucket-324621154857

test-bucket-324621154857

Objects

Metadata

Properties

Permissions

Metrics

Management

File systems - new

Access Points

Objects (1)

Copy S3 URI

Copy URL

Download

Open

Delete

Actions

Create folder

Upload

Find objects by prefix

ssh-key-2026-07-02.key

key

July 18, 2026, 12:51:29 (UTC+03:00)

1.6 KB

Standard

eu-central-1.console.aws.amazon.com/s3/object/test-bucket-324621154857?region=eu-central-1&prefix=ssh-key-2026-07-02.key

ssh-key-2026-07-02.key 1.6 KB

Показать все загрузки

Copy S3 URI Download Open Object actions

ssh-key-2026-07-02.key

Properties Permissions Versions

Object overview

Owner
3bb5bf07508e4274e8563811c8059546f9032b8e29ba5d1afcc5894a8fe710b3

AWS Region
Europe (Frankfurt) eu-central-1

Last modified
July 18, 2026, 12:51:29 (UTC+03:00)

Size
1.6 KB

Type
key

Key
ssh-key-2026-07-02.key

S3 URI
s3://test-bucket-324621154857/ssh-key-2026-07-02.key

Amazon Resource Name (ARN)
arn:aws:s3::test-bucket-324621154857/ssh-key-2026-07-02.key

Entity tag (Etag)
d76e2d19866767da2afbd1c59ad1dbb1

Object URL
https://test-bucket-324621154857.s3.eu-central-1.amazonaws.com/ssh-key-2026-07-02.key

Object management overview

The following bucket properties and object management configurations impact the behavior of this object.

Bucket properties

Bucket Versioning
When enabled, multiple variants of an object can be stored in the bucket to easily recover from unintended user actions and application failures.

Management configurations

Replication status
When a replication rule is applied to an object the replication status indicates the progress of the operations.

Specify permissions

Add permissions by selecting services, actions, resources, and conditions. Build permission statements using the JSON editor.

Policy editor

Visual JSON Actions

```
1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Sid": "AllowListAllBuckets",
6       "Effect": "Allow",
7       "Action": "s3:ListAllMyBuckets",
8       "Resource": "*"
9     },
10    {
11      "Sid": "AllowListOwnBucket",
12      "Effect": "Allow",
13      "Action": "s3:ListBucket",
14      "Resource": "arn:aws:s3:::test-bucket-324621154857"
15    },
16    {
17      "Sid": "AllowReadWriteOwnBucket",
18      "Effect": "Allow",
19      "Action": [
20        "s3:GetObject",
21        "s3:PutObject"
22      ],
23      "Resource": "arn:aws:s3:::test-bucket-324621154857/*"
24    }
25  ]
26 }
```

Edit statement

AllowReadWriteOwnBucket

Add actions

Choose a service

Search services

Included

S3

Available

AI Operations

AMP

API Gateway

API Gateway V2

ARC Region switch

ARC Zonal Shift

ASC

Permissions

Permissions defined in this policy

Permissions defined in this policy document specify which actions are allowed or denied. To define permissions for an IAM identity (user, user group, or role), attach a policy to it

```
1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Sid": "AllowListAllBuckets",
6       "Effect": "Allow",
7       "Action": "s3:ListAllMyBuckets",
8       "Resource": "*"
9     },
10    {
11      "Sid": "AllowListOwnBucket",
12      "Effect": "Allow",
13      "Action": "s3:ListBucket",
14      "Resource": "arn:aws:s3:::test-bucket-324621154857"
15    },
16    {
17      "Sid": "AllowReadWriteOwnBucket",
18      "Effect": "Allow",
19      "Action": [
20        "s3:GetObject",
21        "s3:PutObject"
22      ],
23      "Resource": "arn:aws:s3:::test-bucket-324621154857/*"
24    }
25  ]
26 }
```

aws

Search

[Alt+S]

maikel (324621154537)

maikel_iam

IAM > IAM users > Create user

Step 1

Specify user details

Step 2

Set permissions

Step 3

Review and create

Step 4

Retrieve password

Specify user details

User details

User name

TestUserBucket

The user name can have up to 64 characters. Valid characters: A-Z, a-z, 0-9, and + = . @ _ - (hyphen)

☒ Provide user access to the AWS Management Console - optional

In addition to console access, users with SignInLocalDevelopmentAccess permissions can use the same console credentials for programmatic access without the need for access keys.

Console password

☐ Autogenerated password

You can view the password after you create the user.

☒ Custom password

Enter a custom password for the user.

- Must be at least 8 characters long
- Must include at least three of the following mix of character types: uppercase letters (A-Z), lowercase letters (a-z), numbers (0-9), and symbols ! @ # \$ % ^ & * () _ + - (hyphen) = [] { } ' "

☐ Show password

☐ Users must create a new password at next sign-in - Recommended

Users automatically get the [IAMUserChangePassword](#) policy to allow them to change their own password.

☒ If you are creating programmatic access through access keys or service-specific credentials for AWS CodeCommit or Amazon Keyspaces, you can generate them after you create this IAM user.

[Learn more](#)

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

aws

Search

[Alt+S]

maikel (324621154537)

maikel_iam

IAM > IAM users > Create user

Step 1

Specify user details

Step 2

Set permissions

Step 3

Review and create

Step 4

Retrieve password

Set permissions

Add user to an existing group or create a new one. Using groups is a best-practice way to manage user's permissions by job functions. [Learn more](#)

Permissions options

☐ Add user to group

Add user to an existing group, or create a new group. We recommend using groups to manage user permissions by job function.

☐ Copy permissions

Copy all group memberships, attached managed policies, and inline policies from an existing user.

☒ Attach policies directly

Attach a managed policy directly to a user. As a best practice, we recommend attaching policies to a group instead. Then, add the user to the appropriate group.

Permissions policies (1/1527)

Choose one or more policies to attach to your new user.

Search

Filter by Type

Customer managed

1 match

< 1 >

☒ Policy name

Type

Attached entities

☒	S3AccessTestBucket	Customer managed	0
-------------------------------------	------------------------------------	------------------	---

[Set permissions boundary - optional](#)

Cancel

Previous

Next

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

aws

Search

[Alt+S]

maikel (324621154537)

maikel_iam

IAM > IAM users > Create user

Step 1

Specify user details

Step 2

Set permissions

Step 3

Review and create

Step 4

Retrieve password

Review and create

Review your choices. After you create the user, you can view and download the autogenerated password, if enabled.

User details

User name

TestUserBucket

Console password type

Custom password

Require password reset

No

Permissions summary

Name

Type

Used as

S3AccessTestBucket	Customer managed	Permissions policy
------------------------------------	------------------	--------------------

Tags - optional

Tags are key-value pairs you can add to AWS resources to help identify, organize, or search for resources. Choose any tags you want to associate with this user.

No tags associated with the resource.

[Add new tag](#)

You can add up to 50 more tags.

Cancel

Previous

Create user

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

aws

Search

[Alt+S]

Global

maikel (324621154857)

maikel_iam

IAM

IAM users

TestUserBucket

Identity and Access Management (IAM)

Search IAM

Dashboard

▼ Access Management

Roles

Policies

IAM users

IAM user groups

Identity providers

Account settings

Root access management

Temporary delegation requests

▼ Access reports

Access Analyzer

Resource analysis

Unused access

Analyzer settings

Credential report

Organization activity

Service control policies

TestUserBucket

Info

Delete

Summary

ARN
arn:aws:iam::324621154857:user/TestUserBucket

Console access
Enabled without MFA

Access key 1
Create access key

Created
July 18, 2026, 13:33 (UTC+03:00)

Last console sign-in
Never

Permissions

Groups

Tags

Security credentials

Last Accessed

Permissions policies (1)

Permissions are defined by policies attached to the user directly or through groups.

Search

Filter by Type

All types

Policy name

Type

Attached via

SSAccessTestBucket

Customer managed

Directly

Permissions boundary (not set)

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

aws

Search

[Alt+S]

Europe (Frankfurt)

Account ID: 3246-2115-4857

TestUserBucket

Give your coding agent current AWS knowledge and safe resource access

Agent Toolkit for AWS provides up-to-date documentation, tested procedures, and IAM guardrails configured through a single setup prompt in your IDE.

Get setup prompt

Free | Works with Kiro, Claude Code, Codor and more

Console Home

Info

Reset to default layout

+ Add widgets

Recently visited

No recently visited services

Explore one of these commonly visited AWS services.

EC2 S3 CloudWatch IAM

View all services

Applications (0)

Info

Create application

Region: Europe (Frankfurt)

myApplications availability change

Effective July 10, 2026, myApplications will no longer allow creation of new applications. For resource grouping capabilities, explore AWS Resource Groups. Learn more

Select Region

eu-central-1 (Current Region)

Find applications

Name

Description

Region

Original...

Access denied to servicecatalog:ListApplications

Diagnose with Amazon Q

Go to myApplications

Welcome to AWS

Getting started with AWS

Learn the fundamentals and find valuable information to get the most out of AWS.

Training and certification

AWS Health

Cost and usage

Current month

Access denied

Cost breakdown

Access denied

Forecasted month end

Access denied

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

aws

Search

[Alt+S]

Europe (Frankfurt)

Account ID: 3246-2115-4857

TestUserBucket

Amazon S3

Buckets

test-bucket-324621154857

test-bucket-324621154857

Info

Objects

Metadata

Properties

Permissions

Metrics

Management

File systems - new

Access Points

Objects (1)

Copy S3 URI

Copy URL

Download

Open

Delete

Actions

Create folder

Upload

Find objects by prefix

Show versions

Name

Type

Last modified

Size

Storage class

ssh-key-2026-07-02.key

key

July 18, 2026, 12:51:29 (UTC+03:00)

1.6 KB

Standard

Buckets

General purpose buckets

Directory buckets

Table buckets

Vector buckets

Files

File systems

Access management and security

Access Points

Access Points for FSx

Access Grants

IAM Access Analyzer

Storage management and insights

Storage Lens

Batch Operations

Account and organization settings

AWS Marketplace for S3

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

