pg_stat_statements

userid	pg_stat_statements.userid
dbid	pg_stat_statements.dbid
queryid	pg_stat_statements.queryid
query	pg_stat_statements.query
calls	pg_stat_statements.calls
total_time	pg_stat_statements.total_time
min_time	pg_stat_statements.min_time
max_time	pg_stat_statements.max_time
mean_time	pg_stat_statements.mean_time
stddev_time	pg_stat_statements.stddev_time
rows	pg_stat_statements.rows
shared_blks_hit	pg_stat_statements.shared_blks_hit
shared_blks_read	pg_stat_statements.shared_blks_read
shared_blks_dirtied	pg_stat_statements.shared_blks_dirtied
shared_blks_written	pg_stat_statements.shared_blks_written
local_blks_hit	pg_stat_statements.local_blks_hit
local_blks_read	pg_stat_statements.local_blks_read
local_blks_dirtied	pg_stat_statements.local_blks_dirtied
local_blks_written	pg_stat_statements.local_blks_written
temp_blks_read	pg_stat_statements.temp_blks_read
temp_blks_written	pg_stat_statements.temp_blks_written
blk_read_time	pg_stat_statements.blk_read_time
blk_write_time	pg_stat_statements.blk_write_time

pg_buffercache

bufferid	p.bufferid
relfilenode	p.relfilenode
reltablespace	p.reltablespace
reldatabase	p.reldatabase
relforknumber	p.relforknumber
relblocknumber	p.relblocknumber
isdirty	p.isdirty
usagecount	p.usagecount
pinning_backends	p.pinning_backends

user_details

- 🔑 id: int8
- name: varchar(100)
- surname: varchar(100)
- phone: int4

userinfo

email	u.email
name	ud.name
surname	ud.surname
phone	ud.phone

admins

- 🔑 id: int4
- email: varchar(255)
- password: varchar(255)
- id_admin_details: int4

admin_details

- 🔑 id: int4
- name: varchar(255)
- surname: varchar(255)
- phone: varchar(255)
- position: varchar(255)

posts

- 🔑 id: int8
- title: varchar(100)
- description: varchar(150)
- content: text
- like: int2
- dislike: int2
- id_asigned_by: int8
- created_at: date
- image: varchar(255)

users

- 🔑 id: int8
- email: varchar(255)
- password: varchar(255)
- id_user_details: int8

user_posts

- id_user: int8
- id_post: int8