

Resource

Online

Official Website

Download

JavaScript Cheat Sheet [.pdf]
JavaScript Quick Reference Ca
rd [.pdf]
JavaScript and Browser Object
s Quick Reference [.pdf]
JavaScript in one page

Related

AJAX
CSS
HTML DOM
GWT
HTML
jQuery
MooTools
Node.js
Prototype
XHTML

Browser

Window Properties

closed
defaultStatus
document
frames
history
innerHeight
innerWidth
length
location
name
navigator
opener
outerHeight
outerWidth
pageXOffset
pageYOffset
parent
screen
screenLeft
screenTop
screenX
screenY
self
status
top

Window Methods

alert()
blur()
clearInterval()
clearTimeout()
close()
confirm()
focus()
moveBy()
moveTo()
open()
print()
prompt()
resizeBy()
resizeTo()
scrollBy()
scrollTo()
setInterval()
setTimeout()

Navigator Properties

appName
appVersion
cookieEnabled
platform
userAgent

Navigator Methods

javaEnabled()
registerContentHandler()
registerProtocolHandler()

Screen Properties

availHeight
availWidth
colorDepth
height
pixelDepth
width

History Properties

length

History Methods

back()
forward()
go()

Location Properties

hash
host
hostname
href
pathname
port
protocol
search

Location Methods

assign()
reload()
replace()

DOM Node

Node Properties

attributes
baseURI
childNodes
firstChild
lastChild
localName
namespaceURI
nextSibling
nodeName
nodeType
nodeValue
ownerDocument
parentNode
prefix
previousSibling
textContent

Node Methods

appendChild()
cloneNode()
compareDocumentPosition()
getFeature(feature,version)
getUserData(key)
hasAttributes()
hasChildNodes()
insertBefore()
isDefaultNamespace()
isEqualNode()
isSameNode()
isSupported()
lookupNamespaceURI()
lookupPrefix()
normalize()
removeChild()
replaceChild()
setUserData(key,data,handl
er)

Node Types

1 Element
2 Attr
3 Text
4 CDATASection
5 EntityReference
6 Entity
7 ProcessingInstruction
8 Comment
9 Document
10 DocumentType
11 DocumentFragment
12 Notation

nodeName Returns

Element
element name
Attr
attribute name
Text
#text
CDATASection
#cdata-section
EntityReference
entity reference name
Entity
entity name
ProcessingInstruction
target
Comment
#comment
Document
#document
DocumentType
doctype name
DocumentFragment
#document fragment
Notation
notation name

nodeValue Returns

Element
null
Attr
attribute value
Text
content of node
CDATASection
content of node
EntityReference
null
Entity
null
ProcessingInstruction
content of node
Comment
comment text
Document
null
DocumentType
null
DocumentFragment
null
Notation
null

Ad

Basic Objects

Array Properties

constructor
length
prototype

Array Methods

concat()
indexOf()
join()
lastIndexOf()
pop()
push()
reverse()
shift()
slice()
sort()
splice()
toString()
unshift()
valueOf()

Boolean Properties

constructor
prototype

Boolean Methods

toString()
valueOf()

Math Properties

E
LN2
LN10
LOG2E
LOG10E
PI
SQRT1_2
SQRT2

Math Methods

abs(x)
acos(x)
asin(x)
atan(x)
atan2(y,x)
ceil(x)
cos(x)
exp(x)
floor(x)
log(x)
max(x,y,z,...,n)
min(x,y,z,...,n)
pow(x,y)
random()
round(x)
sin(x)
sqrt(x)
tan(x)

Number Properties

constructor
MAX_VALUE
MIN_VALUE
NEGATIVE_INFINITY
POSITIVE_INFINITY
prototype

Number Methods

toExponential(x)
toFixed(x)
toPrecision(x)
toString()
valueOf()

String Properties

constructor
length
prototype

String Methods

charAt()
charCodeAtAt()
concat()
fromCharCode()
indexOf()
lastIndexOf()
match()
replace()
search()
slice()
split()
substr()
substring()
toLowerCase()
toUpperCase()
valueOf()

String HTML Wrapper Met
hods

anchor()
big()
blink()
bold()
fixed()
fontcolor()
fontSize()
italics()
link()
small()
strike()
sub()
sup()

Global Properties

Infinity
NaN
undefined

Global Methods

decodeURI()
decodeURIComponent()
encodeURI()
encodeURIComponent()
escape()
eval()
isFinite()
isNaN()
Number()
parseFloat()
parseInt()
String()
unescape()

RegExp

Modifiers

i
*Perform case-insensitive matchi
ng*
g
*Perform a global match (find all
matches rather than stopping af
ter the first match)*
m
Perform multiline matching

Brackets

[abc]
*Find any character between the
brackets*
[^abc]
*Find any character not between
the brackets*
[0-9]
Find any digit from 0 to 9
[A-Z]
*Find any character from upperc
ase A to uppercase Z*
[a-z]
*Find any character from lowerc
ase a to lowercase z*
[A-z]
*Find any character from upperc
ase A to lowercase z*
[adgk]
*Find any character in the given
set*
[^adgk]
*Find any character outside the
given set*
(red|blue|green)
*Find any of the alternatives spe
cified*

Metacharacters

.
*Find a single character, except
newline or line terminator*
\\w
Find a word character
\\W
Find a non-word character
\\d
Find a digit
\\D
Find a non-digit character
\\s
Find a whitespace character
\\S
*Find a non-whitespace charact
er*
\\b
*Find a match at the beginning/e
nd of a word*
\\B
*Find a match not at the beginni
ng/end of a word*
\\0
Find a NUL character
\\n
Find a new line character
\\f
Find a form feed character
\\r
Find a carriage return character
\\t
Find a tab character
\\v
Find a vertical tab character
\\xxx
*Find the character specified by
an octal number xxx*
\\xdd
*Find the character specified by
a hexadecimal number dd*
\\uxxxx
*Find the Unicode character spe
cified by a hexadecimal number
xxxx*

Quantifiers

n+
*Matches any string that contain
s at least one n*
n*
*Matches any string that contain
s zero or more occurrences of n*
n?
*Matches any string that contain
s zero or one occurrences of n*
n{X}
*Matches any string that contain
s a sequence of X n's*
n{X,Y}
*Matches any string that contain
s a sequence of X to Y n's*
n{X,}
*Matches any string that contain
s a sequence of at least X n's*
n\$
*Matches any string with n at the
end of it*
^n
*Matches any string with n at the
beginning of it*
?n
*Matches any string that is follo
wed by a specific string n*
?!n
*Matches any string that is not f
ollowed by a specific string n*

RegExp Properties

global
ignoreCase
lastIndex
multiline
source

RegExp Methods

exec()
test()

Date Object

Date Properties

constructor
prototype

Date Methods

getDate()
getDay()
getFullYear()
getHours()
getMilliseconds()
getMinutes()
getMonth()
getSeconds()
getTime()
getTimezoneOffset()
getUTCDate()
getUTCDay()
getUTCFullYear()
getUTCHours()
getUTCMilliseconds()
getUTCMinutes()
getUTCMonth()
getUTCSeconds()
parse()
setDate()
setFullYear()
setHours()
setMilliseconds()
setMinutes()
setMonth()
setSeconds()
setTime()
setUTCDate()
setUTCFullYear()
setUTCHours()
setUTCMilliseconds()
setUTCMinutes()
setUTCMonth()
setUTCSeconds()
toDateString()
toISOString()
toJSON()
toLocaleDateString()
toLocaleTimeString()
toLocaleString()
toString()
toTimeString()
toUTCString()
UTC()
valueOf()

DOM Events

Mouse Events

click
dblclick
mousedown
mousemove
mouseover
mouseout
mouseup

Keyboard Events

keydown
keypress
keyup

Frame Events

abort
error
load
resize
scroll
unload

Form Events

blur
change
focus
reset
select
onsubmit

Event Object Constant

AT_TARGET
BUBBLING_PHASE
CAPTURING_PHASE

Event Object Properties

bubbles
cancelable
currentTarget
eventPhase
target
timeStamp
type

Event Object Methods

initEvent()
preventDefault()
stopPropagation()

EventTarget Object

addEventListener()
dispatchEvent()
removeEventListener()

EventListener Object

handleEvent()

MouseEvent/KeyboardEv
ent Object

altKey
button
clientX
clientY
ctrlKey
keyIdentifier
keyLocation
metaKey
relatedTarget
screenX
screenY
shiftKey

MouseEvent/KeyboardEv
ent Methods

initMouseEvent()
initKeyboardEvent()

Core DOM

NodeList Properties

length

NodeList Methods

item()

NamedNodeMap Properti
es

length

NamedNodeMap Methods

getNamedItem()
getNamedItemNS()
item()
removeNamedItem()
removeNamedItemNS()
setNamedItem()
setNamedItemNS()

Document Properties

doctype
documentElement
documentURI
domConfig
implementation
inputEncoding
xmlEncoding
xmlVersion

Document Methods

adoptNode(node)
createAttribute()
createAttributeNS(URI,nam
e)
createCDATASection()
createComment()
createDocumentFragment()
createElement()
createElementNS()
createEntityReference()
createProcessingInstruction
()
createTextNode()
getElementById()
getElementsByName()
getElementsByTagName()
querySelectorAll()
querySelector()
getElementsByTagNameNS()
importNode()
normalizeDocument()

Element Properties

schemaTypeInfo
tagName

Element Methods

getAttribute()
getAttributeNS()
getAttributeNode()
getAttributeNodeNS()
getElementsByName()
getElementsByTagNameNS()
hasAttribute()
hasAttributeNS()
removeAttribute()
removeAttributeNS()
removeAttributeNode()
setAttribute()
setAttributeNS()
setAttributeNode()
setAttributeNodeNS()
setIdAttribute()
setIdAttributeNS()
setIdAttributeNode()

Attr Properties

isId
name
ownerElement
schemaTypeInfo
specified
value

Graphics

CanvasRenderingContext
2D Methods

arc()
arcTo()
beginPath()
bezierCurveTo()
clearRect()
clip()
closePath()
createImageData()
createLinearGradient()
createPattern()
createRadialGradient()
drawCustomFocusRing()
drawImage()
drawSystemFocusRing()
fill()
fillRect()
fillText()
getImageData()
getLineDash()
isPointInPath()
lineTo()
measureText()
moveTo()
putImageData()
quadraticCurveTo()
rect()
restore()
rotate()
save()
scale()
scrollPathIntoView()
setLineDash()
setTransform()
stroke()
strokeRect()
strokeText()
transform()
translate()