CHEATSHEET FOR

React-router

import { default as Router, Route } from 'react-router'

Basic

<Route path='about' handler={About} />
<Route path='inbox' handler={Inbox} />

const routes = (<Route handler={Chrome}>

// from the path `/inbox/messages/:id` var id = this.props.params.id

URL params

```
Link

import { Link } from 'react-router'
```

<!-- make a named route `user` -->

<DefaultRoute handler={Home} />

routes: <Route>...</Route>,

router.run((Root) => { ... })

location: Router.HistoryLocation

activeClassName='-active'

<Link to='user' params={{userId: 10}} />

var Message = React.createClass({
 componentDidMount: function () {

<NotFoundRoute handler={NotFound} />

})

Other config

<Route path='/'>

<Link to='login'

onClick='...'>

<Redirect from='login' to='sessions/new' />

```
import { Navigation } from 'react-router'

React.createClass({
   mixins: [ Navigation ], ...
})

this
   .transitionTo('user', {id: 10})
   .transitionTo('/path')
   .transitionTo('http://...')
   .replaceWith('about')
   .makePath('about') // return URL
   .makeHref('about') // return URL
   .goBack()
```

Devhints.io cheatsheets is a collection of cheatsheets I've written over the years. Suggestions and corrections? Send them in. I'm Rico Sta. Cruz. Check out my Today I learned blog for more.

