
10 mm CALIBRATION



10 mm CALIBRATION


CUT 1 / SAMPLE GEOMETRY

FRONT

GRAINLINE




10 mm CALIBRATION


10 mm CALIBRATION

EXO / FOUNDATION TEE / FRONT

LETTER / 1-2 / 4 x 4



100% PRINT SCALE / DO NOT FIT TO PAGE / 15 mm TILE OVERLAP




10 mm CALIBRATION



10 mm CALIBRATION

EXO / FOUNDATION TEE / FRONT

LETTER / 4-2 / 4 x 4




100% PRINT SCALE / DO NOT FIT TO PAGE / 15 mm TILE OVERLAP

EXO / FOUNDATION TEE / FRONT

LETTER / 1-3 / 4 x 4


10 mm CALIBRATION




100% PRINT SCALE / DO NOT FIT TO PAGE / 15 mm TILE OVERLAP

EXO / FOUNDATION TEE / FRONT

LETTER / 2-3 / 4 x 4




100% PRINT SCALE / DO NOT FIT TO PAGE / 15 mm TILE OVERLAP


10 mm CALIBRATION

EXO / FOUNDATION TEE / FRONT

LETTER / 4-3 / 4 x 4

10 mm CALIBRATION



100% PRINT SCALE / DO NOT FIT TO PAGE / 15 mm TILE OVERLAP



10 mm CALIBRATION



10 mm CALIBRATION




10 mm CALIBRATION



10 mm CALIBRATION

10 mm CALIBRATION



10 mm CALIBRATION

CUT 1 / SAMPLE GEOMETRY

BACK

GRAINLINE


EXO / FOUNDATION TEE / BACK


LETTER / 3-1 / 4 x 4



10 mm CALIBRATION

100% PRINT SCALE / DO NOT FIT TO PAGE / 15 mm TILE OVERLAP


10 mm CALIBRATION


10 mm CALIBRATION




10 mm CALIBRATION



10 mm CALIBRATION

EXO / FOUNDATION TEE / BACK

LETTER / 4-2 / 4 x 4




100% PRINT SCALE / DO NOT FIT TO PAGE / 15 mm TILE OVERLAP

EXO / FOUNDATION TEE / BACK

LETTER / 1-3 / 4 x 4


10 mm CALIBRATION




100% PRINT SCALE / DO NOT FIT TO PAGE / 15 mm TILE OVERLAP

EXO / FOUNDATION TEE / BACK

LETTER / 2-3 / 4 x 4




100% PRINT SCALE / DO NOT FIT TO PAGE / 15 mm TILE OVERLAP


10 mm CALIBRATION

EXO / FOUNDATION TEE / BACK

LETTER / 4-3 / 4 x 4




100% PRINT SCALE / DO NOT FIT TO PAGE / 15 mm TILE OVERLAP



10 mm CALIBRATION



10 mm CALIBRATION




10 mm CALIBRATION






10 mm CALIBRATION


10 mm CALIBRATION



CU



10 mm CALIBRATION
CUT 1 / SAMPLE GEOMETRY
LEFT SLEEVE
GRAINLINE


10 mm CALIBRATION



10 mm CALIBRATION

EXO / FOUNDATION TEE / LEFT SLEEVE


LETTER / 2-2 / 3 x 3



100% PRINT SCALE / DO NOT FIT TO PAGE / 15 mm TILE OVERLAP


10 mm CALIBRATION


10 mm CALIBRATION



EXO / FOUNDATION TEE / LEFT SLEEVE

LETTER / 2-3 / 3 x 3

10 mm CALIBRATION




100% PRINT SCALE / DO NOT FIT TO PAGE / 15 mm TILE OVERLAP

EXO / FOUNDATION TEE / LEFT SLEEVE


LETTER / 3-3 / 3 x 3

10 mm CALIBRATION



100% PRINT SCALE / DO NOT FIT TO PAGE / 15 mm TILE OVERLAP

10 mm CALIBRATION



CU

10 mm CALIBRATION

CUT 1 / SAMPLE GEOMETRY


RIGHT SLEEVE

GRAINLINE


10 mm CALIBRATION

EXO / FOUNDATION TEE / RIGHT SLEEVE

LETTER / 1-2 / 3 x 3




100% PRINT SCALE / DO NOT FIT TO PAGE / 15 mm TILE OVERLAP

EXO / FOUNDATION TEE / RIGHT SLEEVE

LETTER / 2-2 / 3 x 3


10 mm CALIBRATION



100% PRINT SCALE / DO NOT FIT TO PAGE / 15 mm TILE OVERLAP


EXO / FOUNDATION TEE / RIGHT SLEEVE

LETTER / 3-2 / 3 x 3



100% PRINT SCALE / DO NOT FIT TO PAGE / 15 mm TILE OVERLAP


10 mm CALIBRATION



EXO / FOUNDATION TEE / RIGHT SLEEVE

LETTER / 2-3 / 3 x 3

10 mm CALIBRATION




100% PRINT SCALE / DO NOT FIT TO PAGE / 15 mm TILE OVERLAP

EXO / FOUNDATION TEE / RIGHT SLEEVE

LETTER / 3-3 / 3 x 3

10 mm CALIBRATION



100% PRINT SCALE / DO NOT FIT TO PAGE / 15 mm TILE OVERLAP

EXO / FOUNDATION TEE

OPEN CC0 PATTERN STUDY / SOURCE: blender_bridge/fixtures/tee.garment.json

Original EXO source contours (cm), including quadratic curves, are traced 1:1.

Pieces: one front, one back, left sleeve, right sleeve. Cut one of each.

Fixture spans: front/back 62 x 71 cm; each sleeve 38 x 62 cm.

PRINT AND TAPE

Choose the matching paper edition. Each edition includes all four pieces.

Print at actual size, 100%, with any scaling disabled. Check 10 mm square.

Align adjacent sheets by matching 15 mm shared overlap regions of outlines.

Tape rows and columns in increasing coordinate order; trim paper as required.

A4 edition: 42 pattern tiles. Letter edition: 50 pattern tiles.

PATTERN AND CUTTING NOTES

Heavy dark solid outline is the source contour, treated as a cut line for this study.

Dashed vertical arrow line indicates assumed lengthwise fabric grain.

Small single and double ticks reflect fixture front/back armhole notches.

The fixture declares a nominal 1 cm seam allowance per piece; it does not establish whether the supplied points are finished seam or outer cut contours. Therefore no seam allowance is added. Verify seam walk and add allowances after fitting or remake the cutting template for production use.

ASSEMBLY STUDY

1. Make a muslin or inexpensive knit sample, and check fit and seam matching.
2. Join front/back shoulders, align neck curves and finish neckline as tested.
3. Match sleeve notches to front/back armholes; sew sleeve caps with care.
4. Close side and underarm seams; finish sleeve openings and lower hem.
5. Test stretch, wearing ease, collar stabilization and hem depth before use.

WARNING: UNVERIFIED FIT / NOT A FACTORY CERTIFIED OR GRADED PATTERN.

CC0 1.0: https://creativecommons.org/publicdomain/zero/1.0/