
MANUFACTURING SPECIFICATION

Gothic Moto Padded Hoodie

Hoodie · Relaxed / oversized

STYLE NUMBER	REVISION	BASE SIZE
MK-HDW-001	R01 / DRAFT	M

FRONT



FLAT REFERENCE / NOT TO SCALE

01

Product overview

Product details & factory identification

BRAND

MIKRISTIAN

STYLE / PRODUCT

Gothic Moto Padded Hoodie

STYLE NUMBER

MK-HDW-001

SEASON

FW27

CATEGORY

Hoodie

BASE SIZE

M

MANUFACTURER

Factory / TBD

FIT

Relaxed / oversized

DESIGN & PRODUCTION NOTES

Manufacturer specification. Review every marked component and point of measure prior to cutting.


02

Flats & callouts

Annotated technical garment artwork

FIG 01 / FRONT


FRONT



FLAT REFERENCE / NOT TO SCALE

FIG 02 / BACK

FRONT



FLAT REFERENCE / NOT TO SCALE

Illustrative placeholders. Open the Artwork workspace to upload approved technical flats and draw arrows, pins and callouts.

01 Rib neck / hood opening · verify finishing

02 Topstitch along panel seam · 6 SPI

03 Bottom rib hem · 70 mm finished

04 Construction QA — confirm seam placement

05 Construction detail

03 Measurement spec

Graded size chart, POMs and tolerances

POM	POINT OF MEASURE	XS	S	M	L	XL	± cm
A	Body length — HPS to hem	63	65	67	69	71	1
B	Chest width — 2.5 cm below armhole	55	58	61	64	67	1
C	Shoulder width — across HPS	54	56	58	60	62	0.5
D	Sleeve length — shoulder to cuff	58	59	60	61	62	0.5
E	Hem opening — flat	48	50	52	54	56	1
F	Bicep — 2.5 cm below armhole	22	23	24	25	26	0.5

04 Bill of materials

Fabric, trims and supplier references

COMPONENT	TYPE	SUPPLIER	ARTICLE / SKU	USAGE	UOM	UNIT COST
French Terry /	Fabric	Mill TBD		1.8	m	12.4
Rib 2×2 / 450 (	Fabric	Mill TBD		0.28	m	5.8
Tonal polyeste	Thread	Trim supplie		1	spool	0.45
Main woven ne	Label	Trim supplie		1	pc	0.3
Size tab	Label	Trim supplie		1	pc	0.12

05 Construction details

Machine, SPI, seams, assembly and finishing

OPERATION	MACHINE / STITCH	SPI	ALLOWANCE	INSTRUCTIONS
Join shoulders	4-thread overlock	12	1.0 cm	Secure both ends. M
Attach sleeves	4-thread overlock	12	1.0 cm	Ease sleeve cap ever
Bottom hem	Coverstitch	10	1.0 cm	Align rib seams at si

06 Colorways

Approved color references and lab dip status

COLORWAY NAME

Washed Black

PANTONE / LAB DIP

Reference to confirm

APPROVAL

Lab dip pending

#292a2d

COLORWAY NAME

Concrete Grey

PANTONE / LAB DIP

Reference to confirm

APPROVAL

Proposed

#8a8b8d

07 Cost breakdown

Material rollup, CMT, freight, duty, landed cost

Materials	Production + packaging	Duty	Estimated landed unit cost
$24.81	$39.71	$2.38	$44.30

08 Labels & packaging

Placement, compliance text and packing

LABEL, CARE, ORIGIN & PLACEMENT

Main label centered at interior back neck. Care/content label in left interior side seam. Confirm country of origin and fiber declaration with manufacturer.

PACKAGING & CARTON SPEC

One garment folded in recyclable protective bag. Size label facing outward. Carton ratio / gross weight TBD.

09 Sample tracker

Fit rounds and factory feedback

No samples entered. Add a sample in the Samples workspace.

