

PEPG 3: Beyond Participation — A Leap in the Architecture of Collective Governance

Integrating Collective Intelligence, Contextual Representation, Modular Governance, and a Platform-Independent Governance Layer



Milad Habibpour

ORCID: 0009-0001-4789-0333

Platform-Enabled People Governance (PEPG) Research Series

Updated Edition — August 2026

Abstract

PEPG 3 advances Platform-Enabled People Governance from a general model of participation toward a modular architecture for organizing collective intelligence. Its central proposition is that contemporary societies do not merely suffer from insufficient participation; they suffer from fragmented, weakly structured, and poorly reusable participation. PEPG 3 therefore models governance as a set of reusable engines that can operate across problems, solutions, decisions, execution, and oversight.

The architecture integrates contextual tagging and ontology, structured discussion, multi-mode voting and rating, trust and verification, contextual delegation and representation, consensus mechanisms, and a governance-object layer. A central innovation is contextual representation: the representational weight of a person may vary across domains rather than remaining universally fixed. Delegated voting is voluntary, explicit, verifiable, revocable before the decision deadline, and distinct from ownership of another person's political rights.

The article also develops a structured discussion model in which communities can identify high-value contributions, nominate candidate results, and formally close a discussion when 80 percent of the participants in that specific room support closure. Finally, PEPG 3 is extended with a platform-independent governance layer, allowing external communities and social platforms to adopt selected PEPG modules without replacing their existing communication environments. A proposed PEPG Governance Mark and unified module identity distinguish open implementation from official recognition.

Keywords: PEPG; collective governance; collective intelligence; modular governance; contextual representation; delegated voting; ontology; trust; consensus.

Core proposition: PEPG 3 seeks to transform fragmented participation into organized collective capacity.

1. Introduction: Beyond Participation

Digital communication has made participation abundant. People can publish opinions, criticize institutions, form groups, propose solutions, and react to events at unprecedented speed. Yet abundance of expression does not automatically produce collective capacity. Discussions are dispersed across platforms, problems are repeatedly described without a shared structure, valuable knowledge disappears inside long message streams, and decision processes often fail to distinguish expertise, context, trust, preference, and representation.

PEPG 3 begins from a simple observation: the principal challenge is no longer merely how to give people a voice. The deeper challenge is how to give society an architecture capable of using that voice. The model therefore moves beyond participation as an isolated act and toward participation as an input to a reusable governance system.

PEPG 3 develops the earlier PEPG direction by concentrating on the internal architecture required to organize collective intelligence, representation, decision-making, execution, and oversight as interoperable capabilities.

2. Governance as a Modular Architecture

Traditional governance models are often represented as linear sequences: identify a problem, make a decision, execute the decision, and supervise the result. Real governance is rarely linear. A problem can be redefined after discussion. A proposed solution can generate sub-problems. Oversight can reveal a failure that returns the process to problem definition.

PEPG 3 therefore treats governance capabilities as reusable engines. Voting is not permanently assigned to one stage. Discussion is not limited to solution design. Trust is not merely an identity function. Context is not only a search function. Each engine can be invoked wherever its capability is required.




Figure 1. PEPG 3 overall architecture: users interact with reusable governance engines, governance objects, and a modular lifecycle layer.

Important architectural conclusion: PEPG 3 is not defined by one application screen or one fixed workflow. Its identity lies in the interoperability and repeated use of governance engines.

3. Governance Lifecycle with Reusable Engines

The lifecycle provides an organizing frame without turning governance into a rigid pipeline. A typical path includes problem identification, discussion and framing, solution development, decision-making, execution, and oversight. The engines can reappear at multiple points: context can structure the problem and later structure the search for related solutions; voting can validate a definition, rank alternatives, evaluate execution, or support oversight.




Figure 2. Governance lifecycle and the PEPG engines that can be reused across different stages.

Governance is therefore understood as a recursive system with feedback rather than a one-way administrative chain.

4. Context, Tagging, and Ontology

The Context and Ontology Engine is one of the most pervasive components of PEPG 3. Its role is not limited to attaching ordinary keywords. It provides a semantic structure through which the system can understand what a problem, solution, discussion, delegation, or decision is about.

For example, a problem concerning asphalt quality can be connected to a hierarchy such as infrastructure, transportation, roads, pavement, and asphalt quality. The same semantic structure can support discovery of related problems, duplicate detection, navigation, contextual delegation, and domain-specific representation.




Figure 3. Example of a contextual and ontological hierarchy. Context can classify problems, solutions, discussions, and delegation domains.

Important conclusion: context becomes shared infrastructure. Once a governance object has meaningful context, that context can be reused by search, voting, discussion, representation, trust, and recommendation mechanisms.

5. Contextual Delegation and Representation

One of the strongest conceptual advances in PEPG 3 is the rejection of universally fixed representation. A person may be trusted by many people in one field and by almost nobody in another. A single global political weight therefore fails to represent the context in which trust and competence are actually distributed.

PEPG 3 introduces **contextual representation**: representational weight is a function of the person and the relevant context. The same individual may carry substantial delegated weight in information technology, limited weight in urban planning, and almost no delegated weight in chemistry.

Figure 4. Delegation & Contextual Representation Model




Figure 4. Contextual representation: the same user may have different delegated weight across different domains.

Consider a person who has 1,000 delegated votes in information technology, 120 in urban planning, and 2 in chemistry. The architecture does not interpret this as a contradiction. It interprets it as a more accurate representation of distributed trust.

Important conclusion: PEPG 3 does not ask whether society should choose direct democracy or representation. It allows direct participation and contextual representation to coexist.

6. The Delegation Lifecycle and Revocability

Delegation remains under the control of the delegator. A person may delegate, change the delegate, revoke the delegation, or choose to vote directly before the defined decision deadline. At the deadline, the delegation state is locked for final counting, producing both flexibility before the decision and certainty during the count.




Figure 5. Delegation lifecycle: delegation remains changeable and revocable until the decision deadline, after which the final state is counted.

Delegated power should not become detached from its source. If twenty people authorize a representative and five revoke their authorization before the deadline, the representative's effective weight changes accordingly. The representative does not own those votes; the representative exercises authority derived from current authorization.

The architecture may support different policies regarding delegation chains. A system can allow only direct delegation, or it can permit limited and transparent transitive delegation. In either case, the origin of effective authority should remain auditable.

7. Trust, Verification, and Authorization

Delegation creates a critical question: how can the system establish that a person genuinely authorized another person to act with delegated weight? PEPG 3 addresses this through a Trust and Verification layer that records and evaluates identity, authorization, evidence, and relevant context.




Figure 6. Data and trust flow: user actions pass through verification and trust processes before trusted data is reused by governance engines.

Verification concerns whether an identity, claim, or authorization is supported by evidence. **Voting** concerns what people choose or approve. **Trust** concerns the reliability of a person or relationship within a relevant context.

Important conclusion: popularity is not truth, and competence in one context is not universal authority.

8. Voting and Rating as a Family of Decision Engines

PEPG 3 does not reduce collective choice to a single yes-or-no mechanism. Different governance questions require different decision forms. Binary voting may confirm a definition. Approval voting may identify acceptable alternatives. Ranking may order several options. Rating is especially useful when alternatives must be assessed across multiple criteria.

Decision need	Mechanism	Illustrative use
Confirmation	Binary vote	Approve or reject a problem definition
Selection	Approval / multiple choice	Choose among solution proposals
Prioritization	Ranking	Order several public problems
Evaluation	Rating	Assess cost, effectiveness, risk, sustainability
Oversight	Voting / rating	Evaluate execution or performance

Architectural principle: voting itself is reusable and should not be tied to only one object type or lifecycle stage.

9. Discussion as a Governance Engine

PEPG 3 treats discussion as more than an informal chat space. Discussion may be attached to a problem, solution, project, execution stage, or oversight process. Messages can receive positive or negative feedback, and highly supported contributions can be surfaced in a highlight area to improve navigability.

However, high visibility does not convert a message into verified truth. Popularity helps identify contributions worth examining; verification and evidence remain separate functions.

A participant may nominate a message or formulation as a candidate result of the discussion. This creates a path through which conversational knowledge can become a reusable governance object rather than disappearing into an archive of messages.

10. The 80 Percent Discussion Closure Rule

Any participant in a particular chat room may propose that the discussion should be formally closed. Closure does not occur merely because one participant requests it. The proposed closure requires support from 80 percent of the population of that specific room.

The denominator is essential. The threshold is not 80 percent of all PEPG users and not 80 percent of a broader platform. It is 80 percent of the people belonging to the relevant discussion room.

Important conclusion: the purpose of structured discussion is not merely to increase conversation. It is to preserve, surface, and convert collective reasoning into reusable outcomes.

11. The PEPG Board: From Complaint to Governance Object

The PEPG Board transforms a public issue from an isolated post into a structured governance object. A problem may include a definition, verification status, contextual tags, positive or negative approval, proposed revisions, sub-problems, related problems, discussions, solution links, reports, execution information, and oversight records.

Users are not limited to reacting to a fixed statement. They may improve the definition of the problem, propose a revision, create a sub-problem, support or oppose the problem, and connect the issue to a broader semantic structure.

Practical conclusion: the board can evolve from a list of complaints into a structured map of social and governance problems.

12. Platform-Independent Governance Layer

PEPG is not required to replace existing social networks, messaging services, forums, or community platforms. The architecture can operate as a reusable governance layer. An external platform may retain its own communication environment while adopting selected PEPG engines such as voting, contextual tagging, delegated representation, trust validation, rating, or structured discussion.

This follows directly from modularity. Adoption does not have to be all-or-nothing. One community may use only the Discussion Engine and the 80 percent closure rule. Another may add contextual voting. A third may use the broader set of governance modules.

Important conclusion: PEPG is not merely a destination platform. It can be conceived as a governance capability layer that other communities can use.

13. PEPG Governance Mark, Certification, and Module Identity

The later development of PEPG introduces a visual identity family consisting of a master PEPG identity and compatible identities for individual governance modules. The shared visual language indicates architectural membership while allowing each module to remain functionally distinct.

A PEPG Governance Mark can identify communities, platforms, or implementations that have satisfied defined recognition requirements. Recognition should be specific to the modules actually implemented. A platform that adopts one engine should not imply that it has implemented the entire architecture.




Figure 7. Unified PEPG visual identity and the family of reusable governance-module logos.

Stage	Meaning
Complaint received	A concern has been submitted; no violation is presumed.
Under review	Relevant facts and implementation details are examined.
Corrective action	A recognized issue requires defined improvement.
Suspended	Use of recognition or the mark is temporarily restricted.
Revoked	Recognition is withdrawn when continuing requirements are not satisfied.

The presence of a complaint should not itself establish wrongdoing. The architecture distinguishes reporting from findings. Open-source development and official recognition are also distinct: a developer may experiment with compatible ideas, while official use of a recognition mark communicates that defined requirements have been satisfied.

14. Risks and Research Challenges

The architecture does not eliminate the difficult problems of governance. It makes them explicit. Important challenges include false identities, concentration of delegated power, manipulation of feedback signals, ontological disagreement, privacy-preserving verification, complexity for ordinary users, and possible deadlock under high consensus thresholds.

Future work can include concentration indicators for delegated authority, simulations of contextual representation, semantic duplicate detection, alternative consensus thresholds, transparent recommendation systems, and privacy-preserving authorization mechanisms.

15. Final Conclusions

PEPG 3 proposes a shift from participation as an isolated democratic act to participation as an organized and reusable source of collective capacity. Its principal contribution is architectural: governance functions are modeled as interoperable engines that can operate repeatedly across problems, solutions, decisions, execution, and oversight.

The most important conclusions of PEPG 3

1. More participation does not automatically produce better governance; participation must be structured.
2. Governance should be designed as reusable capabilities rather than a rigid one-way process.
3. Context and ontology are shared infrastructure, not merely search tools.
4. Voting should support confirmation, selection, ranking, and rating.
5. Representation can be contextual rather than universally fixed.
6. Delegated authority remains derived from voluntary authorization and should be revocable before the decision deadline.
7. Direct participation and representation can coexist within one architecture.
8. Trust, verification, popularity, and voting are distinct concepts.
9. Discussion should generate reusable results rather than losing collective knowledge in message streams.
10. The 80 percent rule provides a mechanism for strong room-level closure and consensus.
11. A PEPG Board can turn fragmented complaints into structured governance objects.
12. PEPG modules can be adopted by external communities without replacing their existing platforms.
13. Open development can coexist with official recognition through a Governance Mark and accountability process.

Beyond giving people a voice, society needs an architecture for organizing, contextualizing, trusting, delegating, debating, deciding, executing, and supervising the collective use of that voice.

References and Project Continuity

1. Habibpour, M. Platform-Enabled People Governance (PEPG). Foundational PEPG work (PEPG 1).
2. Habibpour, M. From Bureaucracy to Platform-Enabled Adhocracy. Application-oriented development of PEPG and adaptive governance (PEPG 2).
3. Habibpour, M. PEPG 3: Beyond Participation — A Leap in the Architecture of Collective Governance. Current academic edition.