Modeling-CNN-and-Transfer-Learning

July 31, 2022

1 Introduction

In this section, we will use the spectrograms made in the EDA notebook to train CNN models and we will present different models including transfer learning.

2 Importing Libraries

```
[2]: from google.colab import drive drive.mount('/content/drive')
```

Drive already mounted at /content/drive; to attempt to forcibly remount, call drive.mount("/content/drive", force_remount=True).

```
[14]: import pandas as pd
      import seaborn as sns
      import matplotlib.pyplot as plt
      import seaborn as sns
      import numpy as np
      import os
      from sklearn.preprocessing import LabelEncoder
      from sklearn.metrics import confusion matrix, plot confusion matrix,
       ⇔classification_report
      import tensorflow as tf
      from tensorflow.keras import layers
      from tensorflow.keras.layers import Conv2D, MaxPooling2D, Flatten, Dense, u
       →Dropout
      from tensorflow.keras.preprocessing.image import ImageDataGenerator
      from tensorflow.keras.optimizers import RMSprop, Adam
      from tensorflow.keras.models import Sequential
      import warnings
      warnings.filterwarnings('ignore')
```

```
print("GPU is", "available" if tf.config.list_physical_devices('GPU') else "NOT⊔ ⇔AVAILABLE")
```

GPU is available

[4]: !nvidia-smi

```
Thu Jul 28 06:21:28 2022
| NVIDIA-SMI 460.32.03 | Driver Version: 460.32.03 | CUDA Version: 11.2
|-----
            Persistence-M| Bus-Id
                               Disp.A | Volatile Uncorr. ECC |
| Fan Temp Perf Pwr:Usage/Cap| Memory-Usage | GPU-Util Compute M. |
                 Off | 00000000:00:04.0 Off |
 0 Tesla T4
| N/A 66C P8 12W / 70W |
                         3MiB / 15109MiB |
                                        0%
                                             Default |
                                                N/A |
| Processes:
 GPU
     GΙ
         CI
               PID
                   Type Process name
                                            GPU Memory |
     ID
                                            Usage
| <del>-----</del>
 No running processes found
+----+
```

3 Functions

The function loss_acc is defined to take the model and returns the loss and accuracy diagrams of the model.

```
[5]: def loss_acc(model):
    fig , ax = plt.subplots(1,2)

    test_acc = model.history.history["val_accuracy"]
    test_loss = model.history.history["val_loss"]
    train_acc = model.history.history["accuracy"]
    train_loss = model.history.history["loss"]

    epochs = range(1, len(test_acc) + 1)

    fig.set_size_inches(20,6)
    ax[0].plot(epochs , train_loss , label = 'Training Loss')
```

```
ax[0].plot(epochs , test_loss , label = 'Testing Loss')
ax[0].set_title('Training & Testing Loss')
ax[0].legend()
ax[0].set_xlabel("Epochs")

ax[1].plot(epochs , train_acc , label = 'Training Accuracy')
ax[1].plot(epochs , test_acc , label = 'Testing Accuracy')
ax[1].set_title('Training & Testing Accuracy')
ax[1].legend()
ax[1].set_xlabel("Epochs")
plt.show()
```

4 Importing Train-Test data sets

```
[6]: base_dir = "/content/drive/MyDrive/Emotion-Detection/mel_spectrogram"
    train_dir = os.path.join(base_dir, 'train')
    test_dir = os.path.join(base_dir, 'test')
    # Directory with training normal/abnormal spectrograms
    train_angry = os.path.join(train_dir, 'angry')
    train_disgust = os.path.join(train_dir, 'disgust')
    train_fear = os.path.join(train_dir, 'fear')
    train_happy = os.path.join(train_dir, 'happy')
    train_neutral = os.path.join(train_dir, 'neutral')
    train_sad = os.path.join(train_dir, 'sad')
    train_surprise = os.path.join(train_dir, 'surprise')
    # Directory with test normal/abnormal spectrograms
    test_angry = os.path.join(test_dir, 'angry')
    test disgust = os.path.join(test dir, 'disgust')
    test_fear = os.path.join(test_dir, 'fear')
    test_happy = os.path.join(test_dir, 'happy')
    test_neutral = os.path.join(test_dir, 'neutral')
               = os.path.join(test_dir, 'sad')
    test_sad
    test_surprise = os.path.join(test_dir, 'surprise')
```

Found 2240 images belonging to 7 classes. Found 560 images belonging to 7 classes.

5 Modeling

In this section, we will present some CNN based models and we will use some transfer learning models to be used in this work.

5.1 Convolutional Neural Network

In this section, we will present the CNN based models. As we can see all of the models perform well with the test accuracy around 99%.


5.1.1 First Model

Model: "sequential_10"

Layer (type)	Output Shape	Param #
conv2d_28 (Conv2D)	(None, 148, 148, 16)	448
<pre>max_pooling2d_28 (MaxPoolin g2D)</pre>	(None, 74, 74, 16)	0
flatten_10 (Flatten)	(None, 87616)	0

```
dense_36 (Dense)
                   (None, 64)
                                  5607488
   dense_37 (Dense)
                   (None, 7)
                                  455
  Total params: 5,608,391
  Trainable params: 5,608,391
  Non-trainable params: 0
  ______
[]: model_1.compile(optimizer=Adam(learning_rate=0.001),
           loss="categorical_crossentropy",
           metrics = ['accuracy'])
  model_1.fit(
         train_generator,
         epochs=10,
          validation_data=validation_generator,
  print("Fitting Done")
  Epoch 1/10
  0.8241 - val_loss: 0.0188 - val_accuracy: 0.9964
  Epoch 2/10
  0.9991 - val_loss: 0.0135 - val_accuracy: 0.9964
  1.0000 - val_loss: 0.0063 - val_accuracy: 0.9982
  Epoch 4/10
  accuracy: 1.0000 - val_loss: 0.0048 - val_accuracy: 0.9982
  Epoch 5/10
  accuracy: 1.0000 - val_loss: 0.0049 - val_accuracy: 0.9982
  Epoch 6/10
  75/75 [============= ] - 94s 1s/step - loss: 3.9558e-04 -
  accuracy: 1.0000 - val_loss: 0.0036 - val_accuracy: 0.9982
  Epoch 7/10
  accuracy: 1.0000 - val_loss: 0.0036 - val_accuracy: 0.9982
  Epoch 8/10
  accuracy: 1.0000 - val_loss: 0.0040 - val_accuracy: 0.9982
  Epoch 9/10
```

[]: loss_acc(model_1)



5.1.2 Second Model

Found 2240 images belonging to 7 classes. Found 560 images belonging to 7 classes.

Model: "sequential_11"


Layer (type)		
conv2d_29 (Conv2D)		
<pre>max_pooling2d_29 (MaxPoolin g2D)</pre>	(None, 74, 74, 16)	0
conv2d_30 (Conv2D)	(None, 72, 72, 32)	4640
<pre>max_pooling2d_30 (MaxPoolin g2D)</pre>	(None, 36, 36, 32)	0
conv2d_31 (Conv2D)	(None, 34, 34, 64)	18496
<pre>max_pooling2d_31 (MaxPoolin g2D)</pre>	(None, 17, 17, 64)	0
flatten_11 (Flatten)	(None, 18496)	0
dense_38 (Dense)	(None, 512)	9470464
dense_39 (Dense)	(None, 7)	3591


Total params: 9,497,639 Trainable params: 9,497,639 Non-trainable params: 0

```
[]: model_2.compile(optimizer=Adam(learning_rate=0.001), loss="categorical_crossentropy",
```

```
metrics = ['accuracy'])
model_2.fit(
      train_generator,
      epochs=10,
      validation_data=validation_generator,
print("Fitting Done")
Epoch 1/10
0.7415 - val_loss: 0.0600 - val_accuracy: 0.9821
Epoch 2/10
0.9911 - val_loss: 0.0243 - val_accuracy: 0.9911
Epoch 3/10
0.9969 - val_loss: 0.0270 - val_accuracy: 0.9893
Epoch 4/10
0.9982 - val_loss: 0.0240 - val_accuracy: 0.9929
Epoch 5/10
accuracy: 1.0000 - val_loss: 0.0060 - val_accuracy: 0.9982
Epoch 6/10
accuracy: 1.0000 - val_loss: 0.0039 - val_accuracy: 0.9982
Epoch 7/10
accuracy: 1.0000 - val_loss: 0.0033 - val_accuracy: 0.9982
Epoch 8/10
accuracy: 1.0000 - val_loss: 0.0033 - val_accuracy: 0.9982
accuracy: 1.0000 - val_loss: 0.0033 - val_accuracy: 0.9982
accuracy: 1.0000 - val_loss: 0.0031 - val_accuracy: 0.9982
Fitting Done
```

[]: loss_acc(model_2)






5.1.3 Third Model


Model: "sequential_9"

Layer (type)	Output Shape	Param #
conv2d_25 (Conv2D)	(None, 148, 148, 16)	448
<pre>max_pooling2d_25 (MaxPoolin g2D)</pre>	(None, 74, 74, 16)	0
conv2d_26 (Conv2D)	(None, 72, 72, 32)	4640
<pre>max_pooling2d_26 (MaxPoolin g2D)</pre>	(None, 36, 36, 32)	0
conv2d_27 (Conv2D)	(None, 34, 34, 64)	18496

```
max_pooling2d_27 (MaxPoolin (None, 17, 17, 64)
                               0
   g2D)
   flatten_9 (Flatten) (None, 18496)
                                  0
                   (None, 256)
   dense 34 (Dense)
                                  4735232
   dense_35 (Dense)
                   (None, 7)
                                  1799
  Total params: 4,760,615
  Trainable params: 4,760,615
  Non-trainable params: 0
  ______
[]: model_3.compile(optimizer=Adam(learning_rate=0.0001),
           loss="categorical_crossentropy",
           metrics = ['accuracy'])
  model_3.fit(
         train_generator,
         epochs=10,
         validation_data=validation_generator,
  print("Fitting Done")
  Epoch 1/10
  0.6089 - val_loss: 0.5181 - val_accuracy: 0.8982
  Epoch 2/10
  0.9527 - val_loss: 0.1200 - val_accuracy: 0.9804
  Epoch 3/10
  0.9835 - val_loss: 0.0748 - val_accuracy: 0.9839
  Epoch 4/10
  0.9933 - val_loss: 0.0389 - val_accuracy: 0.9911
  Epoch 5/10
  0.9982 - val_loss: 0.0402 - val_accuracy: 0.9839
  0.9991 - val_loss: 0.0282 - val_accuracy: 0.9964
  Epoch 7/10
  0.9996 - val_loss: 0.0195 - val_accuracy: 0.9929
```

[]: loss_acc(model_3)





5.1.4 Forth Model


Model: "sequential_8"

Layer (type) Output Shape Param #

```
conv2d_23 (Conv2D)
                     (None, 148, 148, 16)
                                     448
   max_pooling2d_23 (MaxPoolin (None, 74, 74, 16)
                                     0
   g2D)
   conv2d_24 (Conv2D)
                     (None, 72, 72, 32)
                                     4640
   max_pooling2d_24 (MaxPoolin (None, 36, 36, 32)
   g2D)
   flatten_8 (Flatten)
                     (None, 41472)
                     (None, 128)
   dense_32 (Dense)
                                     5308544
   dense_33 (Dense)
                     (None, 7)
                                     903
  ______
  Total params: 5,314,535
  Trainable params: 5,314,535
  Non-trainable params: 0
  _____
[]: model_4.compile(optimizer=Adam(learning_rate=0.001),
            loss="categorical crossentropy",
            metrics = ['accuracy'])
   model_4.fit(
          train_generator,
          epochs=15,
          validation_data=validation_generator,
   print("Fitting Done")
  Epoch 1/15
  0.8228 - val_loss: 0.0247 - val_accuracy: 0.9982
  Epoch 2/15
  0.9987 - val_loss: 0.0264 - val_accuracy: 0.9893
  Epoch 3/15
  0.9996 - val_loss: 0.0037 - val_accuracy: 1.0000
  Epoch 4/15
  accuracy: 1.0000 - val_loss: 0.0050 - val_accuracy: 1.0000
  Epoch 5/15
```

```
accuracy: 1.0000 - val_loss: 0.0039 - val_accuracy: 1.0000
Epoch 6/15
accuracy: 1.0000 - val_loss: 0.0036 - val_accuracy: 1.0000
Epoch 7/15
accuracy: 1.0000 - val loss: 0.0033 - val accuracy: 1.0000
Epoch 8/15
accuracy: 1.0000 - val_loss: 0.0034 - val_accuracy: 1.0000
Epoch 9/15
accuracy: 1.0000 - val_loss: 0.0029 - val_accuracy: 1.0000
Epoch 10/15
accuracy: 1.0000 - val_loss: 0.0026 - val_accuracy: 1.0000
Epoch 11/15
accuracy: 1.0000 - val_loss: 0.0027 - val_accuracy: 1.0000
Epoch 12/15
75/75 [============== ] - 95s 1s/step - loss: 6.9156e-05 -
accuracy: 1.0000 - val_loss: 0.0025 - val_accuracy: 1.0000
Epoch 13/15
accuracy: 1.0000 - val_loss: 0.0022 - val_accuracy: 1.0000
Epoch 14/15
accuracy: 1.0000 - val_loss: 0.0023 - val_accuracy: 1.0000
accuracy: 1.0000 - val_loss: 0.0022 - val_accuracy: 1.0000
Fitting Done
```

[]: loss_acc(model_4)



- Training Accuracy

5.2 Transfer Learning

In this section, we will use transfer learning models EfficientNetB3 and EfficientNetB7 to train a neural network.

5.2.1 EfficientNetB3

Found 2240 images belonging to 7 classes. Found 560 images belonging to 7 classes.


```
[]: model_name='EfficientNetB3'
     efficient_model=tf.keras.applications.EfficientNetB3(
                                           include top=False,
                                           weights="imagenet",
                                           input_shape=(target_size[0],__
      →target_size[1], 3),
                                           pooling='max')
     x=efficient_model.output
     x=tf.keras.layers.BatchNormalization(axis=-1,
                                       momentum=0.99,
                                       epsilon=0.001)(x)
     x = Dense(256,
               kernel_regularizer = tf.keras.regularizers.12(1 = 0.05),
               activity regularizer = tf.keras.regularizers.11(0.05),
                                    = tf.keras.regularizers.l1(0.05),
               bias_regularizer
               activation='relu')(x)
```


```
x=tf.keras.layers.Dropout(rate=.45, seed=123)(x)
  output=Dense(7, activation='softmax')(x)
  eff_model=tf.keras.models.Model(inputs=efficient_model.input, outputs=output)
  eff_model.compile(tf.keras.optimizers.Adamax(learning_rate=.001),
           loss='categorical crossentropy',
           metrics=['accuracy'])
  # eff_model.summary()
[]: eff_model.fit(
         train_generator,
         epochs=25,
         validation data=validation generator,
  print("Fitting Done")
  Epoch 1/25
  accuracy: 0.7415 - val_loss: 17.6656 - val_accuracy: 0.1429
  0.9580 - val_loss: 12.4169 - val_accuracy: 0.1429
  Epoch 3/25
  0.9781 - val_loss: 8.9780 - val_accuracy: 0.1429
  Epoch 4/25
  0.9915 - val_loss: 6.7828 - val_accuracy: 0.1429
  Epoch 5/25
  0.9960 - val_loss: 5.3822 - val_accuracy: 0.1429
  Epoch 6/25
  0.9951 - val_loss: 4.4163 - val_accuracy: 0.1429
  Epoch 7/25
  0.9978 - val_loss: 3.6858 - val_accuracy: 0.1571
  Epoch 8/25
  0.9973 - val_loss: 3.2119 - val_accuracy: 0.2250
  Epoch 9/25
  0.9973 - val_loss: 2.8182 - val_accuracy: 0.2679
```

```
Epoch 10/25
0.9973 - val_loss: 2.5049 - val_accuracy: 0.4071
Epoch 11/25
0.9991 - val_loss: 2.1579 - val_accuracy: 0.5536
Epoch 12/25
0.9982 - val_loss: 1.8073 - val_accuracy: 0.7339
Epoch 13/25
0.9964 - val_loss: 1.3436 - val_accuracy: 0.9232
Epoch 14/25
0.9969 - val_loss: 1.1130 - val_accuracy: 0.9714
Epoch 15/25
0.9982 - val_loss: 1.0300 - val_accuracy: 0.9750
Epoch 16/25
0.9978 - val_loss: 1.0069 - val_accuracy: 0.9393
Epoch 17/25
0.9964 - val_loss: 0.8502 - val_accuracy: 0.9732
Epoch 18/25
0.9987 - val_loss: 0.6719 - val_accuracy: 0.9964
Epoch 19/25
0.9982 - val_loss: 0.6954 - val_accuracy: 0.9911
Epoch 20/25
0.9969 - val_loss: 0.6294 - val_accuracy: 1.0000
Epoch 21/25
0.9982 - val_loss: 0.5916 - val_accuracy: 0.9982
Epoch 22/25
0.9978 - val_loss: 0.5821 - val_accuracy: 1.0000
Epoch 23/25
0.9969 - val_loss: 0.5843 - val_accuracy: 0.9964
0.9991 - val_loss: 0.5655 - val_accuracy: 1.0000
Epoch 25/25
0.9978 - val_loss: 0.5359 - val_accuracy: 1.0000
```

Fitting Done

[]: loss_acc(eff_model)





5.2.2 EfficientNetB7

```
[7]: # All images will be rescaled by 1./255.
datagen = ImageDataGenerator( rescale = 1.0/255, dtype= tf.float64)
batch_size = 30
target_size = (150, 150)
input_shape = (target_size[0], target_size[1], 3)
```

===============

```
input_1 (InputLayer)
                                [(None, 150, 150, 3 0
                                                                  )]
rescaling (Rescaling)
                                (None, 150, 150, 3) 0
['input 1[0][0]']
normalization (Normalization)
                                 (None, 150, 150, 3) 7
['rescaling[0][0]']
stem_conv_pad (ZeroPadding2D)
                                (None, 151, 151, 3)
['normalization[0][0]']
                                 (None, 75, 75, 64)
stem_conv (Conv2D)
                                                      1728
['stem_conv_pad[0][0]']
stem_bn (BatchNormalization)
                                (None, 75, 75, 64)
                                                      256
['stem_conv[0][0]']
stem_activation (Activation)
                                (None, 75, 75, 64)
                                                      0
['stem_bn[0][0]']
block1a dwconv (DepthwiseConv2
                                 (None, 75, 75, 64)
                                                      576
['stem_activation[0][0]']
D)
block1a_bn (BatchNormalization (None, 75, 75, 64)
                                                      256
['block1a_dwconv[0][0]']
)
block1a_activation (Activation
                                 (None, 75, 75, 64)
['block1a_bn[0][0]']
)
block1a_se_squeeze (GlobalAver
                                                      0
                                 (None, 64)
['block1a_activation[0][0]']
agePooling2D)
block1a_se_reshape (Reshape)
                                 (None, 1, 1, 64)
                                                      0
['block1a_se_squeeze[0][0]']
block1a_se_reduce (Conv2D)
                                 (None, 1, 1, 16)
                                                      1040
['block1a_se_reshape[0][0]']
block1a_se_expand (Conv2D)
                                 (None, 1, 1, 64)
                                                      1088
['block1a_se_reduce[0][0]']
block1a_se_excite (Multiply)
                                (None, 75, 75, 64)
                                                      0
['block1a_activation[0][0]',
```

```
'block1a_se_expand[0][0]']
block1a_project_conv (Conv2D)
                                 (None, 75, 75, 32)
                                                      2048
['block1a_se_excite[0][0]']
block1a_project_bn (BatchNorma
                                 (None, 75, 75, 32)
                                                      128
['block1a_project_conv[0][0]']
lization)
block1b_dwconv (DepthwiseConv2
                                 (None, 75, 75, 32)
                                                      288
['block1a_project_bn[0][0]']
D)
block1b_bn (BatchNormalization
                                 (None, 75, 75, 32)
                                                      128
['block1b_dwconv[0][0]']
)
block1b_activation (Activation
                                 (None, 75, 75, 32)
['block1b_bn[0][0]']
)
block1b_se_squeeze (GlobalAver
                                  (None, 32)
                                                      0
['block1b_activation[0][0]']
agePooling2D)
block1b_se_reshape (Reshape)
                                 (None, 1, 1, 32)
                                                      0
['block1b_se_squeeze[0][0]']
block1b_se_reduce (Conv2D)
                                 (None, 1, 1, 8)
                                                      264
['block1b_se_reshape[0][0]']
block1b_se_expand (Conv2D)
                                 (None, 1, 1, 32)
                                                      288
['block1b_se_reduce[0][0]']
block1b_se_excite (Multiply)
                                 (None, 75, 75, 32)
                                                      0
['block1b_activation[0][0]',
'block1b_se_expand[0][0]']
block1b_project_conv (Conv2D)
                                 (None, 75, 75, 32)
                                                      1024
['block1b_se_excite[0][0]']
block1b_project_bn (BatchNorma
                                 (None, 75, 75, 32)
                                                      128
['block1b_project_conv[0][0]']
lization)
block1b_drop (Dropout)
                                 (None, 75, 75, 32)
['block1b_project_bn[0][0]']
```

```
block1b_add (Add)
                                 (None, 75, 75, 32)
                                                      0
['block1b_drop[0][0]',
'block1a_project_bn[0][0]']
block1c_dwconv (DepthwiseConv2
                                 (None, 75, 75, 32)
                                                      288
['block1b_add[0][0]']
D)
block1c_bn (BatchNormalization (None, 75, 75, 32)
                                                      128
['block1c_dwconv[0][0]']
)
block1c_activation (Activation (None, 75, 75, 32)
['block1c_bn[0][0]']
block1c_se_squeeze (GlobalAver
                                 (None, 32)
                                                      0
['block1c_activation[0][0]']
agePooling2D)
block1c_se_reshape (Reshape)
                                 (None, 1, 1, 32)
                                                      0
['block1c_se_squeeze[0][0]']
block1c_se_reduce (Conv2D)
                                 (None, 1, 1, 8)
                                                      264
['block1c_se_reshape[0][0]']
block1c_se_expand (Conv2D)
                                 (None, 1, 1, 32)
                                                      288
['block1c_se_reduce[0][0]']
block1c_se_excite (Multiply)
                                 (None, 75, 75, 32)
                                                      0
['block1c_activation[0][0]',
'block1c_se_expand[0][0]']
block1c_project_conv (Conv2D)
                                 (None, 75, 75, 32)
                                                      1024
['block1c_se_excite[0][0]']
block1c_project_bn (BatchNorma
                                 (None, 75, 75, 32)
                                                      128
['block1c_project_conv[0][0]']
lization)
block1c_drop (Dropout)
                                 (None, 75, 75, 32)
                                                      0
['block1c_project_bn[0][0]']
                                 (None, 75, 75, 32)
block1c_add (Add)
                                                      0
['block1c_drop[0][0]',
'block1b_add[0][0]']
block1d_dwconv (DepthwiseConv2 (None, 75, 75, 32)
```

```
['block1c_add[0][0]']
D)
block1d_bn (BatchNormalization (None, 75, 75, 32)
                                                      128
['block1d_dwconv[0][0]']
)
block1d_activation (Activation (None, 75, 75, 32)
['block1d_bn[0][0]']
)
block1d_se_squeeze (GlobalAver
                                 (None, 32)
                                                      0
['block1d_activation[0][0]']
agePooling2D)
block1d_se_reshape (Reshape)
                                 (None, 1, 1, 32)
                                                      0
['block1d_se_squeeze[0][0]']
block1d_se_reduce (Conv2D)
                                (None, 1, 1, 8)
                                                      264
['block1d_se_reshape[0][0]']
block1d se expand (Conv2D)
                                 (None, 1, 1, 32)
                                                      288
['block1d_se_reduce[0][0]']
block1d_se_excite (Multiply)
                                (None, 75, 75, 32)
                                                      0
['block1d_activation[0][0]',
'block1d_se_expand[0][0]']
block1d_project_conv (Conv2D)
                                 (None, 75, 75, 32)
                                                      1024
['block1d_se_excite[0][0]']
                                 (None, 75, 75, 32)
block1d_project_bn (BatchNorma
                                                      128
['block1d_project_conv[0][0]']
lization)
block1d_drop (Dropout)
                                 (None, 75, 75, 32)
['block1d_project_bn[0][0]']
                                 (None, 75, 75, 32)
block1d_add (Add)
                                                      0
['block1d_drop[0][0]',
'block1c_add[0][0]']
block2a_expand_conv (Conv2D)
                                 (None, 75, 75, 192) 6144
['block1d_add[0][0]']
block2a_expand_bn (BatchNormal
                                 (None, 75, 75, 192)
['block2a_expand_conv[0][0]']
ization)
```

```
block2a_expand_activation (Act
                                 (None, 75, 75, 192) 0
['block2a_expand_bn[0][0]']
ivation)
block2a_dwconv_pad (ZeroPaddin (None, 77, 77, 192)
['block2a_expand_activation[0][0]
                                                                  ']
g2D)
block2a_dwconv (DepthwiseConv2 (None, 38, 38, 192)
                                                      1728
['block2a_dwconv_pad[0][0]']
D)
block2a_bn (BatchNormalization
                                 (None, 38, 38, 192)
['block2a_dwconv[0][0]']
)
block2a_activation (Activation
                                 (None, 38, 38, 192) 0
['block2a_bn[0][0]']
)
block2a_se_squeeze (GlobalAver
                                 (None, 192)
                                                      0
['block2a_activation[0][0]']
agePooling2D)
                                 (None, 1, 1, 192)
block2a_se_reshape (Reshape)
                                                      0
['block2a_se_squeeze[0][0]']
block2a_se_reduce (Conv2D)
                                 (None, 1, 1, 8)
                                                      1544
['block2a_se_reshape[0][0]']
block2a_se_expand (Conv2D)
                                 (None, 1, 1, 192)
                                                      1728
['block2a_se_reduce[0][0]']
block2a se excite (Multiply)
                                (None, 38, 38, 192)
['block2a_activation[0][0]',
'block2a_se_expand[0][0]']
block2a_project_conv (Conv2D)
                                 (None, 38, 38, 48)
                                                      9216
['block2a_se_excite[0][0]']
block2a_project_bn (BatchNorma
                                 (None, 38, 38, 48)
                                                      192
['block2a_project_conv[0][0]']
lization)
block2b_expand_conv (Conv2D)
                                 (None, 38, 38, 288)
                                                      13824
['block2a_project_bn[0][0]']
```

```
block2b_expand_bn (BatchNormal
                                 (None, 38, 38, 288)
                                                       1152
['block2b_expand_conv[0][0]']
ization)
block2b_expand_activation (Act
                                 (None, 38, 38, 288)
['block2b_expand_bn[0][0]']
ivation)
block2b_dwconv (DepthwiseConv2 (None, 38, 38, 288)
                                                       2592
['block2b_expand_activation[0][0]
                                                                   ']
D)
block2b_bn (BatchNormalization (None, 38, 38, 288)
                                                       1152
['block2b_dwconv[0][0]']
block2b_activation (Activation (None, 38, 38, 288)
['block2b_bn[0][0]']
)
block2b_se_squeeze (GlobalAver
                                 (None, 288)
                                                      0
['block2b_activation[0][0]']
agePooling2D)
block2b_se_reshape (Reshape)
                                 (None, 1, 1, 288)
                                                      0
['block2b_se_squeeze[0][0]']
block2b_se_reduce (Conv2D)
                                 (None, 1, 1, 12)
                                                      3468
['block2b_se_reshape[0][0]']
block2b_se_expand (Conv2D)
                                 (None, 1, 1, 288)
                                                      3744
['block2b_se_reduce[0][0]']
                                 (None, 38, 38, 288)
block2b_se_excite (Multiply)
['block2b_activation[0][0]',
'block2b_se_expand[0][0]']
block2b_project_conv (Conv2D)
                                 (None, 38, 38, 48)
                                                      13824
['block2b_se_excite[0][0]']
block2b_project_bn (BatchNorma
                                 (None, 38, 38, 48)
                                                      192
['block2b_project_conv[0][0]']
lization)
block2b_drop (Dropout)
                                 (None, 38, 38, 48)
['block2b_project_bn[0][0]']
block2b_add (Add)
                                 (None, 38, 38, 48)
                                                      0
```

```
['block2b_drop[0][0]',
'block2a_project_bn[0][0]']
block2c_expand_conv (Conv2D)
                                 (None, 38, 38, 288)
                                                      13824
['block2b add[0][0]']
block2c expand bn (BatchNormal
                                 (None, 38, 38, 288)
['block2c_expand_conv[0][0]']
ization)
block2c_expand_activation (Act (None, 38, 38, 288) 0
['block2c_expand_bn[0][0]']
ivation)
block2c_dwconv (DepthwiseConv2 (None, 38, 38, 288)
                                                       2592
['block2c_expand_activation[0][0]
D)
                                                                  ']
block2c_bn (BatchNormalization (None, 38, 38, 288)
                                                       1152
['block2c dwconv[0][0]']
)
block2c_activation (Activation
                                 (None, 38, 38, 288)
['block2c_bn[0][0]']
)
block2c_se_squeeze (GlobalAver
                                 (None, 288)
                                                      0
['block2c_activation[0][0]']
agePooling2D)
block2c_se_reshape (Reshape)
                                (None, 1, 1, 288)
                                                      0
['block2c_se_squeeze[0][0]']
block2c_se_reduce (Conv2D)
                                 (None, 1, 1, 12)
                                                      3468
['block2c_se_reshape[0][0]']
                                 (None, 1, 1, 288)
block2c se expand (Conv2D)
                                                      3744
['block2c_se_reduce[0][0]']
                                 (None, 38, 38, 288)
block2c_se_excite (Multiply)
                                                     0
['block2c_activation[0][0]',
'block2c_se_expand[0][0]']
block2c_project_conv (Conv2D)
                                 (None, 38, 38, 48)
                                                      13824
['block2c_se_excite[0][0]']
block2c_project_bn (BatchNorma
                                 (None, 38, 38, 48)
                                                      192
['block2c_project_conv[0][0]']
```

```
lization)
block2c_drop (Dropout)
                                (None, 38, 38, 48)
                                                      0
['block2c_project_bn[0][0]']
block2c add (Add)
                                 (None, 38, 38, 48)
                                                      0
['block2c_drop[0][0]',
'block2b_add[0][0]']
block2d_expand_conv (Conv2D)
                                (None, 38, 38, 288)
                                                      13824
['block2c_add[0][0]']
block2d_expand_bn (BatchNormal
                                 (None, 38, 38, 288)
                                                       1152
['block2d_expand_conv[0][0]']
ization)
block2d_expand_activation (Act
                                 (None, 38, 38, 288)
['block2d_expand_bn[0][0]']
ivation)
block2d_dwconv (DepthwiseConv2 (None, 38, 38, 288)
                                                       2592
['block2d expand activation[0][0]
                                                                   ']
D)
block2d_bn (BatchNormalization (None, 38, 38, 288)
                                                       1152
['block2d_dwconv[0][0]']
)
block2d_activation (Activation (None, 38, 38, 288) 0
['block2d_bn[0][0]']
)
block2d_se_squeeze (GlobalAver
                                 (None, 288)
                                                      0
['block2d_activation[0][0]']
agePooling2D)
                                (None, 1, 1, 288)
block2d se reshape (Reshape)
['block2d_se_squeeze[0][0]']
                                 (None, 1, 1, 12)
block2d_se_reduce (Conv2D)
                                                      3468
['block2d_se_reshape[0][0]']
block2d_se_expand (Conv2D)
                                 (None, 1, 1, 288)
                                                      3744
['block2d_se_reduce[0][0]']
block2d_se_excite (Multiply)
                                (None, 38, 38, 288)
['block2d_activation[0][0]',
'block2d_se_expand[0][0]']
```

```
block2d_project_conv (Conv2D)
                                 (None, 38, 38, 48)
                                                      13824
['block2d_se_excite[0][0]']
block2d_project_bn (BatchNorma (None, 38, 38, 48)
                                                      192
['block2d_project_conv[0][0]']
lization)
block2d drop (Dropout)
                                 (None, 38, 38, 48)
                                                      0
['block2d_project_bn[0][0]']
block2d_add (Add)
                                 (None, 38, 38, 48)
                                                      0
['block2d_drop[0][0]',
'block2c_add[0][0]']
block2e_expand_conv (Conv2D)
                                 (None, 38, 38, 288)
                                                      13824
['block2d_add[0][0]']
block2e_expand_bn (BatchNormal
                                 (None, 38, 38, 288)
                                                       1152
['block2e_expand_conv[0][0]']
ization)
block2e_expand_activation (Act
                                 (None, 38, 38, 288)
['block2e_expand_bn[0][0]']
ivation)
block2e_dwconv (DepthwiseConv2 (None, 38, 38, 288)
                                                       2592
['block2e_expand_activation[0][0]
                                                                   ']
D)
block2e_bn (BatchNormalization (None, 38, 38, 288)
                                                       1152
['block2e_dwconv[0][0]']
)
block2e_activation (Activation
                                 (None, 38, 38, 288)
['block2e_bn[0][0]']
)
block2e_se_squeeze (GlobalAver
                                                      0
                                 (None, 288)
['block2e_activation[0][0]']
agePooling2D)
block2e_se_reshape (Reshape)
                                 (None, 1, 1, 288)
                                                      0
['block2e_se_squeeze[0][0]']
block2e_se_reduce (Conv2D)
                                 (None, 1, 1, 12)
                                                      3468
['block2e_se_reshape[0][0]']
```

```
block2e_se_expand (Conv2D)
                                 (None, 1, 1, 288)
                                                      3744
['block2e_se_reduce[0][0]']
block2e_se_excite (Multiply)
                                 (None, 38, 38, 288)
                                                      0
['block2e_activation[0][0]',
'block2e_se_expand[0][0]']
block2e_project_conv (Conv2D)
                                 (None, 38, 38, 48)
                                                      13824
['block2e_se_excite[0][0]']
block2e_project_bn (BatchNorma
                                 (None, 38, 38, 48)
                                                      192
['block2e_project_conv[0][0]']
lization)
block2e_drop (Dropout)
                                 (None, 38, 38, 48)
['block2e_project_bn[0][0]']
block2e_add (Add)
                                 (None, 38, 38, 48)
                                                      0
['block2e_drop[0][0]',
'block2d_add[0][0]']
block2f_expand_conv (Conv2D)
                                 (None, 38, 38, 288)
                                                      13824
['block2e_add[0][0]']
block2f_expand_bn (BatchNormal
                                 (None, 38, 38, 288)
                                                       1152
['block2f_expand_conv[0][0]']
ization)
block2f_expand_activation (Act
                                 (None, 38, 38, 288)
['block2f_expand_bn[0][0]']
ivation)
block2f_dwconv (DepthwiseConv2 (None, 38, 38, 288)
                                                       2592
['block2f_expand_activation[0][0]
D)
                                                                  ']
block2f_bn (BatchNormalization (None, 38, 38, 288)
['block2f_dwconv[0][0]']
)
block2f_activation (Activation (None, 38, 38, 288)
['block2f_bn[0][0]']
)
block2f_se_squeeze (GlobalAver
                                 (None, 288)
['block2f_activation[0][0]']
agePooling2D)
```

```
block2f_se_reshape (Reshape)
                                 (None, 1, 1, 288)
                                                      0
['block2f_se_squeeze[0][0]']
block2f_se_reduce (Conv2D)
                                 (None, 1, 1, 12)
                                                      3468
['block2f_se_reshape[0][0]']
block2f se expand (Conv2D)
                                 (None, 1, 1, 288)
                                                      3744
['block2f_se_reduce[0][0]']
block2f_se_excite (Multiply)
                                 (None, 38, 38, 288)
['block2f_activation[0][0]',
'block2f_se_expand[0][0]']
block2f_project_conv (Conv2D)
                                 (None, 38, 38, 48)
                                                      13824
['block2f_se_excite[0][0]']
block2f_project_bn (BatchNorma
                                 (None, 38, 38, 48)
                                                      192
['block2f_project_conv[0][0]']
lization)
block2f_drop (Dropout)
                                 (None, 38, 38, 48)
                                                      0
['block2f_project_bn[0][0]']
block2f_add (Add)
                                 (None, 38, 38, 48)
                                                      0
['block2f_drop[0][0]',
'block2e_add[0][0]']
block2g_expand_conv (Conv2D)
                                 (None, 38, 38, 288)
                                                      13824
['block2f_add[0][0]']
block2g_expand_bn (BatchNormal
                                 (None, 38, 38, 288)
                                                       1152
['block2g_expand_conv[0][0]']
ization)
block2g_expand_activation (Act
                                 (None, 38, 38, 288)
['block2g_expand_bn[0][0]']
ivation)
block2g_dwconv (DepthwiseConv2 (None, 38, 38, 288)
                                                       2592
['block2g_expand_activation[0][0]
D)
                                                                   ']
block2g_bn (BatchNormalization (None, 38, 38, 288)
                                                       1152
['block2g_dwconv[0][0]']
)
block2g_activation (Activation (None, 38, 38, 288)
['block2g_bn[0][0]']
```

```
)
block2g_se_squeeze (GlobalAver
                                  (None, 288)
                                                      0
['block2g_activation[0][0]']
agePooling2D)
block2g_se_reshape (Reshape)
                                 (None, 1, 1, 288)
                                                      0
['block2g_se_squeeze[0][0]']
block2g_se_reduce (Conv2D)
                                 (None, 1, 1, 12)
                                                      3468
['block2g_se_reshape[0][0]']
block2g_se_expand (Conv2D)
                                 (None, 1, 1, 288)
                                                      3744
['block2g_se_reduce[0][0]']
block2g_se_excite (Multiply)
                                 (None, 38, 38, 288)
['block2g_activation[0][0]',
'block2g_se_expand[0][0]']
block2g_project_conv (Conv2D)
                                 (None, 38, 38, 48)
                                                      13824
['block2g_se_excite[0][0]']
block2g_project_bn (BatchNorma
                                  (None, 38, 38, 48)
                                                      192
['block2g_project_conv[0][0]']
lization)
block2g_drop (Dropout)
                                 (None, 38, 38, 48)
                                                      0
['block2g_project_bn[0][0]']
block2g_add (Add)
                                 (None, 38, 38, 48)
                                                      0
['block2g_drop[0][0]',
'block2f_add[0][0]']
block3a_expand_conv (Conv2D)
                                 (None, 38, 38, 288)
                                                      13824
['block2g_add[0][0]']
block3a expand bn (BatchNormal
                                  (None, 38, 38, 288)
                                                       1152
['block3a_expand_conv[0][0]']
ization)
block3a_expand_activation (Act
                                  (None, 38, 38, 288)
['block3a_expand_bn[0][0]']
ivation)
block3a_dwconv_pad (ZeroPaddin (None, 41, 41, 288)
['block3a_expand_activation[0][0]
g2D)
```

']

```
block3a_dwconv (DepthwiseConv2
                                 (None, 19, 19, 288)
                                                       7200
['block3a_dwconv_pad[0][0]']
D)
block3a_bn (BatchNormalization (None, 19, 19, 288)
                                                       1152
['block3a_dwconv[0][0]']
block3a_activation (Activation (None, 19, 19, 288)
['block3a_bn[0][0]']
)
block3a_se_squeeze (GlobalAver
                                 (None, 288)
                                                      0
['block3a_activation[0][0]']
agePooling2D)
block3a_se_reshape (Reshape)
                                (None, 1, 1, 288)
                                                      0
['block3a_se_squeeze[0][0]']
block3a se reduce (Conv2D)
                                 (None, 1, 1, 12)
                                                      3468
['block3a_se_reshape[0][0]']
block3a_se_expand (Conv2D)
                                 (None, 1, 1, 288)
                                                      3744
['block3a_se_reduce[0][0]']
                                (None, 19, 19, 288)
block3a_se_excite (Multiply)
['block3a_activation[0][0]',
'block3a_se_expand[0][0]']
block3a_project_conv (Conv2D)
                                 (None, 19, 19, 80)
                                                      23040
['block3a_se_excite[0][0]']
block3a_project_bn (BatchNorma
                                 (None, 19, 19, 80)
                                                      320
['block3a_project_conv[0][0]']
lization)
block3b_expand_conv (Conv2D)
                                 (None, 19, 19, 480)
                                                      38400
['block3a_project_bn[0][0]']
block3b_expand_bn (BatchNormal
                                 (None, 19, 19, 480)
                                                       1920
['block3b_expand_conv[0][0]']
ization)
block3b_expand_activation (Act
                                 (None, 19, 19, 480)
['block3b_expand_bn[0][0]']
ivation)
block3b_dwconv (DepthwiseConv2 (None, 19, 19, 480)
                                                       12000
```

```
['block3b_expand_activation[0][0]
D)
                                                                   ']
block3b_bn (BatchNormalization (None, 19, 19, 480)
['block3b_dwconv[0][0]']
)
block3b_activation (Activation
                                 (None, 19, 19, 480)
['block3b_bn[0][0]']
)
block3b_se_squeeze (GlobalAver
                                 (None, 480)
                                                      0
['block3b_activation[0][0]']
agePooling2D)
block3b_se_reshape (Reshape)
                                 (None, 1, 1, 480)
                                                      0
['block3b_se_squeeze[0][0]']
block3b_se_reduce (Conv2D)
                                 (None, 1, 1, 20)
                                                      9620
['block3b se reshape[0][0]']
block3b se expand (Conv2D)
                                 (None, 1, 1, 480)
                                                      10080
['block3b_se_reduce[0][0]']
block3b_se_excite (Multiply)
                                 (None, 19, 19, 480)
['block3b_activation[0][0]',
'block3b_se_expand[0][0]']
block3b_project_conv (Conv2D)
                                 (None, 19, 19, 80)
                                                      38400
['block3b_se_excite[0][0]']
block3b_project_bn (BatchNorma
                                 (None, 19, 19, 80)
                                                      320
['block3b_project_conv[0][0]']
lization)
block3b drop (Dropout)
                                 (None, 19, 19, 80)
                                                      0
['block3b project bn[0][0]']
block3b_add (Add)
                                 (None, 19, 19, 80)
                                                      0
['block3b_drop[0][0]',
'block3a_project_bn[0][0]']
block3c_expand_conv (Conv2D)
                                 (None, 19, 19, 480)
                                                      38400
['block3b_add[0][0]']
block3c_expand_bn (BatchNormal
                                  (None, 19, 19, 480)
                                                       1920
['block3c_expand_conv[0][0]']
ization)
```

```
block3c_expand_activation (Act
                                 (None, 19, 19, 480) 0
['block3c_expand_bn[0][0]']
ivation)
block3c_dwconv (DepthwiseConv2 (None, 19, 19, 480)
                                                       12000
['block3c_expand_activation[0][0]
                                                                   ']
D)
block3c_bn (BatchNormalization (None, 19, 19, 480)
                                                       1920
['block3c_dwconv[0][0]']
)
block3c_activation (Activation
                                 (None, 19, 19, 480)
['block3c_bn[0][0]']
)
block3c_se_squeeze (GlobalAver
                                 (None, 480)
                                                      0
['block3c_activation[0][0]']
agePooling2D)
block3c se reshape (Reshape)
                                 (None, 1, 1, 480)
                                                      0
['block3c_se_squeeze[0][0]']
block3c_se_reduce (Conv2D)
                                 (None, 1, 1, 20)
                                                      9620
['block3c_se_reshape[0][0]']
block3c_se_expand (Conv2D)
                                 (None, 1, 1, 480)
                                                      10080
['block3c_se_reduce[0][0]']
block3c_se_excite (Multiply)
                                 (None, 19, 19, 480)
['block3c_activation[0][0]',
'block3c_se_expand[0][0]']
block3c_project_conv (Conv2D)
                                 (None, 19, 19, 80)
                                                      38400
['block3c_se_excite[0][0]']
block3c_project_bn (BatchNorma
                                 (None, 19, 19, 80)
                                                      320
['block3c_project_conv[0][0]']
lization)
block3c_drop (Dropout)
                                 (None, 19, 19, 80)
                                                      0
['block3c_project_bn[0][0]']
block3c_add (Add)
                                 (None, 19, 19, 80)
['block3c_drop[0][0]',
'block3b_add[0][0]']
```

```
block3d_expand_conv (Conv2D)
                                 (None, 19, 19, 480)
                                                      38400
['block3c_add[0][0]']
block3d_expand_bn (BatchNormal
                                 (None, 19, 19, 480)
                                                       1920
['block3d_expand_conv[0][0]']
ization)
block3d_expand_activation (Act
                                 (None, 19, 19, 480)
['block3d_expand_bn[0][0]']
ivation)
block3d_dwconv (DepthwiseConv2 (None, 19, 19, 480)
                                                       12000
['block3d_expand_activation[0][0]
                                                                   ']
D)
block3d_bn (BatchNormalization (None, 19, 19, 480)
                                                       1920
['block3d_dwconv[0][0]']
)
block3d_activation (Activation (None, 19, 19, 480) 0
['block3d_bn[0][0]']
)
block3d_se_squeeze (GlobalAver
                                                      0
                                 (None, 480)
['block3d_activation[0][0]']
agePooling2D)
                                 (None, 1, 1, 480)
block3d_se_reshape (Reshape)
                                                      0
['block3d_se_squeeze[0][0]']
block3d_se_reduce (Conv2D)
                                 (None, 1, 1, 20)
                                                      9620
['block3d_se_reshape[0][0]']
                                 (None, 1, 1, 480)
block3d_se_expand (Conv2D)
                                                      10080
['block3d_se_reduce[0][0]']
block3d_se_excite (Multiply)
                                 (None, 19, 19, 480)
['block3d_activation[0][0]',
'block3d_se_expand[0][0]']
block3d_project_conv (Conv2D)
                                (None, 19, 19, 80)
                                                      38400
['block3d_se_excite[0][0]']
block3d_project_bn (BatchNorma
                                 (None, 19, 19, 80)
                                                      320
['block3d_project_conv[0][0]']
lization)
block3d_drop (Dropout)
                                (None, 19, 19, 80)
```

```
['block3d_project_bn[0][0]']
block3d_add (Add)
                                (None, 19, 19, 80)
['block3d_drop[0][0]',
'block3c add[0][0]']
block3e_expand_conv (Conv2D)
                                 (None, 19, 19, 480)
                                                      38400
['block3d_add[0][0]']
block3e_expand_bn (BatchNormal
                                 (None, 19, 19, 480)
                                                       1920
['block3e_expand_conv[0][0]']
ization)
block3e_expand_activation (Act
                                 (None, 19, 19, 480)
['block3e_expand_bn[0][0]']
ivation)
block3e_dwconv (DepthwiseConv2 (None, 19, 19, 480)
                                                       12000
['block3e_expand_activation[0][0]
                                                                   ']
D)
block3e bn (BatchNormalization (None, 19, 19, 480)
['block3e_dwconv[0][0]']
block3e_activation (Activation (None, 19, 19, 480) 0
['block3e_bn[0][0]']
)
block3e_se_squeeze (GlobalAver
                                 (None, 480)
                                                      0
['block3e_activation[0][0]']
agePooling2D)
block3e_se_reshape (Reshape)
                                (None, 1, 1, 480)
                                                      0
['block3e_se_squeeze[0][0]']
                                 (None, 1, 1, 20)
block3e se reduce (Conv2D)
                                                      9620
['block3e_se_reshape[0][0]']
                                 (None, 1, 1, 480)
block3e_se_expand (Conv2D)
                                                      10080
['block3e_se_reduce[0][0]']
block3e_se_excite (Multiply)
                                 (None, 19, 19, 480)
['block3e_activation[0][0]',
'block3e_se_expand[0][0]']
block3e_project_conv (Conv2D)
                                (None, 19, 19, 80)
                                                      38400
['block3e_se_excite[0][0]']
```

```
block3e_project_bn (BatchNorma
                                 (None, 19, 19, 80)
                                                      320
['block3e_project_conv[0][0]']
lization)
block3e_drop (Dropout)
                                 (None, 19, 19, 80)
['block3e_project_bn[0][0]']
block3e_add (Add)
                                (None, 19, 19, 80)
                                                      0
['block3e_drop[0][0]',
'block3d_add[0][0]']
block3f_expand_conv (Conv2D)
                                (None, 19, 19, 480)
                                                      38400
['block3e_add[0][0]']
block3f_expand_bn (BatchNormal
                                 (None, 19, 19, 480)
                                                       1920
['block3f_expand_conv[0][0]']
ization)
block3f expand activation (Act (None, 19, 19, 480)
['block3f_expand_bn[0][0]']
ivation)
block3f_dwconv (DepthwiseConv2 (None, 19, 19, 480)
                                                       12000
['block3f_expand_activation[0][0]
                                                                  ']
D)
block3f_bn (BatchNormalization
                                 (None, 19, 19, 480)
                                                       1920
['block3f_dwconv[0][0]']
)
block3f_activation (Activation (None, 19, 19, 480) 0
['block3f_bn[0][0]']
)
block3f_se_squeeze (GlobalAver
                                 (None, 480)
                                                      0
['block3f_activation[0][0]']
agePooling2D)
                                (None, 1, 1, 480)
block3f_se_reshape (Reshape)
                                                      0
['block3f_se_squeeze[0][0]']
block3f_se_reduce (Conv2D)
                                 (None, 1, 1, 20)
                                                      9620
['block3f_se_reshape[0][0]']
block3f_se_expand (Conv2D)
                                 (None, 1, 1, 480)
                                                      10080
['block3f_se_reduce[0][0]']
```

```
block3f_se_excite (Multiply)
                                (None, 19, 19, 480) 0
['block3f_activation[0][0]',
'block3f_se_expand[0][0]']
                                (None, 19, 19, 80)
block3f_project_conv (Conv2D)
                                                      38400
['block3f_se_excite[0][0]']
block3f_project_bn (BatchNorma
                                 (None, 19, 19, 80)
                                                      320
['block3f_project_conv[0][0]']
lization)
block3f_drop (Dropout)
                                (None, 19, 19, 80)
                                                      0
['block3f_project_bn[0][0]']
block3f_add (Add)
                                (None, 19, 19, 80)
['block3f_drop[0][0]',
'block3e_add[0][0]']
block3g_expand_conv (Conv2D)
                                (None, 19, 19, 480)
                                                      38400
['block3f_add[0][0]']
                                 (None, 19, 19, 480)
block3g_expand_bn (BatchNormal
                                                       1920
['block3g_expand_conv[0][0]']
ization)
block3g_expand_activation (Act
                                 (None, 19, 19, 480) 0
['block3g_expand_bn[0][0]']
ivation)
block3g_dwconv (DepthwiseConv2 (None, 19, 19, 480)
                                                       12000
['block3g_expand_activation[0][0]
D)
                                                                  ']
block3g_bn (BatchNormalization (None, 19, 19, 480)
                                                       1920
['block3g_dwconv[0][0]']
)
block3g_activation (Activation
                                 (None, 19, 19, 480)
['block3g_bn[0][0]']
)
block3g_se_squeeze (GlobalAver
                                 (None, 480)
                                                      0
['block3g_activation[0][0]']
agePooling2D)
block3g_se_reshape (Reshape)
                                (None, 1, 1, 480)
['block3g_se_squeeze[0][0]']
```

```
block3g_se_reduce (Conv2D)
                                 (None, 1, 1, 20)
                                                      9620
['block3g_se_reshape[0][0]']
block3g_se_expand (Conv2D)
                                 (None, 1, 1, 480)
                                                      10080
['block3g_se_reduce[0][0]']
block3g_se_excite (Multiply)
                                 (None, 19, 19, 480)
['block3g_activation[0][0]',
'block3g_se_expand[0][0]']
block3g_project_conv (Conv2D)
                                 (None, 19, 19, 80)
                                                      38400
['block3g_se_excite[0][0]']
block3g_project_bn (BatchNorma
                                 (None, 19, 19, 80)
                                                      320
['block3g_project_conv[0][0]']
lization)
block3g_drop (Dropout)
                                 (None, 19, 19, 80)
                                                      0
['block3g_project_bn[0][0]']
block3g_add (Add)
                                 (None, 19, 19, 80)
                                                      0
['block3g_drop[0][0]',
'block3f_add[0][0]']
block4a_expand_conv (Conv2D)
                                (None, 19, 19, 480)
                                                      38400
['block3g_add[0][0]']
block4a_expand_bn (BatchNormal
                                 (None, 19, 19, 480)
                                                       1920
['block4a_expand_conv[0][0]']
ization)
block4a_expand_activation (Act
                                 (None, 19, 19, 480)
['block4a_expand_bn[0][0]']
ivation)
block4a_dwconv_pad (ZeroPaddin (None, 21, 21, 480)
['block4a expand activation[0][0]
                                                                   ']
g2D)
block4a_dwconv (DepthwiseConv2 (None, 10, 10, 480)
                                                       4320
['block4a_dwconv_pad[0][0]']
D)
block4a_bn (BatchNormalization
                                 (None, 10, 10, 480)
                                                       1920
['block4a_dwconv[0][0]']
block4a_activation (Activation (None, 10, 10, 480)
```

```
['block4a_bn[0][0]']
)
block4a_se_squeeze (GlobalAver
                                 (None, 480)
                                                      0
['block4a_activation[0][0]']
agePooling2D)
block4a_se_reshape (Reshape)
                                 (None, 1, 1, 480)
                                                      0
['block4a_se_squeeze[0][0]']
block4a_se_reduce (Conv2D)
                                 (None, 1, 1, 20)
                                                      9620
['block4a_se_reshape[0][0]']
block4a_se_expand (Conv2D)
                                 (None, 1, 1, 480)
                                                      10080
['block4a_se_reduce[0][0]']
block4a_se_excite (Multiply)
                                 (None, 10, 10, 480)
['block4a_activation[0][0]',
'block4a_se_expand[0][0]']
block4a_project_conv (Conv2D)
                                 (None, 10, 10, 160)
                                                      76800
['block4a se excite[0][0]']
block4a_project_bn (BatchNorma
                                 (None, 10, 10, 160)
                                                       640
['block4a_project_conv[0][0]']
lization)
block4b_expand_conv (Conv2D)
                                 (None, 10, 10, 960)
                                                      153600
['block4a_project_bn[0][0]']
block4b_expand_bn (BatchNormal
                                 (None, 10, 10, 960)
                                                       3840
['block4b_expand_conv[0][0]']
ization)
                                 (None, 10, 10, 960) 0
block4b_expand_activation (Act
['block4b_expand_bn[0][0]']
ivation)
block4b_dwconv (DepthwiseConv2 (None, 10, 10, 960)
                                                       8640
['block4b_expand_activation[0][0]
                                                                   ']
D)
block4b_bn (BatchNormalization (None, 10, 10, 960)
                                                       3840
['block4b_dwconv[0][0]']
)
block4b_activation (Activation (None, 10, 10, 960)
['block4b_bn[0][0]']
```

```
)
block4b_se_squeeze (GlobalAver
                                 (None, 960)
                                                      0
['block4b_activation[0][0]']
agePooling2D)
block4b_se_reshape (Reshape)
                                 (None, 1, 1, 960)
                                                      0
['block4b_se_squeeze[0][0]']
block4b_se_reduce (Conv2D)
                                 (None, 1, 1, 40)
                                                      38440
['block4b_se_reshape[0][0]']
block4b_se_expand (Conv2D)
                                 (None, 1, 1, 960)
                                                      39360
['block4b_se_reduce[0][0]']
block4b_se_excite (Multiply)
                                 (None, 10, 10, 960)
['block4b_activation[0][0]',
'block4b_se_expand[0][0]']
block4b_project_conv (Conv2D)
                                 (None, 10, 10, 160)
                                                      153600
['block4b_se_excite[0][0]']
block4b_project_bn (BatchNorma
                                 (None, 10, 10, 160)
['block4b_project_conv[0][0]']
lization)
block4b_drop (Dropout)
                                 (None, 10, 10, 160) 0
['block4b_project_bn[0][0]']
block4b_add (Add)
                                 (None, 10, 10, 160)
['block4b_drop[0][0]',
'block4a_project_bn[0][0]']
block4c_expand_conv (Conv2D)
                                 (None, 10, 10, 960)
                                                      153600
['block4b_add[0][0]']
block4c expand bn (BatchNormal
                                 (None, 10, 10, 960)
                                                       3840
['block4c_expand_conv[0][0]']
ization)
block4c_expand_activation (Act
                                 (None, 10, 10, 960) 0
['block4c_expand_bn[0][0]']
ivation)
block4c_dwconv (DepthwiseConv2 (None, 10, 10, 960)
['block4c_expand_activation[0][0]
D)
                                                                   ']
```

```
block4c_bn (BatchNormalization (None, 10, 10, 960)
                                                       3840
['block4c_dwconv[0][0]']
)
block4c_activation (Activation (None, 10, 10, 960) 0
['block4c_bn[0][0]']
)
block4c_se_squeeze (GlobalAver
                                 (None, 960)
                                                      0
['block4c_activation[0][0]']
agePooling2D)
block4c_se_reshape (Reshape)
                                 (None, 1, 1, 960)
                                                      0
['block4c_se_squeeze[0][0]']
block4c_se_reduce (Conv2D)
                                 (None, 1, 1, 40)
                                                      38440
['block4c_se_reshape[0][0]']
block4c_se_expand (Conv2D)
                                 (None, 1, 1, 960)
                                                      39360
['block4c_se_reduce[0][0]']
block4c_se_excite (Multiply)
                                 (None, 10, 10, 960)
['block4c_activation[0][0]',
'block4c_se_expand[0][0]']
block4c_project_conv (Conv2D)
                                 (None, 10, 10, 160)
                                                      153600
['block4c_se_excite[0][0]']
                                 (None, 10, 10, 160)
block4c_project_bn (BatchNorma
['block4c_project_conv[0][0]']
lization)
block4c_drop (Dropout)
                                 (None, 10, 10, 160) 0
['block4c_project_bn[0][0]']
block4c_add (Add)
                                 (None, 10, 10, 160) 0
['block4c_drop[0][0]',
'block4b_add[0][0]']
                                 (None, 10, 10, 960)
block4d_expand_conv (Conv2D)
                                                      153600
['block4c_add[0][0]']
block4d_expand_bn (BatchNormal
                                 (None, 10, 10, 960)
                                                       3840
['block4d_expand_conv[0][0]']
ization)
block4d_expand_activation (Act
                                 (None, 10, 10, 960)
['block4d_expand_bn[0][0]']
```

```
ivation)
block4d_dwconv (DepthwiseConv2 (None, 10, 10, 960)
                                                       8640
['block4d_expand_activation[0][0]
                                                                  ']
D)
block4d_bn (BatchNormalization (None, 10, 10, 960)
['block4d dwconv[0][0]']
block4d_activation (Activation (None, 10, 10, 960) 0
['block4d_bn[0][0]']
)
                                 (None, 960)
block4d_se_squeeze (GlobalAver
                                                      0
['block4d_activation[0][0]']
agePooling2D)
block4d_se_reshape (Reshape)
                                (None, 1, 1, 960)
                                                      0
['block4d_se_squeeze[0][0]']
block4d se reduce (Conv2D)
                                 (None, 1, 1, 40)
                                                      38440
['block4d_se_reshape[0][0]']
block4d_se_expand (Conv2D)
                                 (None, 1, 1, 960)
                                                      39360
['block4d_se_reduce[0][0]']
block4d_se_excite (Multiply)
                                (None, 10, 10, 960)
['block4d_activation[0][0]',
'block4d_se_expand[0][0]']
block4d_project_conv (Conv2D)
                                 (None, 10, 10, 160)
                                                      153600
['block4d_se_excite[0][0]']
                                 (None, 10, 10, 160)
block4d project bn (BatchNorma
['block4d_project_conv[0][0]']
lization)
block4d_drop (Dropout)
                                 (None, 10, 10, 160) 0
['block4d_project_bn[0][0]']
block4d_add (Add)
                                (None, 10, 10, 160)
['block4d_drop[0][0]',
'block4c_add[0][0]']
block4e_expand_conv (Conv2D)
                                (None, 10, 10, 960)
                                                      153600
['block4d_add[0][0]']
```

```
block4e_expand_bn (BatchNormal
                                 (None, 10, 10, 960)
                                                       3840
['block4e_expand_conv[0][0]']
ization)
                                 (None, 10, 10, 960) 0
block4e_expand_activation (Act
['block4e_expand_bn[0][0]']
ivation)
block4e dwconv (DepthwiseConv2 (None, 10, 10, 960)
                                                       8640
['block4e_expand_activation[0][0]
                                                                  ']
D)
block4e_bn (BatchNormalization (None, 10, 10, 960)
                                                       3840
['block4e_dwconv[0][0]']
block4e_activation (Activation (None, 10, 10, 960)
['block4e_bn[0][0]']
)
block4e_se_squeeze (GlobalAver
                                 (None, 960)
                                                      0
['block4e_activation[0][0]']
agePooling2D)
block4e_se_reshape (Reshape)
                                (None, 1, 1, 960)
                                                      0
['block4e_se_squeeze[0][0]']
block4e_se_reduce (Conv2D)
                                (None, 1, 1, 40)
                                                      38440
['block4e_se_reshape[0][0]']
block4e_se_expand (Conv2D)
                                (None, 1, 1, 960)
                                                      39360
['block4e_se_reduce[0][0]']
block4e_se_excite (Multiply)
                                (None, 10, 10, 960)
['block4e_activation[0][0]',
'block4e_se_expand[0][0]']
block4e_project_conv (Conv2D)
                                (None, 10, 10, 160)
                                                      153600
['block4e_se_excite[0][0]']
block4e_project_bn (BatchNorma
                                 (None, 10, 10, 160)
                                                       640
['block4e_project_conv[0][0]']
lization)
block4e_drop (Dropout)
                                (None, 10, 10, 160)
['block4e_project_bn[0][0]']
block4e_add (Add)
                                (None, 10, 10, 160) 0
```

```
['block4e_drop[0][0]',
'block4d_add[0][0]']
block4f_expand_conv (Conv2D)
                                (None, 10, 10, 960)
                                                      153600
['block4e_add[0][0]']
block4f expand bn (BatchNormal
                                 (None, 10, 10, 960)
['block4f_expand_conv[0][0]']
ization)
block4f_expand_activation (Act (None, 10, 10, 960) 0
['block4f_expand_bn[0][0]']
ivation)
block4f_dwconv (DepthwiseConv2 (None, 10, 10, 960)
                                                       8640
['block4f_expand_activation[0][0]
D)
                                                                  ']
block4f_bn (BatchNormalization (None, 10, 10, 960)
                                                       3840
['block4f dwconv[0][0]']
)
block4f_activation (Activation (None, 10, 10, 960) 0
['block4f_bn[0][0]']
)
block4f_se_squeeze (GlobalAver
                                 (None, 960)
                                                      0
['block4f_activation[0][0]']
agePooling2D)
block4f_se_reshape (Reshape)
                                (None, 1, 1, 960)
                                                      0
['block4f_se_squeeze[0][0]']
block4f_se_reduce (Conv2D)
                                 (None, 1, 1, 40)
                                                      38440
['block4f_se_reshape[0][0]']
                                 (None, 1, 1, 960)
block4f_se_expand (Conv2D)
                                                      39360
['block4f_se_reduce[0][0]']
                                (None, 10, 10, 960)
block4f_se_excite (Multiply)
['block4f_activation[0][0]',
'block4f_se_expand[0][0]']
block4f_project_conv (Conv2D)
                                 (None, 10, 10, 160)
                                                      153600
['block4f_se_excite[0][0]']
block4f_project_bn (BatchNorma
                                 (None, 10, 10, 160)
                                                       640
['block4f_project_conv[0][0]']
```

```
lization)
block4f_drop (Dropout)
                                (None, 10, 10, 160) 0
['block4f_project_bn[0][0]']
block4f add (Add)
                                (None, 10, 10, 160) 0
['block4f_drop[0][0]',
'block4e_add[0][0]']
block4g_expand_conv (Conv2D)
                                (None, 10, 10, 960)
                                                      153600
['block4f_add[0][0]']
block4g_expand_bn (BatchNormal
                                 (None, 10, 10, 960)
                                                       3840
['block4g_expand_conv[0][0]']
ization)
block4g_expand_activation (Act
                                (None, 10, 10, 960) 0
['block4g_expand_bn[0][0]']
ivation)
block4g_dwconv (DepthwiseConv2 (None, 10, 10, 960)
['block4g expand activation[0][0]
                                                                  ']
D)
block4g_bn (BatchNormalization (None, 10, 10, 960)
                                                       3840
['block4g_dwconv[0][0]']
)
block4g_activation (Activation (None, 10, 10, 960) 0
['block4g_bn[0][0]']
)
block4g_se_squeeze (GlobalAver
                                 (None, 960)
                                                      0
['block4g_activation[0][0]']
agePooling2D)
                                (None, 1, 1, 960)
block4g se reshape (Reshape)
['block4g_se_squeeze[0][0]']
block4g_se_reduce (Conv2D)
                                (None, 1, 1, 40)
                                                      38440
['block4g_se_reshape[0][0]']
block4g_se_expand (Conv2D)
                                (None, 1, 1, 960)
                                                      39360
['block4g_se_reduce[0][0]']
block4g_se_excite (Multiply)
                                (None, 10, 10, 960)
['block4g_activation[0][0]',
'block4g_se_expand[0][0]']
```

```
block4g_project_conv (Conv2D)
                                (None, 10, 10, 160)
                                                      153600
['block4g_se_excite[0][0]']
block4g_project_bn (BatchNorma (None, 10, 10, 160)
                                                       640
['block4g_project_conv[0][0]']
lization)
block4g_drop (Dropout)
                                (None, 10, 10, 160) 0
['block4g_project_bn[0][0]']
block4g_add (Add)
                                (None, 10, 10, 160) 0
['block4g_drop[0][0]',
'block4f_add[0][0]']
block4h_expand_conv (Conv2D)
                                (None, 10, 10, 960)
                                                      153600
['block4g_add[0][0]']
block4h_expand_bn (BatchNormal
                                 (None, 10, 10, 960)
                                                       3840
['block4h expand conv[0][0]']
ization)
block4h_expand_activation (Act
                                 (None, 10, 10, 960)
['block4h_expand_bn[0][0]']
ivation)
block4h_dwconv (DepthwiseConv2 (None, 10, 10, 960)
                                                      8640
['block4h_expand_activation[0][0]
                                                                  ']
D)
block4h_bn (BatchNormalization (None, 10, 10, 960)
                                                       3840
['block4h_dwconv[0][0]']
)
                                (None, 10, 10, 960) 0
block4h_activation (Activation
['block4h_bn[0][0]']
)
block4h_se_squeeze (GlobalAver
                                 (None, 960)
                                                      0
['block4h_activation[0][0]']
agePooling2D)
block4h_se_reshape (Reshape)
                                (None, 1, 1, 960)
                                                      0
['block4h_se_squeeze[0][0]']
block4h_se_reduce (Conv2D)
                                (None, 1, 1, 40)
                                                      38440
['block4h_se_reshape[0][0]']
```

```
block4h_se_expand (Conv2D)
                                (None, 1, 1, 960)
                                                      39360
['block4h_se_reduce[0][0]']
block4h_se_excite (Multiply)
                                (None, 10, 10, 960) 0
['block4h_activation[0][0]',
'block4h_se_expand[0][0]']
block4h_project_conv (Conv2D)
                                (None, 10, 10, 160)
                                                      153600
['block4h_se_excite[0][0]']
block4h_project_bn (BatchNorma
                                 (None, 10, 10, 160)
                                                      640
['block4h_project_conv[0][0]']
lization)
block4h_drop (Dropout)
                                (None, 10, 10, 160) 0
['block4h_project_bn[0][0]']
block4h_add (Add)
                                (None, 10, 10, 160) 0
['block4h_drop[0][0]',
'block4g_add[0][0]']
block4i_expand_conv (Conv2D)
                                (None, 10, 10, 960)
                                                      153600
['block4h_add[0][0]']
block4i_expand_bn (BatchNormal
                                 (None, 10, 10, 960)
                                                      3840
['block4i_expand_conv[0][0]']
ization)
block4i_expand_activation (Act
                                 (None, 10, 10, 960) 0
['block4i_expand_bn[0][0]']
ivation)
block4i_dwconv (DepthwiseConv2 (None, 10, 10, 960)
                                                      8640
['block4i_expand_activation[0][0]
                                                                  ']
D)
block4i_bn (BatchNormalization (None, 10, 10, 960)
['block4i_dwconv[0][0]']
)
block4i_activation (Activation (None, 10, 10, 960) 0
['block4i_bn[0][0]']
)
block4i_se_squeeze (GlobalAver
                                 (None, 960)
['block4i_activation[0][0]']
agePooling2D)
```

```
block4i_se_reshape (Reshape)
                                (None, 1, 1, 960)
                                                      0
['block4i_se_squeeze[0][0]']
block4i_se_reduce (Conv2D)
                                 (None, 1, 1, 40)
                                                      38440
['block4i_se_reshape[0][0]']
block4i se expand (Conv2D)
                                 (None, 1, 1, 960)
                                                      39360
['block4i_se_reduce[0][0]']
block4i_se_excite (Multiply)
                                (None, 10, 10, 960)
['block4i_activation[0][0]',
'block4i_se_expand[0][0]']
block4i_project_conv (Conv2D)
                                 (None, 10, 10, 160)
                                                      153600
['block4i_se_excite[0][0]']
block4i_project_bn (BatchNorma
                                 (None, 10, 10, 160)
                                                       640
['block4i_project_conv[0][0]']
lization)
block4i_drop (Dropout)
                                 (None, 10, 10, 160)
['block4i project bn[0][0]']
block4i add (Add)
                                 (None, 10, 10, 160) 0
['block4i_drop[0][0]',
'block4h_add[0][0]']
block4j_expand_conv (Conv2D)
                                (None, 10, 10, 960)
                                                      153600
['block4i_add[0][0]']
block4j_expand_bn (BatchNormal
                                 (None, 10, 10, 960)
                                                       3840
['block4j_expand_conv[0][0]']
ization)
                                 (None, 10, 10, 960) 0
block4j expand activation (Act
['block4j_expand_bn[0][0]']
ivation)
block4j_dwconv (DepthwiseConv2 (None, 10, 10, 960)
                                                       8640
['block4j_expand_activation[0][0]
                                                                  ']
D)
block4j_bn (BatchNormalization (None, 10, 10, 960)
                                                       3840
['block4j_dwconv[0][0]']
)
block4j_activation (Activation (None, 10, 10, 960) 0
['block4j_bn[0][0]']
```

```
)
block4j_se_squeeze (GlobalAver
                                 (None, 960)
                                                      0
['block4j_activation[0][0]']
agePooling2D)
block4j_se_reshape (Reshape)
                                 (None, 1, 1, 960)
                                                      0
['block4j_se_squeeze[0][0]']
block4j_se_reduce (Conv2D)
                                 (None, 1, 1, 40)
                                                      38440
['block4j_se_reshape[0][0]']
block4j_se_expand (Conv2D)
                                 (None, 1, 1, 960)
                                                      39360
['block4j_se_reduce[0][0]']
block4j_se_excite (Multiply)
                                 (None, 10, 10, 960)
['block4j_activation[0][0]',
'block4j_se_expand[0][0]']
block4j_project_conv (Conv2D)
                                 (None, 10, 10, 160)
                                                      153600
['block4j_se_excite[0][0]']
block4j_project_bn (BatchNorma
                                 (None, 10, 10, 160)
['block4j_project_conv[0][0]']
lization)
block4j_drop (Dropout)
                                 (None, 10, 10, 160) 0
['block4j_project_bn[0][0]']
block4j_add (Add)
                                 (None, 10, 10, 160)
['block4j_drop[0][0]',
'block4i_add[0][0]']
block5a_expand_conv (Conv2D)
                                 (None, 10, 10, 960)
                                                      153600
['block4j_add[0][0]']
                                 (None, 10, 10, 960)
block5a expand bn (BatchNormal
                                                       3840
['block5a_expand_conv[0][0]']
ization)
block5a_expand_activation (Act
                                 (None, 10, 10, 960) 0
['block5a_expand_bn[0][0]']
ivation)
block5a_dwconv (DepthwiseConv2 (None, 10, 10, 960)
                                                       24000
['block5a_expand_activation[0][0]
D)
                                                                   ']
```

```
block5a_bn (BatchNormalization (None, 10, 10, 960)
                                                       3840
['block5a_dwconv[0][0]']
)
block5a_activation (Activation (None, 10, 10, 960) 0
['block5a_bn[0][0]']
block5a_se_squeeze (GlobalAver
                                                      0
                                 (None, 960)
['block5a_activation[0][0]']
agePooling2D)
block5a_se_reshape (Reshape)
                                (None, 1, 1, 960)
                                                      0
['block5a_se_squeeze[0][0]']
block5a_se_reduce (Conv2D)
                                (None, 1, 1, 40)
                                                      38440
['block5a_se_reshape[0][0]']
block5a_se_expand (Conv2D)
                                (None, 1, 1, 960)
                                                      39360
['block5a_se_reduce[0][0]']
block5a_se_excite (Multiply)
                                (None, 10, 10, 960)
['block5a_activation[0][0]',
'block5a_se_expand[0][0]']
block5a_project_conv (Conv2D)
                                (None, 10, 10, 224)
                                                      215040
['block5a_se_excite[0][0]']
block5a_project_bn (BatchNorma
                                 (None, 10, 10, 224)
['block5a_project_conv[0][0]']
lization)
block5b_expand_conv (Conv2D)
                                (None, 10, 10, 1344 301056
['block5a_project_bn[0][0]']
                                )
block5b_expand_bn (BatchNormal (None, 10, 10, 1344 5376
['block5b_expand_conv[0][0]']
ization)
                                )
block5b_expand_activation (Act (None, 10, 10, 1344 0
['block5b_expand_bn[0][0]']
ivation)
                                )
block5b_dwconv (DepthwiseConv2 (None, 10, 10, 1344
['block5b_expand_activation[0][0]
D)
                                                                  ']
```

```
block5b_bn (BatchNormalization (None, 10, 10, 1344 5376
['block5b_dwconv[0][0]']
                                )
)
block5b_activation (Activation (None, 10, 10, 1344 0
['block5b_bn[0][0]']
                                )
block5b_se_squeeze (GlobalAver (None, 1344)
                                                      0
['block5b_activation[0][0]']
agePooling2D)
block5b_se_reshape (Reshape)
                                (None, 1, 1, 1344)
                                                      0
['block5b_se_squeeze[0][0]']
block5b_se_reduce (Conv2D)
                                (None, 1, 1, 56)
                                                      75320
['block5b_se_reshape[0][0]']
block5b_se_expand (Conv2D)
                                (None, 1, 1, 1344)
                                                      76608
['block5b_se_reduce[0][0]']
block5b se excite (Multiply)
                                (None, 10, 10, 1344 0
['block5b_activation[0][0]',
                                )
'block5b_se_expand[0][0]']
block5b_project_conv (Conv2D)
                                (None, 10, 10, 224)
                                                     301056
['block5b_se_excite[0][0]']
block5b_project_bn (BatchNorma
                                 (None, 10, 10, 224)
['block5b_project_conv[0][0]']
lization)
block5b_drop (Dropout)
                                (None, 10, 10, 224)
['block5b_project_bn[0][0]']
block5b add (Add)
                                (None, 10, 10, 224)
['block5b_drop[0][0]',
'block5a_project_bn[0][0]']
block5c_expand_conv (Conv2D)
                                (None, 10, 10, 1344 301056
['block5b_add[0][0]']
                                )
block5c_expand_bn (BatchNormal (None, 10, 10, 1344 5376
['block5c_expand_conv[0][0]']
ization)
                                )
```

```
block5c_expand_activation (Act (None, 10, 10, 1344 0
['block5c_expand_bn[0][0]']
ivation)
                                )
block5c_dwconv (DepthwiseConv2 (None, 10, 10, 1344 33600
['block5c_expand_activation[0][0]
D)
                                                                  ']
block5c_bn (BatchNormalization (None, 10, 10, 1344 5376
['block5c_dwconv[0][0]']
)
                                )
block5c_activation (Activation (None, 10, 10, 1344 0
['block5c_bn[0][0]']
                                )
block5c_se_squeeze (GlobalAver (None, 1344)
                                                      0
['block5c_activation[0][0]']
agePooling2D)
block5c_se_reshape (Reshape)
                                (None, 1, 1, 1344)
['block5c se squeeze[0][0]']
block5c se reduce (Conv2D)
                                (None, 1, 1, 56)
                                                      75320
['block5c_se_reshape[0][0]']
block5c_se_expand (Conv2D)
                                (None, 1, 1, 1344)
                                                      76608
['block5c_se_reduce[0][0]']
block5c_se_excite (Multiply)
                                (None, 10, 10, 1344 0
['block5c_activation[0][0]',
                                )
'block5c_se_expand[0][0]']
block5c project conv (Conv2D)
                                (None, 10, 10, 224)
                                                     301056
['block5c_se_excite[0][0]']
block5c_project_bn (BatchNorma
                                 (None, 10, 10, 224)
['block5c_project_conv[0][0]']
lization)
block5c_drop (Dropout)
                                (None, 10, 10, 224)
['block5c_project_bn[0][0]']
block5c_add (Add)
                                (None, 10, 10, 224)
['block5c_drop[0][0]',
'block5b_add[0][0]']
```

```
block5d_expand_conv (Conv2D)
                                (None, 10, 10, 1344 301056
['block5c_add[0][0]']
                                )
block5d_expand_bn (BatchNormal (None, 10, 10, 1344 5376
['block5d_expand_conv[0][0]']
ization)
block5d_expand_activation (Act (None, 10, 10, 1344 0
['block5d_expand_bn[0][0]']
ivation)
                                )
block5d_dwconv (DepthwiseConv2 (None, 10, 10, 1344 33600
['block5d_expand_activation[0][0]
                                                                  ']
D)
block5d_bn (BatchNormalization (None, 10, 10, 1344 5376
['block5d_dwconv[0][0]']
)
                                )
block5d_activation (Activation (None, 10, 10, 1344 0
['block5d_bn[0][0]']
                                )
)
block5d_se_squeeze (GlobalAver (None, 1344)
                                                     0
['block5d_activation[0][0]']
agePooling2D)
block5d_se_reshape (Reshape)
                                (None, 1, 1, 1344)
['block5d_se_squeeze[0][0]']
block5d_se_reduce (Conv2D)
                                (None, 1, 1, 56)
                                                     75320
['block5d_se_reshape[0][0]']
block5d se expand (Conv2D)
                                (None, 1, 1, 1344)
                                                     76608
['block5d_se_reduce[0][0]']
block5d_se_excite (Multiply)
                                (None, 10, 10, 1344 0
['block5d_activation[0][0]',
                                )
'block5d_se_expand[0][0]']
block5d_project_conv (Conv2D)
                                (None, 10, 10, 224)
                                                     301056
['block5d_se_excite[0][0]']
block5d_project_bn (BatchNorma
                                 (None, 10, 10, 224)
['block5d_project_conv[0][0]']
lization)
```

```
block5d_drop (Dropout)
                                (None, 10, 10, 224) 0
['block5d_project_bn[0][0]']
block5d add (Add)
                                (None, 10, 10, 224) 0
['block5d_drop[0][0]',
'block5c_add[0][0]']
block5e_expand_conv (Conv2D)
                                (None, 10, 10, 1344 301056
['block5d_add[0][0]']
                                )
block5e_expand_bn (BatchNormal (None, 10, 10, 1344 5376
['block5e_expand_conv[0][0]']
ization)
block5e_expand_activation (Act (None, 10, 10, 1344 0
['block5e_expand_bn[0][0]']
ivation)
                                )
block5e_dwconv (DepthwiseConv2 (None, 10, 10, 1344 33600
['block5e expand activation[0][0]
                                                                  ']
D)
block5e_bn (BatchNormalization (None, 10, 10, 1344 5376
['block5e_dwconv[0][0]']
                                )
block5e_activation (Activation (None, 10, 10, 1344 0
['block5e_bn[0][0]']
                                )
)
block5e_se_squeeze (GlobalAver (None, 1344)
                                                     0
['block5e_activation[0][0]']
agePooling2D)
block5e se reshape (Reshape)
                                (None, 1, 1, 1344)
['block5e_se_squeeze[0][0]']
                                (None, 1, 1, 56)
block5e_se_reduce (Conv2D)
                                                     75320
['block5e_se_reshape[0][0]']
block5e_se_expand (Conv2D)
                                (None, 1, 1, 1344)
                                                     76608
['block5e_se_reduce[0][0]']
block5e_se_excite (Multiply)
                                (None, 10, 10, 1344 0
['block5e_activation[0][0]',
                                )
```

```
'block5e_se_expand[0][0]']
block5e_project_conv (Conv2D)
                                (None, 10, 10, 224)
                                                     301056
['block5e_se_excite[0][0]']
block5e_project_bn (BatchNorma
                                 (None, 10, 10, 224)
['block5e_project_conv[0][0]']
lization)
block5e_drop (Dropout)
                                (None, 10, 10, 224) 0
['block5e_project_bn[0][0]']
block5e_add (Add)
                                (None, 10, 10, 224) 0
['block5e_drop[0][0]',
'block5d_add[0][0]']
block5f_expand_conv (Conv2D)
                                (None, 10, 10, 1344 301056
['block5e_add[0][0]']
                                )
block5f_expand_bn (BatchNormal (None, 10, 10, 1344 5376
['block5f expand conv[0][0]']
                                )
ization)
block5f_expand_activation (Act (None, 10, 10, 1344 0
['block5f_expand_bn[0][0]']
ivation)
                                )
block5f_dwconv (DepthwiseConv2 (None, 10, 10, 1344 33600
['block5f_expand_activation[0][0]
                                                                  ']
D)
block5f_bn (BatchNormalization (None, 10, 10, 1344 5376
['block5f_dwconv[0][0]']
                                )
)
block5f_activation (Activation (None, 10, 10, 1344 0
['block5f_bn[0][0]']
)
                                )
block5f_se_squeeze (GlobalAver (None, 1344)
                                                     0
['block5f_activation[0][0]']
agePooling2D)
block5f_se_reshape (Reshape)
                                (None, 1, 1, 1344)
['block5f_se_squeeze[0][0]']
block5f_se_reduce (Conv2D)
                                (None, 1, 1, 56)
                                                     75320
```

```
['block5f_se_reshape[0][0]']
block5f_se_expand (Conv2D)
                                (None, 1, 1, 1344)
                                                     76608
['block5f_se_reduce[0][0]']
block5f_se_excite (Multiply)
                                (None, 10, 10, 1344 0
['block5f_activation[0][0]',
                                )
'block5f_se_expand[0][0]']
block5f_project_conv (Conv2D)
                                (None, 10, 10, 224)
                                                     301056
['block5f_se_excite[0][0]']
block5f_project_bn (BatchNorma
                                 (None, 10, 10, 224)
['block5f_project_conv[0][0]']
lization)
block5f_drop (Dropout)
                                (None, 10, 10, 224) 0
['block5f_project_bn[0][0]']
block5f_add (Add)
                                (None, 10, 10, 224) 0
['block5f_drop[0][0]',
'block5e_add[0][0]']
block5g_expand_conv (Conv2D)
                                (None, 10, 10, 1344 301056
['block5f_add[0][0]']
                                )
block5g_expand_bn (BatchNormal (None, 10, 10, 1344 5376
['block5g_expand_conv[0][0]']
ization)
block5g_expand_activation (Act (None, 10, 10, 1344 0
['block5g_expand_bn[0][0]']
ivation)
block5g_dwconv (DepthwiseConv2 (None, 10, 10, 1344
['block5g_expand_activation[0][0]
D)
                                                                  ']
block5g_bn (BatchNormalization (None, 10, 10, 1344 5376
['block5g_dwconv[0][0]']
                                )
block5g_activation (Activation (None, 10, 10, 1344 0
['block5g_bn[0][0]']
)
                                )
```

```
block5g_se_squeeze (GlobalAver
                                 (None, 1344)
                                                      0
['block5g_activation[0][0]']
agePooling2D)
block5g_se_reshape (Reshape)
                                 (None, 1, 1, 1344)
                                                      0
['block5g_se_squeeze[0][0]']
block5g_se_reduce (Conv2D)
                                 (None, 1, 1, 56)
                                                      75320
['block5g_se_reshape[0][0]']
block5g_se_expand (Conv2D)
                                 (None, 1, 1, 1344)
                                                      76608
['block5g_se_reduce[0][0]']
block5g_se_excite (Multiply)
                                (None, 10, 10, 1344 0
['block5g_activation[0][0]',
                                )
'block5g_se_expand[0][0]']
block5g_project_conv (Conv2D)
                                (None, 10, 10, 224)
                                                      301056
['block5g_se_excite[0][0]']
                                 (None, 10, 10, 224)
block5g_project_bn (BatchNorma
['block5g_project_conv[0][0]']
lization)
block5g_drop (Dropout)
                                 (None, 10, 10, 224) 0
['block5g_project_bn[0][0]']
block5g_add (Add)
                                 (None, 10, 10, 224) 0
['block5g_drop[0][0]',
'block5f_add[0][0]']
block5h_expand_conv (Conv2D)
                                (None, 10, 10, 1344 301056
['block5g_add[0][0]']
                                )
block5h expand bn (BatchNormal (None, 10, 10, 1344 5376
['block5h_expand_conv[0][0]']
ization)
                                )
block5h_expand_activation (Act (None, 10, 10, 1344 0
['block5h_expand_bn[0][0]']
ivation)
                                )
block5h_dwconv (DepthwiseConv2 (None, 10, 10, 1344
['block5h_expand_activation[0][0]
D)
                                                                  ']
```

```
block5h_bn (BatchNormalization (None, 10, 10, 1344 5376
['block5h_dwconv[0][0]']
                                )
)
block5h_activation (Activation (None, 10, 10, 1344 0
['block5h_bn[0][0]']
                                )
block5h_se_squeeze (GlobalAver (None, 1344)
                                                      0
['block5h_activation[0][0]']
agePooling2D)
block5h_se_reshape (Reshape)
                                (None, 1, 1, 1344)
                                                      0
['block5h_se_squeeze[0][0]']
block5h_se_reduce (Conv2D)
                                (None, 1, 1, 56)
                                                      75320
['block5h_se_reshape[0][0]']
block5h_se_expand (Conv2D)
                                (None, 1, 1, 1344)
                                                      76608
['block5h se reduce[0][0]']
block5h se excite (Multiply)
                                (None, 10, 10, 1344 0
['block5h_activation[0][0]',
                                )
'block5h_se_expand[0][0]']
block5h_project_conv (Conv2D)
                                (None, 10, 10, 224)
                                                     301056
['block5h_se_excite[0][0]']
block5h_project_bn (BatchNorma
                                 (None, 10, 10, 224)
['block5h_project_conv[0][0]']
lization)
block5h_drop (Dropout)
                                (None, 10, 10, 224)
['block5h_project_bn[0][0]']
block5h add (Add)
                                (None, 10, 10, 224)
['block5h_drop[0][0]',
'block5g_add[0][0]']
block5i_expand_conv (Conv2D)
                                (None, 10, 10, 1344 301056
['block5h_add[0][0]']
                                )
block5i_expand_bn (BatchNormal (None, 10, 10, 1344 5376
['block5i_expand_conv[0][0]']
ization)
                                )
```

```
block5i_expand_activation (Act (None, 10, 10, 1344 0
['block5i_expand_bn[0][0]']
ivation)
                                )
block5i_dwconv (DepthwiseConv2 (None, 10, 10, 1344 33600
['block5i_expand_activation[0][0]
D)
                                                                  ']
block5i_bn (BatchNormalization (None, 10, 10, 1344 5376
['block5i_dwconv[0][0]']
)
                                )
block5i_activation (Activation (None, 10, 10, 1344 0
['block5i_bn[0][0]']
                                )
block5i_se_squeeze (GlobalAver (None, 1344)
                                                      0
['block5i_activation[0][0]']
agePooling2D)
block5i_se_reshape (Reshape)
                                (None, 1, 1, 1344)
['block5i se squeeze[0][0]']
block5i_se_reduce (Conv2D)
                                (None, 1, 1, 56)
                                                      75320
['block5i_se_reshape[0][0]']
block5i_se_expand (Conv2D)
                                (None, 1, 1, 1344)
                                                      76608
['block5i_se_reduce[0][0]']
block5i_se_excite (Multiply)
                                (None, 10, 10, 1344 0
['block5i_activation[0][0]',
                                )
'block5i_se_expand[0][0]']
block5i project conv (Conv2D)
                                (None, 10, 10, 224)
                                                     301056
['block5i_se_excite[0][0]']
block5i_project_bn (BatchNorma
                                 (None, 10, 10, 224)
['block5i_project_conv[0][0]']
lization)
block5i_drop (Dropout)
                                (None, 10, 10, 224)
['block5i_project_bn[0][0]']
block5i_add (Add)
                                (None, 10, 10, 224)
['block5i_drop[0][0]',
'block5h_add[0][0]']
```

```
block5j_expand_conv (Conv2D)
                                (None, 10, 10, 1344 301056
['block5i_add[0][0]']
                                )
block5j_expand_bn (BatchNormal (None, 10, 10, 1344 5376
['block5j_expand_conv[0][0]']
ization)
block5j_expand_activation (Act (None, 10, 10, 1344 0
['block5j_expand_bn[0][0]']
ivation)
                                )
block5j_dwconv (DepthwiseConv2 (None, 10, 10, 1344 33600
['block5j_expand_activation[0][0]
                                                                  ']
D)
block5j_bn (BatchNormalization (None, 10, 10, 1344 5376
['block5j_dwconv[0][0]']
)
                                )
block5j_activation (Activation (None, 10, 10, 1344 0
['block5j_bn[0][0]']
                                )
)
block5j_se_squeeze (GlobalAver (None, 1344)
                                                     0
['block5j_activation[0][0]']
agePooling2D)
block5j_se_reshape (Reshape)
                                (None, 1, 1, 1344)
['block5j_se_squeeze[0][0]']
block5j_se_reduce (Conv2D)
                                (None, 1, 1, 56)
                                                     75320
['block5j_se_reshape[0][0]']
block5; se expand (Conv2D)
                                (None, 1, 1, 1344)
                                                     76608
['block5j_se_reduce[0][0]']
block5j_se_excite (Multiply)
                                (None, 10, 10, 1344 0
['block5j_activation[0][0]',
                                )
'block5j_se_expand[0][0]']
block5j_project_conv (Conv2D)
                                (None, 10, 10, 224)
                                                     301056
['block5j_se_excite[0][0]']
block5j_project_bn (BatchNorma
                                 (None, 10, 10, 224)
['block5j_project_conv[0][0]']
lization)
```

```
block5j_drop (Dropout)
                                (None, 10, 10, 224) 0
['block5j_project_bn[0][0]']
block5j_add (Add)
                                (None, 10, 10, 224) 0
['block5j_drop[0][0]',
'block5i_add[0][0]']
block6a_expand_conv (Conv2D)
                                (None, 10, 10, 1344 301056
['block5j_add[0][0]']
                                )
block6a_expand_bn (BatchNormal (None, 10, 10, 1344 5376
['block6a_expand_conv[0][0]']
ization)
block6a_expand_activation (Act (None, 10, 10, 1344 0
['block6a_expand_bn[0][0]']
ivation)
                                )
block6a_dwconv_pad (ZeroPaddin (None, 13, 13, 1344 0
['block6a expand activation[0][0]
                                                                  ']
g2D)
block6a_dwconv (DepthwiseConv2 (None, 5, 5, 1344)
                                                     33600
['block6a_dwconv_pad[0][0]']
D)
block6a_bn (BatchNormalization (None, 5, 5, 1344) 5376
['block6a_dwconv[0][0]']
)
block6a_activation (Activation (None, 5, 5, 1344) 0
['block6a_bn[0][0]']
)
block6a_se_squeeze (GlobalAver
                                 (None, 1344)
                                                     0
['block6a_activation[0][0]']
agePooling2D)
block6a_se_reshape (Reshape)
                                (None, 1, 1, 1344)
                                                     0
['block6a_se_squeeze[0][0]']
block6a_se_reduce (Conv2D)
                                (None, 1, 1, 56)
                                                     75320
['block6a_se_reshape[0][0]']
block6a_se_expand (Conv2D)
                                (None, 1, 1, 1344)
                                                     76608
['block6a_se_reduce[0][0]']
```

```
block6a_se_excite (Multiply)
                                (None, 5, 5, 1344)
                                                      0
['block6a_activation[0][0]',
'block6a_se_expand[0][0]']
block6a_project_conv (Conv2D)
                                 (None, 5, 5, 384)
                                                      516096
['block6a se excite[0][0]']
block6a_project_bn (BatchNorma
                                 (None, 5, 5, 384)
                                                      1536
['block6a_project_conv[0][0]']
lization)
block6b_expand_conv (Conv2D)
                                 (None, 5, 5, 2304)
                                                      884736
['block6a_project_bn[0][0]']
block6b_expand_bn (BatchNormal
                                 (None, 5, 5, 2304)
                                                      9216
['block6b_expand_conv[0][0]']
ization)
block6b expand activation (Act
                                 (None, 5, 5, 2304) 0
['block6b_expand_bn[0][0]']
ivation)
block6b_dwconv (DepthwiseConv2 (None, 5, 5, 2304)
                                                      57600
['block6b_expand_activation[0][0]
                                                                  ']
D)
block6b_bn (BatchNormalization (None, 5, 5, 2304)
['block6b_dwconv[0][0]']
)
block6b_activation (Activation (None, 5, 5, 2304) 0
['block6b_bn[0][0]']
)
block6b_se_squeeze (GlobalAver
                                 (None, 2304)
                                                      0
['block6b_activation[0][0]']
agePooling2D)
                                (None, 1, 1, 2304)
block6b_se_reshape (Reshape)
                                                      0
['block6b_se_squeeze[0][0]']
block6b_se_reduce (Conv2D)
                                 (None, 1, 1, 96)
                                                      221280
['block6b_se_reshape[0][0]']
block6b_se_expand (Conv2D)
                                 (None, 1, 1, 2304)
                                                      223488
['block6b_se_reduce[0][0]']
```

```
block6b_se_excite (Multiply)
                                (None, 5, 5, 2304)
['block6b_activation[0][0]',
'block6b_se_expand[0][0]']
                                (None, 5, 5, 384)
block6b_project_conv (Conv2D)
                                                      884736
['block6b_se_excite[0][0]']
block6b_project_bn (BatchNorma
                                 (None, 5, 5, 384)
                                                      1536
['block6b_project_conv[0][0]']
lization)
block6b_drop (Dropout)
                                (None, 5, 5, 384)
                                                      0
['block6b_project_bn[0][0]']
block6b_add (Add)
                                (None, 5, 5, 384)
                                                      0
['block6b_drop[0][0]',
'block6a_project_bn[0][0]']
block6c_expand_conv (Conv2D)
                                (None, 5, 5, 2304)
                                                      884736
['block6b_add[0][0]']
                                 (None, 5, 5, 2304)
block6c_expand_bn (BatchNormal
                                                      9216
['block6c_expand_conv[0][0]']
ization)
block6c_expand_activation (Act
                                 (None, 5, 5, 2304) 0
['block6c_expand_bn[0][0]']
ivation)
block6c_dwconv (DepthwiseConv2 (None, 5, 5, 2304)
                                                      57600
['block6c_expand_activation[0][0]
                                                                  ']
D)
block6c_bn (BatchNormalization (None, 5, 5, 2304)
                                                      9216
['block6c_dwconv[0][0]']
)
block6c_activation (Activation
                                 (None, 5, 5, 2304)
['block6c_bn[0][0]']
)
block6c_se_squeeze (GlobalAver
                                                      0
                                 (None, 2304)
['block6c_activation[0][0]']
agePooling2D)
block6c_se_reshape (Reshape)
                                (None, 1, 1, 2304)
['block6c_se_squeeze[0][0]']
```

```
block6c_se_reduce (Conv2D)
                                 (None, 1, 1, 96)
                                                      221280
['block6c_se_reshape[0][0]']
block6c_se_expand (Conv2D)
                                 (None, 1, 1, 2304)
                                                      223488
['block6c_se_reduce[0][0]']
block6c_se_excite (Multiply)
                                 (None, 5, 5, 2304)
                                                      0
['block6c_activation[0][0]',
'block6c_se_expand[0][0]']
block6c_project_conv (Conv2D)
                                 (None, 5, 5, 384)
                                                      884736
['block6c_se_excite[0][0]']
block6c_project_bn (BatchNorma
                                 (None, 5, 5, 384)
                                                      1536
['block6c_project_conv[0][0]']
lization)
block6c_drop (Dropout)
                                 (None, 5, 5, 384)
                                                      0
['block6c_project_bn[0][0]']
block6c_add (Add)
                                 (None, 5, 5, 384)
                                                      0
['block6c_drop[0][0]',
'block6b_add[0][0]']
block6d_expand_conv (Conv2D)
                                (None, 5, 5, 2304)
                                                      884736
['block6c_add[0][0]']
block6d_expand_bn (BatchNormal
                                 (None, 5, 5, 2304)
                                                      9216
['block6d_expand_conv[0][0]']
ization)
block6d_expand_activation (Act
                                 (None, 5, 5, 2304) 0
['block6d_expand_bn[0][0]']
ivation)
block6d_dwconv (DepthwiseConv2 (None, 5, 5, 2304)
                                                      57600
['block6d expand activation[0][0]
                                                                   ']
block6d_bn (BatchNormalization (None, 5, 5, 2304)
                                                      9216
['block6d_dwconv[0][0]']
)
block6d_activation (Activation
                                 (None, 5, 5, 2304)
['block6d_bn[0][0]']
block6d_se_squeeze (GlobalAver
                                 (None, 2304)
                                                      0
```

```
['block6d_activation[0][0]']
agePooling2D)
block6d_se_reshape (Reshape)
                                 (None, 1, 1, 2304)
                                                      0
['block6d_se_squeeze[0][0]']
block6d se reduce (Conv2D)
                                 (None, 1, 1, 96)
                                                      221280
['block6d_se_reshape[0][0]']
block6d_se_expand (Conv2D)
                                 (None, 1, 1, 2304)
                                                      223488
['block6d_se_reduce[0][0]']
block6d_se_excite (Multiply)
                                (None, 5, 5, 2304)
                                                      0
['block6d_activation[0][0]',
'block6d_se_expand[0][0]']
block6d_project_conv (Conv2D)
                                (None, 5, 5, 384)
                                                      884736
['block6d_se_excite[0][0]']
block6d project bn (BatchNorma
                                 (None, 5, 5, 384)
                                                      1536
['block6d_project_conv[0][0]']
lization)
block6d_drop (Dropout)
                                 (None, 5, 5, 384)
                                                      0
['block6d_project_bn[0][0]']
block6d_add (Add)
                                (None, 5, 5, 384)
                                                      0
['block6d_drop[0][0]',
'block6c_add[0][0]']
block6e_expand_conv (Conv2D)
                                (None, 5, 5, 2304)
                                                      884736
['block6d_add[0][0]']
block6e_expand_bn (BatchNormal
                                 (None, 5, 5, 2304)
                                                      9216
['block6e expand conv[0][0]']
ization)
block6e_expand_activation (Act
                                 (None, 5, 5, 2304)
['block6e_expand_bn[0][0]']
ivation)
block6e_dwconv (DepthwiseConv2 (None, 5, 5, 2304)
                                                      57600
['block6e_expand_activation[0][0]
                                                                   ']
D)
block6e_bn (BatchNormalization (None, 5, 5, 2304)
['block6e_dwconv[0][0]']
)
```

```
block6e_activation (Activation (None, 5, 5, 2304)
['block6e_bn[0][0]']
)
                                 (None, 2304)
                                                      0
block6e_se_squeeze (GlobalAver
['block6e_activation[0][0]']
agePooling2D)
block6e_se_reshape (Reshape)
                                 (None, 1, 1, 2304)
                                                      0
['block6e_se_squeeze[0][0]']
block6e_se_reduce (Conv2D)
                                 (None, 1, 1, 96)
                                                      221280
['block6e_se_reshape[0][0]']
block6e_se_expand (Conv2D)
                                 (None, 1, 1, 2304)
                                                      223488
['block6e_se_reduce[0][0]']
                                                      0
block6e_se_excite (Multiply)
                                (None, 5, 5, 2304)
['block6e_activation[0][0]',
'block6e_se_expand[0][0]']
block6e_project_conv (Conv2D)
                                 (None, 5, 5, 384)
                                                      884736
['block6e_se_excite[0][0]']
block6e_project_bn (BatchNorma
                                                      1536
                                 (None, 5, 5, 384)
['block6e_project_conv[0][0]']
lization)
block6e_drop (Dropout)
                                 (None, 5, 5, 384)
                                                      0
['block6e_project_bn[0][0]']
block6e_add (Add)
                                (None, 5, 5, 384)
                                                      0
['block6e_drop[0][0]',
'block6d_add[0][0]']
block6f_expand_conv (Conv2D)
                                (None, 5, 5, 2304)
                                                      884736
['block6e_add[0][0]']
block6f_expand_bn (BatchNormal
                                 (None, 5, 5, 2304)
                                                      9216
['block6f_expand_conv[0][0]']
ization)
block6f_expand_activation (Act
                                 (None, 5, 5, 2304)
['block6f_expand_bn[0][0]']
ivation)
block6f_dwconv (DepthwiseConv2 (None, 5, 5, 2304)
                                                      57600
```

```
['block6f_expand_activation[0][0]
D)
                                                                   ']
block6f_bn (BatchNormalization (None, 5, 5, 2304) 9216
['block6f dwconv[0][0]']
)
block6f_activation (Activation (None, 5, 5, 2304)
['block6f_bn[0][0]']
)
block6f_se_squeeze (GlobalAver
                                 (None, 2304)
                                                      0
['block6f_activation[0][0]']
agePooling2D)
block6f_se_reshape (Reshape)
                                 (None, 1, 1, 2304)
                                                      0
['block6f_se_squeeze[0][0]']
block6f_se_reduce (Conv2D)
                                 (None, 1, 1, 96)
                                                      221280
['block6f se reshape[0][0]']
block6f se expand (Conv2D)
                                 (None, 1, 1, 2304)
                                                      223488
['block6f_se_reduce[0][0]']
block6f_se_excite (Multiply)
                                 (None, 5, 5, 2304)
                                                      0
['block6f_activation[0][0]',
'block6f_se_expand[0][0]']
block6f_project_conv (Conv2D)
                                 (None, 5, 5, 384)
                                                      884736
['block6f_se_excite[0][0]']
block6f_project_bn (BatchNorma
                                 (None, 5, 5, 384)
                                                      1536
['block6f_project_conv[0][0]']
lization)
                                 (None, 5, 5, 384)
block6f drop (Dropout)
                                                      0
['block6f_project_bn[0][0]']
block6f_add (Add)
                                 (None, 5, 5, 384)
                                                      0
['block6f_drop[0][0]',
'block6e_add[0][0]']
block6g_expand_conv (Conv2D)
                                 (None, 5, 5, 2304)
                                                      884736
['block6f_add[0][0]']
block6g_expand_bn (BatchNormal
                                 (None, 5, 5, 2304)
                                                      9216
['block6g_expand_conv[0][0]']
ization)
```

```
block6g_expand_activation (Act
                                 (None, 5, 5, 2304) 0
['block6g_expand_bn[0][0]']
ivation)
block6g_dwconv (DepthwiseConv2 (None, 5, 5, 2304)
                                                      57600
['block6g_expand_activation[0][0]
                                                                  ']
D)
block6g_bn (BatchNormalization (None, 5, 5, 2304)
                                                      9216
['block6g_dwconv[0][0]']
)
block6g_activation (Activation
                                 (None, 5, 5, 2304)
['block6g_bn[0][0]']
)
block6g_se_squeeze (GlobalAver
                                 (None, 2304)
                                                      0
['block6g_activation[0][0]']
agePooling2D)
block6g se reshape (Reshape)
                                 (None, 1, 1, 2304)
                                                      0
['block6g_se_squeeze[0][0]']
block6g_se_reduce (Conv2D)
                                 (None, 1, 1, 96)
                                                      221280
['block6g_se_reshape[0][0]']
block6g_se_expand (Conv2D)
                                 (None, 1, 1, 2304)
                                                      223488
['block6g_se_reduce[0][0]']
block6g_se_excite (Multiply)
                                (None, 5, 5, 2304)
['block6g_activation[0][0]',
'block6g_se_expand[0][0]']
block6g_project_conv (Conv2D)
                                (None, 5, 5, 384)
                                                      884736
['block6g_se_excite[0][0]']
block6g_project_bn (BatchNorma
                                 (None, 5, 5, 384)
                                                      1536
['block6g_project_conv[0][0]']
lization)
block6g_drop (Dropout)
                                 (None, 5, 5, 384)
                                                      0
['block6g_project_bn[0][0]']
block6g_add (Add)
                                 (None, 5, 5, 384)
                                                      0
['block6g_drop[0][0]',
'block6f_add[0][0]']
```

```
block6h_expand_conv (Conv2D)
                                (None, 5, 5, 2304)
                                                      884736
['block6g_add[0][0]']
block6h_expand_bn (BatchNormal
                                 (None, 5, 5, 2304)
                                                      9216
['block6h_expand_conv[0][0]']
ization)
block6h_expand_activation (Act
                                 (None, 5, 5, 2304) 0
['block6h_expand_bn[0][0]']
ivation)
block6h_dwconv (DepthwiseConv2 (None, 5, 5, 2304)
                                                      57600
['block6h_expand_activation[0][0]
                                                                  ']
D)
block6h_bn (BatchNormalization (None, 5, 5, 2304)
                                                      9216
['block6h_dwconv[0][0]']
)
block6h_activation (Activation (None, 5, 5, 2304) 0
['block6h_bn[0][0]']
)
block6h_se_squeeze (GlobalAver
                                                      0
                                 (None, 2304)
['block6h_activation[0][0]']
agePooling2D)
block6h_se_reshape (Reshape)
                                 (None, 1, 1, 2304)
['block6h_se_squeeze[0][0]']
block6h_se_reduce (Conv2D)
                                 (None, 1, 1, 96)
                                                      221280
['block6h_se_reshape[0][0]']
block6h_se_expand (Conv2D)
                                 (None, 1, 1, 2304)
                                                      223488
['block6h_se_reduce[0][0]']
block6h_se_excite (Multiply)
                                (None, 5, 5, 2304)
['block6h_activation[0][0]',
'block6h_se_expand[0][0]']
block6h_project_conv (Conv2D)
                                (None, 5, 5, 384)
                                                      884736
['block6h_se_excite[0][0]']
block6h_project_bn (BatchNorma
                                 (None, 5, 5, 384)
                                                      1536
['block6h_project_conv[0][0]']
lization)
block6h_drop (Dropout)
                                (None, 5, 5, 384)
                                                      0
```

```
['block6h_project_bn[0][0]']
block6h_add (Add)
                                (None, 5, 5, 384)
                                                      0
['block6h_drop[0][0]',
'block6g add[0][0]']
block6i expand conv (Conv2D)
                                 (None, 5, 5, 2304)
                                                      884736
['block6h_add[0][0]']
block6i_expand_bn (BatchNormal
                                 (None, 5, 5, 2304)
                                                      9216
['block6i_expand_conv[0][0]']
ization)
block6i_expand_activation (Act
                                 (None, 5, 5, 2304)
['block6i_expand_bn[0][0]']
ivation)
block6i_dwconv (DepthwiseConv2 (None, 5, 5, 2304)
                                                      57600
['block6i_expand_activation[0][0]
                                                                  ']
D)
block6i bn (BatchNormalization (None, 5, 5, 2304)
                                                      9216
['block6i_dwconv[0][0]']
block6i_activation (Activation (None, 5, 5, 2304) 0
['block6i_bn[0][0]']
)
block6i_se_squeeze (GlobalAver
                                 (None, 2304)
                                                      0
['block6i_activation[0][0]']
agePooling2D)
block6i_se_reshape (Reshape)
                                (None, 1, 1, 2304)
                                                      0
['block6i_se_squeeze[0][0]']
block6i se reduce (Conv2D)
                                 (None, 1, 1, 96)
                                                      221280
['block6i_se_reshape[0][0]']
                                 (None, 1, 1, 2304)
block6i_se_expand (Conv2D)
                                                      223488
['block6i_se_reduce[0][0]']
block6i_se_excite (Multiply)
                                 (None, 5, 5, 2304)
                                                      0
['block6i_activation[0][0]',
'block6i_se_expand[0][0]']
block6i_project_conv (Conv2D)
                                (None, 5, 5, 384)
                                                      884736
['block6i_se_excite[0][0]']
```

```
block6i_project_bn (BatchNorma (None, 5, 5, 384)
                                                      1536
['block6i_project_conv[0][0]']
lization)
block6i_drop (Dropout)
                                (None, 5, 5, 384)
                                                      0
['block6i_project_bn[0][0]']
block6i add (Add)
                                (None, 5, 5, 384)
                                                      0
['block6i_drop[0][0]',
'block6h_add[0][0]']
block6j_expand_conv (Conv2D)
                                (None, 5, 5, 2304)
                                                      884736
['block6i_add[0][0]']
block6j_expand_bn (BatchNormal
                                 (None, 5, 5, 2304)
                                                      9216
['block6j_expand_conv[0][0]']
ization)
block6j expand activation (Act (None, 5, 5, 2304) 0
['block6j_expand_bn[0][0]']
ivation)
block6j_dwconv (DepthwiseConv2 (None, 5, 5, 2304)
                                                     57600
['block6j_expand_activation[0][0]
                                                                  ']
D)
block6j_bn (BatchNormalization (None, 5, 5, 2304)
['block6j_dwconv[0][0]']
)
block6j_activation (Activation (None, 5, 5, 2304) 0
['block6j_bn[0][0]']
)
block6j_se_squeeze (GlobalAver
                                 (None, 2304)
                                                      0
['block6; activation[0][0]']
agePooling2D)
block6j_se_reshape (Reshape)
                                (None, 1, 1, 2304)
                                                      0
['block6j_se_squeeze[0][0]']
block6j_se_reduce (Conv2D)
                                (None, 1, 1, 96)
                                                      221280
['block6j_se_reshape[0][0]']
block6j_se_expand (Conv2D)
                                (None, 1, 1, 2304)
                                                      223488
['block6j_se_reduce[0][0]']
```

```
block6j_se_excite (Multiply)
                                (None, 5, 5, 2304)
['block6j_activation[0][0]',
'block6j_se_expand[0][0]']
                                (None, 5, 5, 384)
block6j_project_conv (Conv2D)
                                                      884736
['block6j_se_excite[0][0]']
block6j_project_bn (BatchNorma
                                 (None, 5, 5, 384)
                                                      1536
['block6j_project_conv[0][0]']
lization)
block6j_drop (Dropout)
                                (None, 5, 5, 384)
                                                      0
['block6j_project_bn[0][0]']
block6j_add (Add)
                                (None, 5, 5, 384)
                                                      0
['block6j_drop[0][0]',
'block6i_add[0][0]']
block6k_expand_conv (Conv2D)
                                (None, 5, 5, 2304)
                                                      884736
['block6j_add[0][0]']
block6k expand bn (BatchNormal
                                 (None, 5, 5, 2304)
                                                      9216
['block6k_expand_conv[0][0]']
ization)
block6k_expand_activation (Act
                                (None, 5, 5, 2304) 0
['block6k_expand_bn[0][0]']
ivation)
block6k_dwconv (DepthwiseConv2 (None, 5, 5, 2304)
                                                      57600
['block6k_expand_activation[0][0]
                                                                  וי
D)
block6k_bn (BatchNormalization (None, 5, 5, 2304)
                                                      9216
['block6k_dwconv[0][0]']
)
block6k_activation (Activation
                                (None, 5, 5, 2304)
['block6k_bn[0][0]']
)
block6k_se_squeeze (GlobalAver
                                 (None, 2304)
                                                      0
['block6k_activation[0][0]']
agePooling2D)
block6k_se_reshape (Reshape)
                                (None, 1, 1, 2304)
['block6k_se_squeeze[0][0]']
```

```
block6k_se_reduce (Conv2D)
                                 (None, 1, 1, 96)
                                                      221280
['block6k_se_reshape[0][0]']
block6k_se_expand (Conv2D)
                                 (None, 1, 1, 2304)
                                                      223488
['block6k_se_reduce[0][0]']
block6k se excite (Multiply)
                                (None, 5, 5, 2304)
                                                      0
['block6k_activation[0][0]',
'block6k_se_expand[0][0]']
block6k_project_conv (Conv2D)
                                 (None, 5, 5, 384)
                                                      884736
['block6k_se_excite[0][0]']
block6k_project_bn (BatchNorma
                                 (None, 5, 5, 384)
                                                      1536
['block6k_project_conv[0][0]']
lization)
block6k_drop (Dropout)
                                 (None, 5, 5, 384)
                                                      0
['block6k_project_bn[0][0]']
block6k add (Add)
                                 (None, 5, 5, 384)
                                                      0
['block6k_drop[0][0]',
'block6j_add[0][0]']
block61_expand_conv (Conv2D)
                                (None, 5, 5, 2304)
                                                      884736
['block6k_add[0][0]']
block6l_expand_bn (BatchNormal
                                 (None, 5, 5, 2304)
                                                      9216
['block61_expand_conv[0][0]']
ization)
block61_expand_activation (Act (None, 5, 5, 2304) 0
['block61_expand_bn[0][0]']
ivation)
block6l_dwconv (DepthwiseConv2 (None, 5, 5, 2304)
                                                      57600
['block61 expand activation[0][0]
                                                                  ']
block61_bn (BatchNormalization (None, 5, 5, 2304)
                                                      9216
['block61_dwconv[0][0]']
)
block6l_activation (Activation
                                 (None, 5, 5, 2304) 0
['block61_bn[0][0]']
block6l_se_squeeze (GlobalAver
                                 (None, 2304)
                                                      0
```

```
['block6l_activation[0][0]']
agePooling2D)
block61_se_reshape (Reshape)
                                 (None, 1, 1, 2304)
                                                      0
['block61_se_squeeze[0][0]']
block61 se reduce (Conv2D)
                                 (None, 1, 1, 96)
                                                      221280
['block61_se_reshape[0][0]']
block61_se_expand (Conv2D)
                                 (None, 1, 1, 2304)
                                                      223488
['block61_se_reduce[0][0]']
block6l_se_excite (Multiply)
                                (None, 5, 5, 2304)
                                                      0
['block6l_activation[0][0]',
'block61_se_expand[0][0]']
block61_project_conv (Conv2D)
                                (None, 5, 5, 384)
                                                      884736
['block61_se_excite[0][0]']
block6l project bn (BatchNorma
                                 (None, 5, 5, 384)
                                                      1536
['block6l_project_conv[0][0]']
lization)
block6l_drop (Dropout)
                                 (None, 5, 5, 384)
                                                      0
['block6l_project_bn[0][0]']
block6l_add (Add)
                                (None, 5, 5, 384)
                                                      0
['block61_drop[0][0]',
'block6k_add[0][0]']
block6m_expand_conv (Conv2D)
                                (None, 5, 5, 2304)
                                                      884736
['block61_add[0][0]']
block6m_expand_bn (BatchNormal
                                 (None, 5, 5, 2304)
                                                      9216
['block6m expand conv[0][0]']
ization)
block6m_expand_activation (Act
                                 (None, 5, 5, 2304)
['block6m_expand_bn[0][0]']
ivation)
block6m_dwconv (DepthwiseConv2 (None, 5, 5, 2304)
                                                      57600
['block6m_expand_activation[0][0]
                                                                   ']
D)
block6m_bn (BatchNormalization (None, 5, 5, 2304)
['block6m_dwconv[0][0]']
)
```

```
block6m_activation (Activation (None, 5, 5, 2304)
['block6m_bn[0][0]']
)
block6m_se_squeeze (GlobalAver
                                 (None, 2304)
                                                      0
['block6m_activation[0][0]']
agePooling2D)
block6m_se_reshape (Reshape)
                                 (None, 1, 1, 2304)
                                                      0
['block6m_se_squeeze[0][0]']
block6m_se_reduce (Conv2D)
                                 (None, 1, 1, 96)
                                                      221280
['block6m_se_reshape[0][0]']
                                                      223488
block6m_se_expand (Conv2D)
                                 (None, 1, 1, 2304)
['block6m_se_reduce[0][0]']
block6m_se_excite (Multiply)
                                                      0
                                (None, 5, 5, 2304)
['block6m activation[0][0]',
'block6m_se_expand[0][0]']
block6m_project_conv (Conv2D)
                                 (None, 5, 5, 384)
                                                      884736
['block6m_se_excite[0][0]']
block6m_project_bn (BatchNorma
                                 (None, 5, 5, 384)
                                                      1536
['block6m_project_conv[0][0]']
lization)
block6m_drop (Dropout)
                                 (None, 5, 5, 384)
                                                      0
['block6m_project_bn[0][0]']
block6m_add (Add)
                                (None, 5, 5, 384)
                                                      0
['block6m_drop[0][0]',
'block61_add[0][0]']
block7a_expand_conv (Conv2D)
                                 (None, 5, 5, 2304)
                                                      884736
['block6m_add[0][0]']
block7a_expand_bn (BatchNormal
                                 (None, 5, 5, 2304)
                                                      9216
['block7a_expand_conv[0][0]']
ization)
block7a_expand_activation (Act
                                 (None, 5, 5, 2304)
['block7a_expand_bn[0][0]']
ivation)
block7a_dwconv (DepthwiseConv2 (None, 5, 5, 2304)
                                                      20736
```

```
['block7a_expand_activation[0][0]
D)
                                                                  ']
block7a_bn (BatchNormalization (None, 5, 5, 2304) 9216
['block7a_dwconv[0][0]']
)
block7a_activation (Activation (None, 5, 5, 2304)
['block7a_bn[0][0]']
)
block7a_se_squeeze (GlobalAver
                                 (None, 2304)
                                                      0
['block7a_activation[0][0]']
agePooling2D)
block7a_se_reshape (Reshape)
                                (None, 1, 1, 2304)
                                                      0
['block7a_se_squeeze[0][0]']
block7a_se_reduce (Conv2D)
                                (None, 1, 1, 96)
                                                      221280
['block7a se reshape[0][0]']
block7a se expand (Conv2D)
                                 (None, 1, 1, 2304)
                                                      223488
['block7a_se_reduce[0][0]']
block7a_se_excite (Multiply)
                                (None, 5, 5, 2304)
                                                      0
['block7a_activation[0][0]',
'block7a_se_expand[0][0]']
block7a_project_conv (Conv2D)
                                 (None, 5, 5, 640)
                                                      1474560
['block7a_se_excite[0][0]']
block7a_project_bn (BatchNorma
                                 (None, 5, 5, 640)
                                                      2560
['block7a_project_conv[0][0]']
lization)
block7b_expand_conv (Conv2D)
                                 (None, 5, 5, 3840)
                                                      2457600
['block7a_project_bn[0][0]']
block7b_expand_bn (BatchNormal
                                 (None, 5, 5, 3840)
                                                      15360
['block7b_expand_conv[0][0]']
ization)
block7b_expand_activation (Act (None, 5, 5, 3840) 0
['block7b_expand_bn[0][0]']
ivation)
block7b_dwconv (DepthwiseConv2 (None, 5, 5, 3840)
                                                      34560
['block7b_expand_activation[0][0]
```

```
D)
block7b_bn (BatchNormalization (None, 5, 5, 3840)
                                                      15360
['block7b_dwconv[0][0]']
)
block7b_activation (Activation
                                 (None, 5, 5, 3840)
['block7b_bn[0][0]']
                                                      0
block7b_se_squeeze (GlobalAver
                                  (None, 3840)
['block7b_activation[0][0]']
agePooling2D)
block7b_se_reshape (Reshape)
                                 (None, 1, 1, 3840)
['block7b_se_squeeze[0][0]']
block7b_se_reduce (Conv2D)
                                 (None, 1, 1, 160)
                                                      614560
['block7b_se_reshape[0][0]']
block7b_se_expand (Conv2D)
                                 (None, 1, 1, 3840)
                                                      618240
['block7b se reduce[0][0]']
block7b_se_excite (Multiply)
                                 (None, 5, 5, 3840)
                                                      0
['block7b_activation[0][0]',
'block7b_se_expand[0][0]']
block7b_project_conv (Conv2D)
                                 (None, 5, 5, 640)
                                                      2457600
['block7b_se_excite[0][0]']
block7b_project_bn (BatchNorma
                                 (None, 5, 5, 640)
                                                      2560
['block7b_project_conv[0][0]']
lization)
block7b drop (Dropout)
                                 (None, 5, 5, 640)
                                                      0
['block7b_project_bn[0][0]']
block7b_add (Add)
                                 (None, 5, 5, 640)
                                                      0
['block7b_drop[0][0]',
'block7a_project_bn[0][0]']
block7c_expand_conv (Conv2D)
                                 (None, 5, 5, 3840)
                                                      2457600
['block7b_add[0][0]']
block7c_expand_bn (BatchNormal
                                 (None, 5, 5, 3840)
                                                      15360
['block7c_expand_conv[0][0]']
ization)
```

']

```
block7c_expand_activation (Act (None, 5, 5, 3840) 0
['block7c_expand_bn[0][0]']
ivation)
block7c_dwconv (DepthwiseConv2 (None, 5, 5, 3840)
                                                      34560
['block7c_expand_activation[0][0]
                                                                  ']
D)
block7c_bn (BatchNormalization (None, 5, 5, 3840)
                                                      15360
['block7c_dwconv[0][0]']
)
block7c_activation (Activation (None, 5, 5, 3840) 0
['block7c_bn[0][0]']
block7c_se_squeeze (GlobalAver
                                 (None, 3840)
                                                      0
['block7c_activation[0][0]']
agePooling2D)
block7c_se_reshape (Reshape)
                                 (None, 1, 1, 3840)
['block7c_se_squeeze[0][0]']
block7c_se_reduce (Conv2D)
                                 (None, 1, 1, 160)
                                                      614560
['block7c_se_reshape[0][0]']
block7c_se_expand (Conv2D)
                                 (None, 1, 1, 3840)
                                                      618240
['block7c_se_reduce[0][0]']
block7c_se_excite (Multiply)
                                (None, 5, 5, 3840)
                                                      0
['block7c_activation[0][0]',
'block7c_se_expand[0][0]']
block7c_project_conv (Conv2D)
                                (None, 5, 5, 640)
                                                      2457600
['block7c_se_excite[0][0]']
block7c_project_bn (BatchNorma
                                 (None, 5, 5, 640)
                                                      2560
['block7c_project_conv[0][0]']
lization)
block7c_drop (Dropout)
                                 (None, 5, 5, 640)
                                                      0
['block7c_project_bn[0][0]']
                                (None, 5, 5, 640)
                                                      0
block7c_add (Add)
['block7c_drop[0][0]',
'block7b_add[0][0]']
block7d_expand_conv (Conv2D)
                                (None, 5, 5, 3840)
                                                      2457600
```

```
['block7c_add[0][0]']
block7d_expand_bn (BatchNormal
                                 (None, 5, 5, 3840)
                                                      15360
['block7d_expand_conv[0][0]']
ization)
block7d expand activation (Act
                                 (None, 5, 5, 3840) 0
['block7d_expand_bn[0][0]']
ivation)
block7d_dwconv (DepthwiseConv2 (None, 5, 5, 3840)
                                                      34560
['block7d_expand_activation[0][0]
                                                                   ']
D)
block7d_bn (BatchNormalization (None, 5, 5, 3840)
                                                      15360
['block7d_dwconv[0][0]']
)
block7d_activation (Activation (None, 5, 5, 3840)
['block7d_bn[0][0]']
)
block7d_se_squeeze (GlobalAver
                                 (None, 3840)
                                                      0
['block7d_activation[0][0]']
agePooling2D)
block7d_se_reshape (Reshape)
                                 (None, 1, 1, 3840)
                                                      0
['block7d_se_squeeze[0][0]']
block7d_se_reduce (Conv2D)
                                 (None, 1, 1, 160)
                                                      614560
['block7d_se_reshape[0][0]']
block7d_se_expand (Conv2D)
                                 (None, 1, 1, 3840)
                                                      618240
['block7d_se_reduce[0][0]']
block7d_se_excite (Multiply)
                                 (None, 5, 5, 3840)
                                                      0
['block7d activation[0][0]',
'block7d_se_expand[0][0]']
block7d_project_conv (Conv2D)
                                 (None, 5, 5, 640)
                                                      2457600
['block7d_se_excite[0][0]']
block7d_project_bn (BatchNorma
                                 (None, 5, 5, 640)
                                                      2560
['block7d_project_conv[0][0]']
lization)
block7d_drop (Dropout)
                                 (None, 5, 5, 640)
                                                      0
['block7d_project_bn[0][0]']
```


```
block7d_add (Add)
                                      (None, 5, 5, 640)
     ['block7d_drop[0][0]',
     'block7c_add[0][0]']
      top_conv (Conv2D)
                                      (None, 5, 5, 2560)
                                                           1638400
     ['block7d_add[0][0]']
      top_bn (BatchNormalization)
                                      (None, 5, 5, 2560)
                                                           10240
     ['top_conv[0][0]']
      top_activation (Activation)
                                      (None, 5, 5, 2560)
     ['top_bn[0][0]']
      max_pool (GlobalMaxPooling2D)
                                      (None, 2560)
     ['top_activation[0][0]']
     ===========
     Total params: 64,097,687
     Trainable params: 63,786,960
     Non-trainable params: 310,727
 [9]: def extract_features(directory, sample_amount, transfer, batch_size = 30,_u
       \rightarrown_class = 7):
          features = np.zeros(shape=(sample amount, 2560))
          labels = np.zeros(shape=(sample_amount, n_class))
          generator = datagen.flow_from_directory(
                                                   directory,
                                                   target_size = target_size,
                                                   batch_size = batch_size,
                                                   class_mode ='categorical')
          # i=0
          for i, (inputs_batch, labels_batch) in enumerate(generator):
              features_batch = transfer.predict(inputs_batch)
              features[i * batch_size : (i + 1) * batch_size] = features_batch
              labels[i * batch_size : (i + 1) * batch_size] = labels_batch
              if i * batch_size >= sample_amount:
                  break
          return features, labels
[10]: # You should be able to divide sample_amount by batch_size
      train_features, train_labels = extract_features(train_dir, 2240, efficient_7)
      test_features, test_labels = extract_features(test_dir, 560, efficient_7)
```

```
Found 2240 images belonging to 7 classes.
    Found 560 images belonging to 7 classes.
    train_features: (2240, 2560)
    train_labels: (2240, 7)
[24]: eff_model_7 = Sequential()
    eff_model_7.add(tf.keras.layers.BatchNormalization(axis=-1, momentum=0.99, __
     ⇔epsilon=0.001))
    eff_model_7.add(layers.Dense(512,
                       kernel_regularizer = tf.keras.regularizers.12(1 = 0.
     ⇔05),
                       activity_regularizer = tf.keras.regularizers.11(0.05),
                       bias_regularizer
                                      = tf.keras.regularizers.l1(0.05),
                       activation='relu',
                       input_dim=2560))
    eff_model_7.add(Dropout(0.45))
    eff_model_7.add(layers.Dense(256))
    eff_model_7.add(Dropout(0.45))
    eff_model_7.add(layers.Dense(128))
    eff_model_7.add(Dropout(0.45))
    eff_model_7.add(layers.Dense(7, activation='softmax'))
    eff_model_7.compile(optimizer=tf.keras.optimizers.RMSprop(lr=1e-4),
                loss='categorical_crossentropy',
                metrics=['accuracy'])
    eff_model_7.fit(train_features, train_labels,
                     epochs=35,
                     batch_size=30,
                     validation_data=(test_features, test_labels))
    print("Fitting Done")
    Epoch 1/35
    0.4442 - val_loss: 49.2902 - val_accuracy: 0.1429
    Epoch 2/35
    0.6384 - val_loss: 31.1480 - val_accuracy: 0.1429
    Epoch 3/35
    75/75 [===========] - Os 6ms/step - loss: 19.3691 - accuracy:
    0.7147 - val_loss: 23.0242 - val_accuracy: 0.1429
    Epoch 4/35
    0.7701 - val_loss: 15.1376 - val_accuracy: 0.1429
    0.8219 - val_loss: 10.8307 - val_accuracy: 0.1429
```

```
Epoch 6/35
0.8469 - val_loss: 8.4061 - val_accuracy: 0.1482
Epoch 7/35
0.8647 - val_loss: 5.9000 - val_accuracy: 0.2625
Epoch 8/35
0.8848 - val_loss: 4.2321 - val_accuracy: 0.6214
Epoch 9/35
0.8902 - val_loss: 3.2892 - val_accuracy: 0.7214
Epoch 10/35
0.8888 - val_loss: 2.5522 - val_accuracy: 0.8804
Epoch 11/35
0.8946 - val_loss: 2.0965 - val_accuracy: 0.9304
Epoch 12/35
0.8964 - val_loss: 1.8803 - val_accuracy: 0.9179
Epoch 13/35
0.9071 - val_loss: 1.6019 - val_accuracy: 0.9464
Epoch 14/35
0.9076 - val_loss: 1.4607 - val_accuracy: 0.9446
Epoch 15/35
0.9170 - val_loss: 1.3353 - val_accuracy: 0.9536
Epoch 16/35
0.9107 - val_loss: 1.2443 - val_accuracy: 0.9375
Epoch 17/35
0.9089 - val_loss: 1.2029 - val_accuracy: 0.8946
Epoch 18/35
0.9107 - val_loss: 1.0844 - val_accuracy: 0.9464
Epoch 19/35
0.9268 - val_loss: 1.0238 - val_accuracy: 0.9375
0.9223 - val_loss: 0.9757 - val_accuracy: 0.9357
Epoch 21/35
0.9179 - val_loss: 0.8937 - val_accuracy: 0.9321
```

```
Epoch 22/35
0.9237 - val_loss: 0.8907 - val_accuracy: 0.9357
Epoch 23/35
0.9165 - val_loss: 0.7824 - val_accuracy: 0.9589
Epoch 24/35
0.9152 - val_loss: 0.8026 - val_accuracy: 0.9500
Epoch 25/35
0.9165 - val_loss: 0.7436 - val_accuracy: 0.9571
Epoch 26/35
0.9219 - val_loss: 0.7088 - val_accuracy: 0.9482
Epoch 27/35
0.9205 - val_loss: 0.6937 - val_accuracy: 0.9554
Epoch 28/35
0.9143 - val_loss: 0.6964 - val_accuracy: 0.9464
Epoch 29/35
0.9223 - val_loss: 0.6266 - val_accuracy: 0.9625
Epoch 30/35
0.9152 - val_loss: 0.6300 - val_accuracy: 0.9518
Epoch 31/35
0.9165 - val_loss: 0.6310 - val_accuracy: 0.9482
Epoch 32/35
0.9147 - val_loss: 0.6765 - val_accuracy: 0.9339
Epoch 33/35
0.9147 - val_loss: 0.6192 - val_accuracy: 0.9536
Epoch 34/35
0.9116 - val_loss: 0.5528 - val_accuracy: 0.9518
Epoch 35/35
0.9375 - val_loss: 0.5882 - val_accuracy: 0.9518
Fitting Done
```

[25]: loss_acc(eff_model_7)





6 Results and Conclusion

In this notebook, we trained several deep learning models by using convolutional neural network as well as transfer learning. We can see that all models performed well. Therefore, we will use the structure of the model to choose the final model for this work. Since the first model has the simplest structure and it converges after only 2 epochs, we would recommend this model to be used for emotion detection in audio speech.

For future work, we would recommend obtaining more data for training purposes and also we would recommend using LSTM layers for numerical values obtained from audio files.