

→ ~ mkdir \$HOME/bin

mkdir: /Users/milafiolita/bin: File exists

→ ~ cd bin

→ bin touch hello.sh

→ bin nano hello.sh

→ bin ls -l hello.sh

-rw-r--r-- 1 milafiolita staff 61 Feb 12 14:36 hello.sh

→ bin chmod +x hello.sh

→ bin ls -l hello.sh

-rwxr-xr-x 1 milafiolita staff 61 Feb 12 14:36 hello.sh

→ bin ./hello.sh

Nama Saya Mila Fiolita

Dari Wonderlabs Academy

→ bin █

1. nano hello.sh (nano)

GNU nano 2.0.6

File: hello.sh

Modified

```
echo "Nama Saya Mila Fiolita"
echo "Dari Wonderlabs Academy"

```

^G

Get Help

^X

Exit

^O

WriteOut

^J

Justify

^R

Read File

^W

Where Is

^Y

Prev Page

^V

Next Page

^K

Cut Text

^U

UnCut Text

^C

Cur Pos

^T

To Spell



1. milafiolita@Milas-MacBook-Air: ~/bin (zsh)

→ bin nano hello.sh

→ bin ./hello.sh

Siapa namamu?

Mila

Salam Kenal Mila

→ bin █

```
echo "Siapa namamu?"  
read name  
echo "Salam Kenal" $name  
|
```

^G Get Help**^O** WriteOut**^R** Read File**^Y** Prev Page**^K** Cut Text**^C** Cur Pos**^X** Exit**^J** Justify**^W** Where Is**^V** Next Page**^U** UnCut Text**^T** To Spell



1. milafiolita@Milas-MacBook-Air: ~/bin (zsh)

→ bin touch mtk.sh

→ bin nano mtk.sh

→ bin ls -l mtk.sh

-rw-r--r-- 1 milafiolita staff 72 Feb 12 14:47 mtk.sh

→ bin chmod +x mtk.sh

→ bin ls -l mtk.sh

-rwxr-xr-x 1 milafiolita staff 72 Feb 12 14:47 mtk.sh

→ bin ./mtk.sh

3-1 2

1+2 3

1*3 3

4/2 2

→ bin

```
echo "3-1" ${3-1}
echo "1+2" ${1+2}
echo "1*3" ${1*3}
echo "4/2" ${4/2}
```

```
→ bin touch logika.sh
→ bin nano logika.sh
→ bin ls -l logika.sh
-rw-r--r--  1 milafiolita  staff  102 Feb 12 14:52 logika.sh
→ bin chmod +x logika.sh
→ bin ls -l logika.sh
-rwxr-xr-x  1 milafiolita  staff  102 Feb 12 14:52 logika.sh
→ bin ./logika.sh
Masukkan Password Anda :
mila
./logika.sh: line 4: [mila: command not found
→ bin nano logika.sh
→ bin nano logika.sh
→ bin ./logika.sh
Masukan Password Anda:
mila
Password Benar
→ bin
```

