

```
noname .../bit-labs/5th Semester/Computer Graphics ? main v15.2.0 14:39
> g++ lab-1.cpp -lglut -lGLU -lGL -o build/lab-1 && ./build/lab-1

noname .../bit-labs/5th Semester/Computer Graphics ? main v15.2.0 14:43
> g++ lab-2.cpp -lglut -lGLU -lGL -o build/lab-2 && ./build/lab-2

noname .../bit-labs/5th Semester/Computer Graphics ? main v15.2.0 14:44
> g++ lab-3.cpp -lglut -lGLU -lGL -o build/lab-3 && ./build/lab-3

noname .../bit-labs/5th Semester/Computer Graphics ? main v15.2.0 14:46
> g++ lab-4.cpp -lglut -lGLU -lGL -o build/lab-4 && ./build/lab-4

noname .../bit-labs/5th Semester/Computer Graphics ? main v15.2.0 14:49
> g++ lab-5.cpp -lglut -lGLU -lGL -o build/lab-5 && ./build/lab-5

noname .../bit-labs/5th Semester/Computer Graphics ? main v15.2.0 14:54
> g++ lab-6.cpp -lglut -lGLU -lGL -o build/lab-6 && ./build/lab-6

noname .../bit-labs/5th Semester/Computer Graphics ? main v15.2.0 15:00
> g++ lab-7.cpp -lglut -lGLU -lGL -o build/lab-7 && ./build/lab-7

noname .../bit-labs/5th Semester/Computer Graphics ? main v15.2.0 15:06
> g++ lab-8.cpp -lglut -lGLU -lGL -o build/lab-8 && ./build/lab-8
Enter clipping window (xmin ymin xmax ymax): 200 200 600 600
Enter line endpoints (x1 y1 x2 y2): 100 200 700 400
Line accepted after clipping.
Clipped line: (200.00, 233.33) to (600.00, 366.67)
```







