



[[doc-title]]

[[doc-subtitle]]

[[doc-type]]

[[doc-company]] [[doc-company-url]]

Document Number: [[doc-id]] Version: [[doc-version]]

Release Date: [[release-date]]



Document History

Author Name: [[doc-author]]
Author Contact: [[doc-author-email]]

Document Revision

| Release Date | Status | Change Description | Author |
|----------------------|--------|---------------------------|---------------------|
| [[doc-release-date]] | Draft | [[change-description]] | [[doc-author-name]] |
| | | | |
| | | | |
| | | | |
| | | | |

Intellectual Property Rights

This document is exclusive property of [[doc-company]] and all rights are reserved.



Table 8

| Table of Contents | |
|---|---|
| Introduction 4 | |
| References 4 | |
| Markdown1 6 | |
| PUZZLES CLOUD MARKDOWN FILE HEADING 1 6 Welcome to the puzzles cloud md file HEADING 2 6 Let's start with stupid jokes HEADING 3 6 Let me tell you stupid joke on German: HEADING4 6 Let's switch to the Czech language HEADING 4 6 Real Czech language HEADING 5 6 | 6 |
| Longest Serbian word he he HEADING 1 6 Serbian literature HEADING 2 6 | |
| It's enough, lets start with some smart things HEADING 1 | 6 |
| Just checking tables - heading 1 8 | |
| Tables are under heading 2 8 | |
| Table of Tables Table 1: Document references 4 Table 8 | |



1 Introduction

1.1 References

Referenced documents in creation of this document are listed in the Table 1.

| Document Reference | Document Title | Version | Filename |
|-----------------------|---------------------------|---------|------------------------------|
| [1] | [[reference-doc-title]] | | [[reference-doc-filename]] |
| [2] | | | |
| [3] | | | |
| [4] | | | |
| [5] | | | |
| [6] | | | |
| [7] | | | |
| [8] | | | |

Table 1: Document references





2 Markdown1

2.1 PUZZLES CLOUD MARKDOWN FILE HEADING 1

- 2.1.1 Welcome to the puzzles cloud md file HEADING 2
- 2.1.1.1 Let's start with stupid jokes HEADING 3
- 2.1.1.1.1 Let me tell you stupid joke on German: HEADING4
 - # "Hey Philipp, wie war denn der Urlaub?"
 - # "Gräßlich! Im Hotel hatte ich Zimmernummer hundert. Und vom Türschild ist die Eins abgefallen!"

ÜÜÜÜÜÜ- that was stupid

- 2.1.1.1.2 Let's switch to the Czech language HEADING 4
 - # "Co r##óobi trak##óto##r u f##ry###zjera?"
 - # War##kocze.

#####ó###!!!!

Just kidding, that was Poland language u fool, let's switch to the Czech for real 2.1.1.1.2.1 Real Czech language HEADING 5

ýžá##é#í#ó#š#ú#

- # Jak #íkáte albínskému muži z Prahy?
- # Prázdný #ech.

2.2 Longest Serbian word he he HEADING 1


2.2.1 Serbian literature HEADING 2

2.3 It's enough, lets start with some smart things HEADING 1

1.

PLAY THIS VIDEO AND THANKS ME LATER!

HIT THAT PLAY



Yep, it's a picture, fool... lol Here you go, CLICK IT:





3 Just checking tables - heading 1 Tables are under heading 2

3.1

| J | .1 Tables are und | ci iicading 2 | | | | | | |
|-----------|---|---------------|---------------------------|------|--|---|--|--|
| | field name | type | constrains | | description | example | | |
| | id | UUID | globally un | ique | globally unique UUID | c91feaf3-5968-4b60- aa5b-62fe7fdd905c | | |
| | type | string | n/a | | type of request, must be "voucher-order", "voucher-order" | | | |
| | voucher-code | string | n/a | | code of the voucher gathered from voucher list | "VODADE15" | | |
| | payment-method | string | n/a | | on of the allowed methods for the voucher, denoted in voucher list response | "Wirecard VISA" | | |
| | notification-type | string | currently o "email" is | | type of the notification target | "email" | | |
| | notification-target | string | n/a | | target adress | "[me@my- email.com] (mailto:me@my- email.com)" | | |
| | order-success- redirect-url | string | valid URL | | Where the wirecard should redirect if payment was successfull | protect | | |
| | order-failed-redirect- url | string | valid URL | | Where the wirecard should redirect if payment fails | protect | | |
| | order-canceled- redirect-url | string | valid URL | | Where the wirecard should redirect if payment was canceled | protect | | |
| Τ | able | | | | | | | |
| Option De | | | | | Description | | | |
| | data path to data files to supply the data that will be pass into tomplates | | | | | | | |

T

into templates.

engine to be used for processing templates. Handlebars is the default. engine

extension to be used for dest files. ext

Table





Figure 1: Last Page