

Advanced Template version: 1.0

hkgk

gkg

hkgv

gvhk gvk

Document Number: hk

Version: hkgv Release Date: kghkv



Document History

Author Name: ghkghk Author Contact: vbghkvg

Document Revision

Version Number	Release Date	Status	Change Description	Author
hkgv	kghkv	Draft	vbghk	ghkghk

Intellectual Property Rights

This document is exclusive property of gvhk and all rights are reserved.



```
Table of Contents
 Introduction 5
   References 5
 h1 Heading 8-) 7
   h2 Heading 7
     h3 Heading 7
        h4 Heading
          h5 Heading 7
            h6 Heading 7
   Horizontal Rules 7
   Typographic replacements 7
   Emphasis 7
   Blockquotes 7
   Lists 7
   Code 8
   Tables 8
   Links
   Images
   Plugins 10
     Emojies 10
     Subscript / Superscript
     <ins> 10
     <mark>
              11
     Footnotes 11
     Definition lists
     Abbreviations
     Custom containers
                      11
 Markdown1 12
   PUZZLES CLOUD MARKDOWN FILE HEADING 1
     Welcome to the puzzles cloud md file HEADING 2
        Let's start with stupid jokes HEADING 3 12
          Let me tell you stupid joke on German: HEADING4
                                                        12
          Let's switch to the Czech language HEADING 4
            Real Czech language HEADING 5
   Longest Serbian word he he HEADING 1
     Serbian literature HEADING 2
   It's enough, lets start with some smart things HEADING 1 12
 Markdown5 14
   ####### ##### 19
```



Here is some youtube video 14

Markdown1 15

PUZZLES CLOUD MARKDOWN FILE HEADING 1 19

Welcome to the puzzles cloud md file HEADING 2 15
Let's start with stupid jokes HEADING 3 15
Let me tell you stupid joke on German: HEADING4 15
Let's switch to the Czech language HEADING 4 15
Real Czech language HEADING 5 15

Longest Serbian word he he HEADING 1 15

Serbian literature HEADING 2 15

It's enough, lets start with some smart things HEADING 1 15 puzzles CloudMDs 17

Table of Tables

Table 1: Document references 5

Table of Figures

Figure 1: Last Page 18



1 Introduction

1.1 References

Referenced documents in creation of this document are listed in the Table 1.

Document Reference	Document Title	Version	Filename
[1]	hkgvh		gvhkgv
[2]			
[3]			
[4]			
[5]			
[6]			
[7]			
[8]			

Table 1: Document references





2 h1 Heading 8-)

2.1 h2 Heading

2.1.1 h3 Heading

2.1.1.1 h4 Heading

2.1.1.1.1 h5 Heading

2.1.1.1.1.1 h6 Heading

2.2 Horizontal Rules

2.3 Typographic replacements

Enable typographer option to see result.

(c) (C) (r) (R) (tm) (TM) (p) (P) +-

test.. test.... test?.... test!....

!!!!!! ???? ., -- ---

"Smartypants, double quotes" and 'single quotes'

2.4 Emphasis

This is bold text

This is bold text

This is italic text

This is italic text

Strikethrough

2.5 Blockquotes

Blockquotes can also be nested...

...by using additional greater-than signs right next to each other...

...or with spaces between arrows.

2.6 Lists

Unordered

- # Create a list by starting a line with +, -, or *
- # Sub-lists are made by indenting 2 spaces:
 - 1. Marker character change forces new list start:
 - # Ac tristique libero volutpat at
 - # Facilisis in pretium nisl aliquet
 - # Nulla volutpat aliquam velit
- # Very easy!

Ordered

- 1. Lorem ipsum dolor sit amet
- 2. Consectetur adipiscing elit
- 3. Integer molestie lorem at massa
- 4. You can use sequential numbers...
- 5. ...or keep all the numbers as 1.

asghdkaskdhkasjdhasddasdh khasdhas dhas asghdkaskdhkasjdhasddasdh khasdhas dhasasghdkaskdhkasjdhasddasdh khasdhas dhasasghdkaskdhkasjdhasddasdh khasdhas dhas



asghdkaskdhkasjdhasddasdh khasdhas dhasasghdkaskdhkasjdhasddasdh khasdhas dhas

- 6. Lorem ipsum dolor sit amet
- 7. Consectetur adipiscing elit
- 8. Integer molestie lorem at massa
- 9. You can use sequential numbers...
- 10. ...or keep all the numbers as 1.

asdasdasdsa

- 11. Lorem ipsum dolor sit amet
- 12. Consectetur adipiscing elit
- 13. Integer molestie lorem at massa
- 14. You can use sequential numbers...
- 15. ...or keep all the numbers as 1.

Start numbering with offset:

16. foo

17. bar

2.7 Code

Inline code

Indented code

// Some comments line 1 of code line 2 of code line 3 of code

Block code "fences"

Sample text here...

Syntax highlighting

var foo = function (bar) { return bar++; }; console.log(foo(5));

2.8 Tables

Option	Description
data	path to data files to supply the data that will be passed into templates.
engine	engine to be used for processing templates. Handlebars is the default.
ext	extension to be used for dest files.

Right aligned columns

Description	Option
path to data files to supply the data that will be passed into templates.	data
engine to be used for processing templates. Handlebars is the default.	engine
extension to be used for dest files.	ext

2.9 Links

link text

link with title

Autoconverted link https://github.com/nodeca/pica (enable linkify to see)



2.10 Images



Like links, Images also have a footnote style syntax





With a reference later in the document defining the URL location:

2.11 Plugins

The killer feature of markdown-it is very effective support of syntax plugins.

2.11.1 **Emojies**

Classic markup: :wink: :crush: :cry: :tear: :laughing: :yum:

Shortcuts (*emoticons*): :-) :-(8-) ;)

see how to change output with twemoji.

2.11.2 Subscript / Superscript

19th

H₂O

2.11.3 <ins>

Inserted text



2.11.4 <<u>mark></u>
==Marked text==
2.11.5 <u>Footnotes</u>
Footnote 1 link.
Footnote 2 link.
Inline footnote^[Text of inline footnote] definition.
Duplicated footnote reference.
2.11.6 <u>Definition lists</u>

Term 1

Definition 1 with lazy continuation.

Term 2 with *inline markup*

Definition 2

|{ some code, part of Definition 2 }

Third paragraph of definition 2.

Compact style:

Term 1 ~ Definition 1

Term 2 ~ Definition 2a ~ Definition 2b

2.11.7 Abbreviations

This is HTML abbreviation example.

It converts "HTML", but keep intact partial entries like "xxxHTMLyyy" and so on.

*[HTML]: Hyper Text Markup Language

2.11.8 Custom containers

::: warning here be dragons :::

18. Footnote can have markup

and multiple paragraphs.

19. Footnote text.

#



3 Markdown1

3.1 PUZZLES CLOUD MARKDOWN FILE HEADING 1

- 3.1.1 Welcome to the puzzles cloud md file HEADING 2
- 3.1.1.1 Let's start with stupid jokes HEADING 3
- 3.1.1.1.1 Let me tell you stupid joke on German: HEADING4
 - # "Hey Philipp, wie war denn der Urlaub?"
 - # "Gräßlich! Im Hotel hatte ich Zimmernummer hundert. Und vom Türschild ist die Eins abgefallen!"

ÜÜÜÜÜÜ- that was stupid

- 3.1.1.1.2 Let's switch to the Czech language HEADING 4
 - # "Co r##óobi trak##óto##r u f##ry###zjera?"
 - # War##kocze.

#####ó###!!!!

Just kidding, that was Poland language u fool, let's switch to the Czech for real 3.1.1.1.2.1 Real Czech language HEADING 5

ýžá##é#í#ó#š#ú#

- # Jak #íkáte albínskému muži z Prahy?
- # Prázdný #ech.

3.2 Longest Serbian word he he HEADING 1


3.2.1 Serbian literature HEADING 2

3.3 It's enough, lets start with some smart things HEADING 1

1.

PLAY THIS VIDEO AND THANKS ME LATER!

HIT THAT PLAY



BUTTON

Yep, it's a picture, fool... lol Here you go, CLICK IT:





4 Markdown5

4.1 ########### 19

4.1.1 ##############					
4.1.1.1 ##############					
####	##### ########	#########			
<u>#####</u>	23. ###### 2020	11 081 000			
#######	23. ##### 2020	6 630 000			
E###	23. ###### 2020	1 007 700			
####	24. ###### 2020	490 900			
######	24. ###### 2020	5 590 200			
#######	24. ###### 2020	497 600			
#####	24. ###### 2020	4 135 900			

#####

4.1.2 Here are some test codes

public class Test { /** * This method returns status of checkbox (is checkbox checked). Method finds element by checkbox text and gets class of that element, after that * it checks if class contains 'checkbox-checked', if class contains that text then checkbox is selected and true value is return * if checkbox doesn't contain that text then false is returned * * @param checkboxText - text of checkbox of witch you want to get status (e.g. "Read Only") * @return - method is returning boolean value. If checkbox class contains "checkbox-checked" then true is returned in other case * false is returned */ private boolean getCheckboxCheckedStatusByName(String checkboxText) { boolean isChecked = false; waitForDisplayedElement(ue("getCheckboxStatusByText", checkboxText)); String checked = getDisplayedElement(ue("getCheckboxStatusByText", checkbox-checked")) { isChecked = true; } return isChecked; } }

%D1%83%D1%80%D0%B5%D1%92%D0%B8%D0%B2%D0%B0%D1%9A%D0%B0

4.2 Here is some youtube video



5 Markdown1

5.1 PUZZLES CLOUD MARKDOWN FILE HEADING 1

- 5.1.1 Welcome to the puzzles cloud md file HEADING 2
- 5.1.1.1 Let's start with stupid jokes HEADING 3
- 5.1.1.1.1 Let me tell you stupid joke on German: HEADING4
 - # "Hey Philipp, wie war denn der Urlaub?"
 - # "Gräßlich! Im Hotel hatte ich Zimmernummer hundert. Und vom Türschild ist die Eins abgefallen!"

ÜÜÜÜÜÜ- that was stupid

- 5.1.1.1.2 Let's switch to the Czech language HEADING 4
 - # "Co r##óobi trak##óto##r u f##ry###zjera?"
 - # War##kocze.

#####ó###!!!!

Just kidding, that was Poland language u fool, let's switch to the Czech for real 5.1.1.1.2.1 Real Czech language HEADING 5

ýžá##é#í#ó#š#ú#

- # Jak #íkáte albínskému muži z Prahy?
- # Prázdný #ech.

5.2 Longest Serbian word he he HEADING 1


5.2.1 Serbian literature HEADING 2

5.3 It's enough, lets start with some smart things HEADING 1

1.

PLAY THIS VIDEO AND THANKS ME LATER!

HIT THAT PLAY



Yep, it's a picture, fool... lol Here you go, CLICK IT:





6 puzzlesCloudMDs

pc md





Figure 1: Last Page