



Advanced Template version: 1.0

hkgk

gkg

hkgv

gvhk

gvk

Document Number: hk

Version: hkgv

Release Date: kghkv



Document History

Author Name: ghkghk
Author Contact: vbghkvg

Document Revision

Version Number	Release Date	Status	Change Description	Author
hkgy	kghkv	Draft	vbghk	ghkghk

Intellectual Property Rights

This document is exclusive property of gvhk and all rights are reserved.



Table of Contents

Introduction 5

References 5

h1 Heading 8-) 7

h2 Heading 7

h3 Heading 7

h4 Heading 7

h5 Heading 7

h6 Heading 7

Horizontal Rules 7

Typographic replacements 7

Emphasis 7

Blockquotes 7

Lists 7

Code 8

Tables 8

Links 8

Images 9

Plugins 10

Emojies 10

Subscript / Superscript 10

<ins> 10

<mark> 11

Footnotes 11

Definition lists 11

Abbreviations 11

Custom containers 11

Markdown5 12

19 12

12

12

12

Here are some test codes 12

Here is some youtube video 12

Markdown1 13

PUZZLES CLOUD MARKDOWN FILE HEADING 1 13

Welcome to the puzzles cloud md file HEADING 2 13

Let's start with stupid jokes HEADING 3 13

Let me tell you stupid joke on German: HEADING4 13

Let's switch to the Czech language HEADING 4 13



Real Czech language HEADING 5 13

Longest Serbian word he he HEADING 1 13

Serbian literature HEADING 2 13

It's enough, lets start with some smart things HEADING 1 13

puzzlesCloudMDs 15

Table of Tables

Table 1: Document references 5

Table of Figures

Figure 1: Last Page 16



1 Introduction

1.1 References

Referenced documents in creation of this document are listed in the Table 1.

Document Reference	Document Title	Version	Filename
[1]	hkgvh		gvhkgv
[2]			
[3]			
[4]			
[5]			
[6]			
[7]			
[8]			

Table 1: Document references





2 h1 Heading 8-)

2.1 h2 Heading

2.1.1 h3 Heading

2.1.1.1 h4 Heading

2.1.1.1.1 h5 Heading

2.1.1.1.1.1 h6 Heading

2.2 Horizontal Rules

2.3 Typographic replacements

Enable typographer option to see result.

(c) (C) (r) (R) (tm) (TM) (p) (P) +-

test.. test... test..... test?..... test!....

!!!!!! ???? ,. -- ---

"Smartypants, double quotes" and 'single quotes'

2.4 Emphasis

This is bold text

This is bold text

This is italic text

This is italic text

~~Strikethrough~~

2.5 Blockquotes

Blockquotes can also be nested...

...by using additional greater-than signs right next to each other...

...or with spaces between arrows.

2.6 Lists

Unordered

Create a list by starting a line with +, -, or *

Sub-lists are made by indenting 2 spaces:

1. Marker character change forces new list start:

Ac tristique libero volutpat at

Facilisis in pretium nisl aliquet

Nulla volutpat aliquam velit

Very easy!

Ordered

1. Lorem ipsum dolor sit amet

2. Consectetur adipiscing elit

3. Integer molestie lorem at massa

4. You can use sequential numbers...

5. ...or keep all the numbers as 1.

asghdkaskdhkasjdhasddasdh khasdhas dhas asghdkaskdhkasjdhasddasdh khasdhas
dhasasghdkaskdhkasjdhasddasdh khasdhas dhasasghdkaskdhkasjdhasddasdh khasdhas
dhasasghdkaskdhkasjdhasddasdh khasdhas dhas



asghdkaskdhkasjdhasddasdh khasdhas dhasasghdkaskdhkasjdhasddasdh khasdhas
dhasasghdkaskdhkasjdhasddasdh khasdhas dhasasghdkaskdhkasjdhasddasdh khasdhas
dhasasghdkaskdhkasjdhasddasdh khasdhas dhasasghdkaskdhkasjdhasddasdh khasdhas dhas
asghdkaskdhkasjdhasddasdh khasdhas dhasasghdkaskdhkasjdhasddasdh khasdhas
dhasasghdkaskdhkasjdhasddasdh khasdhas dhasasghdkaskdhkasjdhasddasdh khasdhas dhas

6. Lorem ipsum dolor sit amet
7. Consectetur adipiscing elit
8. Integer molestie lorem at massa
9. You can use sequential numbers...
10. ...or keep all the numbers as 1.

asdasdasdsa

11. Lorem ipsum dolor sit amet
12. Consectetur adipiscing elit
13. Integer molestie lorem at massa
14. You can use sequential numbers...
15. ...or keep all the numbers as 1.

Start numbering with offset:

16. foo
17. bar

2.7 Code

Inline code

Indented code

```
// Some comments line 1 of code line 2 of code line 3 of code
```

Block code "fences"

```
|Sample text here...|
```

Syntax highlighting

```
|var foo = function (bar) { return bar++; }; console.log(foo(5));|
```

2.8 Tables

Option	Description
data	path to data files to supply the data that will be passed into templates.
engine	engine to be used for processing templates. Handlebars is the default.
ext	extension to be used for dest files.

Right aligned columns

Option	Description
data	path to data files to supply the data that will be passed into templates.
engine	engine to be used for processing templates. Handlebars is the default.
ext	extension to be used for dest files.

2.9 Links

[link text](#)

[link with title](#)

Autoconverted link <https://github.com/nodeca/pica> (enable linkify to see)



2.10 Images



Like links, Images also have a footnote style syntax



With a reference later in the document defining the URL location:

2.11 Plugins

The killer feature of `markdown-it` is very effective support of [syntax plugins](#).

2.11.1 [Emojies](#)

Classic markup: `:wink:` `:crush:` `:cry:` `:tear:` `:laughing:` `:yum:`

Shortcuts (emoticons): `:-)` `:-(8-)` `;`

see [how to change output](#) with `twemoji`.

2.11.2 [Subscript](#) / [Superscript](#)

19th

H₂O

2.11.3 [<ins>](#)


Inserted text




2.11.4 [*<mark>*](#)


==Marked text==

2.11.5 [*Footnotes*](#)

Footnote 1 link .

Footnote 2 link .

Inline footnote[^][Text of inline footnote] definition.

Duplicated footnote reference .

2.11.6 [*Definition lists*](#)

Term 1

Definition 1 with lazy continuation.

Term 2 with *inline markup*

Definition 2

|{ some code, part of Definition 2 }

Third paragraph of definition 2.

Compact style:

Term 1 ~ Definition 1

Term 2 ~ Definition 2a ~ Definition 2b

2.11.7 [*Abbreviations*](#)

This is HTML abbreviation example.


It converts "HTML", but keep intact partial entries like "xxxHTMLyyy" and so on.

*[HTML]: Hyper Text Markup Language

2.11.8 [*Custom containers*](#)

::: warning *here be dragons* :::

18. Footnote **can have markup**

and multiple paragraphs. .

19. Footnote text.



3.2 Here is some youtube video





5 puzzlesCloudMDs
pc md



Figure 1: Last Page