



**Template version: 1.0**

test

MILANCE

type

**doc date**

**[[doc-company-url]]**

**Document Number: [[doc-id]]**

**Version: [[doc-version]]**

**Release Date: [[release-date]]**



## Document History

Author Name: [[doc-author]]

Author Contact: [[doc-author-email]]

## Document Revision

Version Number	Release Date	Status	Change Description	Author
[[doc-version]]	[[doc-release-date]]	Draft	[[change-description]]	[[doc-author-name]]

## Intellectual Property Rights

This document is exclusive property of doc date and all rights are reserved.



## ***Table of Contents***

***Introduction*** 4

**References** 4

***Markdown1-2*** 6

**PUZZLES CLOUD MARKDOWN FILE HEADING 1** 6

Welcome to the puzzles cloud md file HEADING 2 6

Let's start with stupid jokes HEADING 3 6

Let me tell you stupid joke on German: HEADING4 6

Let's switch to the Czech language HEADING 4 6

Real Czech language HEADING 5 6

**Longest Serbian word he he HEADING 1** 6

Serbian literature HEADING 2 6

**It's enough, lets start with some smart things HEADING 1** 6

***Markdown1*** 8

PUZZLES CLOUD MARKDOWN FILE HEADING 1 8

Welcome to the puzzles cloud md file HEADING 2 8

Let's start with stupid jokes HEADING 3 8

Let me tell you stupid joke on German: HEADING4 8

Let's switch to the Czech language HEADING 4 8

Real Czech language HEADING 5 8

Longest Serbian word he he HEADING 1 8

Serbian literature HEADING 2 8

It's enough, lets start with some smart things HEADING 1 8

***Just checking tables - heading 1*** 10

**Tables are under heading 2** 10

## ***Table of Tables***

Table 1: Document references 4



# 1 Introduction

## 1.1 References

Referenced documents in creation of this document are listed in the Table 1.

Document Reference	Document Title	Version	Filename
[1]	[[ reference-doc-title ]]		[[ reference-doc-filename ]]
[2]			
[3]			
[4]			
[5]			
[6]			
[7]			
[8]			

Table 1: Document references













*Yep, it's a picture, fool... lol Here you go, **CLICK IT:***

---



## 4 Just checking tables - heading 1

### 4.1 Tables are under heading 2

field name	type	constrains	description	example
id	UUID	globally unique	globally unique UUID	c91feaf3-5968-4b60-aa5b-62fe7fdd905c
type	string	n/a	type of request, must be "voucher-order", "voucher-order"	
voucher-code	string	n/a	code of the voucher gathered from voucher list	"VODADE15"
payment-method	string	n/a	on of the allowed methods for the voucher, denoted in voucher list response	"Wirecard VISA"
notification-type	string	currently only "email" is supported	type of the notification target	"email"
notification-target	string	n/a	target adress	"[me@my-email.com] (mailto:me@my-email.com)"
order-success-redirect-url	string	valid URL	Where the wirecard should redirect if payment was successfull	protect
order-failed-redirect-url	string	valid URL	Where the wirecard should redirect if payment fails	protect
order-canceled-redirect-url	string	valid URL	Where the wirecard should redirect if payment was canceled	protect

Option	Description
data	path to data files to supply the data that will be passed into templates.
engine	engine to be used for processing templates. Handlebars is the default.
ext	extension to be used for dest files.




Figure 1: Last Page