



# PROJEKTNI ZADATAK

## Hexashop Web Prodavnica

Nikolina Milanović 120/22

Web Programiranje PHP 1

## Sadržaj


Uvod .....	5
Funkcionalnosti .....	6
Slike funkcionalnosti.....	8
Kodovi .....	14
Index.php .....	14
Shop.php .....	21
Register.php .....	27
Login.php .....	31
Edit-account.php .....	34
Cart.php .....	38
Checkout.php .....	40
Author.php .....	42
Single-product.php.....	45
Head.php.....	50
Header.php.....	51
Footer.php .....	52
404.php .....	54
activateUser.php .....	56
addLocation.php .....	59
addToCart.php.....	61
adminEditProduct.php .....	62
adminEditUser.php.....	64
adminInsertProduct.php.....	65
Connect.php.....	67
Delete.php.....	68
editUser.php.....	69
Filter.php .....	71
Form.php.....	73
Function.php .....	75
Logout.php .....	81
removeFromCart.php.....	81
Admin-panel.php .....	83

editAccount.php.....	93
editBrands.php.....	105
editCategories.php.....	116
editProducts.php.....	127
editSingleProduct.php.....	138
editUsers.php.....	151
insertProduct.php.....	162
Admin.js (za funkcionalnosti admin panela) .....	174
Script.js (za ostatak sajta).....	178



## Uvod

### 1. Dizajn Baze



### 2. Template

Korišćen je template

<https://themewagon.com/themes/hexashop-free-responsive-bootstrap-4-ecommerce-website-template/>

Za korpu je korišćen <https://bbbootstrap.com/snippets/bootstrap-ecommerce-shopping-cart-item-summary-44021562>

Za admin panel <https://startbootstrap.com/theme/sb-admin-2>

Brisane su neke stranice i delovi stranica koji mi nisu trebali, ništa od njihovog JS i CSS-a nisam ispravljala niti brisala.

## Funkcionalnosti

1. Dinamički ispisan meni u zavisnosti od toga da li je korisnik ulogovan ili nije, takođe zavisi da li je korisnik administrator ili običan kupac.
2. Dinamički ispisani proizvodi na indeks stranici, klikom na dugme koje se pojavljuje na hover otvara se stranica o tom proizvodu
3. Na shop stranici proizvodi su ispisani iz baze sa imenom i cenom, klikom na dugme otvara se stranica na kojoj su detaljnije informacije o proizvodu i dugme za dodavanje u korpu
4. Proizvodi se mogu filtrirati po kategoriji i brendu, sortirati po ceni i nazivu i pretraživati po imenu. Pretraga je usklađena sa filterima i sortiranjem
5. Ukoliko korisnik nije ulogovan neće mu se prikazati dugme za dodavanje u korpu niti biranje količine
6. Paginacija na stranici o proizvodima
7. Registracija korisnika gde se unosi ime, prezime, username, email i šifra, ukoliko postoji korisnik sa istim username-om ili email-om zabranjuje se registracija
8. Korisnik se loguje pomoću username-a i šifre

9. Kada se običan korisnik uloguje redirektuje ga na stranicu sa proizvodima
10. Korisnik može da bira količinu proizvoda koje ubacuje u korpu
11. U korpi se prikazuju proizvodi ukoliko ih ima, ukoliko nema prikazuje se poruka *Your cart is empty...*
12. Prikazuje se broj proizvoda i njihova ukupna cena kao i pojedinačna cena svakog proizvoda u zavisnosti od količine
13. Ukoliko postoje proizvodi u korpi postoji dugme checkout
14. Proizvod se može obrisati iz korpe i onda se prikazuju ostali proizvodi ili poruka da ne postoje proizvodi u korpi
15. Klikom na checkout se obrađuje porudžbina i upisuje se u bazu u orders i u order\_product po principu stavke na računu i jednog velikog računa sa cenom i brišu se proizvodi iz korpe
16. Ukoliko je porudžbina uspešna (ukoliko korisnik ima adresu) ispisuje se prazna korpa i poruka *Your order was successfull*, ukoliko korisnik nema adresu ispisuje se poruka da korisnik mora da unese adresu
17. Edit account stranica sadrži dve forme, jednu za update korisnikovih podataka koji su upisani pri registraciji i drugu za upis adrese, pošto adresa nije obavezna pri registraciji
18. Klikom na logout unsetuje se sesija trenutnog korisnika
19. Pri logovanju na administratorski nalog redirektuje na admin panel index stranicu, admin stranicama se ne može pristupiti bez admin uloge
20. Postoje 4 tabele koje mogu da se uređuju (proizvodi, brendovi, kategorije i useri)
21. Podaci se prikazuju u tabelarnom obliku sa dugmićima za edit i delete, za svaki podatak piše da li je obrisani ili aktivan ukoliko je korisnik u pitanju
22. Edit proizvoda može da menja naziv, opis, cenu, kategoriju i brend

23. Unos proizvoda zahteva naziv, sliku, cenu, kategoriju i brend, opis je opcion
24. Ukoliko se podaci ne unesu pravilno ispod dugmeta Insert Product ispisuju se greške
25. Kategorije i brendovi se mogu brisati
26. Useri se mogu aktivirati i urediti, administrator mora da aktivira usera da bi mogao da se uloguje
27. Edit usera može da menja sve kolone u tabeli
28. Klikom na svako dugme koje čuva promene pri editovanju/insertovanju prikazuje poruku da li je uspešno ili neuspešno
29. Admin može da se vrati na sajt klikom na link i prikazuje mu se sve isto kao i običnom useru + link do Admin Panela

Slike funkcionalnosti

Home Shop Register Log In

Inicijalni prikaz menija korisniku koji nije ulogovan



]




## **WHITE LIFESTYLE SNEAKERS**


\$95.00

Prikaz jednog proizvoda sa dugmetom za stranicu o tom proizvodu

## Proizvodi na stranici sa mogućnostima filtriranja, sortiranja i pretrage



## Razlika između prikaza proizvoda ulogovanom i neulogovanom korisniku






## HIGH BLACK BOOTS

★★★★★


\$120.00


### Bershka

Step into sophistication with our women's black calf-length boots that effortlessly blend style and comfort. Crafted with precision, these boots feature a sleek black exterior that adds a touch of elegance to any outfit. The calf-length design offers a versatile look, perfect for pairing with skirts, dresses, or your favorite skinny jeans. With a comfortable fit and a subtle heel, these boots are an ideal choice for both casual and more formal occasions, ensuring you step out with confidence and flair.



Razlika između korpe sa i bez proizvoda





Prikaz korpe nakon uspešne narudžbine, kada korisnik nema adresu umesto ove poruke bude poruka o adresi

**Personal Details**

First Name

Last name

Username

Email

**Update Info**

**Address**

Street

City

State

Zip Code

**Add Address**

## Stranica za editovanje profila

The screenshot shows a web interface for managing products. At the top, there's a 'Products' header and a 'Edit products' link. Below this is a form to 'Insert Product'. The form includes a 'Show:' dropdown menu set to '10', a 'Search:' input field, and a 'Submit' button. Below the form is a table listing products. The table has columns for Name, Image, Description, Price, Category, Brand, Is deleted, Edit, and Delete. One product is listed: 'ASYMMETRIC BLACK SHIRT' with a price of 35.00, category 'Shirt', and brand 'Boroboa'. The 'Is deleted' column shows 'Yes', and the 'Edit' and 'Delete' columns have links.

Name	Image	Description	Price	Category	Brand	Is deleted	Edit	Delete
ASYMMETRIC BLACK SHIRT		Make a bold statement with our black asymmetric shirt that adds a contemporary edge to your wardrobe. The unique asymmetrical design creates visual interest, while the black color maintains a sense of sophistication. Whether paired with jeans for a casual look or trousers for a more formal setting, this shirt is a versatile and stylish addition to your collection.	35.00	Shirt	Boroboa	Yes	<a href="#">Edit</a>	<a href="#">Delete</a>

Primer tabele u admin panelu, klikom na insert product se otvara tabela sa formom za unos novog proizvoda

## Kodovi

### Index.php

```
<?php
include "logic/config.php";
include_once "head.php";
?>

<body>

<!-- ***** Preloader Start ***** -->
<div id="preloader">
    <div class="jumper">
        <div></div>
        <div></div>
```

```

        <div></div>
    </div>
</div>
<!-- ***** Preloader End ***** -->

<!-- ***** Header Area Start ***** -->
<?php
include_once "header.php";
?>

<!-- ***** Header Area End ***** -->

<!-- ***** Main Banner Area Start ***** -->
<div class="main-banner" id="top">
    <div class="container-fluid">
        <div class="row">
            <div class="col-lg-6">
                <div class="left-content">
                    <div class="thumb">
                        <div class="inner-content">
                            <h4>We Are Hexashop</h4>
                            <span> Dive into a world of style and
sophistication curated just for you.</span>
                            <div class="main-border-button">
                                <a href="shop.php">Purchase Now!</a>
                            </div>
                        </div>
                        
                    </div>
                </div>
            </div>
            <div class="col-lg-6">
                <div class="right-content">
                    <div class="row">
                        <div class="col-lg-6">
                            <div class="right-first-image">
                                <div class="thumb">
                                    <div class="inner-content">
                                        <h4>Women</h4>
                                        <span>Best Clothes For Women</span>
                                    </div>
                                    <div class="hover-content">

```

```

                                <div class="inner">
                                    <h4>Women</h4>

                                <div class="main-border-button">
                                    <a href="shop.php">Discover
More</a>

                                </div>
                            </div>
                        </div>
                    

                </div>
            </div>
        <div class="col-lg-6">
            <div class="right-first-image">
                <div class="thumb">
                    <div class="inner-content">
                        <h4>Men</h4>
                        <span>Best Clothes For Men</span>
                    </div>
                    <div class="hover-content">
                        <div class="inner">
                            <h4>Men</h4>
                            <div class="main-border-button">
                                <a href="shop.php">Discover
More</a>

                            </div>
                        </div>
                    </div>
                </div>
            

        </div>
    </div>
</div>
<!-- ***** Main Banner Area End ***** -->

<!-- ***** Men Area Starts ***** -->

```



```

<section class="section" id="men">
    <div class="container">
        <div class="row">
            <div class="col-lg-6">
                <div class="section-heading">
                    <h2 class="mb-2">Latest shoes</h2>
                    <span>Details to details is what makes Hexashop different
from the other themes.</span>
                </div>
            </div>
        </div>
    </div>
    <div class="container">
        <div class="row">
            <div class="col-lg-12">
                <div class="men-item-carousel">
                    <div class="owl-men-item owl-carousel">
                        <?php
                            $shoes=getProductsForCategory(6);
                            foreach ($shoes as $s):
                                ?>
                                <div class="item">
                                    <div class="thumb">
                                        <div class="hover-content">
                                            <ul>
                                                <li><a href="single-
product.php?id=<?=$s->product_id?"><i class="fa fa-eye"></i></a></li>
                                            </ul>
                                        </div>
                                        product_name?">
                                    </div>
                                    <div class="down-content">
                                        <h4><?=$s->product_name?"</h4>
                                        <span>$<?=$s->price?"</span>
                                    </div>
                                </div>
                                <?php endforeach;?>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</section>
<!-- ***** Men Area Ends ***** -->

```

```

<!-- ***** Women Area Starts ***** -->
<section class="section" id="women">
    <div class="container">
        <div class="row">
            <div class="col-lg-6">
                <div class="section-heading">
                    <h2>Latest dresses</h2>
                    <span>Our collection embodies the perfect blend of
trendsetting designs and timeless classics, ensuring that you'll find something
to suit every occasion.</span>
                </div>
            </div>
        </div>
    </div>
    <div class="container">
        <div class="row">
            <div class="col-lg-12">
                <div class="women-item-carousel">
                    <div class="owl-women-item owl-carousel">
                        <?php
                            $dresses=getProductsForCategory(3);
                            foreach ($dresses as $d):
                                ?>
                                    <div class="item">
                                        <div class="thumb">
                                            <div class="hover-content">
                                                <ul>
                                                    <li><a href="single-
product.php?id=<?=$d->product_id?"><i class="fa fa-eye"></i></a></li>
                                                </ul>
                                            </div>
                                            product_name?">
                                        </div>
                                        <div class="down-content">
                                            <h4><?=$d->product_name?></h4>
                                            <span>$<?=$d->price?></span>
                                        </div>
                                    </div>
                                <?php endforeach;?>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>
    </section>
    <!-- ***** Women Area Ends ***** -->

    <!-- ***** Explore Area Starts ***** -->
    <section class="section" id="explore">
        <div class="container">
            <div class="row">
                <div class="col-lg-6">
                    <div class="left-content">
                        <h2>Explore Our Products</h2>
                        <span>At Hexashop, we believe that fashion is more than
just clothing; it's a statement of individuality. Whether you're seeking the
latest runway trends or timeless essentials, our carefully curated selection
offers something for everyone.</span>
                        <div class="quote">
                            <i class="fa fa-quote-left"></i><p> Start exploring
our collection today and discover your signature style.
                            </p>
                        </div>
                        <p>We understand the importance of sustainability in
today's world, which is why we strive to offer eco-friendly options without
compromising on style or quality. Discover pieces crafted from organic materials
and sustainable practices, because looking good should feel good too.</p>

                        <div class="main-border-button">
                            <a href="shop.php">Discover More</a>
                        </div>
                    </div>
                </div>
                <div class="col-lg-6">
                    <div class="right-content">
                        <div class="row">
                            <div class="col-lg-6">
                                <div class="leather">
                                    <h4>Newest trends</h4>
                                    <span>Latest Collection</span>
                                </div>
                            </div>
                            <div class="col-lg-6">
                                <div class="first-image">
                                    

```

```

        </div>
    </div>
    <div class="col-lg-6">
        <div class="second-image">
            
        </div>
    </div>
    <div class="col-lg-6">
        <div class="types">
            <h4>Different Types</h4>
            <span>Over 304 Products</span>
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>
</section>
<!-- ***** Explore Area Ends ***** -->

<!-- ***** Footer Start ***** -->
<?php
include_once "footer.php";
?>

<!-- jQuery -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>

<!-- Bootstrap -->
<script src="assets/js/popper.js"></script>
<script src="assets/js/bootstrap.min.js"></script>

<!-- Plugins -->
<script src="assets/js/owl-carousel.js"></script>
<script src="assets/js/accordions.js"></script>
<script src="assets/js/datepicker.js"></script>
<script src="assets/js/scrollreveal.min.js"></script>
<script src="assets/js/waypoints.min.js"></script>
<script src="assets/js/imgfix.min.js"></script>

```

```

<script src="assets/js/slick.js"></script>
<script src="assets/js/lightbox.js"></script>
<script src="assets/js/isotope.js"></script>

<!-- Global Init -->
<script src="assets/js/custom.js"></script>
<script src="assets/js/script.js"></script>
<script>

    $(function() {
        var selectedClass = "";
        $("p").click(function(){
            selectedClass = $(this).attr("data-rel");
            $("#portfolio").fadeTo(50, 0.1);
            $("#portfolio div").not("." + selectedClass).fadeOut();
            setTimeout(function() {
                $("." + selectedClass).fadeIn();
                $("#portfolio").fadeTo(50, 1);
            }, 500);
        });
    });

</script>

</body>
</html>

```

## Shop.php

```

<?php
ob_start();
include "logic/config.php";
include_once "head.php";

$perPage=12;

?>

```

```

<body>

<!-- ***** Preloader Start ***** -->
<div id="preloader">
    <div class="jumper">
        <div></div>
        <div></div>
        <div></div>
    </div>
</div>
<!-- ***** Preloader End ***** -->

<!-- ***** Header Area Start ***** -->
<?php
include_once "header.php";
?>
<!-- ***** Header Area End ***** -->

<!-- ***** Main Banner Area Start ***** -->
<div class="page-heading" id="top">
    <div class="container">
        <div class="row">
            <div class="col-lg-12">
                <div class="inner-content">
                    <h2>Check Our Products</h2>
                    <span>Awesome & Creative HTML CSS layout by
TemplateMo</span>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- ***** Main Banner Area End ***** -->

<!-- ***** Products Area Starts ***** -->
<section class="section" id="products">
    <div class="container">
        <div class="row">
            <div class="col-lg-12">
                <div class="section-heading">
                    <h2>Our Latest Products</h2>
                    <span>Check out all of our products.</span>

```

```

        </div>
    </div>
</div>
<div class="container">
    <div class="row" id="categories">
        <h2 class="fs-4 mb-3">
            CATEGORIES
        </h2>
    </div>

    <div class="container">
        <div class="row justify-content-end p-0 m-0 me-4 mb-4">
            <div class="col-3 px-1 m-0">
                <?php
                $brands=getAll("brands");

                ?>
                <select id="ddlBrands" class="form-control">
                    <option value="0">Choose brand...</option>
                    <?php
                    foreach ($brands as $brand):
                        ?>
                        <option value="<?=$brand->brand_id?"><?=$brand->brand_name?"</option>
                    <?php endforeach;?>
                </select>
            </div>
            <div class="col-3 px-1 m-0">
                <?php
                $sorts=[
                    "Price ASC"=>"price ASC",
                    "Price DESC"=>"price DESC",
                    "Name ASC"=>"product_name ASC",
                    "Name DESC"=>"product_name DESC"
                ];

                ?>
                <select id="ddlSort" class="form-control">
                    <option value="0">Sort by...</option>
                    <?php foreach($sorts as $key => $s): ?>
                        <option value="<?=$s ?>"><?=$key
?></option>

                    <?php endforeach ?>
                </select>

```

```

        </div>
        <div class="col-3 row px-1 m-0">
            <input class="form-control mr-sm-2" type="search"
id="search" placeholder="Search" aria-label="Search">

        </div>
        <div class="col-auto px-1 m-0">
            <button class="btn btn-outline-success my-2 my-
sm-0 " type="button" id="searchButton">Search</button>
        </div>
    </div>
</div>
</form>
</div>

</div>
<div class="container">
    <div class="row">
        <div class=" col-2">

            <?php
//include "logic/filter.php";
$categories=getAll("categories");
foreach ($categories as $category):
    ?>

                <input type="checkbox" value="<?=$category-
>category_id?>" data-id="<?=$category->category_id?>" class="form-check-input
category mb-1"/>

                <label class="form-check-label mb-1"><?=$category-
>category_name?></label>
                <br>

            <?php
endforeach;
    ?>
        </div>
        <div class="col-10 row" id="productsDisplay">
            <?php

```



```

        $products=getProducts($perPage);
        if(isLoggedIn()){
            $userId=$_SESSION['user']->user_id;
        }
        foreach ($products as $product):
    ?>
        <div class='col-lg-3'>
            <div class='item'>
                <div class='thumb'>
                    <div class='hover-content'>
                        <ul>
                            <li><a href='single-
product.php?id=?=$product->product_id?'><i class='fa fa-eye'></i></a></li>

                                </ul>
                            </div>
                            <img src='assets/images/shop/?=$product-
>product_img?' class='img-fluid' alt='<?=$product->product_name?'>
                            </div>
                            <div class='down-content'>
                                <h4><?=$product->product_name?></h4>
                                <span>$<?=$product->price?'></span>
                                <ul class='stars'>
                                    <li><i class='fa fa-star'></i></li>
                                </ul>
                            </div>
                        </div>
                    </div>
                </div>
            <?php endforeach;?>
        </div>
        <div class="col-lg-12">
            <div class="pagination">
                <?php
                $countProducts=getAll("products");
                $countProducts=count($countProducts);

                $paginationNum=ceil($countProducts/$perPage);
                <li class="active">
                <a href="#">2</a>
                </li>
            </div>
            <ul id="paginationList">
                <?php
                for ($num=0; $num<$paginationNum; $num++):

```

```

        ?>
        <li class="active"><a href="#" data-
id="<?=$num+1?>" class="page"><?=$num+1?></a></li>
        <?php endfor;?>
    </ul>
</div>
</div>
</div>
</div>

</section>
<!-- ***** Products Area Ends ***** -->

<!-- ***** Footer Start ***** -->
<?php
include_once "footer.php";
?>

<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>

<!-- Bootstrap -->
<script src="assets/js/popper.js"></script>
<script src="assets/js/bootstrap.min.js"></script>

<!-- Plugins -->
<script src="assets/js/owl-carousel.js"></script>
<script src="assets/js/accordions.js"></script>
<script src="assets/js/datepicker.js"></script>
<script src="assets/js/scrollreveal.min.js"></script>
<script src="assets/js/waypoints.min.js"></script>
<script src="assets/js/imgfix.min.js"></script>
<script src="assets/js/slick.js"></script>
<script src="assets/js/lightbox.js"></script>
<script src="assets/js/isotope.js"></script>

<!-- Global Init -->
<script src="assets/js/custom.js"></script>
<script src="assets/js/script.js"></script>

<script>

$(function() {
    var selectedClass = "";

```

```

        $("p").click(function(){
            selectedClass = $(this).attr("data-rel");
            $("#portfolio").fadeTo(50, 0.1);
            $("#portfolio div").not("." + selectedClass).fadeOut();
            setTimeout(function() {
                $("." + selectedClass).fadeIn();
                $("#portfolio").fadeTo(50, 1);
            }, 500);
        });
    });
</script>

</body>

</html>

```

## Register.php

```

<?php
    include "logic/config.php";
    include_once "head.php";

?>

<body>

<!-- ***** Preloader Start ***** -->
<div id="preloader">
    <div class="jumper">
        <div></div>
        <div></div>
        <div></div>
    </div>
</div>
<!-- ***** Preloader End ***** -->

<!-- ***** Header Area Start ***** -->
<?php

```

```

include_once "header.php";

?>

<!-- ***** Header Area End ***** -->

<!-- ***** Main Banner Area Start ***** -->
<div class="page-heading about-page-heading" id="top">
    <div class="container">
        <div class="row">
            <div class="col-lg-12">
                <div class="inner-content">
                    <h2>Contact Us</h2>
                    <span>Awesome, clean & creative HTML5 Template</span>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- ***** Main Banner Area End ***** -->

<!-- ***** Contact Area Starts ***** -->
<div class="contact-us">
    <div class="container">
        <div class="row">
            <div class="col-lg-6">
                <div id="map">
                    <iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d90186.37207676383!2d-
80.13495239500924!3d25.9317678710111!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!
1m2!1s0x88d9ad1877e4a82d%3A0xa891714787d1fb5e!2sPier%20Park!5e1!3m2!1sen!2sth!4v1
637512439384!5m2!1sen!2sth" width="100%" height="400px" frameborder="0"
style="border:0" allowfullscreen></iframe>
                    <!-- You can simply copy and paste "Embed a map" code from
Google Maps for any location. -->

                </div>
            </div>
            <div class="col-lg-6">
                <div class="section-heading">
                    <h2>Say Hi. Don't Be Shy!</h2>
                    <span>Details to details is what makes Hexashop different
from the other themes.</span>
                </div>
                <form id="contact" action="logic/form.php" method="post"
onSubmit="return checkForm()">

```

```

        <div class="row">
            <div class="col-lg-6">
                <fieldset>
                    <input name="fNameRegister" type="text"
id="fNameRegister" placeholder="Your name"/>
                    <small class="invisible text-danger">Your name is
invalid format. Example: Nikolina</small>
                </fieldset>
            </div>
            <div class="col-lg-6">
                <input name="lNameRegister" type="text"
id="lNameRegister" placeholder="Your last name"/>
                <small class="invisible text-danger">Your last name
is in invalid format. Example: Milanovic</small>
            </div>
            <div class="col-lg-6 my-1">
                <fieldset>
                    <input name="usernameRegister" type="text"
id="usernameRegister" placeholder="Your username"/>
                    <small class="invisible text-danger">Your
username is invalid format. Example: nikolina123</small>
                </fieldset>
            </div>
            <div class="col-lg-6 my-1">
                <input name="emailRegister" type="text"
id="emailRegister" placeholder="Your email" />
                <small class="invisible text-danger">Your email
is invalid format. Example: nikolina@gmail.com</small>
            </div>
            <div class="col-lg-6">
                <input name="passwordRegister" type="password"
id="passwordRegister" placeholder="Your password" />
                <small class="invisible text-danger">Your
password is in invalid format. Example: Nikolina123+</small>
            </div>
            <div class="col-lg-6">
                <input name="passwordReRegister" type="password"
id="passwordReRegister" placeholder="Check your password" />
                <small class="invisible text-danger">Your
passwords do not match. Please enter it again.</small>
            </div>
            <div class="col-lg-12 mt-2">
                <fieldset>
                    <input type="submit" id="form-submit" name="form-
submit" class="main-dark-button" value="Register"/>

```

```

        <?php
            if(isset($_GET['success'])){
                echo "<p class='text-success'>Your
data is successfully sent. You are now registered.</p>";
            }elseif (isset($_GET['errors'])){
                echo "<p class='text-alert'>Your data
is invalid. Please enter it again.</p>";
            }
        ?>
    </div>
    <div class="col-lg-12 mt-2">
        <p class="text-light-emphasis">Already a member?
<a href="login.php" class="fw-bold">Log in!</a></p>
    </div>
</div>
</form>
</div>
</div>
</div>
<!-- ***** Contact Area Ends ***** -->

<!-- ***** Footer Start ***** -->
<?php
include_once "footer.php";
?>

<!-- jQuery -->
<!-- <script src="assets/js/jquery-2.1.0.min.js"></script>-->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>
<script src="assets/js/popper.js"></script>
<script src="assets/js/bootstrap.min.js"></script>

<!-- Plugins -->
<script src="assets/js/owl-carousel.js"></script>
<script src="assets/js/accordions.js"></script>
<script src="assets/js/datepicker.js"></script>
<script src="assets/js/scrollreveal.min.js"></script>
<script src="assets/js/waypoints.min.js"></script>

```

```

<script src="assets/js/imgfix.min.js"></script>
<script src="assets/js/slick.js"></script>
<script src="assets/js/lightbox.js"></script>
<script src="assets/js/isotope.js"></script>

<!-- Global Init -->
<script src="assets/js/custom.js"></script>
<script src="assets/js/script.js"></script>
<script>

    $(function() {
        var selectedClass = "";
        $("p").click(function(){
            selectedClass = $(this).attr("data-rel");
            $("#portfolio").fadeTo(50, 0.1);
            $("#portfolio div").not("." + selectedClass).fadeOut();
            setTimeout(function() {
                $("." + selectedClass).fadeIn();
                $("#portfolio").fadeTo(50, 1);
            }, 500);

        });
    });

</script>

</body>

</html>

```

## Login.php

```

<?php
    include "logic/config.php";
    include_once "head.php";
?>

<body>

<?php

```

```

    include_once "header.php";
?>

<div class="contact-us">
    <div class="container">
        <div class="row">

            <div class="col-lg-6 mx-auto mt-5">
                <div class="section-heading mt-3">
                    <h2>Log In!</h2>

                </div>
                <form id="logIn" action="<?=$_SERVER['PHP_SELF']?>" method="post"
onSubmit="return checkForm()">
                    <div class="row">

                        <div class="col-lg-12">
                            <fieldset>
                                <input name="usernameLogin" type="text"
id="usernameLogin" placeholder="Your username"/>
                                <small class="invisible text-
danger">greska</small>
                            </fieldset>
                        </div>

                        <div class="col-lg-12">
                            <input name="passwordLogin" type="password"
id="passwordLogin" placeholder="Your password" />
                            <small class="invisible text-danger">greska</small>
                        </div>

                        <div class="col-lg-12 mt-2">
                            <fieldset>
                                <input type="submit" id="login-submit"
name="login-submit" class="main-dark-button" value="Log in"/>

                            </div>
                        <?php

                            //include "logic/function.php";
                            include "logic/connect.php";

                            if(isset($_POST['login-submit'])){
                                $username=$_POST['usernameLogin'];
                                $password=$_POST['passwordLogin'];

```



```

        $password=md5($password);

        login($username, $password);

    }

    ?>

</div>
</form>
</div>
</div>
</div>
</div>
<?php
    include_once "footer.php";
?>

<!-- jQuery -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>

<!-- Bootstrap -->
<script src="assets/js/popper.js"></script>
<script src="assets/js/bootstrap.min.js"></script>

<!-- Plugins -->
<script src="assets/js/owl-carousel.js"></script>
<script src="assets/js/accordions.js"></script>
<script src="assets/js/datepicker.js"></script>
<script src="assets/js/scrollreveal.min.js"></script>
<script src="assets/js/waypoints.min.js"></script>
<script src="assets/js/jquery.counterup.min.js"></script>
<script src="assets/js/imgfix.min.js"></script>
<script src="assets/js/slick.js"></script>
<script src="assets/js/lightbox.js"></script>
<script src="assets/js/isotope.js"></script>

<!-- Global Init -->
<script src="assets/js/custom.js"></script>
<script src="assets/js/script.js"></script>
<script>

$(function() {

```

```

        var selectedClass = "";
        $("p").click(function(){
            selectedClass = $(this).attr("data-rel");
            $("#portfolio").fadeTo(50, 0.1);
            $("#portfolio div").not("." + selectedClass).fadeOut();
            setTimeout(function() {
                $("." + selectedClass).fadeIn();
                $("#portfolio").fadeTo(50, 1);
            }, 500);

        });
    });
</script>
</body>
</html>

```

## Edit-account.php

```

<?php
    include "logic/config.php";
    include_once "head.php";
?>
<body>
<?php
    include_once "header.php";
    $user=$_SESSION['user'];

    $error=get("errors");

    if($error){
        $error=explode("%",$error);

        $error=$error[0];
    }

    $errorLoc=get("errorsLoc");{
        if($errorLoc){
            $errorLoc=explode("%",$errorLoc);

```

```

        $errorLoc=$errorLoc[0];
    }
}

if(isLogged()):
?>
<div class="pt-5"></div>
<div class="container mt-5 pt-5">
    <div class="row gutters">

        <div class="col-xl-9 col-lg-9 col-md-12 col-sm-12 col-12 mx-auto">
            <div class="card h-100">
                <div class="card-body">
                    <form action="logic/editUser.php" method="POST">
                        <div class="row gutters">
                            <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12
col-12">
                                <h6 class="mb-2 text-primary">Personal
Details</h6>
                                </div>
                                <div class="col-xl-6 col-lg-6 col-md-6 col-sm-6 col-
12">
                                    <div class="form-group">
                                        <label for="fName">First Name</label>
                                        <input type="text" class="form-control"
id="fName" name="fName" value="<?=$user->first_name?>">
                                        </div>
                                    </div>
                                    <div class="col-xl-6 col-lg-6 col-md-6 col-sm-6 col-
12">
                                        <div class="form-group">
                                            <label for="username">Username</label>
                                            <input type="text" class="form-control"
id="username" name="username" value="<?=$user->username?>">
                                            </div>
                                        </div>
                                        <div class="col-xl-6 col-lg-6 col-md-6 col-sm-6 col-
12 mt-2">
                                            <div class="form-group">
                                                <label for="lName">Last name</label>
                                                <input type="text" class="form-control"
id="lName" name="lName" value="<?=$user->last_name?>">
                                                </div>
                                            </div>

```

```

        <div class="col-xl-6 col-lg-6 col-md-6 col-sm-6 col-
12 mt-2">
            <div class="form-group">
                <label for="email">Email</label>
                <input type="email" class="form-control"
id="email" name="email" value="<?=$user->email?>">
            </div>
        </div>
        <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12
col-12">
            <div class="text-right mt-3">
                <button type="submit" id="updateInfo"
name="updateInfo" class="btn btn-primary">Update Info</button>
                <?php
                    if($error){
                        echo "<p class='text-
danger'>". $error. "</p>";
                    }elseif (get("success")){
                        echo "<p class='text-success'>Your
update was successfull.</p>";
                    }
                ?>
            </div>
        </div>
    </div>
</form>
<form action="logic/addLocation.php" method="POST">
    <div class="row gutters">
        <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12
col-12">
            <h6 class="mt-3 mb-2 text-primary">Address</h6>
        </div>
        <div class="col-xl-6 col-lg-6 col-md-6 col-sm-6 col-
12">
            <div class="form-group">
                <label for="street">Street</label>
                <input type="text" class="form-control"
id="street" name="street" placeholder="Enter Street">
            </div>
        </div>
        <div class="col-xl-6 col-lg-6 col-md-6 col-sm-6 col-
12">
            <div class="form-group">
                <label for="city">City</label>

```

```

        <input type="text" class="form-control"
id="city" name="city" placeholder="Enter City">
    </div>
</div>
<div class="col-xl-6 col-lg-6 col-md-6 col-sm-6 col-
12 mt-2">
    <div class="form-group">
        <label for="state">State</label>
        <input type="text" class="form-control"
id="state" name="state" placeholder="Enter State">
    </div>
</div>
<div class="col-xl-6 col-lg-6 col-md-6 col-sm-6 col-
12 mt-2">
    <div class="form-group">
        <label for="zip">Zip Code</label>
        <input type="text" class="form-control"
name="zip" id="zip" placeholder="Zip Code">
    </div>
</div>
</div>
<div class="row gutters">
    <div class="col-xl-12 col-lg-12 col-md-12 col-sm-12
col-12">
        <div class="text-right mt-3">
            <button type="submit" id="addAddress"
name="addAddress" class="btn btn-primary">Add Address</button>
            <?php
            if($errorLoc){
                echo "<p class='text-
danger'>". $errorLoc."</p>";
            }elseif (get("successLoc")){
                echo "<p class='text-success'>Your update
was successfull.</p>";
            }
            ?>
        </div>
    </div>
</div>
</form>
</div>
</div>
</div>
</div>
</div>

```

```

    <?php else:?>
    <h4 class="mt-5 pt-5 text-center">You are not logged in. In order to edit
your account you must log in.</h4>
<?php
endif;
    include_once "footer.php";
?>
</body>

```

## Cart.php

```

<?php
    include "logic/config.php";
    include_once "head.php";
?>
<body>
    <?php
        include_once "header.php";
        if(isLoggedIn()){
            $cart=userCart($_SESSION['user']->user_id);
            $countProducts=count($cart);
            $cartTotal=0;
            foreach ($cart as $c){
                $cartTotal+=$c->price*$c->quantity;
            }
            $shipping=5;

            $isOrdered=get("ordered");
        }
    ?>
    <div class="card">
        <div class="row">

            <div class="col-md-8 cart">
                <div class="title">
                    <div class="row">
                        <div class="col"><h4><b>Shopping Cart</b></h4></div>
                        <?php if(isLoggedIn()):?>
                        <div class="col align-self-center text-right text-
muted"><?=$_SESSION['user']->first_name?>'s items</div>

```

```

        <div id="cartItems" class="mt-5">
            <?php if($countProducts>0 && !$isOrdered):?>
                <?php
                    foreach ($cart as $product):
                        ?>
                            <div class="row border-top border-bottom">
                                <div class="row main align-items-center">
                                    <div class="col-2"></div>
                                    <div class="col">
                                        <div class="row text-
muted"><?=$product->category_name?></div>
                                        <div class="row"><?=$product-
>product_name?></div>
                                        </div>
                                        <div class="col">
                                            <a href="#">-</a><a href="#"
class="border"><?=$product->quantity?></a><a href="#">+</a>
                                            </div>
                                            <div class="col">&dollar;
<?=$product->price*$product->quantity?>,00 <a class="remove-cart" href="#" data-
id="<?=$product->product_id?>" data-user="<?=$product-
>user_id?>">&#10005;</a></div>
                                            </div>
                                        </div>
                                    <?php
                                        endforeach;
                                    ?>
                                <?php elseif($isOrdered):?>
                                    <h4 class="ps-2">Your order was <span class="fw-
bold">successfull</span>!</h4>
                                    <?php else:?>
                                        <h4>Your cart is empty...</h4>
                                    <?php endif:?>
                                </div>
                            </div>
                        </div>
                    </div>

                    <div class="back-to-shop"><a href="shop.php">&leftarrow; <span
class="text-muted">Back to shop</span></a></div>
                </div>
                <div class="col-md-4 summary">
                    <div><h5><b>Summary</b></h5></div>

```

```

        <hr>
        <div class="row">
            <div class="col" style="padding-left:0;">ITEMS
<?=$countProducts?></div>
            <div class="col text-right">&euro; <?=$cartTotal?>.00</div>
        </div>
        <form>
            <p>SHIPPING</p>
            <select><option class="text-muted">Standard-Delivery-
&euro;5.00</option></select>
            <p>GIVE CODE</p>
            <input id="code" placeholder="Enter your code">
        </form>
        <div class="row" style="border-top: 1px solid rgba(0,0,0,.1);
padding: 2vh 0;">
            <div class="col">TOTAL PRICE</div>
            <div class="col text-right">&euro;
<?=$cartTotal>0?$cartTotal+$shipping:0?>.00</div>
        </div>
        <?php
            if($cartTotal){
                echo "<button class='btn'><a href='checkout.php'
class='text-white'>CHECKOUT</a></button>";
            }
        ?>
        <?php else:?>
            <h4 class="text-start mt-5">In order to see your cart you
must log in.</h4>
        <?php endif;?>
    </div>
</div>
</div>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>
    <script src="assets/js/script.js"></script>
</body>

```

## Checkout.php

```

<?php
include "logic/config.php";

```



```

include_once "head.php";
?>
<body>
<?php
include_once "header.php";
if(isLoggedIn()){
    $user=$_SESSION['user'];
    $cart=userCart($user->user_id);
    if($cart){
        $countProducts=count($cart);
        $cartTotal=0;
        foreach ($cart as $c){
            $cartTotal+=$c->price*$c->quantity;
        }
    }
    $shipping=5;

    $errors=array();
    if(!$user->street || !$user->city || !$user->state || !$user->zip){
        $errors['address']="You must edit your account and update address in
order to checkout.";
    }
    if($cartTotal==0){
        $errors['total']="Your cart is empty";
    }

    try{
        if(empty($errors)){
            $order=addOrder($user->user_id,$cartTotal+$shipping);

            if(!empty($order)){
                foreach ($cart as $c){
                    addOrderProduct($c->product_id,$order,$c->quantity,$c-
>price);
                }
                foreach ($cart as $c){
                    deleteCartOrder($c->product_id, $user->user_id);
                }
            }
            header("Location: cart.php?ordered=1");
        }else{
            $errors=implode("<br>",$errors);
        }
    }catch (PDOException $e){
        echo $e->getMessage();
    }
}

```

```

    }

}

}else{
    header("Location: 404.php");
}
?>
<div class="card">
    <div class="row">
        <div class="col-md-8 cart">
            <div class="title">
                <div class="row">
                    <div class="col"><h4><b>Checkout</b></h4></div>
                    <?php if(isLoggedIn() && !empty($errors)):?>

                        </div>
                    </div>
                <?php if($countProducts>0):?>
                    <h4 class="text-danger"><?=$errors?></h4>
                <?php else:?>
                    <h4>Your cart is empty...</h4>
                <?php endif;?>
                <div class="back-to-shop"><a href="shop.php">&lt;=leftarrow; <span
class="text-muted">Back to shop</span></a></div>
            </div>
        <?php endif;?>
    </div>
</div>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>
<script src="assets/js/script.js"></script>
</body>

```

Author.php

```
<?php
```

```

include "logic/config.php";
include_once "head.php";
?>

<body>

<!-- ***** Preloader Start ***** -->
<div id="preloader">
    <div class="jumper">
        <div></div>
        <div></div>
        <div></div>
    </div>
</div>
<!-- ***** Preloader End ***** -->

<!-- ***** Header Area Start ***** -->
<?php
include_once "header.php";
?>

<main>
    <div class="row p-0 m-0 mt-5 pt-5 mb-5 justify-content-center">
        <small class="text-center mt-5">Something about</small>
        <h2 class="text-center text-uppercase fw-bold">Author of the site</h2>
        <div class="col-md-2 d-flex justify-content-md-end justify-content-center
mt-3">
            
        </div>
        <div class="col-md-4 text-md-start text-center mt-3">
            <h3 class="fw-bold text-uppercase">Name</h3>
            <p>Nikolina Milanović</p>
            <h3 class="fw-bold text-uppercase">Index Number</h3>
            <p>120/22</p>
            <h3 class="fw-bold text-uppercase">Course</h3>
            <p>Internet Technologies</p>
            <h3 class="fw-bold text-uppercase">About Me</h3>
            <p>As a second-year student at ICT College, specializing in web
programming, I have developed a strong foundation in front-end technologies. My
coursework has equipped me with hands-on experience in languages such as HTML,
CSS, JavaScript. I am passionate about creating responsive and user-friendly web
applications, and I am excited to leverage my skills to contribute effectively in
the dynamic field of web development. Through my academic journey, I have

```

```

demonstrated a commitment to staying current with industry trends and
continuously enhancing my programming expertise.</p>
    </div>
</div>
</main>

<!-- ***** Footer Start ***** -->
<?php
include_once "footer.php";
?>

<!-- jQuery -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>

<!-- Bootstrap -->
<script src="assets/js/popper.js"></script>
<script src="assets/js/bootstrap.min.js"></script>

<!-- Plugins -->
<script src="assets/js/owl-carousel.js"></script>
<script src="assets/js/accordions.js"></script>
<script src="assets/js/datepicker.js"></script>
<script src="assets/js/scrollreveal.min.js"></script>
<script src="assets/js/waypoints.min.js"></script>
<script src="assets/js/imgfix.min.js"></script>
<script src="assets/js/slick.js"></script>
<script src="assets/js/lightbox.js"></script>
<script src="assets/js/isotope.js"></script>

<!-- Global Init -->
<script src="assets/js/custom.js"></script>
<script src="assets/js/script.js"></script>
<script>

    $(function() {
        var selectedClass = "";
        $("p").click(function(){
            selectedClass = $(this).attr("data-rel");
            $("#portfolio").fadeTo(50, 0.1);
            $("#portfolio div").not("." + selectedClass).fadeOut();

```

```

        setTimeout(function() {
            $(". "+selectedClass).fadeIn();
            $("#portfolio").fadeTo(50, 1);
        }, 500);

    });
});
</script>

</body>
</html>

```

## Single-product.php

```

<?php
    include "head.php";
    include "logic/config.php";

?>

<body>

<!-- ***** Preloader Start ***** -->
<div id="preloader">
    <div class="jumper">
        <div></div>
        <div></div>
        <div></div>
    </div>
</div>
<!-- ***** Preloader End ***** -->

<?php
    include_once "header.php";
    if(isLoggedIn()){
        $userId=$_SESSION['user']->user_id;
    }

```

```

?>

<!-- ***** Main Banner Area Start ***** -->
<div class="page-heading" id="top">
    <div class="container">
        <div class="row">
            <div class="col-lg-12">
                <div class="inner-content">
                    <h2>Single Product Page</h2>
                    <span>Awesome & Creative HTML CSS layout by
TemplateMo</span>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- ***** Main Banner Area End ***** -->
<?php
$id = $_GET["id"];
$product=getProductWhereID($id);
?>

<!-- ***** Product Area Starts ***** -->
<section class="section" id="product">
    <div class="container">
        <div class="row">
            <div class="col-lg-8">
                <div class="left-images row">
                    <div class="col-6 mx-auto"></div>
                    <!--<div class="col-6"></div-->
                </div>
            </div>
            <div class="col-lg-4">
                <div class="right-content">
                    <h4><?=$product->product_name?></h4>
                    <span class="price"><?=$product->price?></span>
                    <h4><?=$product->brand_name?></h4>
                    <ul class="stars">
                        <li><i class="fa fa-star"></i></li>
                        <li><i class="fa fa-star"></i></li>
                        <li><i class="fa fa-star"></i></li>
                        <li><i class="fa fa-star"></i></li>

```

```

        <li><i class="fa fa-star"></i></li>

    </ul>
    <span><?=$product->description?></span>

    <?php if(isLoggedIn()):?>
        <div class="quantity-content">
            <div class="left-content">
                <h6>No. of Orders</h6>
            </div>
            <div class="right-content">
                <div class="quantity buttons_added">
                    <input type="button" value="-"
class="minus"><input type="number" step="1" min="1" max="" name="quantity"
id="quantity" value="1" title="Qty" class="input-text qty text" size="4"
pattern="" inputmode=""><input type="button" value="+" class="plus">
                </div>
            </div>
        </div>
        <div class="total">

            <div class="main-border-button "><a href="#"
class="add-cart mx-auto" <?php if(isLoggedIn()) echo "data-id='$product-
>product_id' data-user='$userId'"?>>Add To Cart</a></div>
        </div>
    <?php endif;?>
</div>
</div>
</div>
</section>
<!-- ***** Product Area Ends ***** -->

<!-- ***** Footer Start ***** -->
<footer>
    <div class="container">
        <div class="row">
            <div class="col-lg-3">
                <div class="first-item">
                    <div class="logo">
                        
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        <li><a href="#">16501 Collins Ave, Sunny Isles Beach,
FL 33160, United States</a></li>
        <li><a href="#">hexashop@company.com</a></li>
        <li><a href="#">010-020-0340</a></li>
    </ul>
</div>
</div>
<div class="col-lg-3">
    <h4>Shopping & Categories</h4>
    <ul>
        <li><a href="#">Men's Shopping</a></li>
        <li><a href="#">Women's Shopping</a></li>
        <li><a href="#">Kid's Shopping</a></li>
    </ul>
</div>
<div class="col-lg-3">
    <h4>Useful Links</h4>
    <ul>
        <li><a href="#">Homepage</a></li>
        <li><a href="#">About Us</a></li>
        <li><a href="#">Help</a></li>
        <li><a href="#">Contact Us</a></li>
    </ul>
</div>
<div class="col-lg-3">
    <h4>Help & Information</h4>
    <ul>
        <li><a href="#">Help</a></li>
        <li><a href="#">FAQ's</a></li>
        <li><a href="#">Shipping</a></li>
        <li><a href="#">Tracking ID</a></li>
    </ul>
</div>
<div class="col-lg-12">
    <div class="under-footer">
        <p>Copyright © 2022 HexaShop Co., Ltd. All Rights
Reserved.

        <br>Design: <a href="https://templatemo.com"
target="_parent" title="free css templates">TemplateMo</a></p>
    <ul>
        <li><a href="#"><i class="fa fa-
facebook"></i></a></li>
        <li><a href="#"><i class="fa fa-
twitter"></i></a></li>

```





```

        $("#portfolio").fadeTo(50, 1);
    }, 500);

    });
});

</script>

</body>

</html>

```

## Head.php

```

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">
    <link
href="https://fonts.googleapis.com/css?family=Poppins:100,200,300,400,500,600,700
,800,900&display=swap" rel="stylesheet">

    <title>Hexashop Ecommerce HTML CSS Template</title>

    <!-- Additional CSS Files -->
    <link rel="stylesheet" type="text/css"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css">

    <link rel="stylesheet" type="text/css" href="assets/css/font-awesome.css">

    <link rel="stylesheet" href="assets/css/templatemo-hexashop.css">

    <link rel="stylesheet" href="assets/css/owl-carousel.css">

```

```

<link rel="stylesheet" href="assets/css/lightbox.css">

<script src="https://kit.fontawesome.com/ad51d15578.js"
crossorigin="anonymous"></script>

<?php
    if($_SERVER['REQUEST_URI']=="sajt/cart.php" ||
$_SERVER['REQUEST_URI']=="sajt/cart.php?ordered=1" ||
$_SERVER['REQUEST_URI']=="sajt/checkout.php"){
        echo "<link rel='stylesheet' href='assets/css/cart.css'>";
    }
    if($_SERVER['REQUEST_URI']=="sajt/edit-account.php"){
        echo "<link rel='stylesheet' href='assets/css/editacc.css'>";
    }
?>
<!--

TemplateMo 571 Hexashop

https://templatemo.com/tm-571-hexashop

-->
</head>

```

## Header.php

```

<?php
include "logic/function.php";
include "logic/connect.php";
?>
<header class="header-area header-sticky">
<div class="container">
    <div class="row">
        <div class="col-12">
            <nav class="main-nav">
                <!-- ***** Logo Start ***** -->
                <a href="index.php" class="logo">
                    
                </a>
                <!-- ***** Logo End ***** -->
                <!-- ***** Menu Start ***** -->
            </nav>
        </div>
    </div>
</div>

```

```
<ul class="nav">
    <?php
        $links=getAll("navigation");
        echo displayMenu($links);
    ?>
<!--          <li class="scroll-to-section"><a href="index.php"
class="active">Home</a></li>-->
<!--          <li class="scroll-to-section"><a href="shop.php"
>Shop</a></li>-->
<!--          <li class="scroll-to-section"><a href="about.php"
>About</a></li>-->
<!--          <li class="scroll-to-section"><a href="contact.php"
>Register</a></li>-->
<!--          <li class="scroll-to-section"><a href="login.php" >Log
In</a></li>-->
<!------->

    <?php if(isLoggedIn()):?>
        <li><a href="logic/logout.php">Logout</a></li>
        <li><a href="edit-account.php">Edit Account</a></li>
        <li><a href="cart.php"><i class="fa-solid fa-cart-
shopping"></i></a></li>
    <?php endif;?>
    <?php if(isAdmin()):?>
        <li><a href="admin/admin-panel.php">Admin Panel</a></li>
    <?php endif;?>

</ul>
<a class='menu-trigger'>
    <span>Menu</span>
</a>
<!-- ***** Menu End ***** -->
</nav>
</div>
</div>
</div>
</header>
```

## Footer.php

```
<footer>
  <div class="container">
```

```

        <div class="row">
            <div class="col-lg-6">
                <div class="first-item">
                    <div class="logo">
                        
                    </div>
                    <ul>
                        <li><a href="#">16501 Collins Ave, Sunny Isles Beach, FL
33160, United States</a></li>
                        <li><a href="#">hexashop@company.com</a></li>
                        <li><a href="#">010-020-0340</a></li>
                    </ul>
                </div>
            </div>

            <div class="col-lg-6">
                <h4>Useful Links</h4>
                <ul>
                    <li><a href="index.php">Homepage</a></li>
                    <li><a href="shop.php">Shop</a></li>
                    <li><a href="author.php">Author</a></li>
                    <li><a href="documentation.pdf">Documentation</a></li>
                </ul>
            </div>
            <div class="col-lg-12">
                <div class="under-footer">
                    <p>Copyright © 2022 HexaShop Co., Ltd. All Rights Reserved.

                    <br>Design: <a href="https://templatemo.com"
target="_parent" title="free css templates">TemplateMo</a></p>
                    <ul>
                        <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                        <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                        <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                        <li><a href="#"><i class="fa fa-behance"></i></a></li>
                    </ul>
                </div>
            </div>
        </div>
    </div>
</footer>

```

## 404.php

```
<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>SB Admin 2 - 404</title>

    <!-- Custom fonts for this template-->
    <link href="admin/vendor/fontawesome-free/css/all.min.css" rel="stylesheet"
type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,40
0,400i,600,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template-->
    <link href="admin/css/sb-admin-2.min.css" rel="stylesheet">

</head>

<body id="page-top">

    <!-- Page Wrapper -->
    <div id="wrapper">

        <!-- Content Wrapper -->
        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->
            <div id="content">

                <!-- Begin Page Content -->
```

```

        <div class="container-fluid mt-5 pt-5">

            <!-- 404 Error Text -->
            <div class="text-center">
                <div class="error mx-auto" data-text="404">404</div>
                <p class="lead text-gray-800 mb-5">Page Not Found</p>
                <p class="text-gray-500 mb-0">It looks like you found a
glitch in the matrix...</p>
                <a href="index.php">&larr; Back to Dashboard</a>
            </div>

        </div>
        <!-- /.container-fluid -->

    </div>
    <!-- End of Main Content -->

    <!-- Footer -->

    <!-- End of Footer -->

</div>
<!-- End of Content Wrapper -->

</div>
<!-- End of Page Wrapper -->

<!-- Scroll to Top Button-->
<a class="scroll-to-top rounded" href="#page-top">
    <i class="fas fa-angle-up"></i>
</a>

<!-- Logout Modal-->
<div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel"
    aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModalLabel">Ready to
Leave?</h5>
                <button class="close" type="button" data-dismiss="modal"
aria-label="Close">
                    <span aria-hidden="true">x</span>
                </button>

```

```

        </div>
        <div class="modal-body">Select "Logout" below if you are ready to
end your current session.</div>
        <div class="modal-footer">
            <button class="btn btn-secondary" type="button" data-
dismiss="modal">Cancel</button>
            <a class="btn btn-primary" href="admin/login.html">Logout</a>
        </div>
    </div>
</div>
</div>

<!-- Bootstrap core JavaScript-->
<script src="admin/vendor/jquery/jquery.min.js"></script>
<script src="admin/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

<!-- Core plugin JavaScript-->
<script src="admin/vendor/jquery-easing/jquery.easing.min.js"></script>

<!-- Custom scripts for all pages-->
<script src="admin/js/sb-admin-2.min.js"></script>

</body>

</html>

```

## activateUser.php

```

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>SB Admin 2 - 404</title>

```



```

    <!-- Custom fonts for this template-->
    <link href="admin/vendor/fontawesome-free/css/all.min.css" rel="stylesheet"
type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,40
0,400i,600,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template-->
    <link href="admin/css/sb-admin-2.min.css" rel="stylesheet">

</head>

<body id="page-top">

    <!-- Page Wrapper -->
    <div id="wrapper">

        <!-- Content Wrapper -->
        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->
            <div id="content">

                <!-- Begin Page Content -->
                <div class="container-fluid mt-5 pt-5">

                    <!-- 404 Error Text -->
                    <div class="text-center">
                        <div class="error mx-auto" data-text="404">404</div>
                        <p class="lead text-gray-800 mb-5">Page Not Found</p>
                        <p class="text-gray-500 mb-0">It looks like you found a
glitch in the matrix...</p>
                        <a href="index.php">&larr; Back to Dashboard</a>
                    </div>

                </div>
                <!-- /.container-fluid -->

            </div>
            <!-- End of Main Content -->

```

```

        <!-- Footer -->

        <!-- End of Footer -->

    </div>
    <!-- End of Content Wrapper -->

</div>
<!-- End of Page Wrapper -->

<!-- Scroll to Top Button-->
<a class="scroll-to-top rounded" href="#page-top">
    <i class="fas fa-angle-up"></i>
</a>

<!-- Logout Modal-->
<div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel"
    aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModalLabel">Ready to
Leave?</h5>
                <button class="close" type="button" data-dismiss="modal"
aria-label="Close">
                    <span aria-hidden="true">x</span>
                </button>
            </div>
            <div class="modal-body">Select "Logout" below if you are ready to
end your current session.</div>
            <div class="modal-footer">
                <button class="btn btn-secondary" type="button" data-
dismiss="modal">Cancel</button>
                <a class="btn btn-primary" href="admin/login.html">Logout</a>
            </div>
        </div>
    </div>
</div>

<!-- Bootstrap core JavaScript-->
<script src="admin/vendor/jquery/jquery.min.js"></script>
<script src="admin/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

```

```

<!-- Core plugin JavaScript-->
<script src="admin/vendor/jquery-easing/jquery.easing.min.js"></script>

<!-- Custom scripts for all pages-->
<script src="admin/js/sb-admin-2.min.js"></script>

</body>

</html>

```

## addLocation.php

```

<?php
include "function.php";
include "connect.php";
include "config.php";
if(requestMethod()=="POST"){

$reZip="/^10000|[1-9]\d{4}$/";

    if(isset($_POST['addAddress'])){
        $street=$_POST['street'];
        $city=$_POST['city'];
        $state=$_POST['state'];
        $zip=$_POST['zip'];
        $id=$_SESSION['user']->user_id;
        $errorsLoc= array();

        if($id==null){
            $errorsLoc['id']="id";
        }

        if($street==null || $street==""){
            $errorsLoc['street']="You must enter your street.";
        }
        if($city==null || $city==""){
            $errorsLoc['city']="You must enter your city.";
        }
        if($state==null || $state==""){
            $errorsLoc['state']="You must enter your state.";
        }
    }
}

```

```

        if(!preg_match($reZip, $zip)){
            $errorsLoc['zip']="You must enter your zip code.";
        }

        if(empty($errorsLoc)){
            global $connection;

            $query="UPDATE `user` SET `street`=:street, `city`=:city,
`state`=:state, `zip`=:zip WHERE `user_id`=:id";

            $insert=$connection->prepare($query);

            $insert->bindParam(":street", $street);
            $insert->bindParam(":city",$city);
            $insert->bindParam(":state",$state);
            $insert->bindParam(":zip",$zip);
            $insert->bindParam(":id",$id);

            $result=$insert->execute();

            if($result){
                header("Location: ../edit-account.php?successLoc=successLoc");
                var_dump($insert);
                var_dump($id);
                var_dump($state);
                var_dump($city);
                var_dump($street);
                var_dump($zip);

            }else{
                http_response_code(500);
            }
        }else{
            $errorsLoc=implode("<br>",$errorsLoc);
            header("Location: ../edit-account.php?errorsLoc=".$errorsLoc);
        }

    }else{

        header("Location: ../404.php");
    }
}

```

```
}else{
    http_response_code(404);
}
```

## addToCart.php

```
<?php
header("Content-type: application/json");
include "function.php";
include "connect.php";

if(requestMethod()=="POST"){

    try{
        global $connection;
        $product=$_POST['product'];
        $user=$_POST['user'];
        $products=getAll("products");
        $quantity=$_POST['quantity'];
        $cart=userCart($user);
        $inCart=false;

        foreach ($cart as $c){
            if($c->product_id==$product){
                $inCart=true;
                break;
            }
        }

        if($inCart){
            echo json_encode("The product is already in the cart.");
            http_response_code(200);
        }else{
            $query="INSERT INTO `cart_item`(`user_id`, `product_id`, `quantity`)
";
            $query.="VALUES (:user,:product,:quantity)";

            $insert=$connection->prepare($query);
            $insert->bindParam(":user",$user);
```

```

        $insert->bindParam("product",$product);
        $insert->bindParam("quantity",$quantity);

        $result=$insert->execute();

        echo json_encode("Product has been added to your cart.");
    }

}catch (PDOException $e){
    http_response_code(500);
}

}else{
    header("Location: ../404.php");
}

```

## adminEditProduct.php

```

<?php
include "function.php";
include "connect.php";
include "config.php";
if(requestMethod()=="POST"){

    $regExNameProduct="/^[A-Z\s]+$/u";
    $regExPrice="/^\d{1,}\.\d{2}$/u";

```

```

global $connection;
$productName=$_POST['prodName'];
$description=$_POST['description'];
$price=$_POST['price'];
$category=$_POST['category'];
$brand=$_POST['brand'];
$id=$_POST['id'];

$errors= array();

if(!preg_match($regexNameProduct, $productName)){
    $errors['name']="Name must contain minimum 2 words written in uppercase";
}
if(!preg_match($regexPrice, $price)){
    $errors['price']="Price must contain decimals";
}

if(empty($errors)){
    $price=floatval($price);
    $query="UPDATE `products` SET
`product_name`=:name,`description`=:desc,`price`=:price,`category_id`=:cat,`brand
_id`=:brand WHERE product_id=:id";

    $update=$connection->prepare($query);
    $update->bindParam(":name", $productName);
    $update->bindParam(":desc", $description);
    $update->bindParam(":price", $price);
    $update->bindParam(":cat", $category);
    $update->bindParam(":brand", $brand);
    $update->bindParam(":id", $id);
    $result=$update->execute();

    if($result){
        echo json_encode("Your update was successfull.");
    } else {
        http_response_code(500);
    }
} else {
    $errors=implode("<br>",$errors);
    header("Location: editProducts.php?errors=".$errors);
}
}else{
    header("Location: ../404.php");
}

```

?>

## adminEditUser.php

```
<?php
include "function.php";
include "connect.php";
include "config.php";
if(requestMethod()=="POST"){

    $regExName="/^[A-ZŠŢŽČĆ][a-zšđčćž]{2,14}(\s[A-ZŠŢŽČĆ][a-zšđčćž]{2,14})?$/";
    $regExLastName="/^[A-ZŠŢŽČĆ][a-zšđčćž]{3,14}(\s[A-ZŠŢŽČĆ][a-
zšđčćž]{3,14})?$/";
    $regExUsername="/^[a-zA-Z0-9]{3,20}$/";

    global $connection;
    $fName=$_POST['fName'];
    $lName=$_POST['lName'];
    $username=$_POST['username'];
    $email=$_POST['email'];
    $role=$_POST['role'];
    $street=$_POST['street'];
    $city=$_POST['city'];
    $state=$_POST['state'];
    $zip=$_POST['zip'];
    $id=$_POST['id'];

    $errors= array();

    if(!preg_match($regExName, $fName)){
        $errors['fName']="Name must contain only letters, starting with
uppercase";
    }
    if(!preg_match($regExLastName, $lName)){
        $errors['lName']="Last name must contain only letters, starting with
uppercase";
    }
    if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
        $errors['email']="Email must contain @.";
```



```

    }
    if(!preg_match($regexUsername, $username)){
        $errors['username']="Username must contain only letters and numbers";
    }

    if(empty($errors)){
        $query="UPDATE `user` SET `username`=:username, `first_name`=:fname,
`last_name`=:lname, `email`=:email, `role_id`=:role, `street`=:street,
`city`=:city, `state`=:state, `zip`=:zip WHERE user_id=:id";

        $update=$connection->prepare($query);
        $update->bindParam(":username", $username);
        $update->bindParam(":fname", $fname);
        $update->bindParam(":lname", $lname);
        $update->bindParam(":email", $email);
        $update->bindParam(":role", $role);
        $update->bindParam(":street", $street);
        $update->bindParam(":city", $city);
        $update->bindParam(":state", $state);
        $update->bindParam(":zip", $zip);
        $update->bindParam(":id", $id);
        $result=$update->execute();

        if($result){
            echo json_encode("Your update was successfull.");
        } else {
            http_response_code(500);
        }
    } else {
        $errors=implode("<br>", $errors);
        header("Location: editUsers.php?errors=".$errors);
    }
} else {
    header("Location: ../404.php");
}

?>

```

adminInsertProduct.php

```

<?php
include "connect.php";
include "function.php";
include "config.php";
if(requestMethod()=="POST"){

    if(isset($_POST['insertProd'])){
        $regexNameProduct="/^[A-Z\s]+$/u";
        $regexPrice="/^\d{1,}\.\d{2}$/u";

        $name=$_POST['prodName'];
        $image=$_FILES['prodImg'];
        $description=$_POST['prodDesc']??null;
        $price=$_POST['prodPrice'];
        $cat=$_POST['prodCat'];
        $brand=$_POST['prodBrand'];

        $errors=array();

        $allowed=['image/png', 'image/jpg', 'image/jpeg'];
        $maxSize=2500000;

        $type=$image['type'];
        $size=$image['size'];

        if(!in_array($type, $allowed)){
            $errors['image']="This file type is not allowed";
        }
        if($size>$maxSize){
            $errors['image']="Your file size exceeded maximum";
        }
        if(!preg_match($regexNameProduct, $name)){
            $errors['name']="Name must contain minimum 2 words written in
uppercase";
        }
        if(!preg_match($regexPrice, $price)){
            $errors['price']="Price must contain decimals";
        }

        if(empty($errors)){
            global $connection;
            $imgExtension=pathinfo($image["name"], PATHINFO_EXTENSION);

            $imageSrc=uniqid()."_" . $_SESSION['user']->first_name.$imgExtension;

```

```

        if(move_uploaded_file($image['tmp_name'], "../assets/images/shop/" . $imageSrc)){
            $query="INSERT INTO `products`(`product_name`, `product_img`,
`description`, `price`, `category_id`, `brand_id` )";
            $query.="VALUES
(:name,:image,:description,:price,:category,:brand)";

            $insert=$connection->prepare($query);
            $insert->bindParam(":name",$name);
            $insert->bindParam(":image",$imageSrc);
            $insert->bindParam(":description",$description);
            $insert->bindParam(":price",$price);
            $insert->bindParam(":category",$cat);
            $insert->bindParam(":brand",$brand);

            $result=$insert->execute();

            if($result){
                header("Location: ../admin/insertProduct.php");
            }else{
                unlink("../assets/images/shop/" . $imageSrc);
            }
        }

    }else{
        $errors=implode("<br>",$errors);
        header("Location: ../admin/insertProduct.php?error=" . $errors);
    }

}

}else{
    header("Location: ../404.php");
}

}

}

```

Connect.php

<?php

```

$dbServer="localhost";
$username="root";
$password="";
$dbName="dbsajt";
try {
    $connection = new PDO("mysql:host=$dbServer;dbname=$dbName",
        $username, $password);
    // set the PDO error mode to exception
    $connection->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
    $connection->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
}
catch(PDOException $e)
{
    echo "Greska sa konekcijom: " . $e->getMessage();
}

```

## Delete.php

```

<?php
include "function.php";
include "connect.php";
if(requestMethod()=="POST"){

    global $connection;

    $table=$_POST['table'];
    $id=$_POST['id'];
    $column="";
    switch ($table) {
        case "products":
            $column = "product_id";
            break;
        case "brands":
            $column = "brand_id";
            break;
        case "users":
            $column = "user_id";
            break;
        case "categories":
            $column = "category_id";

```

```

        break;

    }

    $query="UPDATE `".$table."` SET `is_deleted`=1 WHERE ".$column."=:id";

    try{
        $delete=$connection->prepare($query);
        $delete->bindParam(":id",$id);
        $result=$delete->execute();
        if($result){
            echo json_encode("Your deletion was successfull");
        }else{
            echo json_encode("Your deletion failed.");
        }
    }catch (PDOException $e){

        echo json_encode("Something went wrong. Please try again");
        http_response_code(500);
    }

}

}else{
    header("Location: ../404.php");
}

```

## editUser.php

```

<?php
include "function.php";
include "connect.php";
include "config.php";
if(requestMethod()=="POST"){

    $regexName="/^[A-ZŠĐŽČĆ][a-zšđčćž]{2,14}(\s[A-ZŠĐŽČĆ][a-zšđčćž]{2,14})?$/";
    $regexLastName="/^[A-ZŠĐŽČĆ][a-zšđčćž]{3,14}(\s[A-ZŠĐŽČĆ][a-zšđčćž]{3,14})?$/";
    $regexUsername="/^[a-zA-Z0-9]{3,20}$/";
    $regexPassword="/^(?=.*[A-Z])(?=.*[a-z])(?=.*\d)(?=.*[!@#%&*()_+])[A-Za-z\d!@#%&*()_+]{8,}$/";

```

```

if(isset($_POST['updateInfo'])){
    $fName=$_POST['fName'];
    $lName=$_POST['lName'];
    $username=$_POST['username'];
    $email=$_POST['email'];
    $id=$_SESSION['user']->user_id;
    $errors= array();

    if($id==null){
        $errors['id']="id";
    }

    if(!preg_match($regexName, $fName)){
        $errors['fName']="Name must contain only letters, starting with
uppercase";
    }
    if(!preg_match($regexLastName, $lName)){
        $errors['lName']="Last name must contain only letters, starting with
uppercase";
    }
    if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
        $errors['email']="Email must contain @.";
    }
    if(!preg_match($regexUsername, $username)){
        $errors['username']="Username must contain only letters and numbers";
    }

    if(empty($errors)){
        global $connection;

        $query="UPDATE `user` SET
`username`=:username,`first_name`=:fname,`last_name`=:lname,`email`=:email WHERE
user_id=:id";

        $update=$connection->prepare($query);
        $update->bindParam(":username", $username);
        $update->bindParam("fname",$fName);
        $update->bindParam("lname",$lName);
        $update->bindParam("email",$email);
        $update->bindParam("id",$id);
        $result=$update->execute();

        if($result){

```

```

        header("Location: ../edit-account.php?success=success");
        updateSession($fName, $lName, $username, $email);

    }else{
        http_response_code(500);
    }
}else{
    $errors=implode("<br>",$errors);
    header("Location: ../edit-account.php?errors=".$errors);
}

}else{
    http_response_code(404);
    header("Location: ../shop.php");
}

}else{
    header("Location: ../404.php");
}

```

## Filter.php

```

<?php
include "function.php";
header("Content-type: application/json");

if(requestMethod()=='POST'){
    global $connection;
    include "connect.php";

    try{
        $idCategory=isset($_POST["categories"])?$_POST["categories"]:0;
        $sortChosen=isset($_POST["sort"])?$_POST["sort"]:0;
        $brand=isset($_POST["brand"])?$_POST["brand"]:0;
        $search=isset($_POST["search"])?$_POST["search"]:"";
    }
}

```

```

$page=isset($_POST["page"])?$_POST["page"]:1;

$perPage=12;
$offset=($page-1)*$perPage;

$query="SELECT * FROM products WHERE is_deleted=0";

//ZA KATEGORIJE
if($idCategory!=0){
    $query.= " AND category_id IN ('".implode(',', $idCategory). "')";
}

//ZA BRENDOVE
if($brand!=0){
    $query.=" AND brand_id = :brand";
}

//
//      //ZA SEARCH
//
//
if($search!=''){
    $query.=" AND product_name LIKE :search";
    $search="%"$search%";
}

//
if($sortChosen!=0){
    $query.=" ORDER BY ".$sortChosen;
}

$query.=" LIMIT ".$perPage;
$query.=" OFFSET ".$offset;

$filter=$connection->prepare($query);

//      // Bajndovanje vrednosti za brend
if ($brand != 0) {
    $filter->bindValue(":brand", $brand);
}

//
//      // Bajndovanje vrednosti za search
if ($search != '') {
    $filter->bindValue(":search", $search);
}

```



```

    }
//

//      var_dump($search);
$filter->execute();
$result=$filter->fetchAll();

if(count($result) > 0){

    echo json_encode($result);
    http_response_code(200);
}
else{
    echo json_encode(array());
    http_response_code(200);
}

}
catch(PDOException $ex){
    http_response_code(500);
}
}else{
    header("Location: ../404.php");
}
}

```

## Form.php

```

<?php
include "connect.php";
include "function.php";

if (isset($_POST["form-submit"])) {
    // Validacija i obrada podataka
    $fName = $_POST["fNameRegister"];
    $lName = $_POST["lNameRegister"];
    $username = $_POST["usernameRegister"];
}

```

```

$email = $_POST["emailRegister"];
$password = $_POST["passwordRegister"];
$rePassword = $_POST["passwordReRegister"];

$regexName="/^[A-ZŠĐŽČĆ][a-zšđčćž]{2,14}(\s[A-ZŠĐŽČĆ][a-zšđčćž]{2,14})?$/";
$regexLastName="/^[A-ZŠĐŽČĆ][a-zšđčćž]{3,14}(\s[A-ZŠĐŽČĆ][a-
zšđčćž]{3,14})?$/";
$regexUsername="/^[a-zA-Z0-9]{3,20}$/";
$regexPassword="/^(?=.*[A-Z])(?=.*[a-z])(?=.*\d)(?=.*[!@#%&*()_+])[A-Za-
z\d!@#%&*()_+]{8,}$/";

$errors= array();

if(!preg_match($regexName, $fName)){
    $errors['fName']="Name must contain only letters, starting with
uppercase";
}
if(!preg_match($regexLastName, $lName)){
    $errors['lName']="Last name must contain only letters, starting with
uppercase";
}
if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
    $errors['email']="Email must contain @.";

}else{
    $emails = getUserBy("email", $email);
    var_dump($emails->n);
    if($emails->n!=0){
        $errors['email']="Email is already taken";
    }

}

if(!preg_match($regexUsername, $username)){
    $errors['username']="Username must contain only letters and numbers";
}
else{
    $usernames=getUserBy("username", $username);

    if($usernames->n!=0){
        $errors['username']="Username is already taken";
    }

}

if(!preg_match($regexPassword,$password)){

```



```

$insert->bindParam(":email",$email);

$result=$insert->execute();
return $result;
}

function getUserBy($param, $value){
    global $connection;

    if($param=="username"){
        $query="SELECT COUNT(*) AS n FROM user WHERE username=:value";
    }
    if($param=="email"){
        $query="SELECT COUNT(*) AS n FROM user WHERE email=:value";
    }

    $select=$connection->prepare($query);
    $select->bindParam(":value",$value);

    $select->execute();

    $result=$select->fetch();
    return $result;
}

function login($username, $password){
    global $connection;

    $errors=null;

    $query="SELECT * FROM user u JOIN role r ON u.role_id=r.role_id WHERE
u.username=:username AND is_active=1";
    $select=$connection->prepare($query);
    $select->bindParam(":username", $username);

    $select->execute();
    $user=$select->fetch();

    if(!$user){
        $errors="Your credentials are invalid. Please enter again";
    }else{
        if($user->password!=$password){
            $errors="Your credentials are invalid.";
        }
    }
}

```

```

    }
    if(!$errors){

        $_SESSION['user']=$user;
        if($user->role_id==2){
            header("Location: shop.php");
        }elseif($user->role_id==1){
            header("Location: admin/admin-panel.php");
        }
    }

}

function isLoggedIn(){
    return isset($_SESSION["user"]);
}

function requestMethod(){
    return $_SERVER['REQUEST_METHOD'];
}

function getAll($table){
    global $connection;

    $query="SELECT * FROM $table";

    $result=$connection->query($query)->fetchAll();

    return $result;
}

function displayMenu($links){
    $display="";

    foreach ($links as $link){
        $display.="<li><a href=".$link->path." >$link->name</a></li>";
    }

    return $display;
}

function getProducts($limit){

```

```

    global $connection;

    $query="SELECT * FROM products WHERE is_deleted=0 LIMIT ".$limit;
    $result=$connection->query($query)->fetchAll();
    return $result;
}

function getProductWhereID($id){
    global $connection;

    $query="SELECT * FROM products p JOIN brands b ON p.brand_id=b.brand_id JOIN
categories c ON p.category_id=c.category_id WHERE p.product_id=:id";

    $select=$connection->prepare($query);
    $select->bindParam(":id", $id);

    $select->execute();

    $result=$select->fetch();
    return $result;
}

function get($key){
    if(!isset($_GET[$key])){
        return null;
    }
    return $_GET[$key];
}

function userCart($user){
    global $connection;

    $query="SELECT * FROM cart_item c JOIN products p ON
c.product_id=p.product_id JOIN categories ct ON p.category_id=ct.category_id
WHERE c.user_id=:user";

    $select=$connection->prepare($query);
    $select->bindParam(":user", $user);
    $select->execute();

    $result=$select->fetchAll();
    return $result;
}

```

```

function updateSession($fname, $lname, $username, $email){
    $_SESSION['user']['first_name']=$fname;
    $_SESSION['user']['last_name']=$lname;
    $_SESSION['user']['username']=$username;
    $_SESSION['user']['email']=$email;
}

function isAdmin(){
    return isLoggedIn() && $_SESSION['user']->role_id==1;
}

function productsBrandCategory(){
    global $connection;

    $query="SELECT
product_id,product_name,product_img,description,price,category_name,brand_name,p.
is_deleted FROM products p JOIN categories c ON p.category_id=c.category_id JOIN
brands b ON p.brand_id=b.brand_id";

    $select=$connection->query($query);

    $result=$select->fetchAll();

    return $result;
}

function getUsersRoles(){
    global $connection;

    $query="SELECT * FROM user u JOIN role r ON u.role_id=r.role_id";

    $result=$connection->query($query)->fetchAll();

    return $result;
}

function getUserForId($id){
    global $connection;

    $query="SELECT * FROM user u JOIN role r ON u.role_id=r.role_id WHERE
u.user_id=:id";
    $select=$connection->prepare($query);
    $select->bindParam(":id",$id);
    $select->execute();
}

```

```

    $result=$select->fetch();
    return $result;
}

function getProductsForCategory($cat){
    global $connection;

    $query="SELECT * FROM products WHERE category_id=:id";

    $select=$connection->prepare($query);

    $select->bindParam(":id",$cat);

    $select->execute();

    $result=$select->fetchAll();

    return $result;
}

function addOrder($user, $total){
    global $connection;

    $query="INSERT INTO `orders`(`user_id`, `total`) VALUES (:user,:total)";

    $insert=$connection->prepare($query);
    $insert->bindParam(":user",$user);
    $insert->bindParam(":total",$total);
    $insert->execute();

    return $connection->lastInsertId();
}

function addOrderProduct($product, $order, $quantity, $price){
    global $connection;

    $query="INSERT INTO `order_product`(`product_id`, `order_id`, `quantity`,
`price`) VALUES (:product,:order,:quantity,:price)";

    $insert=$connection->prepare($query);
    $insert->bindParam(":product",$product);
    $insert->bindParam(":order",$order);
    $insert->bindParam(":quantity",$quantity);
    $insert->bindParam(":price",$price);

```



```

        $insert->execute();

        return $insert;
    }

function deleteCartOrder($cart, $user){
    global $connection;

    $query="DELETE FROM `cart_item` WHERE product_id=:cart AND user_id=:user";

    $delete=$connection->prepare($query);
    $delete->bindParam(":cart",$cart);
    $delete->bindParam(":user",$user);
    $result=$delete->execute();

    return $result;
}

```

## Logout.php

```

<?php
include "function.php";
include "config.php";

var_dump($_SESSION);
if(isLogged()){
    unset($_SESSION['user']);
    header("Location: ../index.php");
}

```

## removeFromCart.php

```

<?php
header("Content-type: application/json");

```

```

include "function.php";
include "connect.php";

if(requestMethod()=="POST"){

    try{
        $product=$_POST['product'];
        $user=$_POST['user'];
        $products=getAll("products");
        global $connection;

        $cart=userCart($user);
        $inCart=0;

        foreach ($cart as $c){
            if($c->product_id==$product){
                $inCart=1;
                break;
            }
        }

        if($inCart==1){
            $query="DELETE FROM cart_item WHERE product_id=:product AND
user_id=:user";

            $delete=$connection->prepare($query);
            $delete->bindParam(":product",$product);
            $delete->bindParam(":user", $user);
            $delete->execute();

            if($delete){
                $restProducts=userCart($user);
                echo json_encode($restProducts);
                http_response_code(200);
            }else{
                http_response_code(500);
            }
        }

    }catch (PDOException $e){

```

```

        http_response_code(500);
    }

}

}else{header("Location: ../404.php");}

```

## Admin-panel.php

```

<?php
include "../logic/config.php";
include "../logic/function.php";
include "../logic/connect.php";

$admin=$_SESSION['user'];

if(isAdmin()):?>

    <!DOCTYPE html>
    <html lang="en">

    <head>

        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
        <meta name="description" content="">
        <meta name="author" content="">

```

```

<title>Admin Panel</title>

<!-- Custom fonts for this template-->
<link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet"
type="text/css">
<link
    href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300
i,400,400i,600,600i,700,700i,800,800i,900,900i"
    rel="stylesheet">

<!-- Custom styles for this template-->
<link href="css/sb-admin-2.min.css" rel="stylesheet">

</head>

<body id="page-top">

<!-- Page Wrapper -->
<div id="wrapper">

    <!-- Sidebar -->
    <ul class="navbar-nav bg-gradient-primary sidebar sidebar-dark accordion"
id="accordionSidebar">

        <!-- Sidebar - Brand -->
        <a class="sidebar-brand d-flex align-items-center justify-content-
center" href="admin-panel.php">
            <div class="sidebar-brand-icon rotate-n-15">
                <i class="fas fa-laugh-wink"></i>
            </div>
        </a>
        <div class="sidebar-brand-text mx-auto">
            <a href=" ../index.php" class="text-white text-center">Back to
site</a>
        </div>

        <!-- Divider -->
        <hr class="sidebar-divider my-0">

        <!-- Nav Item - Dashboard -->
        <li class="nav-item active">
            <a class="nav-link" href="index.html">
                <i class="fas fa-fw fa-tachometer-alt"></i>
                <span>Dashboard</span></a>

```

```

</li>

<!-- Divider -->
<hr class="sidebar-divider">

<!-- Heading -->
<div class="sidebar-heading">
    Interface
</div>

<!-- Nav Item - Pages Collapse Menu -->

<!-- Nav Item - Utilities Collapse Menu -->

<!-- Nav Item - Pages Collapse Menu -->
<li class="nav-item">
    <a class="nav-link collapsed" href="#" data-toggle="collapse"
data-target="#collapsePages"
        aria-expanded="true" aria-controls="collapsePages">
        <i class="fas fa-fw fa-folder"></i>
        <span>Pages</span>
    </a>
    <div id="collapsePages" class="collapse" aria-
labelledby="headingPages" data-parent="#accordionSidebar">
        <div class="bg-white py-2 collapse-inner rounded">
            <h6 class="collapse-header">Login Screens:</h6>
            <a class="collapse-item"
href="editProducts.php">Products</a>
            <a class="collapse-item"
href="editCategories.php">Categories</a>
            <a class="collapse-item" href="editBrands.php">Brands</a>
            <a class="collapse-item" href="editUsers.php">Users</a>
        </div>
    </div>
</li>

<!-- Divider -->
<hr class="sidebar-divider d-none d-md-block">

<!-- Sidebar Toggler (Sidebar) -->

```

```

        <div class="text-center d-none d-md-inline">
            <button class="rounded-circle border-0"
id="sidebarToggle"></button>
        </div>

        <!-- Sidebar Message -->
        <div class="sidebar-card d-none d-lg-flex">
            
            <p class="text-center mb-2"><strong>SB Admin Pro</strong> is
packed with premium features, components, and more!</p>
            <a class="btn btn-success btn-sm"
href="https://startbootstrap.com/theme/sb-admin-pro">Upgrade to Pro!</a>
        </div>

    </ul>
    <!-- End of Sidebar -->

    <!-- Content Wrapper -->
    <div id="content-wrapper" class="d-flex flex-column">

        <!-- Main Content -->
        <div id="content">

            <!-- Topbar -->
            <nav class="navbar navbar-expand navbar-light bg-white topbar mb-
4 static-top shadow">

                <!-- Sidebar Toggle (Topbar) -->
                <button id="sidebarToggleTop" class="btn btn-link d-md-none
rounded-circle mr-3">
                    <i class="fa fa-bars"></i>
                </button>

                <!-- Topbar Search -->

                <!-- Topbar Navbar -->
                <ul class="navbar-nav ml-auto">

                    <!-- Nav Item - Search Dropdown (Visible Only XS) -->
                    <li class="nav-item dropdown no-arrow d-sm-none">
                        <a class="nav-link dropdown-toggle" href="#"
id="searchDropdown" role="button"

```

```

data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
    <i class="fas fa-search fa-fw"></i>
</a>
<!-- Dropdown - Messages -->
<div class="dropdown-menu dropdown-menu-right p-3
shadow animated--grow-in"
    aria-labelledby="searchDropdown">
<form class="form-inline mr-auto w-100 navbar-
search">
    <div class="input-group">
        <input type="text" class="form-control
bg-light border-0 small"
            placeholder="Search for..." aria-
label="Search"
            aria-describedby="basic-addon2">
        <div class="input-group-append">
            <button class="btn btn-primary"
type="button">
                <i class="fas fa-search fa-
sm"></i>
                    </button>
                </div>
            </div>
        </form>
    </div>
</li>

<!-- Nav Item - Alerts -->
<li class="nav-item dropdown no-arrow mx-1">
    <a class="nav-link dropdown-toggle" href="#"
id="alertsDropdown" role="button"
        data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
        <i class="fas fa-bell fa-fw"></i>
        <!-- Counter - Alerts -->
        <span class="badge badge-danger badge-
counter">3</span>
    </a>
    <!-- Dropdown - Alerts -->
    <div class="dropdown-list dropdown-menu dropdown-
menu-right shadow animated--grow-in"
        aria-labelledby="alertsDropdown">
        <h6 class="dropdown-header">
            Alerts Center

```

```

        </h6>
        <a class="dropdown-item d-flex align-items-
center" href="#">
            <div class="mr-3">
                <div class="icon-circle bg-primary">
                    <i class="fas fa-file-alt text-
white"></i>
                </div>
            </div>
            <div>
                <div class="small text-gray-500">December
12, 2019</div>
                <span class="font-weight-bold">A new
monthly report is ready to download!</span>
            </div>
        </a>
        <a class="dropdown-item d-flex align-items-
center" href="#">
            <div class="mr-3">
                <div class="icon-circle bg-success">
                    <i class="fas fa-donate text-
white"></i>
                </div>
            </div>
            <div>
                <div class="small text-gray-500">December
7, 2019</div>
                $290.29 has been deposited into your
account!
            </div>
        </a>
        <a class="dropdown-item d-flex align-items-
center" href="#">
            <div class="mr-3">
                <div class="icon-circle bg-warning">
                    <i class="fas fa-exclamation-triangle
text-white"></i>
                </div>
            </div>
            <div>
                <div class="small text-gray-500">December
2, 2019</div>
                Spending Alert: We've noticed unusually
high spending for your account.
            </div>

```



```

        </a>
        <a class="dropdown-item text-center small text-
gray-500" href="#">Show All Alerts</a>
    </div>
</li>

    <!-- Nav Item - Messages -->
    <li class="nav-item dropdown no-arrow mx-1">
        <a class="nav-link dropdown-toggle" href="#"
id="messagesDropdown" role="button"
        data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
            <i class="fas fa-envelope fa-fw"></i>
            <!-- Counter - Messages -->
            <span class="badge badge-danger badge-
counter">7</span>
        </a>
        <!-- Dropdown - Messages -->
        <div class="dropdown-list dropdown-menu dropdown-
menu-right shadow animated--grow-in"
            aria-labelledby="messagesDropdown">
            <h6 class="dropdown-header">
                Message Center
            </h6>
            <a class="dropdown-item d-flex align-items-
center" href="#">
                <div class="dropdown-list-image mr-3">
                    
                    <div class="status-indicator bg-
success"></div>
                </div>
                <div class="font-weight-bold">
                    <div class="text-truncate">Hi there! I am
wondering if you can help me with a
                    problem I've been having.</div>
                    <div class="small text-gray-500">Emily
Fowler · 58m</div>
                </div>
            </a>
            <a class="dropdown-item d-flex align-items-
center" href="#">
                <div class="dropdown-list-image mr-3">

```

```

src="img/undraw_profile_2.svg"
        <img class="rounded-circle"
            alt="...">
        <div class="status-indicator"></div>
    </div>
    <div>
        <div class="text-truncate">I have the
photos that you ordered last month, how
        would you like them sent to
you?</div>
        <div class="small text-gray-500">Jae Chun
    </div>
    </div>
</a>
<a class="dropdown-item d-flex align-items-
center" href="#">
        <div class="dropdown-list-image mr-3">
            <img class="rounded-circle"
                alt="...">
            <div class="status-indicator bg-
warning"></div>
        </div>
        <div>
            <div class="text-truncate">Last month's
report looks great, I am very happy with
            the progress so far, keep up the good
work!</div>
            <div class="small text-gray-500">Morgan
Alvarez    </div>
        </div>
    </a>
<a class="dropdown-item d-flex align-items-
center" href="#">
        <div class="dropdown-list-image mr-3">
            <img class="rounded-circle"
                alt="...">
            <div class="status-indicator bg-
success"></div>
        </div>
        <div>
            <div class="text-truncate">Am I a good
boy? The reason I ask is because someone

```

```

told me that people say this to all
dogs, even if they aren't good...</div>
<div class="small text-gray-500">Chicken
the Dog · 2w</div>
</div>
</a>
<a class="dropdown-item text-center small text-
gray-500" href="#">Read More Messages</a>
</div>
</li>

<div class="topbar-divider d-none d-sm-block"></div>

<!-- Nav Item - User Information -->
<li class="nav-item dropdown no-arrow">
  <a class="nav-link dropdown-toggle" href="#"
id="userDropdown" role="button"
  data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
    <span class="mr-2 d-none d-lg-inline text-gray-
600 small"><?=$admin->first_name." ".$admin->last_name?></span>
    
  </a>
  <!-- Dropdown - User Information -->

</li>

</ul>

</nav>
<!-- End of Topbar -->

<!-- Begin Page Content -->
<h4 class="text-center mt-5 pt-5">Hello, Admin</h4>
<h5 class="text-center mt-2">In the menu you can choose a table
to edit! </h5>
<!-- /.container-fluid -->

</div>
<!-- End of Main Content -->

<!-- Footer -->
<footer class="sticky-footer bg-white">
  <div class="container my-auto">

```

```

        <div class="copyright text-center my-auto">
            <span>Copyright &copy; Your Website 2021</span>
        </div>
    </div>
</footer>
<!-- End of Footer -->

</div>
<!-- End of Content Wrapper -->

</div>
<!-- End of Page Wrapper -->

<!-- Scroll to Top Button-->
<a class="scroll-to-top rounded" href="#page-top">
    <i class="fas fa-angle-up"></i>
</a>

<!-- Logout Modal-->
<div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModallabel"
    aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModallabel">Ready to
Leave?</h5>
                <button class="close" type="button" data-dismiss="modal"
aria-label="Close">
                    <span aria-hidden="true">x</span>
                </button>
            </div>
            <div class="modal-body">Select "Logout" below if you are ready to
end your current session.</div>
            <div class="modal-footer">
                <button class="btn btn-secondary" type="button" data-
dismiss="modal">Cancel</button>
                <a class="btn btn-primary" href="login.html">Logout</a>
            </div>
        </div>
    </div>
</div>

<!-- Bootstrap core JavaScript-->
<script src="vendor/jquery/jquery.min.js"></script>

```

```

<script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

<!-- Core plugin JavaScript-->
<script src="vendor/jquery-easing/jquery.easing.min.js"></script>

<!-- Custom scripts for all pages-->
<script src="js/sb-admin-2.min.js"></script>

<!-- Page level plugins -->
<script src="vendor/chart.js/Chart.min.js"></script>

<!-- Page level custom scripts -->
<script src="js/demo/chart-area-demo.js"></script>
<script src="js/demo/chart-pie-demo.js"></script>

</body>

</html>

<?php else:?>
<?php header("Location: ../404.php");?>
<?php endif;?>

```

## editAccount.php

```

<?php
include "../logic/config.php";
include "../logic/function.php";
include "../logic/connect.php";

$admin=$_SESSION['user'];
$roles=getAll("role");

$userId=get("user");
$u=getUserForId($userId);

if(isAdmin()):?>

```

```

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>Admin Panel</title>

    <!-- Custom fonts for this template-->
    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet"
type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300
i,400,400i,600,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template-->
    <link href="css/sb-admin-2.min.css" rel="stylesheet">

</head>

<body id="page-top">

<!-- Page Wrapper -->
<div id="wrapper">

    <!-- Sidebar -->
    <ul class="navbar-nav bg-gradient-primary sidebar sidebar-dark accordion"
id="accordionSidebar">

        <!-- Sidebar - Brand -->
        <a class="sidebar-brand d-flex align-items-center justify-content-
center" href="admin-panel.php">
            <div class="sidebar-brand-icon rotate-n-15">
                <i class="fas fa-laugh-wink"></i>
            </div>
        </a>
        <div class="sidebar-brand-text mx-auto">

```

```

        <a href="../index.php" class="text-white text-center">Back to
site</a>
    </div>

    <!-- Divider -->
    <hr class="sidebar-divider my-0">

    <!-- Nav Item - Dashboard -->
    <li class="nav-item active">
        <a class="nav-link" href="index.html">
            <i class="fas fa-fw fa-tachometer-alt"></i>
            <span>Dashboard</span></a>
        </li>

    <!-- Divider -->
    <hr class="sidebar-divider">

    <!-- Heading -->
    <div class="sidebar-heading">
        Interface
    </div>

    <!-- Nav Item - Pages Collapse Menu -->

    <!-- Nav Item - Utilities Collapse Menu -->

    <!-- Nav Item - Pages Collapse Menu -->
    <li class="nav-item">
        <a class="nav-link collapsed" href="#" data-toggle="collapse"
data-target="#collapsePages"
        aria-expanded="true" aria-controls="collapsePages">
            <i class="fas fa-fw fa-folder"></i>
            <span>Pages</span>
        </a>
        <div id="collapsePages" class="collapse" aria-
labelledby="headingPages" data-parent="#accordionSidebar">
            <div class="bg-white py-2 collapse-inner rounded">
                <h6 class="collapse-header">Login Screens:</h6>
                <a class="collapse-item"
href="editProducts.php">Products</a>

```

```

        <a class="collapse-item"
href="editCategories.php">Categories</a>
        <a class="collapse-item" href="editBrands.php">Brands</a>
        <a class="collapse-item" href="editUsers.php">Users</a>
    </div>
</div>
</li>

<!-- Divider -->
<hr class="sidebar-divider d-none d-md-block">

<!-- Sidebar Toggler (Sidebar) -->
<div class="text-center d-none d-md-inline">
    <button class="rounded-circle border-0"
id="sidebarToggle"></button>
</div>

<!-- Sidebar Message -->
<div class="sidebar-card d-none d-lg-flex">
    
    <p class="text-center mb-2"><strong>SB Admin Pro</strong> is
packed with premium features, components, and more!</p>
    <a class="btn btn-success btn-sm"
href="https://startbootstrap.com/theme/sb-admin-pro">Upgrade to Pro!</a>
</div>

</ul>
<!-- End of Sidebar -->

<!-- Content Wrapper -->
<div id="content-wrapper" class="d-flex flex-column">

    <!-- Main Content -->
    <div id="content">

        <!-- Topbar -->
        <nav class="navbar navbar-expand navbar-light bg-white topbar mb-
4 static-top shadow">

            <!-- Sidebar Toggler (Topbar) -->
            <button id="sidebarToggleTop" class="btn btn-link d-md-none
rounded-circle mr-3">

```



```

        <i class="fa fa-bars"></i>
    </button>

    <!-- Topbar Search -->

    <!-- Topbar Navbar -->
    <ul class="navbar-nav ml-auto">

        <!-- Nav Item - Search Dropdown (Visible Only XS) -->
        <li class="nav-item dropdown no-arrow d-sm-none">
            <a class="nav-link dropdown-toggle" href="#"
id="searchDropdown" role="button"
                data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">

                <i class="fas fa-search fa-fw"></i>
            </a>
            <!-- Dropdown - Messages -->
            <div class="dropdown-menu dropdown-menu-right p-3
shadow animated--grow-in"
                aria-labelledby="searchDropdown">
                <form class="form-inline mr-auto w-100 navbar-
search">

                    <div class="input-group">
                        <input type="text" class="form-control
bg-light border-0 small"
                            placeholder="Search for..." aria-
label="Search"

                            aria-describedby="basic-addon2">
                        <div class="input-group-append">
                            <button class="btn btn-primary"
type="button">

                                <i class="fas fa-search fa-
sm"></i>
                            </button>
                        </div>
                    </div>
                </form>
            </div>
        </li>

        <!-- Nav Item - Alerts -->
        <li class="nav-item dropdown no-arrow mx-1">
            <a class="nav-link dropdown-toggle" href="#"
id="alertsDropdown" role="button"

```

```

        data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
        <i class="fas fa-bell fa-fw"></i>
        <!-- Counter - Alerts -->
        <span class="badge badge-danger badge-
counter">3+</span>
    </a>
    <!-- Dropdown - Alerts -->
    <div class="dropdown-list dropdown-menu dropdown-
menu-right shadow animated--grow-in"
        aria-labelledby="alertsDropdown">
        <h6 class="dropdown-header">
            Alerts Center
        </h6>
        <a class="dropdown-item d-flex align-items-
center" href="#">
            <div class="mr-3">
                <div class="icon-circle bg-primary">
                    <i class="fas fa-file-alt text-
white"></i>
                </div>
            </div>
            <div>
                <div class="small text-gray-500">December
12, 2019</div>
                <span class="font-weight-bold">A new
monthly report is ready to download!</span>
            </div>
        </a>
        <a class="dropdown-item d-flex align-items-
center" href="#">
            <div class="mr-3">
                <div class="icon-circle bg-success">
                    <i class="fas fa-donate text-
white"></i>
                </div>
            </div>
            <div>
                <div class="small text-gray-500">December
7, 2019</div>
                $290.29 has been deposited into your
account!
            </div>
        </a>

```

```

                <a class="dropdown-item d-flex align-items-
center" href="#">
                    <div class="mr-3">
                        <div class="icon-circle bg-warning">
                            <i class="fas fa-exclamation-triangle
text-white"></i>
                        </div>
                    </div>
                    <div>
                        <div class="small text-gray-500">December
2, 2019</div>
                        Spending Alert: We've noticed unusually
high spending for your account.
                    </div>
                </a>
                <a class="dropdown-item text-center small text-
gray-500" href="#">Show All Alerts</a>
            </div>
        </li>

        <!-- Nav Item - Messages -->
        <li class="nav-item dropdown no-arrow mx-1">
            <a class="nav-link dropdown-toggle" href="#"
id="messagesDropdown" role="button"
            data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
                <i class="fas fa-envelope fa-fw"></i>
                <!-- Counter - Messages -->
                <span class="badge badge-danger badge-
counter">7</span>
            </a>
            <!-- Dropdown - Messages -->
            <div class="dropdown-list dropdown-menu dropdown-
menu-right shadow animated--grow-in"
                aria-labelledby="messagesDropdown">
                <h6 class="dropdown-header">
                    Message Center
                </h6>
                <a class="dropdown-item d-flex align-items-
center" href="#">
                    <div class="dropdown-list-image mr-3">
                        

```

```


100


```

```

        </a>
        <a class="dropdown-item d-flex align-items-
center" href="#">
            <div class="dropdown-list-image mr-3">
                
                <div class="status-indicator bg-
success"></div>
            </div>
            <div>
                <div class="text-truncate">Am I a good
boy? The reason I ask is because someone
                told me that people say this to all
dogs, even if they aren't good...</div>
                <div class="small text-gray-500">Chicken
the Dog · 2w</div>
            </div>
        </a>
        <a class="dropdown-item text-center small text-
gray-500" href="#">Read More Messages</a>
    </div>
</li>

<div class="topbar-divider d-none d-sm-block"></div>

<!-- Nav Item - User Information -->
<li class="nav-item dropdown no-arrow">
    <a class="nav-link dropdown-toggle" href="#"
id="userDropdown" role="button"
    data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
        <span class="mr-2 d-none d-lg-inline text-gray-
600 small"><?=$admin->first_name." ".$admin->last_name?></span>
        
    </a>
    <!-- Dropdown - User Information -->

</li>

</ul>

</nav>

```

```

        <!-- Begin Page Content -->
        <div class="container-fluid">

            <!-- Page Heading -->
            <h1 class="h3 mb-2 text-gray-800">Users</h1>

            <div class="card shadow mb-4">
                <div class="card-header py-3 d-flex justify-content-
between">
                    <h6 class="m-0 font-weight-bold text-primary">Manage
users</h6>
                    <h6 class="m-0 font-weight-bold text-primary"
id="messageBox"></h6>
                </div>
                <div class="card-body">
                    <div class="table-responsive">
                        <form>
                            <table class="table table-bordered"
id="dataTable" width="100%" cellpadding="0">
                                <thead>
                                    <tr>
                                        <th>Username</th>
                                        <th>First Name</th>
                                        <th>Last Name</th>
                                        <th>Email</th>
                                        <th>Role</th>
                                        <th>Street</th>
                                        <th>City</th>
                                        <th>State</th>
                                        <th>Zip</th>
                                    </tr>
                                </thead>
                                <tbody id="productsTable">

                                    <?php if(isset($_GET['user'])):?>
                                        <tr>
                                            <td><input type="text"
name="username" id="username" value="<?=$u->username?>"/></td>
                                            <td><input type="text"
name="fName" id="fName" value="<?=$u->first_name?>"/></td>
                                            <td><input type="text"
name="lName" id="lName" value="<?=$u->last_name?>"/></td>
                                            <td><input type="text"
name="email" id="email" value="<?=$u->email?>"/></td>

```

```

                                <td>
                                    <select id="role"
name="role">
                                <?php foreach ($roles
as $r):?>
                                    <option
value="<?=$r->role_id?" <?= $r->role_id==$u->role_id ? "selected" : ""?> ><?=$r-
>role_name?></option>
                                    <?php endforeach;?>
                                </select>
                                </td>
                                <td><input type="text"
name="street" id="street" value="<?=$u->street?">/td>
                                <td><input type="text"
name="city" id="city" value="<?=$u->city?">/td>
                                <td><input type="text"
name="state" id="state" value="<?=$u->state?">/td>
                                <td><input type="text"
name="zip" id="zip" value="<?=$u->zip?">/td>
                                </tr>
                                <?php endif;?>

                                </tbody>

                                </table>
                                </div>
                                <button type="button" name="adminEditUser"
id="adminEditUser" data-id="<?=$userId?" class="btn btn-facebook">Edit
user</button>
                                <small class="d-none">Data is invalid. Enter it
again</small>
                                </form>
                                </div>
                                </div>
                                <!-- /.container-fluid -->

                                </div>
                                <!-- End of Main Content -->

                                <!-- Footer -->

```

```

        <footer class="sticky-footer bg-white">
            <div class="container my-auto">
                <div class="copyright text-center my-auto">
                    <span>Copyright &copy; Your Website 2020</span>
                </div>
            </div>
        </footer>
        <!-- End of Footer -->

    </div>
    <!-- End of Content Wrapper -->

</div>
<!-- End of Page Wrapper -->

<!-- Scroll to Top Button-->
<a class="scroll-to-top rounded" href="#page-top">
    <i class="fas fa-angle-up"></i>
</a>

<!-- Logout Modal-->
<div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel"
    aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModalLabel">Ready to
Leave?</h5>
                <button class="close" type="button" data-dismiss="modal"
aria-label="Close">
                    <span aria-hidden="true">x</span>
                </button>
            </div>
            <div class="modal-body">Select "Logout" below if you are ready to
end your current session.</div>
            <div class="modal-footer">
                <button class="btn btn-secondary" type="button" data-
dismiss="modal">Cancel</button>
                <a class="btn btn-primary" href="login.html">Logout</a>
            </div>
        </div>
    </div>
</div>
</div>

```



```

    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>
    <!-- Bootstrap core JavaScript-->
    <script src="vendor/jquery/jquery.min.js"></script>
    <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

    <!-- Core plugin JavaScript-->
    <script src="vendor/jquery-easing/jquery.easing.min.js"></script>

    <!-- Custom scripts for all pages-->
    <script src="js/sb-admin-2.min.js"></script>

    <!-- Page level plugins -->
    <script src="vendor/datatables/jquery.dataTables.min.js"></script>
    <script src="vendor/datatables/dataTables.bootstrap4.min.js"></script>

    <!-- Page level custom scripts -->
    <script src="js/demo/datatables-demo.js"></script>
    <script src="admin.js"></script>
</body>

</html>

<?php else:?>
    <?php header("Location: ../404.php");?>
<?php endif;?>

```

## editBrands.php

```

<?php
include "../logic/config.php";
include "../logic/function.php";
include "../logic/connect.php";

$admin=$_SESSION['user'];

$brands=getAll("brands");
if(isAdmin()):?>

    <!DOCTYPE html>

```

```

<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>Admin Panel</title>

    <!-- Custom fonts for this template-->
    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet"
type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300
i,400,400i,600,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template-->
    <link href="css/sb-admin-2.min.css" rel="stylesheet">

</head>

<body id="page-top">

<!-- Page Wrapper -->
<div id="wrapper">

    <!-- Sidebar -->
    <ul class="navbar-nav bg-gradient-primary sidebar sidebar-dark accordion"
id="accordionSidebar">

        <!-- Sidebar - Brand -->
        <a class="sidebar-brand d-flex align-items-center justify-content-
center" href="admin-panel.php">
            <div class="sidebar-brand-icon rotate-n-15">
                <i class="fas fa-laugh-wink"></i>
            </div>
        </a>
        <div class="sidebar-brand-text mx-auto">
            <a href=" ../index.php" class="text-white text-center">Back to
site</a>

```

```

</div>

<!-- Divider -->
<hr class="sidebar-divider my-0">

<!-- Nav Item - Dashboard -->
<li class="nav-item active">
    <a class="nav-link" href="index.html">
        <i class="fas fa-fw fa-tachometer-alt"></i>
        <span>Dashboard</span></a>
</li>

<!-- Divider -->
<hr class="sidebar-divider">

<!-- Heading -->
<div class="sidebar-heading">
    Interface
</div>

<!-- Nav Item - Pages Collapse Menu -->

<!-- Nav Item - Utilities Collapse Menu -->

<!-- Nav Item - Pages Collapse Menu -->
<li class="nav-item">
    <a class="nav-link collapsed" href="#" data-toggle="collapse"
data-target="#collapsePages"
        aria-expanded="true" aria-controls="collapsePages">
        <i class="fas fa-fw fa-folder"></i>
        <span>Pages</span>
    </a>
    <div id="collapsePages" class="collapse" aria-
labelledby="headingPages" data-parent="#accordionSidebar">
        <div class="bg-white py-2 collapse-inner rounded">
            <h6 class="collapse-header">Login Screens:</h6>
            <a class="collapse-item"
href="editProducts.php">Products</a>
            <a class="collapse-item"
href="editCategories.php">Categories</a>
            <a class="collapse-item" href="editBrands.php">Brands</a>

```

```

        <a class="collapse-item" href="editUsers.php">Users</a>
    </div>
</div>
</li>

<!-- Divider -->
<hr class="sidebar-divider d-none d-md-block">

<!-- Sidebar Toggler (Sidebar) -->
<div class="text-center d-none d-md-inline">
    <button class="rounded-circle border-0"
id="sidebarToggle"></button>
</div>

<!-- Sidebar Message -->
<div class="sidebar-card d-none d-lg-flex">
    
    <p class="text-center mb-2"><strong>SB Admin Pro</strong> is
packed with premium features, components, and more!</p>
    <a class="btn btn-success btn-sm"
href="https://startbootstrap.com/theme/sb-admin-pro">Upgrade to Pro!</a>
</div>

</ul>
<!-- End of Sidebar -->

<!-- Content Wrapper -->
<div id="content-wrapper" class="d-flex flex-column">

    <!-- Main Content -->
    <div id="content">

        <!-- Topbar -->
        <nav class="navbar navbar-expand navbar-light bg-white topbar mb-
4 static-top shadow">

            <!-- Sidebar Toggler (Topbar) -->
            <button id="sidebarToggleTop" class="btn btn-link d-md-none
rounded-circle mr-3">
                <i class="fa fa-bars"></i>
            </button>

```

```

<!-- Topbar Search -->

<!-- Topbar Navbar -->
<ul class="navbar-nav ml-auto">

    <!-- Nav Item - Search Dropdown (Visible Only XS) -->
    <li class="nav-item dropdown no-arrow d-sm-none">
        <a class="nav-link dropdown-toggle" href="#"
id="searchDropdown" role="button"
            data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
            <i class="fas fa-search fa-fw"></i>
        </a>
        <!-- Dropdown - Messages -->
        <div class="dropdown-menu dropdown-menu-right p-3
shadow animated--grow-in"
            aria-labelledby="searchDropdown">
            <form class="form-inline mr-auto w-100 navbar-
search">
                <div class="input-group">
                    <input type="text" class="form-control
bg-light border-0 small"
                        placeholder="Search for..." aria-
label="Search"
                        aria-describedby="basic-addon2">
                    <div class="input-group-append">
                        <button class="btn btn-primary"
type="button">
                            <i class="fas fa-search fa-
sm"></i>
                        </button>
                    </div>
                </div>
            </form>
        </div>
    </li>

    <!-- Nav Item - Alerts -->
    <li class="nav-item dropdown no-arrow mx-1">
        <a class="nav-link dropdown-toggle" href="#"
id="alertsDropdown" role="button"
            data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
            <i class="fas fa-bell fa-fw"></i>

```

```

        <!-- Counter - Alerts -->
        <span class="badge badge-danger badge-
counter">3</span>

        </a>
        <!-- Dropdown - Alerts -->
        <div class="dropdown-list dropdown-menu dropdown-
menu-right shadow animated--grow-in"
            aria-labelledby="alertsDropdown">
        <h6 class="dropdown-header">
            Alerts Center
        </h6>
        <a class="dropdown-item d-flex align-items-
center" href="#">

            <div class="mr-3">
                <div class="icon-circle bg-primary">
                    <i class="fas fa-file-alt text-
white"></i>

                </div>
            </div>
            <div>
                <div class="small text-gray-500">December
12, 2019</div>

                <span class="font-weight-bold">A new
monthly report is ready to download!</span>
            </div>
        </a>
        <a class="dropdown-item d-flex align-items-
center" href="#">

            <div class="mr-3">
                <div class="icon-circle bg-success">
                    <i class="fas fa-donate text-
white"></i>

                </div>
            </div>
            <div>
                <div class="small text-gray-500">December
7, 2019</div>

                $290.29 has been deposited into your
account!
            </div>
        </a>
        <a class="dropdown-item d-flex align-items-
center" href="#">

            <div class="mr-3">
                <div class="icon-circle bg-warning">

```

```

                <i class="fas fa-exclamation-triangle
text-white"></i>
            </div>
        </div>
        <div>
            <div class="small text-gray-500">December
2, 2019</div>
            Spending Alert: We've noticed unusually
high spending for your account.
        </div>
    </a>
    <a class="dropdown-item text-center small text-
gray-500" href="#">Show All Alerts</a>
</div>
</li>

<!-- Nav Item - Messages -->
<li class="nav-item dropdown no-arrow mx-1">
    <a class="nav-link dropdown-toggle" href="#"
id="messagesDropdown" role="button"
data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
        <i class="fas fa-envelope fa-fw"></i>
        <!-- Counter - Messages -->
        <span class="badge badge-danger badge-
counter">7</span>
    </a>
    <!-- Dropdown - Messages -->
    <div class="dropdown-list dropdown-menu dropdown-
menu-right shadow animated--grow-in"
        aria-labelledby="messagesDropdown">
        <h6 class="dropdown-header">
            Message Center
        </h6>
        <a class="dropdown-item d-flex align-items-
center" href="#">
            <div class="dropdown-list-image mr-3">
                
                <div class="status-indicator bg-
success"></div>
            </div>
            <div class="font-weight-bold">

```

```


Hi there! I am
wondering if you can help me with a
problem I've been having.</div>


Emily
Fowler · 58m</div>
</div>
</a>
<a class="dropdown-item d-flex align-items-
center" href="#">


</div>
</div>
I have the
photos that you ordered last month, how
would you like them sent to
you?</div>


Jae Chun
· 1d</div>
</div>
</a>
<a class="dropdown-item d-flex align-items-
center" href="#">


</div>
</div>
Last month's
report looks great, I am very happy with
the progress so far, keep up the good
work!</div>


Morgan
Alvarez · 2d</div>
</div>
</a>
<a class="dropdown-item d-flex align-items-
center" href="#">


112


```



```

                                
                                <div class="status-indicator bg-
success"></div>
                                </div>
                                <div>
                                    <div class="text-truncate">Am I a good
boy? The reason I ask is because someone
                                told me that people say this to all
dogs, even if they aren't good...</div>
                                    <div class="small text-gray-500">Chicken
the Dog · 2w</div>
                                </div>
                                </a>
                                <a class="dropdown-item text-center small text-
gray-500" href="#">Read More Messages</a>
                                </div>
                            </li>

                            <div class="topbar-divider d-none d-sm-block"></div>

                            <!-- Nav Item - User Information -->
                            <li class="nav-item dropdown no-arrow">
                                <a class="nav-link dropdown-toggle" href="#"
id="userDropdown" role="button"
                                data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
                                    <span class="mr-2 d-none d-lg-inline text-gray-
600 small"><?=$admin->first_name." ".$admin->last_name?></span>
                                    
                                    </a>
                                <!-- Dropdown - User Information -->

                                </li>

                            </ul>

                        </nav>

                        <!-- Begin Page Content -->
                        <div class="container-fluid">

                            <!-- Page Heading -->

```

```

        <h1 class="h3 mb-2 text-gray-800">Brands</h1>

        <div class="card shadow mb-4">
            <div class="card-header py-3 d-flex justify-content-
between">
                <h6 class="m-0 font-weight-bold text-primary">Edit
brands</h6>
                <h6 class="m-0 font-weight-bold text-primary"
id="messageBox"></h6>
            </div>
            <div class="card-body">
                <div class="table-responsive">
                    <table class="table table-bordered"
id="dataTable" width="100%" cellpadding="0">
                        <thead>
                            <tr>
                                <th>Name</th>
                                <th>Is deleted</th>
                                <th>Delete</th>

                                </tr>
                            </thead>
                            <tbody id="productsTable">
                                <?php foreach ($brands as $b):?>
                                    <tr>
                                        <td><?=$b->brand_name?></td>
                                        <td><?=$b-
>is_deleted?"Yes":"No"?></td>
                                        <td><a href="#" class="deleteBrand"
data-id="<?=$b->brand_id?"> Delete</a></td>

                                    </tr>
                                <?php endforeach;?>
                            </tbody>

                        </table>
                    </div>
                </div>
            </div>
        </div>
        <!-- /.container-fluid -->

    </div>
    <!-- End of Main Content -->

```

```

        <!-- Footer -->
        <footer class="sticky-footer bg-white">
            <div class="container my-auto">
                <div class="copyright text-center my-auto">
                    <span>Copyright &copy; Your Website 2020</span>
                </div>
            </div>
        </footer>
        <!-- End of Footer -->

    </div>
    <!-- End of Content Wrapper -->

</div>
<!-- End of Page Wrapper -->

<!-- Scroll to Top Button-->
<a class="scroll-to-top rounded" href="#page-top">
    <i class="fas fa-angle-up"></i>
</a>

<!-- Logout Modal-->
<div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModallabel"
    aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModallabel">Ready to
Leave?</h5>
                <button class="close" type="button" data-dismiss="modal"
aria-label="Close">
                    <span aria-hidden="true">x</span>
                </button>
            </div>
            <div class="modal-body">Select "Logout" below if you are ready to
end your current session.</div>
            <div class="modal-footer">
                <button class="btn btn-secondary" type="button" data-
dismiss="modal">Cancel</button>
                <a class="btn btn-primary" href="login.html">Logout</a>
            </div>
        </div>
    </div>
</div>

```

```

        </div>
        <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>
        <!-- Bootstrap core JavaScript-->
        <script src="vendor/jquery/jquery.min.js"></script>
        <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

        <!-- Core plugin JavaScript-->
        <script src="vendor/jquery-easing/jquery.easing.min.js"></script>

        <!-- Custom scripts for all pages-->
        <script src="js/sb-admin-2.min.js"></script>

        <!-- Page level plugins -->
        <script src="vendor/datatables/jquery.dataTables.min.js"></script>
        <script src="vendor/datatables/dataTables.bootstrap4.min.js"></script>

        <!-- Page level custom scripts -->
        <script src="js/demo/datatables-demo.js"></script>
        <script src="admin.js"></script>
    </body>

    </html>

<?php else:?>
    <?php header("Location: ../404.php");?>
<?php endif;?>

```

## editCategories.php

```

<?php
include "../logic/config.php";
include "../logic/function.php";
include "../logic/connect.php";

$admin=$_SESSION['user'];

$categories=getAll("categories");
if(isAdmin()):?>

    <!DOCTYPE html>

```

```

<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>Admin Panel</title>

    <!-- Custom fonts for this template-->
    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet"
type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300
i,400,400i,600,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template-->
    <link href="css/sb-admin-2.min.css" rel="stylesheet">

</head>

<body id="page-top">

<!-- Page Wrapper -->
<div id="wrapper">

    <!-- Sidebar -->
    <ul class="navbar-nav bg-gradient-primary sidebar sidebar-dark accordion"
id="accordionSidebar">

        <!-- Sidebar - Brand -->
        <a class="sidebar-brand d-flex align-items-center justify-content-
center" href="admin-panel.php">
            <div class="sidebar-brand-icon rotate-n-15">
                <i class="fas fa-laugh-wink"></i>
            </div>
        </a>
        <div class="sidebar-brand-text mx-auto">
            <a href=" ../index.php" class="text-white text-center">Back to
site</a>

```

```

</div>

<!-- Divider -->
<hr class="sidebar-divider my-0">

<!-- Nav Item - Dashboard -->
<li class="nav-item active">
    <a class="nav-link" href="index.html">
        <i class="fas fa-fw fa-tachometer-alt"></i>
        <span>Dashboard</span></a>
</li>

<!-- Divider -->
<hr class="sidebar-divider">

<!-- Heading -->
<div class="sidebar-heading">
    Interface
</div>

<!-- Nav Item - Pages Collapse Menu -->

<!-- Nav Item - Utilities Collapse Menu -->

<!-- Nav Item - Pages Collapse Menu -->
<li class="nav-item">
    <a class="nav-link collapsed" href="#" data-toggle="collapse"
data-target="#collapsePages"
        aria-expanded="true" aria-controls="collapsePages">
        <i class="fas fa-fw fa-folder"></i>
        <span>Pages</span>
    </a>
    <div id="collapsePages" class="collapse" aria-
labelledby="headingPages" data-parent="#accordionSidebar">
        <div class="bg-white py-2 collapse-inner rounded">
            <h6 class="collapse-header">Login Screens:</h6>
            <a class="collapse-item"
href="editProducts.php">Products</a>
            <a class="collapse-item"
href="editCategories.php">Categories</a>
            <a class="collapse-item" href="editBrands.php">Brands</a>

```

```

        <a class="collapse-item" href="editUsers.php">Users</a>
    </div>
</div>
</li>

<!-- Divider -->
<hr class="sidebar-divider d-none d-md-block">

<!-- Sidebar Toggler (Sidebar) -->
<div class="text-center d-none d-md-inline">
    <button class="rounded-circle border-0"
id="sidebarToggle"></button>
</div>

<!-- Sidebar Message -->
<div class="sidebar-card d-none d-lg-flex">
    
    <p class="text-center mb-2"><strong>SB Admin Pro</strong> is
packed with premium features, components, and more!</p>
    <a class="btn btn-success btn-sm"
href="https://startbootstrap.com/theme/sb-admin-pro">Upgrade to Pro!</a>
</div>

</ul>
<!-- End of Sidebar -->

<!-- Content Wrapper -->
<div id="content-wrapper" class="d-flex flex-column">

    <!-- Main Content -->
    <div id="content">

        <!-- Topbar -->
        <nav class="navbar navbar-expand navbar-light bg-white topbar mb-
4 static-top shadow">

            <!-- Sidebar Toggler (Topbar) -->
            <button id="sidebarToggleTop" class="btn btn-link d-md-none
rounded-circle mr-3">
                <i class="fa fa-bars"></i>
            </button>

```

```

<!-- Topbar Search -->

<!-- Topbar Navbar -->
<ul class="navbar-nav ml-auto">

    <!-- Nav Item - Search Dropdown (Visible Only XS) -->
    <li class="nav-item dropdown no-arrow d-sm-none">
        <a class="nav-link dropdown-toggle" href="#"
id="searchDropdown" role="button"
        data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
            <i class="fas fa-search fa-fw"></i>
        </a>
        <!-- Dropdown - Messages -->
        <div class="dropdown-menu dropdown-menu-right p-3
shadow animated--grow-in"
            aria-labelledby="searchDropdown">
            <form class="form-inline mr-auto w-100 navbar-
search">
                <div class="input-group">
                    <input type="text" class="form-control
bg-light border-0 small"
                        placeholder="Search for..." aria-
label="Search"
                        aria-describedby="basic-addon2">
                    <div class="input-group-append">
                        <button class="btn btn-primary"
type="button">
                            <i class="fas fa-search fa-
sm"></i>
                        </button>
                    </div>
                </div>
            </form>
        </div>
    </li>

    <!-- Nav Item - Alerts -->
    <li class="nav-item dropdown no-arrow mx-1">
        <a class="nav-link dropdown-toggle" href="#"
id="alertsDropdown" role="button"
        data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
            <i class="fas fa-bell fa-fw"></i>

```



```

        <!-- Counter - Alerts -->
        <span class="badge badge-danger badge-
counter">3</span>

        </a>
        <!-- Dropdown - Alerts -->
        <div class="dropdown-list dropdown-menu dropdown-
menu-right shadow animated--grow-in"
            aria-labelledby="alertsDropdown">
        <h6 class="dropdown-header">
            Alerts Center
        </h6>
        <a class="dropdown-item d-flex align-items-
center" href="#">

            <div class="mr-3">
                <div class="icon-circle bg-primary">
                    <i class="fas fa-file-alt text-
white"></i>

                </div>
            </div>
            <div>
                <div class="small text-gray-500">December
12, 2019</div>

                <span class="font-weight-bold">A new
monthly report is ready to download!</span>
            </div>
        </a>
        <a class="dropdown-item d-flex align-items-
center" href="#">

            <div class="mr-3">
                <div class="icon-circle bg-success">
                    <i class="fas fa-donate text-
white"></i>

                </div>
            </div>
            <div>
                <div class="small text-gray-500">December
7, 2019</div>

                $290.29 has been deposited into your
account!
            </div>
        </a>
        <a class="dropdown-item d-flex align-items-
center" href="#">

            <div class="mr-3">
                <div class="icon-circle bg-warning">

```

```

                <i class="fas fa-exclamation-triangle
text-white"></i>
            </div>
        </div>
        <div>
            <div class="small text-gray-500">December
2, 2019</div>
            Spending Alert: We've noticed unusually
high spending for your account.
        </div>
    </a>
    <a class="dropdown-item text-center small text-
gray-500" href="#">Show All Alerts</a>
</div>
</li>

<!-- Nav Item - Messages -->
<li class="nav-item dropdown no-arrow mx-1">
    <a class="nav-link dropdown-toggle" href="#"
id="messagesDropdown" role="button"
data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
        <i class="fas fa-envelope fa-fw"></i>
        <!-- Counter - Messages -->
        <span class="badge badge-danger badge-
counter">7</span>
    </a>
    <!-- Dropdown - Messages -->
    <div class="dropdown-list dropdown-menu dropdown-
menu-right shadow animated--grow-in"
        aria-labelledby="messagesDropdown">
        <h6 class="dropdown-header">
            Message Center
        </h6>
        <a class="dropdown-item d-flex align-items-
center" href="#">
            <div class="dropdown-list-image mr-3">
                
                <div class="status-indicator bg-
success"></div>
            </div>
            <div class="font-weight-bold">

```

```


Hi there! I am
wondering if you can help me with a
problem I've been having.</div>


Emily
Fowler · 58m</div>
</div>
</a>
<a class="dropdown-item d-flex align-items-
center" href="#">


</div>
</div>
I have the
photos that you ordered last month, how
would you like them sent to
you?</div>


Jae Chun
· 1d</div>
</div>
</a>
<a class="dropdown-item d-flex align-items-
center" href="#">


</div>
</div>
Last month's
report looks great, I am very happy with
the progress so far, keep up the good
work!</div>


Morgan
Alvarez · 2d</div>
</div>
</a>
<a class="dropdown-item d-flex align-items-
center" href="#">


123


```

```

                                
                                <div class="status-indicator bg-
success"></div>
                                </div>
                                <div>
                                    <div class="text-truncate">Am I a good
boy? The reason I ask is because someone
                                told me that people say this to all
dogs, even if they aren't good...</div>
                                <div class="small text-gray-500">Chicken
the Dog · 2w</div>
                                </div>
                                </a>
                                <a class="dropdown-item text-center small text-
gray-500" href="#">Read More Messages</a>
                                </div>
                            </li>

                            <div class="topbar-divider d-none d-sm-block"></div>

                            <!-- Nav Item - User Information -->
                            <li class="nav-item dropdown no-arrow">
                                <a class="nav-link dropdown-toggle" href="#"
id="userDropdown" role="button"
                                data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
                                    <span class="mr-2 d-none d-lg-inline text-gray-
600 small"><?=$admin->first_name." ".$admin->last_name?></span>
                                    
                                </a>
                                <!-- Dropdown - User Information -->

                                </li>

                            </ul>

                        </nav>

                        <!-- Begin Page Content -->
                        <div class="container-fluid">

                            <!-- Page Heading -->

```

```

        <h1 class="h3 mb-2 text-gray-800">Categories</h1>

        <div class="card shadow mb-4">
            <div class="card-header py-3 d-flex justify-content-
between">
                <h6 class="m-0 font-weight-bold text-primary">Edit
categories</h6>
                <h6 class="m-0 font-weight-bold text-primary"
id="messageBox"></h6>
            </div>

            <div class="card-body">
                <div class="table-responsive">
                    <table class="table table-bordered"
id="dataTable" width="100%" cellpadding="0">
                        <thead>
                            <tr>
                                <th>Name</th>
                                <th>Delete</th>
                                <th>Is deleted</th>
                            </tr>
                        </thead>
                        <tbody id="productsTable">
                            <?php foreach ($categories as $c):?>

                                <tr>
                                    <td><?=$c->category_name?></td>
                                    <td><a href="#"
class="deleteCategory" data-id="<?=$c->category_id?>" >Delete</a></td>
                                    <td><?=$c-
>is_deleted?"Yes":"No"?></td>
                                </tr>
                            <?php endforeach;?>
                        </tbody>
                    </table>
                </div>
            </div>
        </div>
    </div>
    <!-- /.container-fluid -->

</div>
<!-- End of Main Content -->

```

```

        <!-- Footer -->
        <footer class="sticky-footer bg-white">
            <div class="container my-auto">
                <div class="copyright text-center my-auto">
                    <span>Copyright &copy; Your Website 2020</span>
                </div>
            </div>
        </footer>
        <!-- End of Footer -->

    </div>
    <!-- End of Content Wrapper -->

</div>
<!-- End of Page Wrapper -->

<!-- Scroll to Top Button-->
<a class="scroll-to-top rounded" href="#page-top">
    <i class="fas fa-angle-up"></i>
</a>

<!-- Logout Modal-->
<div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModallabel"
    aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModallabel">Ready to
Leave?</h5>
                <button class="close" type="button" data-dismiss="modal"
aria-label="Close">
                    <span aria-hidden="true">x</span>
                </button>
            </div>
            <div class="modal-body">Select "Logout" below if you are ready to
end your current session.</div>
            <div class="modal-footer">
                <button class="btn btn-secondary" type="button" data-
dismiss="modal">Cancel</button>
                <a class="btn btn-primary" href="login.html">Logout</a>
            </div>
        </div>
    </div>
</div>

```

```

        </div>
        <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>
        <!-- Bootstrap core JavaScript-->
        <script src="vendor/jquery/jquery.min.js"></script>
        <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

        <!-- Core plugin JavaScript-->
        <script src="vendor/jquery-easing/jquery.easing.min.js"></script>

        <!-- Custom scripts for all pages-->
        <script src="js/sb-admin-2.min.js"></script>

        <!-- Page level plugins -->
        <script src="vendor/datatables/jquery.dataTables.min.js"></script>
        <script src="vendor/datatables/dataTables.bootstrap4.min.js"></script>

        <!-- Page level custom scripts -->
        <script src="js/demo/datatables-demo.js"></script>
        <script src="admin.js"></script>
    </body>

    </html>

<?php else:?>
    <?php header("Location: ../404.php");?>
<?php endif;?>

```

## editProducts.php

```

<?php
include "../logic/config.php";
include "../logic/function.php";
include "../logic/connect.php";

$admin=$_SESSION['user'];

$products=productsBrandCategory();
if(isAdmin()):?>

<!DOCTYPE html>

```

```

<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-
to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>Admin Panel</title>

    <!-- Custom fonts for this template-->
    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet"
type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300
i,400,400i,600,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template-->
    <link href="css/sb-admin-2.min.css" rel="stylesheet">

</head>

<body id="page-top">

<!-- Page Wrapper -->
<div id="wrapper">

    <!-- Sidebar -->
    <ul class="navbar-nav bg-gradient-primary sidebar sidebar-dark accordion"
id="accordionSidebar">

        <!-- Sidebar - Brand -->
        <a class="sidebar-brand d-flex align-items-center justify-content-center"
href="admin-panel.php">
            <div class="sidebar-brand-icon rotate-n-15">
                <i class="fas fa-laugh-wink"></i>
            </div>
        </a>
        <div class="sidebar-brand-text mx-auto">
            <a href=" ../index.php" class="text-white text-center">Back to
site</a>

```



```

</div>

<!-- Divider -->
<hr class="sidebar-divider my-0">

<!-- Nav Item - Dashboard -->
<li class="nav-item active">
    <a class="nav-link" href="index.html">
        <i class="fas fa-fw fa-tachometer-alt"></i>
        <span>Dashboard</span></a>
</li>

<!-- Divider -->
<hr class="sidebar-divider">

<!-- Heading -->
<div class="sidebar-heading">
    Interface
</div>

<!-- Nav Item - Pages Collapse Menu -->

<!-- Nav Item - Utilities Collapse Menu -->

<!-- Nav Item - Pages Collapse Menu -->
<li class="nav-item">
    <a class="nav-link collapsed" href="#" data-toggle="collapse" data-
target="#collapsePages"
        aria-expanded="true" aria-controls="collapsePages">
        <i class="fas fa-fw fa-folder"></i>
        <span>Pages</span>
    </a>
    <div id="collapsePages" class="collapse" aria-
labelledby="headingPages" data-parent="#accordionSidebar">
        <div class="bg-white py-2 collapse-inner rounded">
            <h6 class="collapse-header">Login Screens:</h6>
            <a class="collapse-item" href="editProducts.php">Products</a>
            <a class="collapse-item"
href="editCategories.php">Categories</a>
            <a class="collapse-item" href="editBrands.php">Brands</a>
            <a class="collapse-item" href="editUsers.php">Users</a>

```

```

        </div>
    </div>
</li>

<!-- Divider -->
<hr class="sidebar-divider d-none d-md-block">

<!-- Sidebar Toggler (Sidebar) -->
<div class="text-center d-none d-md-inline">
    <button class="rounded-circle border-0" id="sidebarToggle"></button>
</div>

<!-- Sidebar Message -->
<div class="sidebar-card d-none d-lg-flex">
    
    <p class="text-center mb-2"><strong>SB Admin Pro</strong> is packed
with premium features, components, and more!</p>
    <a class="btn btn-success btn-sm"
href="https://startbootstrap.com/theme/sb-admin-pro">Upgrade to Pro!</a>
</div>

</ul>
<!-- End of Sidebar -->

<!-- Content Wrapper -->
<div id="content-wrapper" class="d-flex flex-column">

    <!-- Main Content -->
    <div id="content">

        <!-- Topbar -->
        <nav class="navbar navbar-expand navbar-light bg-white topbar mb-4
static-top shadow">

            <!-- Sidebar Toggler (Topbar) -->
            <button id="sidebarToggleTop" class="btn btn-link d-md-none
rounded-circle mr-3">
                <i class="fa fa-bars"></i>
            </button>

            <!-- Topbar Search -->

```

```

        <!-- Topbar Navbar -->
        <ul class="navbar-nav ml-auto">

            <!-- Nav Item - Search Dropdown (Visible Only XS) -->
            <li class="nav-item dropdown no-arrow d-sm-none">
                <a class="nav-link dropdown-toggle" href="#"
id="searchDropdown" role="button"
                    data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">

                    <i class="fas fa-search fa-fw"></i>
                </a>
                <!-- Dropdown - Messages -->
                <div class="dropdown-menu dropdown-menu-right p-3 shadow
animated--grow-in"
                    aria-labelledby="searchDropdown">
                    <form class="form-inline mr-auto w-100 navbar-
search">

                        <div class="input-group">
                            <input type="text" class="form-control bg-
light border-0 small"
                                placeholder="Search for..." aria-
label="Search"

                                aria-describedby="basic-addon2">
                            <div class="input-group-append">
                                <button class="btn btn-primary"
type="button">

                                    <i class="fas fa-search fa-sm"></i>
                                </button>
                            </div>
                        </div>
                    </form>
                </div>
            </li>

            <!-- Nav Item - Alerts -->
            <li class="nav-item dropdown no-arrow mx-1">
                <a class="nav-link dropdown-toggle" href="#"
id="alertsDropdown" role="button"
                    data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">

                    <i class="fas fa-bell fa-fw"></i>
                    <!-- Counter - Alerts -->
                    <span class="badge badge-danger badge-
counter">3+</span>
                </a>

```

```

        <!-- Dropdown - Alerts -->
        <div class="dropdown-list dropdown-menu dropdown-menu-
right shadow animated--grow-in"
            aria-labelledby="alertsDropdown">
            <h6 class="dropdown-header">
                Alerts Center
            </h6>
            <a class="dropdown-item d-flex align-items-center"
href="#">
                <div class="mr-3">
                    <div class="icon-circle bg-primary">
                        <i class="fas fa-file-alt text-
white"></i>
                    </div>
                </div>
                <div>
                    <div class="small text-gray-500">December 12,
2019</div>
                    <span class="font-weight-bold">A new monthly
report is ready to download!</span>
                </div>
            </a>
            <a class="dropdown-item d-flex align-items-center"
href="#">
                <div class="mr-3">
                    <div class="icon-circle bg-success">
                        <i class="fas fa-donate text-white"></i>
                    </div>
                </div>
                <div>
                    <div class="small text-gray-500">December 7,
2019</div>
                    <div>
                        $290.29 has been deposited into your account!
                    </div>
                </div>
            </a>
            <a class="dropdown-item d-flex align-items-center"
href="#">
                <div class="mr-3">
                    <div class="icon-circle bg-warning">
                        <i class="fas fa-exclamation-triangle
text-white"></i>
                    </div>
                </div>
                <div>
                    <div>

```

```

                <div class="small text-gray-500">December 2,
2019</div>
                Spending Alert: We've noticed unusually high
spending for your account.
            </div>
        </a>
        <a class="dropdown-item text-center small text-gray-
500" href="#">Show All Alerts</a>
    </div>
</li>

<!-- Nav Item - Messages -->
<li class="nav-item dropdown no-arrow mx-1">
    <a class="nav-link dropdown-toggle" href="#"
id="messagesDropdown" role="button"
data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
        <i class="fas fa-envelope fa-fw"></i>
        <!-- Counter - Messages -->
        <span class="badge badge-danger badge-
counter">7</span>
    </a>
    <!-- Dropdown - Messages -->
    <div class="dropdown-list dropdown-menu dropdown-menu-
right shadow animated--grow-in"
        aria-labelledby="messagesDropdown">
        <h6 class="dropdown-header">
            Message Center
        </h6>
        <a class="dropdown-item d-flex align-items-center"
href="#">
            <div class="dropdown-list-image mr-3">
                
                <div class="status-indicator bg-
success"></div>
            </div>
            <div class="font-weight-bold">
                <div class="text-truncate">Hi there! I am
wondering if you can help me with a
                problem I've been having.</div>
                <div class="small text-gray-500">Emily Fowler
                • 58m</div>
            </div>

```

```

        </a>
        <a class="dropdown-item d-flex align-items-center"
href="#">
            <div class="dropdown-list-image mr-3">
                
                <div class="status-indicator"></div>
            </div>
            <div>
                <div class="text-truncate">I have the photos
that you ordered last month, how
                would you like them sent to you?</div>
                <div class="small text-gray-500">Jae Chun ·
1d</div>
            </div>
        </a>
        <a class="dropdown-item d-flex align-items-center"
href="#">
            <div class="dropdown-list-image mr-3">
                
                <div class="status-indicator bg-
warning"></div>
            </div>
            <div>
                <div class="text-truncate">Last month's
report looks great, I am very happy with
                the progress so far, keep up the good
work!</div>
                <div class="small text-gray-500">Morgan
Alvarez · 2d</div>
            </div>
        </a>
        <a class="dropdown-item d-flex align-items-center"
href="#">
            <div class="dropdown-list-image mr-3">
                
                <div class="status-indicator bg-
success"></div>
            </div>
            <div>

```

```


Am I a good boy?
The reason I ask is because someone
told me that people say this to all dogs,
even if they aren't good...</div>


Chicken the
Dog · 2w</div>
</div>
</a>
<a class="dropdown-item text-center small text-gray-
500" href="#">Read More Messages</a>
</div>
</li>

<div class="topbar-divider d-none d-sm-block"></div>

<!-- Nav Item - User Information -->
<li class="nav-item dropdown no-arrow">
  <a class="nav-link dropdown-toggle" href="#"
id="userDropdown" role="button"
data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
    <span class="mr-2 d-none d-lg-inline text-gray-600
small"><?=$admin->first_name." ".$admin->last_name?></span>
    
  </a>
  <!-- Dropdown - User Information -->

</li>

</ul>

</nav>

<!-- Begin Page Content -->
<div class="container-fluid">

  <!-- Page Heading -->
  <h1 class="h3 mb-2 text-gray-800">Products</h1>

  <div class="card shadow mb-4">
    <div class="card-header py-3 d-flex justify-content-start">
      <h6 class="m-0 font-weight-bold text-primary">Edit
products</h6>


```

```

        <h6 class="m-0 font-weight-bold text-primary"
id="messageBox"></h6>
    </div>
    <div class="card-body">
        <div class="table-responsive">
            <button class="m-0 font-weight-bold btn btn-
facebook"><a href="insertProduct.php" class="text-white">Insert
Product</a></button>

            <table class="table table-bordered" id="dataTable"
width="100%" cellpadding="0">
                <thead>
                    <tr>
                        <th>Name</th>
                        <th>Image</th>
                        <th>Description</th>
                        <th>Price</th>
                        <th>Category</th>
                        <th>Brand</th>
                        <th>Is deleted</th>
                        <th>Edit</th>
                        <th>Delete</th>
                    </tr>
                </thead>
                <tbody id="productsTable">
                    <?php foreach ($products as $p):?>
                        <tr>
                            <td><?=$p->product_name?></td>
                            <td></td>
                            <td><?=$p->description?></td>
                            <td><?=$p->price?></td>
                            <td><?=$p->category_name?></td>
                            <td><?=$p->brand_name?></td>
                            <td><?=$p->is_deleted? "Yes":"No"
?></td>

                            <td><a
href="editSingleProduct.php?product=<?=$p->product_id?>" class="editProduct"
data-id="<?=$p->product_id?>" >Edit</a></td>
                            <td><a href="#" class="deleteProduct"
data-id="<?=$p->product_id?>" >Delete</a>

                            </td>

                        </tr>
                    <?php endforeach;?>

```



```

                </tbody>

            </table>
        </div>
    </div>
</div>

<!-- /.container-fluid -->

</div>
<!-- End of Main Content -->

<!-- Footer -->
<footer class="sticky-footer bg-white">
    <div class="container my-auto">
        <div class="copyright text-center my-auto">
            <span>Copyright &copy; Your Website 2020</span>
        </div>
    </div>
</footer>
<!-- End of Footer -->

</div>
<!-- End of Content Wrapper -->

</div>
<!-- End of Page Wrapper -->

<!-- Scroll to Top Button-->
<a class="scroll-to-top rounded" href="#page-top">
    <i class="fas fa-angle-up"></i>
</a>

<!-- Logout Modal-->
<div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel"
    aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModalLabel">Ready to
Leave?</h5>
                <button class="close" type="button" data-dismiss="modal" aria-
label="Close">

```

```

        <span aria-hidden="true">×</span>
    </button>
</div>
<div class="modal-body">Select "Logout" below if you are ready to end
your current session.</div>
<div class="modal-footer">
    <button class="btn btn-secondary" type="button" data-
dismiss="modal">Cancel</button>
    <a class="btn btn-primary" href="login.html">Logout</a>
</div>
</div>
</div>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>
<!-- Bootstrap core JavaScript-->
<script src="vendor/jquery/jquery.min.js"></script>
<script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

<!-- Core plugin JavaScript-->
<script src="vendor/jquery-easing/jquery.easing.min.js"></script>

<!-- Custom scripts for all pages-->
<script src="js/sb-admin-2.min.js"></script>

<!-- Page level plugins -->
<script src="vendor/datatables/jquery.dataTables.min.js"></script>
<script src="vendor/datatables/dataTables.bootstrap4.min.js"></script>

<!-- Page level custom scripts -->
<script src="js/demo/datatables-demo.js"></script>
<script src="admin.js"></script>
</body>

</html>

<?php else:?>
    <?php header("Location: ../404.php");?>
<?php endif;?>

```

editSingleProduct.php

```

<?php
include "../logic/config.php";
include "../logic/function.php";
include "../logic/connect.php";

$admin=$_SESSION['user'];
$categories=getAll("categories");
$brands=getAll("brands");

$productId=get("product");
$p=getProductWhereID($productId);

if(isAdmin()):?>

    <!DOCTYPE html>
    <html lang="en">

    <head>

        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
        <meta name="description" content="">
        <meta name="author" content="">

        <title>Admin Panel</title>

        <!-- Custom fonts for this template-->
        <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet"
type="text/css">
        <link
            href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300
i,400,400i,600,600i,700,700i,800,800i,900,900i"
            rel="stylesheet">

        <!-- Custom styles for this template-->
        <link href="css/sb-admin-2.min.css" rel="stylesheet">

    </head>

    <body id="page-top">

        <!-- Page Wrapper -->
        <div id="wrapper">

```

```

        <!-- Sidebar -->
        <ul class="navbar-nav bg-gradient-primary sidebar sidebar-dark accordion"
id="accordionSidebar">

            <!-- Sidebar - Brand -->
            <a class="sidebar-brand d-flex align-items-center justify-content-
center" href="admin-panel.php">
                <div class="sidebar-brand-icon rotate-n-15">
                    <i class="fas fa-laugh-wink"></i>
                </div>
            </a>
            <div class="sidebar-brand-text mx-auto">
                <a href="../index.php" class="text-white text-center">Back to
site</a>
            </div>

            <!-- Divider -->
            <hr class="sidebar-divider my-0">

            <!-- Nav Item - Dashboard -->
            <li class="nav-item active">
                <a class="nav-link" href="index.html">
                    <i class="fas fa-fw fa-tachometer-alt"></i>
                    <span>Dashboard</span></a>
            </li>

            <!-- Divider -->
            <hr class="sidebar-divider">

            <!-- Heading -->
            <div class="sidebar-heading">
                Interface
            </div>

            <!-- Nav Item - Pages Collapse Menu -->

            <!-- Nav Item - Utilities Collapse Menu -->

            <!-- Nav Item - Pages Collapse Menu -->
            <li class="nav-item">

```

```

        <a class="nav-link collapsed" href="#" data-toggle="collapse"
data-target="#collapsePages"
        aria-expanded="true" aria-controls="collapsePages">
            <i class="fas fa-fw fa-folder"></i>
            <span>Pages</span>
        </a>
        <div id="collapsePages" class="collapse" aria-
labelledby="headingPages" data-parent="#accordionSidebar">
            <div class="bg-white py-2 collapse-inner rounded">
                <h6 class="collapse-header">Login Screens:</h6>
                <a class="collapse-item"
href="editProducts.php">Products</a>
                <a class="collapse-item"
href="editCategories.php">Categories</a>
                <a class="collapse-item" href="editBrands.php">Brands</a>
                <a class="collapse-item" href="editUsers.php">Users</a>
            </div>
        </div>
    </li>

    <!-- Divider -->
    <hr class="sidebar-divider d-none d-md-block">

    <!-- Sidebar Toggler (Sidebar) -->
    <div class="text-center d-none d-md-inline">
        <button class="rounded-circle border-0"
id="sidebarToggle"></button>
    </div>

    <!-- Sidebar Message -->
    <div class="sidebar-card d-none d-lg-flex">
        
        <p class="text-center mb-2"><strong>SB Admin Pro</strong> is
packed with premium features, components, and more!</p>
        <a class="btn btn-success btn-sm"
href="https://startbootstrap.com/theme/sb-admin-pro">Upgrade to Pro!</a>
    </div>

</ul>
<!-- End of Sidebar -->

<!-- Content Wrapper -->

```

```

<div id="content-wrapper" class="d-flex flex-column">

    <!-- Main Content -->
    <div id="content">

        <!-- Topbar -->
        <nav class="navbar navbar-expand navbar-light bg-white topbar mb-4 static-top shadow">

            <!-- Sidebar Toggle (Topbar) -->
            <button id="sidebarToggleTop" class="btn btn-link d-md-none rounded-circle mr-3">
                <i class="fa fa-bars"></i>
            </button>

            <!-- Topbar Search -->

            <!-- Topbar Navbar -->
            <ul class="navbar-nav ml-auto">

                <!-- Nav Item - Search Dropdown (Visible Only XS) -->
                <li class="nav-item dropdown no-arrow d-sm-none">
                    <a class="nav-link dropdown-toggle" href="#" id="searchDropdown" role="button" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
                        <i class="fas fa-search fa-fw"></i>
                    </a>
                    <!-- Dropdown - Messages -->
                    <div class="dropdown-menu dropdown-menu-right p-3 shadow animated--grow-in" aria-labelledby="searchDropdown">
                        <form class="form-inline mr-auto w-100 navbar-search">
                            <div class="input-group">
                                <input type="text" class="form-control bg-light border-0 small" placeholder="Search for..." aria-label="Search" aria-describedby="basic-addon2">
                                <div class="input-group-append">
                                    <button class="btn btn-primary" type="button">

```

```

                                <i class="fas fa-search fa-
sm"></i>
                                </button>
                                </div>
                                </div>
                                </div>
                                </form>
                                </div>
                                </li>

                                <!-- Nav Item - Alerts -->
                                <li class="nav-item dropdown no-arrow mx-1">
                                    <a class="nav-link dropdown-toggle" href="#"
id="alertsDropdown" role="button"
                                    data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
                                        <i class="fas fa-bell fa-fw"></i>
                                        <!-- Counter - Alerts -->
                                        <span class="badge badge-danger badge-
counter">3</span>
                                        </a>
                                        <!-- Dropdown - Alerts -->
                                        <div class="dropdown-list dropdown-menu dropdown-
menu-right shadow animated--grow-in"
                                            aria-labelledby="alertsDropdown">
                                            <h6 class="dropdown-header">
                                                Alerts Center
                                            </h6>
                                            <a class="dropdown-item d-flex align-items-
center" href="#">
                                                <div class="mr-3">
                                                    <div class="icon-circle bg-primary">
                                                        <i class="fas fa-file-alt text-
white"></i>
                                                    </div>
                                                </div>
                                                <div>
                                                    <div class="small text-gray-500">December
12, 2019</div>
                                                    <span class="font-weight-bold">A new
monthly report is ready to download!</span>
                                                </div>
                                            </a>
                                            <a class="dropdown-item d-flex align-items-
center" href="#">
                                                <div class="mr-3">

```

```


144


```



```


145


```

```

        alt="...">
        <div class="status-indicator bg-
warning"></div>

        </div>
        <div>
            <div class="text-truncate">Last month's
report looks great, I am very happy with
the progress so far, keep up the good
work!</div>

            <div class="small text-gray-500">Morgan
Alvarez · 2d</div>

        </div>
    </a>
    <a class="dropdown-item d-flex align-items-
center" href="#">

        <div class="dropdown-list-image mr-3">
            
            <div class="status-indicator bg-
success"></div>

        </div>
        <div>
            <div class="text-truncate">Am I a good
boy? The reason I ask is because someone
told me that people say this to all
dogs, even if they aren't good...</div>

            <div class="small text-gray-500">Chicken
the Dog · 2w</div>

        </div>
    </a>
    <a class="dropdown-item text-center small text-
gray-500" href="#">Read More Messages</a>
</div>
</li>

<div class="topbar-divider d-none d-sm-block"></div>

<!-- Nav Item - User Information -->
<li class="nav-item dropdown no-arrow">
    <a class="nav-link dropdown-toggle" href="#"
id="userDropdown" role="button"
data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">

```

```

        <span class="mr-2 d-none d-lg-inline text-gray-
600 small"><?=$admin->first_name." ".$admin->last_name?></span>
        
    </a>
    <!-- Dropdown - User Information -->

</li>

</ul>

</nav>

<!-- Begin Page Content -->
<div class="container-fluid">

    <!-- Page Heading -->
    <h1 class="h3 mb-2 text-gray-800">Products</h1>

    <div class="card shadow mb-4">
        <div class="card-header py-3 d-flex justify-content-
between">
            <h6 class="m-0 font-weight-bold text-primary">Edit
products</h6>
            <h6 class="m-0 font-weight-bold text-primary"
id="messageBox"></h6>
        </div>
        <div class="card-body">
            <div class="table-responsive">
                <form>
                    <table class="table table-bordered"
id="dataTable" width="100%" cellpadding="0">
                        <thead>
                            <tr>
                                <th>Name</th>
                                <th>Image</th>
                                <th>Description</th>
                                <th>Price</th>
                                <th>Category</th>
                                <th>Brand</th>
                            </tr>
                        </thead>
                        <tbody id="productsTable">
                            <?php if(isset($_GET['product'])):?>
                                <tr>

```

```
 <input type="text" name="productName" id="productName" value="<?=$p->product_name?"></td>  </td>  <textarea name="description" id="description"><?=$p->description?></textarea></td>  <input type="text" name="price" id="price" value="<?=$p->price?"></td>  <select id="category" name="category"> <?php foreach ($categories as $c):?> <option value="<?=$c- >category_id?" <?= $c->category_id==$p->category_id ? "selected" : ""?"> <?=$c- >category_name?"></option> <?php endforeach;?> </select> </td>  <select id="brand" name="brand"> <?php foreach ($brands as $b):?> <option value="<?=$b- >brand_id?" <?= $b->brand_id==$p->brand_id ? "selected" : ""?"> <?=$b- >brand_name?"></option> <?php endforeach;?> </select> </td> | | | | | |
```

```

        <small class="d-none">Data is invalid. Enter it
again</small>

        </form>

    </div>
</div>

</div>
<!-- /.container-fluid -->

</div>
<!-- End of Main Content -->

<!-- Footer -->
<footer class="sticky-footer bg-white">
    <div class="container my-auto">
        <div class="copyright text-center my-auto">
            <span>Copyright &copy; Your Website 2020</span>
        </div>
    </div>
</footer>
<!-- End of Footer -->

</div>
<!-- End of Content Wrapper -->

</div>
<!-- End of Page Wrapper -->

<!-- Scroll to Top Button-->
<a class="scroll-to-top rounded" href="#page-top">
    <i class="fas fa-angle-up"></i>
</a>

<!-- Logout Modal-->
<div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel"
    aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModalLabel">Ready to
Leave?</h5>

```

```

        <button class="close" type="button" data-dismiss="modal"
aria-label="Close">
            <span aria-hidden="true">×</span>
        </button>
    </div>
    <div class="modal-body">Select "Logout" below if you are ready to
end your current session.</div>
    <div class="modal-footer">
        <button class="btn btn-secondary" type="button" data-
dismiss="modal">Cancel</button>
        <a class="btn btn-primary" href="login.html">Logout</a>
    </div>
</div>
</div>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>
<!-- Bootstrap core JavaScript-->
<script src="vendor/jquery/jquery.min.js"></script>
<script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

<!-- Core plugin JavaScript-->
<script src="vendor/jquery-easing/jquery.easing.min.js"></script>

<!-- Custom scripts for all pages-->
<script src="js/sb-admin-2.min.js"></script>

<!-- Page level plugins -->
<script src="vendor/datatables/jquery.dataTables.min.js"></script>
<script src="vendor/datatables/dataTables.bootstrap4.min.js"></script>

<!-- Page level custom scripts -->
<script src="js/demo/datatables-demo.js"></script>
<script src="admin.js"></script>
</body>

</html>

<?php else:?>
    <?php header("Location: ../404.php");?>
<?php endif;?>

```

## editUsers.php

```
<?php
include "../logic/config.php";
include "../logic/function.php";
include "../logic/connect.php";

$admin=$_SESSION['user'];

$users=getUsersRoles();
if(isAdmin()):?>

    <!DOCTYPE html>
    <html lang="en">

    <head>

        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
        <meta name="description" content="">
        <meta name="author" content="">

        <title>Admin Panel</title>

        <!-- Custom fonts for this template-->
        <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet"
type="text/css">
        <link
            href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300
i,400,400i,600,600i,700,700i,800,800i,900,900i"
            rel="stylesheet">

        <!-- Custom styles for this template-->
        <link href="css/sb-admin-2.min.css" rel="stylesheet">

    </head>

    <body id="page-top">

        <!-- Page Wrapper -->
        <div id="wrapper">
```

```

        <!-- Sidebar -->
        <ul class="navbar-nav bg-gradient-primary sidebar sidebar-dark accordion"
id="accordionSidebar">

            <!-- Sidebar - Brand -->
            <a class="sidebar-brand d-flex align-items-center justify-content-
center" href="admin-panel.php">
                <div class="sidebar-brand-icon rotate-n-15">
                    <i class="fas fa-laugh-wink"></i>
                </div>
            </a>
            <div class="sidebar-brand-text mx-auto">
                <a href="../index.php" class="text-white text-center">Back to
site</a>
            </div>

            <!-- Divider -->
            <hr class="sidebar-divider my-0">

            <!-- Nav Item - Dashboard -->
            <li class="nav-item active">
                <a class="nav-link" href="index.html">
                    <i class="fas fa-fw fa-tachometer-alt"></i>
                    <span>Dashboard</span></a>
            </li>

            <!-- Divider -->
            <hr class="sidebar-divider">

            <!-- Heading -->
            <div class="sidebar-heading">
                Interface
            </div>

            <!-- Nav Item - Pages Collapse Menu -->

            <!-- Nav Item - Utilities Collapse Menu -->

            <!-- Nav Item - Pages Collapse Menu -->
            <li class="nav-item">

```



```

        <a class="nav-link collapsed" href="#" data-toggle="collapse"
data-target="#collapsePages"
        aria-expanded="true" aria-controls="collapsePages">
            <i class="fas fa-fw fa-folder"></i>
            <span>Pages</span>
        </a>
        <div id="collapsePages" class="collapse" aria-
labelledby="headingPages" data-parent="#accordionSidebar">
            <div class="bg-white py-2 collapse-inner rounded">
                <h6 class="collapse-header">Login Screens:</h6>
                <a class="collapse-item"
href="editProducts.php">Products</a>
                <a class="collapse-item"
href="editCategories.php">Categories</a>
                <a class="collapse-item" href="editBrands.php">Brands</a>
                <a class="collapse-item" href="editUsers.php">Users</a>
            </div>
        </div>
    </li>

    <!-- Divider -->
    <hr class="sidebar-divider d-none d-md-block">

    <!-- Sidebar Toggler (Sidebar) -->
    <div class="text-center d-none d-md-inline">
        <button class="rounded-circle border-0"
id="sidebarToggle"></button>
    </div>

    <!-- Sidebar Message -->
    <div class="sidebar-card d-none d-lg-flex">
        
        <p class="text-center mb-2"><strong>SB Admin Pro</strong> is
packed with premium features, components, and more!</p>
        <a class="btn btn-success btn-sm"
href="https://startbootstrap.com/theme/sb-admin-pro">Upgrade to Pro!</a>
    </div>

</ul>
<!-- End of Sidebar -->

<!-- Content Wrapper -->

```

```

<div id="content-wrapper" class="d-flex flex-column">

    <!-- Main Content -->
    <div id="content">

        <!-- Topbar -->
        <nav class="navbar navbar-expand navbar-light bg-white topbar mb-4 static-top shadow">

            <!-- Sidebar Toggle (Topbar) -->
            <button id="sidebarToggleTop" class="btn btn-link d-md-none rounded-circle mr-3">
                <i class="fa fa-bars"></i>
            </button>

            <!-- Topbar Search -->

            <!-- Topbar Navbar -->
            <ul class="navbar-nav ml-auto">

                <!-- Nav Item - Search Dropdown (Visible Only XS) -->
                <li class="nav-item dropdown no-arrow d-sm-none">
                    <a class="nav-link dropdown-toggle" href="#" id="searchDropdown" role="button" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
                        <i class="fas fa-search fa-fw"></i>
                    </a>
                    <!-- Dropdown - Messages -->
                    <div class="dropdown-menu dropdown-menu-right p-3 shadow animated--grow-in" aria-labelledby="searchDropdown">
                        <form class="form-inline mr-auto w-100 navbar-search">
                            <div class="input-group">
                                <input type="text" class="form-control bg-light border-0 small" placeholder="Search for..." aria-label="Search" aria-describedby="basic-addon2">
                                <div class="input-group-append">
                                    <button class="btn btn-primary" type="button">

```

```

sm"></i>
                                <i class="fas fa-search fa-
sm"></i>
                                </button>
                                </div>
                                </div>
                                </div>
                                </form>
                                </div>
                                </li>

                                <!-- Nav Item - Alerts -->
                                <li class="nav-item dropdown no-arrow mx-1">
                                    <a class="nav-link dropdown-toggle" href="#"
id="alertsDropdown" role="button"
                                    data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
                                        <i class="fas fa-bell fa-fw"></i>
                                        <!-- Counter - Alerts -->
                                        <span class="badge badge-danger badge-
counter">3</span>
                                        </a>
                                        <!-- Dropdown - Alerts -->
                                        <div class="dropdown-list dropdown-menu dropdown-
menu-right shadow animated--grow-in"
                                            aria-labelledby="alertsDropdown">
                                            <h6 class="dropdown-header">
                                                Alerts Center
                                            </h6>
                                            <a class="dropdown-item d-flex align-items-
center" href="#">
                                                <div class="mr-3">
                                                    <div class="icon-circle bg-primary">
                                                        <i class="fas fa-file-alt text-
white"></i>
                                                    </div>
                                                </div>
                                                <div>
                                                    <div class="small text-gray-500">December
12, 2019</div>
                                                    <span class="font-weight-bold">A new
monthly report is ready to download!</span>
                                                </div>
                                            </a>
                                            <a class="dropdown-item d-flex align-items-
center" href="#">
                                                <div class="mr-3">

```

```


156


```

```


157


```

```

        alt="...">
        <div class="status-indicator bg-
warning"></div>

        </div>
        <div>
            <div class="text-truncate">Last month's
report looks great, I am very happy with
the progress so far, keep up the good
work!</div>

            <div class="small text-gray-500">Morgan
Alvarez · 2d</div>

        </div>
    </a>
    <a class="dropdown-item d-flex align-items-
center" href="#">

        <div class="dropdown-list-image mr-3">
            
            <div class="status-indicator bg-
success"></div>

        </div>
        <div>
            <div class="text-truncate">Am I a good
boy? The reason I ask is because someone
told me that people say this to all
dogs, even if they aren't good...</div>

            <div class="small text-gray-500">Chicken
the Dog · 2w</div>

        </div>
    </a>
    <a class="dropdown-item text-center small text-
gray-500" href="#">Read More Messages</a>
</div>
</li>

<div class="topbar-divider d-none d-sm-block"></div>

<!-- Nav Item - User Information -->
<li class="nav-item dropdown no-arrow">
    <a class="nav-link dropdown-toggle" href="#"
id="userDropdown" role="button"
data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">

```

```

        <span class="mr-2 d-none d-lg-inline text-gray-
600 small"><?=$admin->first_name." ".$admin->last_name?></span>
        
    </a>
    <!-- Dropdown - User Information -->

</li>

</ul>

</nav>

<!-- Begin Page Content -->
<div class="container-fluid">

    <!-- Page Heading -->
    <h1 class="h3 mb-2 text-gray-800">Users</h1>

    <div class="card shadow mb-4">
        <div class="card-header py-3 d-flex justify-content-
between">
            <h6 class="m-0 font-weight-bold text-primary">Manage
users</h6>
            <h6 class="m-0 font-weight-bold text-primary"
id="messageBox"></h6>
        </div>
        <div class="card-body">
            <div class="table-responsive">
                <table class="table table-bordered"
id="dataTable" width="100%" cellspacing="0">
                    <thead>
                        <tr>
                            <th>Username</th>
                            <th>First Name</th>
                            <th>Last Name</th>
                            <th>Email</th>
                            <th>Role</th>
                            <th>Street</th>
                            <th>City</th>
                            <th>State</th>
                            <th>Zip</th>
                            <th>Activate</th>
                            <th>Edit</th>
                        </tr>

```

```

        </thead>
        <tbody id="productsTable">
            <?php foreach ($users as $u):?>
                <tr>
                    <td><?=$u->username?></td>
                    <td><?=$u->first_name?></td>
                    <td><?=$u->last_name?></td>
                    <td><?=$u->email?></td>
                    <td><?=$u->role_name?></td>
                    <td><?=$u->street?></td>
                    <td><?=$u->city?></td>
                    <td><?=$u->state?></td>
                    <td><?=$u->zip?></td>
                    <td><a href="#" class='activateUser'
data-id='<?=$u->user_id?>' >Activate</a></td>
                    <td><a
href="editAccount.php?user=<?=$u->user_id?>" class="editUser"" >Edit</a></td>
                </tr>
            <?php endforeach;?>
        </tbody>
    </table>
</div>
</div>
</div>
</div>

<!-- /.container-fluid -->

</div>
<!-- End of Main Content -->

<!-- Footer -->
<footer class="sticky-footer bg-white">
    <div class="container my-auto">
        <div class="copyright text-center my-auto">
            <span>Copyright &copy; Your Website 2020</span>
        </div>
    </div>
</footer>
<!-- End of Footer -->

</div>
<!-- End of Content Wrapper -->

```



```

</div>
<!-- End of Page Wrapper -->

<!-- Scroll to Top Button-->
<a class="scroll-to-top rounded" href="#page-top">
    <i class="fas fa-angle-up"></i>
</a>

<!-- Logout Modal-->
<div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel"
    aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModalLabel">Ready to
Leave?</h5>
                <button class="close" type="button" data-dismiss="modal"
aria-label="Close">
                    <span aria-hidden="true">x</span>
                </button>
            </div>
            <div class="modal-body">Select "Logout" below if you are ready to
end your current session.</div>
            <div class="modal-footer">
                <button class="btn btn-secondary" type="button" data-
dismiss="modal">Cancel</button>
                <a class="btn btn-primary" href="login.html">Logout</a>
            </div>
        </div>
    </div>
</div>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>
<!-- Bootstrap core JavaScript-->
<script src="vendor/jquery/jquery.min.js"></script>
<script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

<!-- Core plugin JavaScript-->
<script src="vendor/jquery-easing/jquery.easing.min.js"></script>

<!-- Custom scripts for all pages-->
<script src="js/sb-admin-2.min.js"></script>

<!-- Page level plugins -->

```

```

<script src="vendor/datatables/jquery.dataTables.min.js"></script>
<script src="vendor/datatables/dataTables.bootstrap4.min.js"></script>

<!-- Page level custom scripts -->
<script src="js/demo/datatables-demo.js"></script>
<script src="admin.js"></script>
</body>

</html>

<?php else:?>
    <?php header("Location: ../404.php");?>
<?php endif;?>

```

## insertProduct.php

```

<?php
include "../logic/config.php";
include "../logic/function.php";
include "../logic/connect.php";

$admin=$_SESSION['user'];
$categories=getAll("categories");
$brands=getAll("brands");

$errors=get("error");

if($errors){
    $errors=explode("%",$errors);
    $errors=$errors[0];
}

if(isAdmin()):?>

    <!DOCTYPE html>
    <html lang="en">

    <head>

        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">

```

```

        <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
        <meta name="description" content="">
        <meta name="author" content="">

        <title>Admin Panel</title>

        <!-- Custom fonts for this template-->
        <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet"
type="text/css">
        <link
            href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300
i,400,400i,600,600i,700,700i,800,800i,900,900i"
            rel="stylesheet">

        <!-- Custom styles for this template-->
        <link href="css/sb-admin-2.min.css" rel="stylesheet">

    </head>

    <body id="page-top">

        <!-- Page Wrapper -->
        <div id="wrapper">

            <!-- Sidebar -->
            <ul class="navbar-nav bg-gradient-primary sidebar sidebar-dark accordion"
id="accordionSidebar">

                <!-- Sidebar - Brand -->
                <a class="sidebar-brand d-flex align-items-center justify-content-
center" href="admin-panel.php">
                    <div class="sidebar-brand-icon rotate-n-15">
                        <i class="fas fa-laugh-wink"></i>
                    </div>
                </a>
                <div class="sidebar-brand-text mx-auto">
                    <a href="../index.php" class="text-white text-center">Back to
site</a>
                </div>

                <!-- Divider -->
                <hr class="sidebar-divider my-0">

```

```

<!-- Nav Item - Dashboard -->
<li class="nav-item active">
  <a class="nav-link" href="index.html">
    <i class="fas fa-fw fa-tachometer-alt"></i>
    <span>Dashboard</span></a>
  </li>

<!-- Divider -->
<hr class="sidebar-divider">

<!-- Heading -->
<div class="sidebar-heading">
  Interface
</div>

<!-- Nav Item - Pages Collapse Menu -->

<!-- Nav Item - Utilities Collapse Menu -->

<!-- Nav Item - Pages Collapse Menu -->
<li class="nav-item">
  <a class="nav-link collapsed" href="#" data-toggle="collapse"
data-target="#collapsePages"
    aria-expanded="true" aria-controls="collapsePages">
    <i class="fas fa-fw fa-folder"></i>
    <span>Pages</span>
  </a>
  <div id="collapsePages" class="collapse" aria-
labelledby="headingPages" data-parent="#accordionSidebar">
    <div class="bg-white py-2 collapse-inner rounded">
      <h6 class="collapse-header">Login Screens:</h6>
      <a class="collapse-item"
href="editProducts.php">Products</a>
      <a class="collapse-item"
href="editCategories.php">Categories</a>
      <a class="collapse-item" href="editBrands.php">Brands</a>
      <a class="collapse-item" href="editUsers.php">Users</a>
    </div>
  </div>
</li>

```

```

        <!-- Divider -->
        <hr class="sidebar-divider d-none d-md-block">

        <!-- Sidebar Toggler (Sidebar) -->
        <div class="text-center d-none d-md-inline">
            <button class="rounded-circle border-0"
id="sidebarToggle"></button>
        </div>

        <!-- Sidebar Message -->
        <div class="sidebar-card d-none d-lg-flex">
            
            <p class="text-center mb-2"><strong>SB Admin Pro</strong> is
packed with premium features, components, and more!</p>
            <a class="btn btn-success btn-sm"
href="https://startbootstrap.com/theme/sb-admin-pro">Upgrade to Pro!</a>
        </div>

    </ul>
    <!-- End of Sidebar -->

    <!-- Content Wrapper -->
    <div id="content-wrapper" class="d-flex flex-column">

        <!-- Main Content -->
        <div id="content">

            <!-- Topbar -->
            <nav class="navbar navbar-expand navbar-light bg-white topbar mb-
4 static-top shadow">

                <!-- Sidebar Toggle (Topbar) -->
                <button id="sidebarToggleTop" class="btn btn-link d-md-none
rounded-circle mr-3">
                    <i class="fa fa-bars"></i>
                </button>

                <!-- Topbar Search -->

                <!-- Topbar Navbar -->
                <ul class="navbar-nav ml-auto">

                    <!-- Nav Item - Search Dropdown (Visible Only XS) -->

```

```

        <li class="nav-item dropdown no-arrow d-sm-none">
            <a class="nav-link dropdown-toggle" href="#"
id="searchDropdown" role="button"
                data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
                <i class="fas fa-search fa-fw"></i>
            </a>
            <!-- Dropdown - Messages -->
            <div class="dropdown-menu dropdown-menu-right p-3
shadow animated--grow-in"
                aria-labelledby="searchDropdown">
                <form class="form-inline mr-auto w-100 navbar-
search">
                    <div class="input-group">
                        <input type="text" class="form-control
bg-light border-0 small"
                            placeholder="Search for..." aria-
label="Search"
                                aria-describedby="basic-addon2">
                        <div class="input-group-append">
                            <button class="btn btn-primary"
type="button">
                                <i class="fas fa-search fa-
sm"></i>
                            </button>
                        </div>
                    </div>
                </form>
            </div>
        </li>

        <!-- Nav Item - Alerts -->
        <li class="nav-item dropdown no-arrow mx-1">
            <a class="nav-link dropdown-toggle" href="#"
id="alertsDropdown" role="button"
                data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
                <i class="fas fa-bell fa-fw"></i>
                <!-- Counter - Alerts -->
                <span class="badge badge-danger badge-
counter">3</span>
            </a>
            <!-- Dropdown - Alerts -->
            <div class="dropdown-list dropdown-menu dropdown-
menu-right shadow animated--grow-in"

```

```

        aria-labelledby="alertsDropdown">
<h6 class="dropdown-header">
    Alerts Center
</h6>
<a class="dropdown-item d-flex align-items-
center" href="#">
    <div class="mr-3">
        <div class="icon-circle bg-primary">
            <i class="fas fa-file-alt text-
white"></i>
        </div>
    </div>
    <div>
        <div class="small text-gray-500">December
12, 2019</div>
        <span class="font-weight-bold">A new
monthly report is ready to download!</span>
    </div>
</a>
<a class="dropdown-item d-flex align-items-
center" href="#">
    <div class="mr-3">
        <div class="icon-circle bg-success">
            <i class="fas fa-donate text-
white"></i>
        </div>
    </div>
    <div>
        <div class="small text-gray-500">December
7, 2019</div>
        $290.29 has been deposited into your
account!
    </div>
</a>
<a class="dropdown-item d-flex align-items-
center" href="#">
    <div class="mr-3">
        <div class="icon-circle bg-warning">
            <i class="fas fa-exclamation-triangle
text-white"></i>
        </div>
    </div>
    <div>
        <div class="small text-gray-500">December
2, 2019</div>

```

```

                                Spending Alert: We've noticed unusually
high spending for your account.
                                </div>
                                </a>
                                <a class="dropdown-item text-center small text-
gray-500" href="#">Show All Alerts</a>
                                </div>
                                </li>

                                <!-- Nav Item - Messages -->
                                <li class="nav-item dropdown no-arrow mx-1">
                                    <a class="nav-link dropdown-toggle" href="#"
id="messagesDropdown" role="button"
                                    data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
                                        <i class="fas fa-envelope fa-fw"></i>
                                        <!-- Counter - Messages -->
                                        <span class="badge badge-danger badge-
counter">7</span>
                                    </a>
                                    <!-- Dropdown - Messages -->
                                    <div class="dropdown-list dropdown-menu dropdown-
menu-right shadow animated--grow-in"
                                        aria-labelledby="messagesDropdown">
                                        <h6 class="dropdown-header">
                                            Message Center
                                        </h6>
                                        <a class="dropdown-item d-flex align-items-
center" href="#">
                                            <div class="dropdown-list-image mr-3">
                                                
                                                <div class="status-indicator bg-
success"></div>
                                            </div>
                                            <div class="font-weight-bold">
                                                <div class="text-truncate">Hi there! I am
wondering if you can help me with a
                                                problem I've been having.</div>
                                                <div class="small text-gray-500">Emily
Fowler · 58m</div>
                                            </div>
                                        </a>
                                    </div>
                                </li>
                                </a>

```



```

<a class="dropdown-item d-flex align-items-
center" href="#">
    <div class="dropdown-list-image mr-3">
        
        <div class="status-indicator"></div>
    </div>
    <div>
        <div class="text-truncate">I have the
photos that you ordered last month, how
        would you like them sent to
you?</div>
        <div class="small text-gray-500">Jae Chun
    </div>
    </div>
</a>
<a class="dropdown-item d-flex align-items-
center" href="#">
    <div class="dropdown-list-image mr-3">
        
        <div class="status-indicator bg-
warning"></div>
    </div>
    <div>
        <div class="text-truncate">Last month's
report looks great, I am very happy with
        the progress so far, keep up the good
work!</div>
        <div class="small text-gray-500">Morgan
Alvarez    </div>
    </div>
</a>
<a class="dropdown-item d-flex align-items-
center" href="#">
    <div class="dropdown-list-image mr-3">
        
        <div class="status-indicator bg-
success"></div>
    </div>
    <div>

```

```

                                <div class="text-truncate">Am I a good
boy? The reason I ask is because someone
                                told me that people say this to all
dogs, even if they aren't good...</div>
                                <div class="small text-gray-500">Chicken
the Dog · 2w</div>
                                </div>
                                </a>
                                <a class="dropdown-item text-center small text-
gray-500" href="#">Read More Messages</a>
                                </div>
                                </li>

                                <div class="topbar-divider d-none d-sm-block"></div>

                                <!-- Nav Item - User Information -->
                                <li class="nav-item dropdown no-arrow">
                                    <a class="nav-link dropdown-toggle" href="#"
id="userDropdown" role="button"
                                    data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
                                        <span class="mr-2 d-none d-lg-inline text-gray-
600 small"><?=$admin->first_name." ".$admin->last_name?></span>
                                        
                                        </a>
                                        <!-- Dropdown - User Information -->

                                </li>

                                </ul>

                                </nav>

                                <!-- Begin Page Content -->
                                <div class="container-fluid">

                                    <!-- Page Heading -->
                                    <h1 class="h3 mb-2 text-gray-800">Products</h1>

                                    <div class="card shadow mb-4">
                                        <div class="card-header py-3 d-flex justify-content-
start">
                                            <h6 class="m-0 font-weight-bold text-primary">Insert
product</h6>

```

```

        <h6 class="m-0 font-weight-bold text-primary"
id="messageBox"></h6>
    </div>
    <div class="card-body">
        <div class="table-responsive">
            <form enctype="multipart/form-data" method="post"
action="../logic/adminInsertProduct.php">
                <table class="table table-bordered"
id="dataTable" width="100%" cellpadding="0">
                    <thead>
                        <tr>
                            <th>Name*</th>
                            <th>Image*</th>
                            <th>Description</th>
                            <th>Price*</th>
                            <th>Category*</th>
                            <th>Brand*</th>
                        </tr>
                    </thead>
                    <tbody id="productsTable">
                        <tr>
                            <td><input class="form-
control" type="text" name="prodName" id="prodName"></td>
                            <td><input type="file"
class="form-control-file" name="prodImg" id="prodImg"/></td>
                            <td><textarea class="form-
control" name="prodDesc" id="prodDesc"></textarea></td>
                            <td><input class="form-
control" type="text" name="prodPrice" id="prodPrice"></td>
                            <td><select class="form-
control" name="prodCat" id="prodCat">
                                <option
value="0">Choose category</option>
                                <?php foreach
($categories as $c):?>
                                    <option
value="<?=$c->category_id?>"><?=$c->category_name?></option>
                                <?php endforeach;?>
                            </select></td>
                            <td><select class="form-
control" name="prodBrand" id="prodBrand">

```

```

value="0">Choose brand</option>
($brands as $b):?>
value="<?=$b->brand_id?>"<?=$b->brand_name?></option>
</select></td>

</tr>

</tbody>

</table>
<input type="submit" name="insertProd"
id="insertProd" class="btn btn-facebook text-white mb-4" value="Insert product"/>
<?php if(isset($errors)):?>
    <p class="text-danger"><?=$errors?></p>
<?php endif;?>
</form>
</div>
</div>
</div>
</div>

</div>
<!-- /.container-fluid -->

</div>
<!-- End of Main Content -->

<!-- Footer -->
<footer class="sticky-footer bg-white">
    <div class="container my-auto">
        <div class="copyright text-center my-auto">
            <span>Copyright &copy; Your Website 2020</span>
        </div>
    </div>
</footer>
<!-- End of Footer -->

</div>
<!-- End of Content Wrapper -->

</div>

```

```

<!-- End of Page Wrapper -->

<!-- Scroll to Top Button-->
<a class="scroll-to-top rounded" href="#page-top">
    <i class="fas fa-angle-up"></i>
</a>

<!-- Logout Modal-->
<div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModallabel"
    aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModallabel">Ready to
Leave?</h5>
                <button class="close" type="button" data-dismiss="modal"
aria-label="Close">
                    <span aria-hidden="true">x</span>
                </button>
            </div>
            <div class="modal-body">Select "Logout" below if you are ready to
end your current session.</div>
            <div class="modal-footer">
                <button class="btn btn-secondary" type="button" data-
dismiss="modal">Cancel</button>
                <a class="btn btn-primary" href="login.html">Logout</a>
            </div>
        </div>
    </div>
</div>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>
<!-- Bootstrap core JavaScript-->
<script src="vendor/jquery/jquery.min.js"></script>
<script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

<!-- Core plugin JavaScript-->
<script src="vendor/jquery-easing/jquery.easing.min.js"></script>

<!-- Custom scripts for all pages-->
<script src="js/sb-admin-2.min.js"></script>

<!-- Page level plugins -->
<script src="vendor/datatables/jquery.dataTables.min.js"></script>

```

```

<script src="vendor/datatables/dataTables.bootstrap4.min.js"></script>

<!-- Page level custom scripts -->
<script src="js/demo/datatables-demo.js"></script>
<script src="admin.js"></script>
</body>

</html>

<?php else:?>
    <?php header("Location: ../404.php");?>
<?php endif;?>

```

Admin.js (za funkcionalnosti admin panela)

```

function ajaxDelete(url, table, id, result){

    $.ajax({
        url:url,
        method:"POST",
        dataType:"json",
        data:{
            id:id,
            table:table
        },
        success:result,
        error:function (xhr){console.error(xhr)}
    });
}

function ajaxActivate(url,id,result){
    $.ajax({
        url:url,
        method:"POST",
        dataType:"json",
        data:{
            id:id
        },
        success:result,
        error:function (xhr){console.error(xhr)}
    })
}

```

```

}
function displayMessage(message){
    let box=document.querySelector("#messageBox");
    box.innerHTML=JSON.stringify(message);
}

function validateInput(regex, input) {
    return regex.test(input.val());
}

}

if(window.location.pathname=="/sajt/admin/editProducts.php"){
    console.log("Dgd")
    $(document).on("click",".deleteProduct",function(){

        ajaxDelete("../logic/delete.php", "products", $(this).data("id"),
function (result){
        displayMessage(result);
    });
    });
}

if(window.location.pathname=="/sajt/admin/editCategories.php"){
    $(document).on("click",".deleteCategory",function (){
        ajaxDelete("../logic/delete.php", "categories", $(this).data("id"),
function (result){
        displayMessage(result);
    });

    });
    console.log("Sfsf")
}

if(window.location.pathname=="/sajt/admin/editBrands.php"){
    $(document).on("click",".deleteBrand",function (){
        ajaxDelete("../logic/delete.php", "brands", $(this).data("id"), function
(result){
        displayMessage(result);
    });

    });
    console.log("Sfsf")
}

if(window.location.pathname=="/sajt/admin/editUsers.php"){
    $(document).on("click",".activateUser",function (){

```

```

        ajaxActivate("../logic/activateUser.php", $(this).data("id"),function
(result){
            displayMessage(result);
        });
    });
    console.log("Gs");
}
if (window.location.pathname == "/sajt/admin/editAccount.php") {
    console.log("S");
    const regexName = /^[A-ZŠĐŽČĆ][a-zšđžćčž]{2,14}(\s[A-ZŠĐŽČĆ][a-
zšđžćčž]{2,14})?$/;
    const regexLastName = /^[A-ZŠĐŽČĆ][a-zšđžćčž]{3,14}(\s[A-ZŠĐŽČĆ][a-
zšđžćčž]{3,14})?$/;
    const regexEmail = /.*@./;
    const regexUsername = /^[a-zA-Z0-9]{3,20}$/;

    let username = $("#username");
    let fName = $("#fName");
    let lName = $("#lName");
    let email = $("#email");
    let role = $("#role");
    let street = $("#street");
    let city = $("#city");
    let state = $("#state");
    let zip = $("#zip");

    $("#adminEditUser").on("click", function () {
        let errors = 0;
        errors += validateInput(regexName, fName) ? 0 : 1;
        errors += validateInput(regexLastName, lName) ? 0 : 1;
        errors += validateInput(regexEmail, email) ? 0 : 1;
        errors += validateInput(regexUsername, username) ? 0 : 1;

        if (errors) {
            $(this).siblings().removeClass("d-none");
            console.log(errors)
        } else {
            console.log("nema greske")
            $.ajax({
                url: "../logic/adminEditUser.php",
                method: "post",
                dataType: "json",
                data: {

```



```

        username: username.val(),
        fName: fName.val(),
        lName: lName.val(),
        email: email.val(),
        role: role.val(),
        street: street.val(),
        city: city.val(),
        state: state.val(),
        zip: zip.val(),
        id: $(this).data("id")
    },
    success: function(result) {
        displayMessage(result);
    },
    error: function(xhr) {
        console.error(xhr);
    }
});
}
});
}

if(window.location.pathname=="./sajt/admin/editSingleProduct.php"){
    const regExNameProduct=/^[A-Z\s]+$/u;
    const regExPrice=/^\d{1,}\.\d{2}$/u;
    let errors=0;

    $(document).on("click", "#adminEditProduct", function () {
        let productName = $("#productName");
        let description = $("#description");
        let price = $("#price");
        let category = $("#category");
        let brand = $("#brand");

        errors += validateInput(regExNameProduct, productName) ? 0 : 1;
        errors += validateInput(regExPrice, price) ? 0 : 1;

        if (errors) {
            $(this).siblings().removeClass("d-none");
            console.log(errors)
        }else{
            $.ajax({
                url: "../logic/adminEditProduct.php",
                method: "post",
                dataType: "json",
                data: {

```

```

        prodName:productName.val(),
        description:description.val(),
        price:price.val(),
        category:category.val(),
        brand:brand.val(),
        id: $(this).data("id")
    },
    success: function(result) {
        displayMessage(result);
    },
    error: function(xhr) {
        console.error(xhr);
    }
});
}

});
}

```

Script.js (za ostatak sajta)

```

//form validation

let regExName=/^[A-ZŠĐŽČĆ][a-zšđžćčž]{2,14}(\s[A-ZŠĐŽČĆ][a-zšđžćčž]{2,14})?$/;
let regExLastName=/^[A-ZŠĐŽČĆ][a-zšđžćčž]{3,14}(\s[A-ZŠĐŽČĆ][a-zšđžćčž]{3,14})?$/;
let regExEmail=/^[a-z0-9\.\.]+\@[a-z]+\.[a-z]{2,3}$/;
let regExPassword=/^(?=.*[A-Z])(?=.*[a-z])(?=.*\d)(?=.*[!@#$$%^&*()_+])[A-Za-z\d!@#$$%^&*()_+]{8,}$/;
let regExUsername=/^[a-zA-Z0-9]{3,20}$/;
var formErrors=0;
function regExCheck(regEx, input){

    if(!regEx.test(input.value)){

        input.nextElementSibling.classList.remove("invisible");
        formErrors++;
    }
}

```

```

    }else{

        input.nextElementSibling.classList.remove("visible");
        input.nextElementSibling.classList.add("invisible");
        formErrors=0;
    }
}

function checkForm(){
    let fNameReg=document.querySelector("#fNameRegister");
    let lNameReg=document.querySelector("#lNameRegister");
    let usernameReg=document.querySelector("#usernameRegister");
    let emailReg=document.querySelector("#emailRegister");
    let passwordReg=document.querySelector("#passwordRegister");
    let passwordReReg=document.querySelector("#passwordReRegister");

    regExCheck(regExName, fNameReg);
    regExCheck(regExLastName, lNameReg);
    regExCheck(regExUsername, usernameReg);
    regExCheck(regExEmail, emailReg);
    regExCheck(regExPassword, passwordReg);
    regExCheck(regExPassword, passwordReReg);

    if(passwordReReg.value!=passwordReg.value)
    {

        passwordReReg.nextElementSibling.classList.remove("invisible");
        formErrors++;
    }else{

        passwordReReg.nextElementSibling.classList.remove("visible");
        passwordReReg.nextElementSibling.classList.add("invisible");
        formErrors=0;
    }
    if(formErrors>0){
        console.log(formErrors)
        return false;
    }else{

        console.log("nini");
        return true;
    }
}

```

```

//end form validation

//ajax
function ajaxCallBack(url, method, data){
}
var lastPage=1;
$(document).on("change", ".category", function(){

    ajaxFilter(function (result){
        displayProducts(result)
        displayPagination(result);
    });
});
$(document).on("change", "#ddlSort", function(){

    ajaxFilter(function (result){
        displayProducts(result)
        displayPagination(result);
    });
    //console.log($("#ddlSort").val())
});
$(document).on("change", "#ddlBrands", function(){

    ajaxFilter(function (result){
        displayProducts(result)
        displayPagination(result);
    });
    //console.log($("#ddlBrands").val())
});
$(document).on("click", "#searchButton", function(){

    ajaxFilter(function (result){
        displayProducts(result)
        displayPagination(result);
    });
    //console.log($("#search").val())
});
$(document).on("click", ".page", function(){
    lastPage=$(this).data("id");

```

```

    ajaxFilter(function (result){
        displayProducts(result);
        //displayPagination(result);
    });

});

$(document).on("click", ".add-cart", function (){
    ajaxAddToCart($(this).data("id"), $(this).data("user"),function (result){
        console.log(result);
    });
});

$(document).on("click", ".remove-cart", function (){
    ajaxRemoveFromCart($(this).data("id"), $(this).data("user"),function
(result){
        displayCart(result);
        displayCartSummary(result);
    });
});

function ajaxFilter(result){
    let selectedCategories = $(".category:checked").map(function(){
        return $(this).data("id");
    }).get();

    let search=$("#search").val();

    let brand=$("#ddlBrands").val();

    let sort=$("#ddlSort").val();

    let page=lastPage;

    $.ajax({
        url: "logic/filter.php",
        method: "post",
        data: {
            page:page,
            categories: selectedCategories,
            search:search,
            brand:brand,
            sort:sort
        },
        dataType: "json",
        success:result,

```

```

        error: function(xhr) {
            console.error(xhr);
        }
    });
}

function displayProducts(productsObj){
    let html="";
    if(productsObj.length>0){
        for (const productsObjElement of productsObj) {
            html+=`<div class='col-lg-3'>
                <div class='item'>
                    <div class='thumb'>
                        <div class='hover-content'>
                            <ul>
                                <li><a href='single-
product.php?id=${productsObjElement.product_id}'><i class='fa fa-
eye'></i></a></li>

                                </ul>
                            </div>
                        <img
src='assets/images/shop/${productsObjElement.product_img}' class='img-fluid'
alt='${productsObjElement.product_name}'>
                        </div>
                    <div class='down-content'>
                        <h4>${productsObjElement.product_name}</h4>
                        <span>${productsObjElement.price}</span>
                        <ul class='stars'>
                            <li><i class='fa fa-star'></i></li>
                        </ul>
                    </div>
                </div>
            </div>`;
        }
    }
    else if(productsObj.length===0){
        html="<h3 class='text-center mt-5'>Seems like none of our products match
your search. Please try again.\n</h3>";
    }

    document.querySelector("#productsDisplay").innerHTML=html;

```

```

}

function displayPagination(productsObj){
    let html="";
    let paginationNum=Math.ceil(productsObj.length/12);

    if(paginationNum!=0){
        for(let i=0; i<paginationNum; i++){
            html+=`<li class="active"><a href="#" data-id="${paginationNum}"
class="page">${paginationNum}</a></li>`;
        }
    }

    document.querySelector("#paginationList").innerHTML=html;
}

function displayCart(productsObj){
    let html="";
    let cartBlock=document.querySelector("#cartItems");

    if(productsObj.length>0){
        productsObj.forEach(p=>{
            html+=`<div class="row border-top border-bottom">
                <div class="row main align-items-center">
                    <div class="col-2"></div>
                    <div class="col">
                        <div class="row text-muted">${p.category_name}</div>
                        <div class="row">${p.product_name}</div>
                    </div>
                    <div class="col">
                        <a href="#">-</a><a href="#"
class="border">${p.quantity}</a><a href="#">+</a>
                    </div>
                    <div class="col">&dollar; ${p.price*p.quantity},00 <a
class="remove-cart" href="#" data-id="${p.product_id}">#10005;</a></div>
                </div>`;
        })
    }
    else{
        html+=`<h3 class="text-center py-5">Seems like you cart is empty. Go back
to shop :)</h3>`;
    }
}

```

```

    cartBlock.innerHTML=html;
}

function displayCartSummary(productsObj){
    let html="";
    let summaryBlock=document.querySelector(".summary");
    let itemCount=0;
    let total=0;
    let shipping=0;
    let totalPrice=productsObj.length>0 ? total+shipping: 0;

    productsObj.forEach(p=>{
        itemCount++;
        total+=p.quantity*p.price;
    });

    html+=`<div><h5><b>Summary</b></h5></div>
        <hr>
        <div class="row">
            <div class="col" style="padding-left:0;">ITEMS
    ${itemCount}</div>
            <div class="col text-right">&euro; ${total}.00</div>
        </div>
        <form>
            <p>SHIPPING</p>
            <select><option class="text-muted">Standard-Delivery-
&euro;5.00</option></select>
            <p>GIVE CODE</p>
            <input id="code" placeholder="Enter your code">
        </form>
        <div class="row" style="border-top: 1px solid rgba(0,0,0,.1);
padding: 2vh 0;">
            <div class="col">TOTAL PRICE</div>
            <div class="col text-right">&euro; ${totalPrice}.00</div>
        </div>
        <button class="btn">CHECKOUT</button>
    </div>`;
    summaryBlock.innerHTML=html;
}

function ajaxAddToCart(id, user, result){
    $.ajax({
        url:"logic/addToCart.php",
        method:"POST",
        data:{

```



```

        product:id,
        user:user,
        quantity:document.querySelector("#quantity")!=null?document.querySele
ctor("#quantity").value:1
    },
    success: result,
    error:function (xhr){
        console.error(xhr);
    }
})
}

function ajaxRemoveFromCart(id, user, result){
    $.ajax({
        url:"logic/removeFromCart.php",
        method:"POST",
        data:{
            product:id,
            user:user
        },
        success: result,
        error:function (xhr){
            console.error(xhr);
        }
    })
}

```