

Projektni zadatak

Mappin and Webb

Nikolina Milanović 120/22

Web Programiranje 1

Visoka škola informacionih i komunikacionih tehnologija

<https://milanov1c.github.io/MappinAndWebb/index.html>

Uvod

1. Korišćeni programski jezici: HTML, CSS (Bootstrap), JavaScript, jQuery.


Nije korišćen template.

2. Opis funkcionalnosti:

1. Tekst iznad headera, dinamički ispisan i menja se na 2 sekunde
2. Dinamički ispisana navigacija
3. jQuery plugin (swiper) za slajder ispod navigacije
4. Dinamički ispisane kartice sa nakitom, na hover mišem dobiju senku i uvećaju se
5. Dinamički ispisani brendovi u slajderu, takođe korišćen swiper plugin
6. Dinamički ispisane kartice sa satovima, na hover mišem dobiju senku i uvećaju se
7. Dinamički ispisan swiper sa brendovima satova
8. Dinamički ispisani featured satovi
9. Dinamički ispisani proizvodi u sale sekciji, na hover se menja slika, na klik ikonice (srce) se menja ikonica
10. Validacija forme:
 - RegExi za tekstualna polja (ime, prezime, email, password)
 - Provera da li je isti value u polju password i confirm password
 - Provera da li je izabran pol
 - Provera da li je izabran tip poruke
 - Na blur i change se izbacuju greške i dodaje se crveni border ukoliko uneti podaci ne odgovaraju (npr. **First name contains letters and starts with an uppercase. Example: Nikolina**)
 - Na klik dugmeta Submit se forma opet proverava i ukoliko je sve u redu resetuje se, ukoliko postoje greške polja u kojima su se desile će imati crveni border i tekst greške ispod, kao i tekst ispod dugmeta da podaci nisu validni i da ih treba opet uneti
11. Programirano dugme za vraćanje na vrh sa smooth efektom
12. Dinamički ispisani linkovi u footeru
13. Preloader po učitavanju stranice, traje 1700ms i nestaje sa smooth efektom

Organizacija sajta

Sa index stranice se može pristupiti stranici o autoru (preko linka u footeru) i sa stranice o autoru se vratiti na index stranicu preko linka u headeru.



Mapa sajta

```
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
  <url>
    <loc>https://milanov1c.github.io/MappinAndWebb/index.html</loc>
    <lastmod>2023-12-11</lastmod>
    <changefreq>daily</changefreq>
    <priority>1</priority>
  </url>
  <url>
    <loc>https://milanov1c.github.io/MappinAndWebb/author.html</loc>
    <lastmod>2023-12-11</lastmod>
    <changefreq>weekly</changefreq>
    <priority>0.9</priority>
  </url>
</urlset>
```

```
</url>  
</urlset>
```

Slike stranica i opis funkcionalnosti


Tekst iznad headera koji se menja na 2 sekunde

Pay Nothing Today with Interest Free Finance

Dinamički ispisana navigacija u headeru

[Home](#) [Brands](#) [Rolex](#) [Watches](#) [Featured](#) [Sale](#) [Sell Your Watch](#)

Programirani slajder (swiper jQuery)



Dinamički ispisani blokovi i hover efekat



Wedding Rings

Wedding rings symbolize the eternal commitment and love between partners, traditionally worn on the ring finger.



Necklaces

A necklace is a piece of jewelry worn around the neck, often adorned with precious metals, gemstones, or meaningful pendants.



Earrings

Earrings, delicate whispers of adornment suspended from the ear, where the language of elegance is written in the shimmer of gemstones.



Promising Rings

Promising rings, encircling fingers like vows in tangible form, carry the weight of commitment and the sparkle of shared dreams.

Dinamički ispisani blokovi u slajderu sa loop efektom

Cartier

IWC
SCHAFFHAUSEN


TAG Heuer
SWISS AVANT-GARDE SINCE 1860

Ω
OMEGA


PATEK PHILIPPE
GENEVE


ROLEX


Dinamički ispisani satovi i hover efekat



Rolex Lady Datejust




Rolex Sea Dweller




Rolex Submariner





Dinamički ispisani blokovi u slajderu bez loop efekta




Dinamički ispisani blokovi



Dinamički ispisani blokovi

<p>NEW ARRIVAL</p>  <p>MAPPIN & WEBB Platinum 2.00ct Solitaire Engagement Ring £23,000.00 £28,000.00 From £534.81 per month</p>	<p>NEW ARRIVAL</p>  <p>MAPPIN & WEBB Platinum 1.00ct Solitaire Engagement Ring £6,000.00 £7,500.00 From £125.00 per month</p>	<p>NEW ARRIVAL</p>  <p>MAPPIN & WEBB Platinum 1.50cttw Three Stone Diamond Ring £5,000.00 £6,500.00 From £104.17 per month</p>	<p>NEW ARRIVAL</p>  <p>MAPPIN & WEBB 18ct Yellow Gold 1.50cttw Three Stone Ring £4,750.00 £6,000.00 From £98.96 per month</p>
---	---	---	---

Promena slike na hover



Menjanje ikonice na parni/neparni klik (outline i puna ikonica)



Validacija forme

First Name*	<input type="text"/>
Last Name*	<input type="text"/>
Email*	<input type="text"/>
Password*	<input type="password"/>
Confirm Password*	<input type="password"/>
Gender*	<input type="radio"/> Female <input type="radio"/> Male
Choose Your Service	<div>Message Subject ▼</div>
<div>Submit</div>	

Greške na blur / klik dugmeta

First Name*

First name contains letters and starts with an uppercase.
Example: Nikolina

Last Name*

Last name contains letters and starts with an uppercase.
Example: Milanovic

Email*

Email contains @. Example: milanovic@gmail.com

Password*

Password must contain uppercase, lowercase, number and special character.

Confirm Password*

Confirmation password must be the same as original.

Gender* ☐ Female ☐ Male

You must choose your gender.

Choose Your Service

You must choose your service.

Please check your data and enter it again.


Prikaz forme nakon unetih ispravnih podatka (na blur / klik)

First Name*	<input type="text" value="Nikolina"/>
Last Name*	<input type="text" value="Milanović"/>
Email*	<input type="text" value="milanovic.nikolina03@gmail.com"/>
Password*	<input type="password" value="....."/>
Confirm Password*	<input type="password" value="....."/>
Gender*	<input checked="" type="radio"/> Female <input type="radio"/> Male
Choose Your Service	<input type="text" value="Technical support"/> ▼
<input type="button" value="Submit"/>	


Dugme koje vraća na vrh stranice sa smooth efektom

BACK TO TOP

Dinamički ispisani linkovi u futeru



Preloader koji nestaje posle 1.5s sa smooth efektom



Kodovi

Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8"/>
  <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
  <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
  <link rel="shortcut icon" href="assets/img/mappin-mark.png" type="image/x-
icon"/>
  <!-- font -->
  <link rel="preconnect" href="https://fonts.googleapis.com"/>
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin/>
  <link
href="https://fonts.googleapis.com/css2?family=Roboto:wght@100&display=swap"
rel="stylesheet"/>
  <!-- icons -->
  <script src="https://kit.fontawesome.com/ad51d15578.js"
crossorigin="anonymous"></script>
  <!-- swiper stylesheet -->
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@11/swiper-
bundle.min.css"/>
  <!-- bootstrap css -->
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
crossorigin="anonymous"/>
  <!-- my css -->
  <link rel="stylesheet" href="assets/css/style.css" type="text/css"/>
  <link rel="stylesheet" href="assets/css/responsive.css" type="text/css"/>
  <title>Mappin & Webb - Designer Jewellery</title>
</head>
<body>
  <div id="preloader">
    
  </div>
```

```

<header class="container-fluid p-0 m-0">
  <div id="slideTextHeader" class="col-12 mx-0">
    <p class="text-center my-2">Free Next Day Delivery until 9PM</p>
  </div>
  <div class="bgDarkBlue p-0 m-0">
    <div class="navbar">
      <div class="container-fluid">
        <a class="navbar-brand text-white mx-auto" href="#"><h1 class="fs-3
my-2">Mappin & Webb</h1></a>
      </div>
    </div>
  </div>
  <nav class="navbar navbar-expand-lg">
    <div class="container-fluid justify-content-center text-center">
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-
label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse justify-content-center"
id="navbarNav">
        <ul class="navbar-nav" id="myNav">

        </ul>
      </div>
    </div>
  </nav>
</header>
<main>
  <div class="swiper mySlider">
    <div class="swiper-wrapper">
      <div class="swiper-slide">
        
      </div>
      <div class="swiper-slide">
        
      </div>
    </div>
    <div class="swiper-button-next text-white px-5"></div>
    <div class="swiper-button-prev text-white px-5"></div>
  </div>
  <div class="container-fluid text-center">
    

```

```

        <h2 class="text-uppercase fs-4 mt-3 fw-bold">Forever Since 1775</h2>
        <p>Mappin & Webb is a true British treasure with over 240 years of
tradition in the world of fine jewellery and watches.</p>
        <div class="row justify-content-center px-md-5 px-3" id="productCard">

            </div>
        </div>
        <div class="container text-center">
            
            <h2 class="text-uppercase fs-4 mt-3 fw-bold">Luxury Brands
            </h2>
        </div>
        <div id="brands" class="container-fluid">
            <div class="swiper mySwiper">
                <div class="swiper-wrapper" id="swiper-carousel">
                </div>
            </div>
        </div>
        <div id="rolex" class="container text-center my-5">
            <small class="text-uppercase fs-4 fw-bold">
                Welcome To Mappin And Webb
            </small>
            <h2 class="my-3">
                Official Rolex retailer in United Kingdom
            </h2>
            <hr/>
            <p class="px-5 fw-bold">Rolex watches are crafted from the finest raw
materials and assembled with scrupulous attention to detail. Every component is
designed, developed and produced to the most exacting standards.</p>
            <div class="row justify-content-center px-5" id="rolexRow1">

                </div>
            </div>
        <div id="specialOffer" class="container mb-5">
            <div class="row">
                <div class="col-md-6 col-12 p-0">
                    
                </div>
                <div class="col-md-6 col-12 bgDarkBlue p-0 text-white py-lg-2 py-5">
                    <h2 class="fs-5 fw-bold px-5 pt-5">RECEIVE A FREE GIFT CARD WORTH UP
TO £350 WHEN YOU PURCHASE SELECTED WATCHES</h2>

```

```

        <p class="px-5 pt-2">For a limited time only, Spend &#163;1,000 -
&#163;1,999 and get a &#163;150 gift card, spend &#163;2,000 - &#163;4,999 and
get a &#163;250 gift card, or spend over &#163;5,000 and get a &#163;350 gift
card.</p>
        <small class="d-block mx-5">Offer available online only. Excludes
Breitling and Omega. Terms and conditions apply.</small>
    </div>
</div>
<div id="watches" class="container text-center mb-5">
    <small class="text-uppercase fs-4 fw-bold">
        Discover
    </small>
    <h2 class="my-3">
        Luxury Watches
    </h2>
    <hr/>
    <p class="px-5 fw-bold">Our extensive selection of luxury designer
watches is filled with stunning pieces by leading brands, such as TAG Heuer,
Jaeger-LeCoultre, and Cartier. Discover our exquisite collection of Swiss watches
for men and women and discover the perfect fit for you.</p>
    <div class="container">
        <div class="swiper mySwiperWatches">
            <div class="swiper-wrapper">
                <div class="swiper-slide">
                    
                </div>
                <div class="swiper-slide">
                    
                </div>
                <div class="swiper-slide">
                    
                </div>
                <div class="swiper-slide">
                    
                </div>
                <div class="swiper-slide">
                    
                </div>
                <div class="swiper-slide">
                    
                </div>
                <div class="swiper-slide">
                    
                </div>
            </div>
        </div>
    </div>

```

```

        <div class="swiper-slide">
            
        </div>
    </div>
</div>
</div>
</div>

<div id="featured">
    <div class="container">
        <h2 class="text-center mt-5 fw-bold">Featured Pieces</h2>
        <div class="row mt-5 justify-content-center justify-content-sm-between"
id="featuredBlock">

            </div>
        </div>
    </div>
</div>
<div id="sale" class="container mt-5">
    <h2 class="text-center text-uppercase fs-4 fw-bold">
        Luxury designer watch & Jewellery sale
    </h2>
    <hr/>
    <p class="text-center fw-bold px-5">Discover luxury items at fantastic
prices in our watch and jewellery sale. We have a variety of discount jewellery,
including wedding rings, diamond engagement rings, designer necklaces and more.
There's also a selection of discount watches from world-renowned brands in a
variety of styles. Whatever you're searching for, we're sure you'll find a piece
you'll love in our jewellery and watch sale.</p>

    <div class="row my-5" id="saleBlock">
    </div>
</div>
<div id="contact" class="container my-5">
    <h2 class="text-center text-uppercase">Get your Quote</h2>
    <p class="text-center">Simply complete the form below, and we'll be in
touch with you as soon as possible with an initial quote.</p>
    <hr/>
    <form action="index.php" method="get" id="form">
        <div class="row justify-content-center mt-5">
            <div class="col-md-2 text-md-end text-center">
                <label for="fName" class="required">First Name</label>
            </div>
            <div class="col-md-6">
                <input type="text" name="fName" id="fName"/>
            </div>
        </div>
    </form>
</div>

```



```

        <p class="text-danger p-0 m-0 d-none regExDanger">First name
contains letters and starts with an uppercase. Example: Nikolina</p>

    </div>
</div>
<div class="row justify-content-center my-3">
    <div class="col-md-2 text-md-end text-center">
        <label for="lName" class="required">Last Name</label>

    </div>
    <div class="col-md-6">
        <input type="text" name="lName" id="lName"/>
        <p class="text-danger p-0 m-0 d-none regExDanger">Last name
contains letters and starts with an uppercase. Example: Milanovic</p>
    </div>
</div>
<div class="row justify-content-center">
    <div class="col-md-2 text-md-end text-center">
        <label for="email" class="required">Email</label>

    </div>
    <div class="col-md-6">
        <input type="text" name="email" id="email"/>
        <p class="text-danger p-0 m-0 d-none regExDanger">Email contains @.
Example: milanovic@gmail.com</p>
    </div>
</div>
<div class="row justify-content-center my-3">
    <div class="col-md-2 text-md-end text-center">
        <label for="password" class="required">Password</label>

    </div>
    <div class="col-md-6">
        <input type="password" name="password" id="password"/>
        <p class="text-danger p-0 m-0 d-none regExDanger">Password must
contain uppercase, lowercase, number and special character.</p>
    </div>
</div>
<div class="row justify-content-center">
    <div class="col-md-2 text-md-end text-center">
        <label for="rePassword" class="required">Confirm
Password</label>

    </div>
    <div class="col-md-6">

```

```

        <input type="password" name="rePassword" id="rePassword"/>
        <p class="text-danger p-0 m-0 d-none regExDanger">Confirmation
password must be the same as original.</p>
    </div>
</div>
<div class="row justify-content-center my-3">
    <div class="col-md-2 text-md-end text-center mb-md-0 mb-3">
        <label for="gender" class="required">Gender</label>
    </div>
    <div class="col-md-6">
        <div class="row d-flex justify-content-md-start flex-column
flex-md-row">
            <input type="radio" name="rbGender" id="rbFemale"
value="Female" class="d-block"/>
            <label for="rbFemale" class="rbLabel p-0 m-md-0 d-block
mx-auto">Female</label>
            <input type="radio" name="rbGender" id="rbMale"
value="Male" class="d-block"/>
            <label for="rbMale" class="rbLabel p-0 m-md-0 d-block
mx-auto">Male</label>
            <p class="text-danger p-0 m-0 d-none regExDanger
rbDanger">You must choose your gender.</p>
        </div>
    </div>
</div>
<div class="row justify-content-center">
    <div class="col-md-2 text-md-end text-center">
        <label for="ddlService">Choose Your Service</label>
    </div>
    <div class="col-md-6">
        <select name="ddlService" id="ddlService">

        </select>
        <p class="text-danger p-0 m-0 d-none regExDanger">You must choose
your service.</p>
    </div>
</div>
<div class="mx-auto col-6 mt-3">
    <input type="button" value="Submit" id="submit" name="submit"/>
    <p class="text-danger p-0 m-0 regExDanger submitDanger d-
none">Please check your data and enter it again.</p>
</div>
</form>
</div>

```

```

</main>
<footer class="container-fluid p-0 m-0">
  <div class="row justify-content-center m-0 bg-secondary">
    <div class="col-6 text-center mt-3">
      <p class="fs-5 text-uppercase text-white" id="backToTop">Back to top</p>
    </div>
  </div>
  <div class="row m-0 mt-3 mx-5">
    <div class="col-md-3 col-12 mt-5">
      <p class="text-uppercase fs-5 fw-bold">About us</p>
      <ul id="footerAbout" class="p-0">

        </ul>
    </div>
    <div class="col-md-3 col-12 mt-5">
      <p class="text-uppercase fs-5 fw-bold">Navigation</p>
      <ul id="footerNav" class="p-0">

        </ul>
    </div>
    <div class="col-md-3 col-12 mt-5">
      <p class="text-uppercase fs-5 fw-bold">Follow us on</p>
      <ul id="footerSocials" class="p-0">

        </ul>
    </div>
    <div class="col-md-3 col-12 mt-5">
      
      <h2 class="fs-2 text-md-center">Mappin and Webb</h2>
      <small class="text-md-center d-block text-uppercase">
        <a href="#sale">
          Check our offers.
        </a>
      </small>
    </div>
  </div>
</footer>
<!-- bootstrap js -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js
" integrity="sha384-
C6RzsynM9kWDrMNeT87bh95OGNyZPhcTNXj1NW7RuBCsyN/o0jlpcV8Qyq46cDfL"
crossorigin="anonymous"></script>
<!-- jquery -->

```

```

    <script src="https://code.jquery.com/jquery-3.6.4.min.js"></script>
    <!-- swiper -->
    <script src="https://cdn.jsdelivr.net/npm/swiper@11/swiper-
bundle.min.js"></script>
    <!-- my js -->
    <script src="assets/js/main.js"></script>
</body>
</html>

```

Author.html

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8"/>
    <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
    <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
    <link rel="shortcut icon" href="assets/img/mappin-mark.png" type="image/x-
icon"/>
    <!-- font -->
    <link rel="preconnect" href="https://fonts.googleapis.com"/>
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin/>
    <link
href="https://fonts.googleapis.com/css2?family=Roboto:wght@100&display=swap"
rel="stylesheet"/>
    <!-- icons -->
    <script src="https://kit.fontawesome.com/ad51d15578.js"
crossorigin="anonymous"></script>
    <!-- swiper stylesheet -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@11/swiper-
bundle.min.css"/>
    <!-- bootstrap css -->
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
crossorigin="anonymous"/>
    <!-- my css -->
    <link rel="stylesheet" href="assets/css/style.css" type="text/css"/>
    <link rel="stylesheet" href="assets/css/responsive.css" type="text/css"/>
    <title>Mappin & Webb - Designer Jewellery</title>

```

```

</head>
<body>
<div id="preloader">
  
</div>
  <header class="container-fluid p-0 m-0">
    <div id="slideTextHeader" class="col-12 mx-0">
      <p class="text-center my-2">Free Next Day Delivery until 9PM</p>
    </div>
    <div class="bgDarkBlue p-0 m-0">
      <div class="navbar">
        <div class="container-fluid">
          <a class="navbar-brand text-white mx-auto" href="index.html"><h1
class="fs-3 my-2">Mappin & Webb</h1></a>
        </div>
      </div>
    </div>
    <nav class="navbar navbar-expand-lg">
      <div class="container-fluid justify-content-center text-center">
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-
label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse justify-content-center"
id="navbarNav">
          <ul class="navbar-nav" id="myNav">

          </ul>
        </div>
      </div>
    </nav>
  </header>
  <main>
    <div class="row p-0 m-0 mt-3 mb-5">
      <small class="text-center ">Something about</small>
      <h2 class="text-center text-uppercase fw-bold">Author of the
site</h2>
      <div class="col-md-6 d-flex justify-content-md-end justify-content-
center mt-3">
        
      </div>
      <div class="col-md-5 text-md-start text-center mt-3">
        <h3 class="fw-bold text-uppercase">Name</h3>

```

```

        <p>Nikolina Milanović</p>
        <h3 class="fw-bold text-uppercase">Index Number</h3>
        <p>120/22</p>
        <h3 class="fw-bold text-uppercase">Course</h3>
        <p>Internet Technologies</p>
        <h3 class="fw-bold text-uppercase">About Me</h3>
        <p>As a second-year student at ICT College, specializing in web
programming, I have developed a strong foundation in front-end technologies. My
coursework has equipped me with hands-on experience in languages such as HTML,
CSS, JavaScript. I am passionate about creating responsive and user-friendly web
applications, and I am excited to leverage my skills to contribute effectively in
the dynamic field of web development. Through my academic journey, I have
demonstrated a commitment to staying current with industry trends and
continuously enhancing my programming expertise.</p>
    </div>
</div>
</main>
<footer class="container-fluid p-0 m-0">
    <div class="row justify-content-center m-0 bg-secondary">
        <div class="col-6 text-center mt-3">
            <p class="fs-5 text-uppercase text-white" id="backToTop">Back to top</p>
        </div>
    </div>
    <div class="row m-0 mt-3 mx-5">
        <div class="col-md-3 col-12 mt-5">
            <p class="text-uppercase fs-5 fw-bold">About us</p>
            <ul id="footerAbout" class="p-0">

                </ul>
        </div>
        <div class="col-md-3 col-12 mt-5">
            <p class="text-uppercase fs-5 fw-bold">Navigation</p>
            <ul id="footerNav" class="p-0">

                </ul>
        </div>
        <div class="col-md-3 col-12 mt-5">
            <p class="text-uppercase fs-5 fw-bold">Follow us on</p>
            <ul id="footerSocials" class="p-0">

                </ul>
        </div>
        <div class="col-md-3 col-12 mt-5">
            

```

```

        <h2 class="fs-2 text-md-center">Mappin and Webb</h2>
        <small class="text-md-center d-block text-uppercase">
            <a href="#sale">
                Check our offers.
            </a>
        </small>
    </div>
</div>
</footer>
<!-- bootstrap js -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js
" integrity="sha384-
C6RzsynM9kWDrMNeT87bh950GNyZPhcTNXj1NW7RuBCsyN/o0jlpcV8Qyq46cDfL"
crossorigin="anonymous"></script>
    <!-- jquery -->
    <script src="https://code.jquery.com/jquery-3.6.4.min.js"></script>
    <!-- swiper -->
    <script src="https://cdn.jsdelivr.net/npm/swiper@11/swiper-
bundle.min.js"></script>
    <!-- my js -->
    <script src="assets/js/main.js"></script>
</body>
</html>

```

Main.js

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8"/>
    <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
    <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
    <link rel="shortcut icon" href="assets/img/mappin-mark.png" type="image/x-
icon"/>
    <!-- font -->
    <link rel="preconnect" href="https://fonts.googleapis.com"/>
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin/>
    <link
href="https://fonts.googleapis.com/css2?family=Roboto:wght@100&display=swap"
rel="stylesheet"/>

```

```

    <!-- icons -->
    <script src="https://kit.fontawesome.com/ad51d15578.js"
crossorigin="anonymous"></script>
    <!-- swiper stylesheet -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@11/swiper-
bundle.min.css"/>
    <!-- bootstrap css -->
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
crossorigin="anonymous"/>
    <!-- my css -->
    <link rel="stylesheet" href="assets/css/style.css" type="text/css"/>
    <link rel="stylesheet" href="assets/css/responsive.css" type="text/css"/>
    <title>Mappin & Webb - Designer Jewellery</title>
</head>
<body>
<div id="preloader">
    
</div>
    <header class="container-fluid p-0 m-0">
        <div id="slideTextHeader" class="col-12 mx-0">
            <p class="text-center my-2">Free Next Day Delivery until 9PM</p>
        </div>
        <div class="bgDarkBlue p-0 m-0">
            <div class="navbar">
                <div class="container-fluid">
                    <a class="navbar-brand text-white mx-auto" href="index.html"><h1
class="fs-3 my-2">Mappin & Webb</h1></a>
                </div>
            </div>
        </div>
        <nav class="navbar navbar-expand-lg">
            <div class="container-fluid justify-content-center text-center">
                <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-
label="Toggle navigation">
                    <span class="navbar-toggler-icon"></span>
                </button>
                <div class="collapse navbar-collapse justify-content-center"
id="navbarNav">
                    <ul class="navbar-nav" id="myNav">

                        </ul>

```



```

        </div>
    </div>
</nav>
</header>
<main>
    <div class="row p-0 m-0 mt-3 mb-5">
        <small class="text-center ">Something about</small>
        <h2 class="text-center text-uppercase fw-bold">Author of the
site</h2>
        <div class="col-md-6 d-flex justify-content-md-end justify-content-
center mt-3">
            
        </div>
        <div class="col-md-5 text-md-start text-center mt-3">
            <h3 class="fw-bold text-uppercase">Name</h3>
            <p>Nikolina Milanović</p>
            <h3 class="fw-bold text-uppercase">Index Number</h3>
            <p>120/22</p>
            <h3 class="fw-bold text-uppercase">Course</h3>
            <p>Internet Technologies</p>
            <h3 class="fw-bold text-uppercase">About Me</h3>
            <p>As a second-year student at ICT College, specializing in web
programming, I have developed a strong foundation in front-end technologies. My
coursework has equipped me with hands-on experience in languages such as HTML,
CSS, JavaScript. I am passionate about creating responsive and user-friendly web
applications, and I am excited to leverage my skills to contribute effectively in
the dynamic field of web development. Through my academic journey, I have
demonstrated a commitment to staying current with industry trends and
continuously enhancing my programming expertise.</p>
        </div>
    </div>
</main>
<footer class="container-fluid p-0 m-0">
    <div class="row justify-content-center m-0 bg-secondary">
        <div class="col-6 text-center mt-3">
            <p class="fs-5 text-uppercase text-white" id="backToTop">Back to top</p>
        </div>
    </div>
    <div class="row m-0 mt-3 mx-5">
        <div class="col-md-3 col-12 mt-5">
            <p class="text-uppercase fs-5 fw-bold">About us</p>
            <ul id="footerAbout" class="p-0">

                </ul>

```

```

</div>
<div class="col-md-3 col-12 mt-5">
  <p class="text-uppercase fs-5 fw-bold">Navigation</p>
  <ul id="footerNav" class="p-0">

    </ul>
</div>
<div class="col-md-3 col-12 mt-5">
  <p class="text-uppercase fs-5 fw-bold">Follow us on</p>
  <ul id="footerSocials" class="p-0">

    </ul>
</div>
<div class="col-md-3 col-12 mt-5">
  
  <h2 class="fs-2 text-md-center">Mappin and Webb</h2>
  <small class="text-md-center d-block text-uppercase">
    <a href="#sale">
      Check our offers.
    </a>
  </small>
</div>
</div>
</footer>
<!-- bootstrap js -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js
" integrity="sha384-
C6RzsynM9kWDrMNeT87bh950GNyZPhcTNXj1NW7RuBCsyN/o0jlpcV8Qyq46cDfL"
crossorigin="anonymous"></script>
<!-- jquery -->
<script src="https://code.jquery.com/jquery-3.6.4.min.js"></script>
<!-- swiper -->
<script src="https://cdn.jsdelivr.net/npm/swiper@11/swiper-
bundle.min.js"></script>
<!-- my js -->
<script src="assets/js/main.js"></script>
</body>
</html>

```

Style.css

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8"/>
  <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
  <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
  <link rel="shortcut icon" href="assets/img/mappin-mark.png" type="image/x-
icon"/>
  <!-- font -->
  <link rel="preconnect" href="https://fonts.googleapis.com"/>
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin/>
  <link
href="https://fonts.googleapis.com/css2?family=Roboto:wght@100&display=swap"
rel="stylesheet"/>
  <!-- icons -->
  <script src="https://kit.fontawesome.com/ad51d15578.js"
crossorigin="anonymous"></script>
  <!-- swiper stylesheet -->
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@11/swiper-
bundle.min.css"/>
  <!-- bootstrap css -->
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
crossorigin="anonymous"/>
  <!-- my css -->
  <link rel="stylesheet" href="assets/css/style.css" type="text/css"/>
  <link rel="stylesheet" href="assets/css/responsive.css" type="text/css"/>
  <title>Mappin & Webb - Designer Jewellery</title>
</head>
<body>
<div id="preloader">
  
</div>
  <header class="container-fluid p-0 m-0">
    <div id="slideTextHeader" class="col-12 mx-0">
      <p class="text-center my-2">Free Next Day Delivery until 9PM</p>
    </div>
    <div class="bgDarkBlue p-0 m-0">
      <div class="navbar">
        <div class="container-fluid">

```

```

        <a class="navbar-brand text-white mx-auto" href="index.html"><h1
class="fs-3 my-2">Mappin & Webb</h1></a>
    </div>
</div>
</div>
<nav class="navbar navbar-expand-lg">
    <div class="container-fluid justify-content-center text-center">
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-
label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse justify-content-center"
id="navbarNav">
            <ul class="navbar-nav" id="myNav">

                </ul>
            </div>
        </div>
    </nav>
</header>
<main>
    <div class="row p-0 m-0 mt-3 mb-5">
        <small class="text-center ">Something about</small>
        <h2 class="text-center text-uppercase fw-bold">Author of the
site</h2>
        <div class="col-md-6 d-flex justify-content-md-end justify-content-
center mt-3">
            
        </div>
        <div class="col-md-5 text-md-start text-center mt-3">
            <h3 class="fw-bold text-uppercase">Name</h3>
            <p>Nikolina Milanović</p>
            <h3 class="fw-bold text-uppercase">Index Number</h3>
            <p>120/22</p>
            <h3 class="fw-bold text-uppercase">Course</h3>
            <p>Internet Technologies</p>
            <h3 class="fw-bold text-uppercase">About Me</h3>
            <p>As a second-year student at ICT College, specializing in web
programming, I have developed a strong foundation in front-end technologies. My
coursework has equipped me with hands-on experience in languages such as HTML,
CSS, JavaScript. I am passionate about creating responsive and user-friendly web
applications, and I am excited to leverage my skills to contribute effectively in
the dynamic field of web development. Through my academic journey, I have

```

demonstrated a commitment to staying current with industry trends and continuously enhancing my programming expertise.</p>

```
</div>
</div>
</main>
<footer class="container-fluid p-0 m-0">
  <div class="row justify-content-center m-0 bg-secondary">
    <div class="col-6 text-center mt-3">
      <p class="fs-5 text-uppercase text-white" id="backToTop">Back to top</p>
    </div>
  </div>
  <div class="row m-0 mt-3 mx-5">
    <div class="col-md-3 col-12 mt-5">
      <p class="text-uppercase fs-5 fw-bold">About us</p>
      <ul id="footerAbout" class="p-0">

        </ul>
    </div>
    <div class="col-md-3 col-12 mt-5">
      <p class="text-uppercase fs-5 fw-bold">Navigation</p>
      <ul id="footerNav" class="p-0">

        </ul>
    </div>
    <div class="col-md-3 col-12 mt-5">
      <p class="text-uppercase fs-5 fw-bold">Follow us on</p>
      <ul id="footerSocials" class="p-0">

        </ul>
    </div>
    <div class="col-md-3 col-12 mt-5">
      
      <h2 class="fs-2 text-md-center">Mappin and Webb</h2>
      <small class="text-md-center d-block text-uppercase">
        <a href="#sale">
          Check our offers.
        </a>
      </small>
    </div>
  </div>
</footer>
<!-- bootstrap js -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js
```

```

" integrity="sha384-
C6RzsynM9kWDrmNeT87bh950GNyZPhcTNXj1NW7RuBCsyN/o0jlpcV8Qyq46cDfL"
crossorigin="anonymous"></script>
    <!-- jquery -->
    <script src="https://code.jquery.com/jquery-3.6.4.min.js"></script>
    <!-- swiper -->
    <script src="https://cdn.jsdelivr.net/npm/swiper@11/swiper-
bundle.min.js"></script>
    <!-- my js -->
    <script src="assets/js/main.js"></script>
</body>
</html>

```

Responsive.css

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8"/>
    <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
    <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
    <link rel="shortcut icon" href="assets/img/mappin-mark.png" type="image/x-
icon"/>
    <!-- font -->
    <link rel="preconnect" href="https://fonts.googleapis.com"/>
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin/>
    <link
href="https://fonts.googleapis.com/css2?family=Roboto:wght@100&display=swap"
rel="stylesheet"/>
    <!-- icons -->
    <script src="https://kit.fontawesome.com/ad51d15578.js"
crossorigin="anonymous"></script>
    <!-- swiper stylesheet -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@11/swiper-
bundle.min.css"/>
    <!-- bootstrap css -->
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
crossorigin="anonymous"/>
    <!-- my css -->

```

```

<link rel="stylesheet" href="assets/css/style.css" type="text/css"/>
<link rel="stylesheet" href="assets/css/responsive.css" type="text/css"/>
<title>Mappin & Webb - Designer Jewellery</title>
</head>
<body>
<div id="preloader">
  
</div>
  <header class="container-fluid p-0 m-0">
    <div id="slideTextHeader" class="col-12 mx-0">
      <p class="text-center my-2">Free Next Day Delivery until 9PM</p>
    </div>
    <div class="bgDarkBlue p-0 m-0">
      <div class="navbar">
        <div class="container-fluid">
          <a class="navbar-brand text-white mx-auto" href="index.html"><h1
class="fs-3 my-2">Mappin & Webb</h1></a>
        </div>
      </div>
    </div>
    <nav class="navbar navbar-expand-lg">
      <div class="container-fluid justify-content-center text-center">
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-
label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse justify-content-center"
id="navbarNav">
          <ul class="navbar-nav" id="myNav">

          </ul>
        </div>
      </div>
    </nav>
  </header>
  <main>
    <div class="row p-0 m-0 mt-3 mb-5">
      <small class="text-center ">Something about</small>
      <h2 class="text-center text-uppercase fw-bold">Author of the
site</h2>
      <div class="col-md-6 d-flex justify-content-md-end justify-content-
center mt-3">
        

```

```

    </div>
    <div class="col-md-5 text-md-start text-center mt-3">
        <h3 class="fw-bold text-uppercase">Name</h3>
        <p>Nikolina Milanović</p>
        <h3 class="fw-bold text-uppercase">Index Number</h3>
        <p>120/22</p>
        <h3 class="fw-bold text-uppercase">Course</h3>
        <p>Internet Technologies</p>
        <h3 class="fw-bold text-uppercase">About Me</h3>
        <p>As a second-year student at ICT College, specializing in web
programming, I have developed a strong foundation in front-end technologies. My
coursework has equipped me with hands-on experience in languages such as HTML,
CSS, JavaScript. I am passionate about creating responsive and user-friendly web
applications, and I am excited to leverage my skills to contribute effectively in
the dynamic field of web development. Through my academic journey, I have
demonstrated a commitment to staying current with industry trends and
continuously enhancing my programming expertise.</p>
    </div>
</div>
</main>
<footer class="container-fluid p-0 m-0">
    <div class="row justify-content-center m-0 bg-secondary">
        <div class="col-6 text-center mt-3">
            <p class="fs-5 text-uppercase text-white" id="backToTop">Back to top</p>
        </div>
    </div>
    <div class="row m-0 mt-3 mx-5">
        <div class="col-md-3 col-12 mt-5">
            <p class="text-uppercase fs-5 fw-bold">About us</p>
            <ul id="footerAbout" class="p-0">

                </ul>
        </div>
        <div class="col-md-3 col-12 mt-5">
            <p class="text-uppercase fs-5 fw-bold">Navigation</p>
            <ul id="footerNav" class="p-0">

                </ul>
        </div>
        <div class="col-md-3 col-12 mt-5">
            <p class="text-uppercase fs-5 fw-bold">Follow us on</p>
            <ul id="footerSocials" class="p-0">

                </ul>
        </div>
    </div>
</div>

```



```

        <div class="col-md-3 col-12 mt-5">
            
            <h2 class="fs-2 text-md-center">Mappin and Webb</h2>
            <small class="text-md-center d-block text-uppercase">
                <a href="#sale">
                    Check our offers.
                </a>
            </small>
        </div>
    </div>
</footer>
<!-- bootstrap js -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js
" integrity="sha384-
C6RzsynM9kWDrMNeT87bh95OGNyZPhcTNXj1NW7RuBCsyN/o0jlpcV8Qyq46cDfL"
crossorigin="anonymous"></script>
    <!-- jquery -->
    <script src="https://code.jquery.com/jquery-3.6.4.min.js"></script>
    <!-- swiper -->
    <script src="https://cdn.jsdelivr.net/npm/swiper@11/swiper-
bundle.min.js"></script>
    <!-- my js -->
    <script src="assets/js/main.js"></script>
</body>
</html>

```