

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D
UNIT 1- Introduction to Computer								
1	1	According to Von Neumann model, what is stored in a memory?	C	1	only data	only programs	data and programs	neither data nor programs
2	1	What is the full form of CPU?	C	1	Computer Processing Unit	Computer Principle Unit	Central Processing Unit	Control Processing Unit
3	1	Which of the following is the brain of the computer?	A	1	Central Processing Unit	Memory	Arithmetic and Logic unit	Control unit
4	1	The CPU consist of _____	B	1	Input Devices	CU and ALU	Output Devices	none of the above
5	1	Which of the following is/are not input device/s?	D	0.5	Joystick	Keyboard	Trackball	Plotter
6	1	What is an operating system?	D	1	interface between the hardware and application programs	collection of programs that manages hardware resources	system service provider to the application programs	all of the mentioned
7	1	Which among following is not necessary for working of a standalone computer?	D	0.5	Hard Drive	RAM	ROM	LAN card
8	1	A program that reads each of the instructions in mnemonic form and translates it into the machine-language equivalent is ____	B	1	Machine language	Assembler	Interpreter	C program
9	1	Which of the following is known as the language made up of binary-coded instructions?	D	1	High level	BASIC	C	Machine
10	1	Which of the following isn't a characteristic of High level languages?	A	1	machine code	platform independent	interactive execution	user-friendly
11	1	High level language is a	A	1	Human readable like language.	language with small program size.	language with big program size.	language which is difficult to understand and not human readable.
12	1	Low level language is	D	1	Human readable like language.	language with big program size.	language with small program size.	Difficult to understand and readability is questionable.
13	1	Source program is compiled to an intermediate form called _____	A	1	Byte Code	Smart code	Executable code	Machine code
14	1	Which of the following translates the program into machine language line by line?	C	1	Compiler	Translator	Interpreter	none of the above
15	1	The instructions like MOV or ADD are called as _____	A	0.5	OP-Code	Operators	Commands	Operand

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D														
16	1	An algorithm is _____?	B	1	A problem	A Procedure for Solving a Problem	A Mathematical Problem	A Pictorial representation														
17	1	Actual instructions in flowchart are represented in _____	B	1	Circle	Boxes	Arrows	Lines														
18	1	The following box denotes? 	A	1	Decision	Inititation	Initialization	Process														
19	1	Which of the following represents two different conditions in a flowchart?	B	1	Rectangle	Diamond	Circle	Parallelogram														
21	1	Which of the following represents input and output operation in a flowchart?	C	1	Diamond	Rectangle	Parallelogram	Circle														
21	1	What will be the output of the following algorithm if the input is 4? Algorithm: 1.Start 2.Set x = input value 3.Set y = x * 2 4.If y > 5, then print "Large", otherwise print "Small". 5.Stop	A	0.5	Large	Small	No output	Error														
22	1	Match the following: <table border="1"><thead><tr><th>List-I</th><th>List-II</th></tr></thead><tbody><tr><td>A. Parallelogram</td><td>1. Denotes a process or calculation or expression</td></tr><tr><td>B. Oval</td><td>2. Denotes a decision or condition</td></tr><tr><td>C. Rectangle</td><td>3. Denotes the beginning or end of a program</td></tr><tr><td></td><td>4. Flowchart Connector</td></tr><tr><td></td><td>5. Denotes direction of logic flow in a program</td></tr><tr><td></td><td>6. Denotes either an input operation or an output operation</td></tr></tbody></table>	List-I	List-II	A. Parallelogram	1. Denotes a process or calculation or expression	B. Oval	2. Denotes a decision or condition	C. Rectangle	3. Denotes the beginning or end of a program		4. Flowchart Connector		5. Denotes direction of logic flow in a program		6. Denotes either an input operation or an output operation	D	1	(A-6)(B-5)(C-3)	(A-2)(B-3)(C-1)	(A-5)(B-3)(C-6)	(A-6)(B-3)(C-1)
List-I	List-II																					
A. Parallelogram	1. Denotes a process or calculation or expression																					
B. Oval	2. Denotes a decision or condition																					
C. Rectangle	3. Denotes the beginning or end of a program																					
	4. Flowchart Connector																					
	5. Denotes direction of logic flow in a program																					
	6. Denotes either an input operation or an output operation																					
23	1	Write an algorithm and draw a flowchart to calculate area of rectangle.		3																		
24	1	Write an algorithm and draw a flowchart to calculate percentage of the student.		3																		
25	1	Write an algorithm and draw a flowchart to convert input celsius degree temperature into its equivalent fahrenheit degree. Use formula F= (9/5)*C +32		4																		
26	1	Write an algorithm and draw a flowchart to check whether given number is positive or negative.		3																		

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D
27	1	Write an algorithm and draw a flowchart to find out smallest number out of two numbers.		4				
28	1	Write an algorithm and draw a flowchart to swap two input numbers.		4				
29	1	Write an algorithm and draw a flowchart to find out maximum number out of three numbers.		4				
30	1	Write an algorithm and draw a flowchart to arrange the numbers x,y,z in descending order.		4				
31	1	Write an algorithm and draw a flowchart to print first 50 odd numbers.		4				
32	1	Write an algorithm and Draw the flow chart to solve following series 1! +2! +3! +.... +n!		4				
33	1	Draw flowchart to check and display whether entered number is Armstrong number or not.		3				
34	1	Sketch flowchart to convert seconds into hour, minute and second. (Hint : 3700 seconds => 1 hr , 1 minute , 40 second)		3				
35	1	Write an algorithm to determine whether the given year is a leap year or not.		2				
36	1	Write an algorithm and draw a flowchart to find factorial of given numbers.		4				
37	1	Draw a flowchart to print first N Fibonacci Numbers (0, 1, 1, 2, 3, 5, 8,...).		3				
38	1	Draw the flowchart to check whether given number by user is palindrome or not.		4				

UNIT 2 - Introduction to Python and Jupyter Notebooks

39	2	Which character is used in Python to make a single line comment?	D	1	/	//	!	#
40	2	What will be the output of print(type(2**5)) in python?	A	1	<class 'int'>	<class 'float'>	<class 'double'>	<class 'integer'>
41	2	What will be the output of print(type("LJU")) in python?	C	1	<class 'int'>	<class 'float'>	<class 'str'>	<class 'char'>
42	2	What will be the output of print(type(3*5/5)) in python?	B	1	<class 'int'>	<class 'float'>	<class 'double'>	<class 'integer'>
43	2	If x=3.123, then int(x) will give ?	B	1	1	3	4	3.12
44	2	Which one of the following is correct way of declaring and initialising a variable, x with value 5?	C	1	int x x=5	int x=5	x=5	declare x=5
45	2	Which of the following is an invalid statement?	B	1	abc = 1,000,000	a b c = 1000 2000 3000	a,b,c = 1000, 2000, 3000	a_b_c = 1,000,000
46	2	Which of the following is invalid?	D	1	_x = 1	x_ = 1	_x = 1	None of the mentioned
47	2	Which of the following cannot be a variable?	B	1	important	in	it	abc
48	2	Which of the following is an invalid variable?	B	1	char 1	1st_char	oopec	
49	2	What happens when '2' == 2 is executed?	B	1	True	False	ValueError	TypeError

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D
50	2	What will be the output of this program? _ = '1 2 3 4 5 6' print(_)	D	1	SyntaxError: EOL while scanning string literal	SyntaxError: invalid syntax	NameError: name '_' is not defined	1 2 3 4 5 6
51	2	What will be the output of the following program on execution? print(print(print("python")))	B	1	None None python	python None None	python	Error
52	2	Which is the correct operator for power(Xy)?	B	1	X^y	X**y	X^^y	None of the mentioned
53	2	What is the answer to this expression, 34 % 3 is?	B	1	7	1	0	5
54	2	What will be the output of the following program on execution? a=0 b=6 x=(a or b) or ((a and a) or (a and b)) print(x)	B	1	0	6	True	False
55	2	What will be the output of the following program on execution? a=0 b=6 x=(a or b) or ((a and a) or (a and b)) y=not(x) print(y)	D	1	0	6	True	False
56	2	What will be the output of this program? print(True ** False / True)	B	1	True ** False / True	1.0	0	Error
57	2	Which of the following error occurs when you execute the following Python code? apple = mango	C	1	Type Error	Value Error	Name Error	Syntax Error
58	2	What is the output of this expression, 3*1**3?	B	1	1	3	9	27
59	2	Select option that will print: hello-how-are-you	A	1	print('hello-' + 'how-are-you')	print('hello', 'how', 'are', 'you')	print('hello', 'how', 'are', 'you' + '-' * 4)	print('hello' + '-' + 'how' + '-' + 'are' + 'yu')
60	2	Which of the following is not a comparison operator in Python?	C	1	>=	<=	=	!=
61	2	What will be the output of the following program on execution? a=4 b=6 c=3 print(a+b*c/a-b)	C	1	1.5	2	2.5	3
62	2	What will be the value of the following Python expression? 8 + 2 % 3	A	1	10	8	9	7
63	2	What will be the value of x in the following Python expression? x = int(63.55+8/3)	B	1	65	66	23	24
64	2	What are the values of the following Python expressions? 2**(3**2) (2**3)**2 2**3**2	D	1	64, 512, 64	64, 64, 64	512, 512, 512	512, 64, 512
65	2	What will be the output of this program? print((7*5**2)/True*False)	D	1	175	70	0	0.0
66	2	What will be the output of this program? print(6 + 5 - 4 * 3 / 2 % 1)	C	1	15	7	11.0	10
67	2	What will be the output of this program? print(int(6 == 6.0) * 3 + 4 % 5)	C	1	Error	22	7	18
68	2	What will be the value of X in the following Python expression? X = 2+9*((3*12)-8)/10	D	0.5	30	30.8	28.4	27.2
69	2	What will be the output of the following Python code? new= (1 and "True") and ('False' or Train) str= "This statement is '+' new print("This is False" if "False" in new else "This is True")	C	1	This is True	NameError – Train not defined	This is False	Syntax Error – invalid syntax
70	2	What will be the value of the following Python expression? 8 + 1 % 3	B	0.5	8	9	10	11

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D
71	2	What should be the output of the following python code snippet: x=0.0 y=48>0 z=11<7 print(not(float(x or y or z)))	B	1	True	False	Error	No output
72	2	What will be the output of the following program on execution? x=Str("Python is a very\b simple\bsubject") print(x)	C	0.5	Python is a verysimpleubject	Python is a versimplsubject	Name Error	None of mentioned
73	2	What is the output of the following assignment operator a=10 b=a-=2 print(b)	D	0.5	12	8	9	Syntax Error
74	2	What will be the output of the following program on execution? a=4 b=6 c=3 d=2 print(a+d**b*c/a-b)	B	0.5	64	46.0	52	192
75	2	What will be the output of this program? print(int("6" == 6.0) * 3 + 4 % 5)	A	0.5	4	6	22	Error
76	2	What will be the output of the following program on execution? a=0 b=6 c=9 d=10 x=(a or b) and ((a or c) or (b and d)) print(x)	C	0.5	0	6	9	10
77	2	What will be the value of X in the following Python expression? X = 2+9*((3*12)-8)/10 print(bool(X))	A	0.5	True	0	30	30.8
78	2	What will be the datatype of the var in the below code snippet? var = 10 print(type(var)) var = "Hello" print(type(var))	B	0.5	int	int,str	str	str,str
79	2	What will be the output of this program? print(True * False / True)	B	0.5	0	0.0	1	Error
80	2	What is the output of the following python code: x=125 y=13 x//=y print(x)	C	0.5	125/13	10	9	9.62
81	2	What is the output of following python code: print(bool(0), bool(3.14159), bool(-3), bool(False))	A	0.5	False True True False	True True True False	False False True False	False True False False
82	2	What is the output of following python code: a=5 b=10 c=1 print(a**c, b//a, c%a)	B	0.5	5 2 2	5 2 1	5 2 5	5 10 5
83	2	Which of the following is invalid?	A	0.5	1x=1	x1=1	x =1	x=1
84	2	What is the output of this expression, 3**1**3/True?	C	0.5	1	3	3.0	27

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D
85	2	What will be the output of the following program on execution? a=0 b=5 a or b ==5 or True + 7 -4 * 3	A	0.5	True	1	0	False
86	2	What will be the output of the following program on execution? a=50 b=60 print((a and b)/False)	D	0.5	0	60	50	Error
87	2	Which of the following will evaluate to true? I. True and False II. False or True III. False and (True or False)	B	1	I	II	I and II	II and III
88	2	Given two variables, num1 and num2, which of the following would mean that both num1 and num2 are positive integers?	D	1	(num1 == num2)	(num1 == num2) or (num1 > 0)	(num1 == num2) and (num1 < 0)	(num1 == num2) and (num1 > 0)
89	2	What is the output from the following code? a = 3 b = (a != 3) print(b)	B	1	True	False	0	3
90	2	Which of the following evaluates to True when a is equal to b or when a is equal to 5?	C	1	a == b == 5	a = b or a = 5	a == b or a == 5	a = b and a = 5
91	2	Write a Python program to add 2 Numbers with user input.		4				
92	2	Write a Python program to find the area of Circle.		4				
93	2	Write a Python program to find the area of Triangle.		4				
94	2	Write a Python program to calculate the area of a trapezoid.		4				
95	2	Write a Python program to calculate surface volume and area of a cylinder.		4				
96	2	Write a Python program to convert Fahrenheit to Celsius and vice versa.		7				
97	2	Write a python code to demonstrate calculator functionality.		7				
98	2	Write a python program to convert Days into Years, Months and Days. (Ex: if input of Days = 370 then output will be, years=1, months=0 and days = 5).		7				
99	2	Write a Python program to convert hours into minutes and seconds (Ex : input of hours = 6 then output will be, minutes = 360 and seconds = 21600).		7				
100	2	Write a Python program to find an integer exponent x such that a^x = n. Input: a = 2 : n = 1024 Output: 10 Input: a = 3 : n = 81 Output: 4		4				
UNIT 3 - Conditional Execution and Iterations								
101	3	What does the following code print? if 4 + 5 == 10: print("TRUE") else: print("FALSE") print("TRUE")	C	1	TRUE	TRUE FALSE	FALSE TRUE	TRUE FALSE TRUE
102	3	What does the following code print? x = -10 if x < 0: print("The negative number ", x, " is not valid here.") print("This is always printed")	B	1	This is always printed	The negative number -10 is not valid here. This is always printed	The negative number -10 is not valid here	It will cause an error because every if statement must have an else statement.

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D
103	3	Which of the following is true about the code below? x = 3 if (x > 2): x = x * 2 if (x > 4): x = 0 print(x)	C	1	x will always equal 0 after this code executes for any value of x	if x is greater than 2, the value in x will be doubled after this code executes	if x is greater than 2, x will equal 0 after this code executes	None of mentioned
104	3	Which one of the following is a valid Python if statement?	A	1	if a>=2 :	if (a >= 2)	if (a == 22)	if a >= 22
105	3	What keyword would you use to add an alternative condition to an if statement?	C	1	else if	elseif	elif	None of the above
106	3	Which statement will check if a is equal to b?	B	1	if a = b:	if a == b:	if a === c:	if a == b
107	3	Given the nested if-else structure below, what will be the value of x after code execution completes x = 0 a = 0 b = -5 if a > 0: if b < 0: x = x + 5 elif a > 5: x = x + 4 else: x = x + 3 else: x = x + 4 print(x)	D	1	2	0	3	4
108	3	Given the nested if-else below, what will be the value x when the code executed successfully x = 2 a = 5 b = 5 if a > 0: if b < 0: x = x + 5 elif a > 5: x = x + 4 else: x = x + 3 else: x = x + 2 print(x)	B	1	0	5	2	3
109	3	What is the output of the following if statement a, b = 12, 5 if a + b: print('True') else: print('False')	B	1	False	True	Can't predict	None of these
110	3	Which of the following is not used as loop in Python?	C	1	for loop	while loop	do-while loop	None of the above
111	3	A loop becomes infinite loop if a condition never becomes .	B	1	True	False	Null	Both A and C
112	3	If the else statement is used with a while loop, the else statement is executed when the condition becomes .	B	1	True	False	Infinite	Null
113	3	Python programming language allows to use one loop inside another loop known as?	C	1	switch	foreach	nested	forall

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D
114	3	What will be the output of given Python code? n=7 c=0 while(n): if(n>5): c=c+n-1 n=n-1 else: break print(n) print(c)	B	1	4 16	5 11	6 7	5 10
115	3	How many times will the loop run? i=2 while(i>0): i=i-1	A	1	2	3	1	0
116	3	How many times will the condition will be checked? i=2 while(i>0): i=i-1	B	1	2	3	1	0
117	3	What is the value of the var after the for loop completes its execution var = 10 for i in range(10): for j in range(2, 10, 1): if var % 2 == 0: continue var += 1 else: var += 1 print(var)	B	1	20	21	10	30
118	3	What will be the output of the following Python code? for i in range(0,2,-1): print("Hello")	C	1	Hello	Hello Hello	No Output	Error
119	3	Which of the following is a valid for loop in Python?	B	1	for(i=0; i < n; i++)	for i in range(0,5):	for i in range(0,5)	for i in range(5)
120	3	Which of the following sequences would be generated by the given line of code? range (5, 0, -2)	C	1	5 4 3 2 1 0 -1	5 4 3 2 1 0	5 3 1	None of the above
121	3	What is the output of the following for loop and range() function for num in range(-2,-5,-1): print(num, end=", ")	D	1	-2, -1, -3, -4	-2, -1, 0, 1, 2, 3,	-2, -1, 0	-2, -3, -4,
122	3	What will be the output of the following code? x = 12 for i in x: print(i)	C	1	12	12	Error	None of the above
123	3	What is the value of x after the following nested for loop completes its execution x = 0 for i in range(10): for j in range(-1, -10, -1): x += 1 print(x)	B	1	99	90	100	101

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D
124	3	What is the output of the following range() function for num in range(2,-5,-1): print(num, end=" ", " ")	C	1	2, 1, 0,	2, 1, 0, -1, -2, -3, -4, -5,	2, 1, 0, -1, -2, -3, -4,	None of these
125	3	What is the value of x x = 0 while (x < 100): x += 2 print(x)	D	1	101	99	None of the above, this is an infinite loop	100
126	3	What is the output of the following nested loop for num in range(10, 14): for i in range(2, num): if num%i == 1: print(num) break	B	1	11 12 13 14	10 11 12 13	9 10 11 12	12 13 14 15
127	3	What will be the output of the following Python code? i = 1 while True: if i%3 == 0: break print(i) i += 1	A	1	1 2	1 2 3	Error	None of these
128	3	What will be the output of the following Python code? i = 1 while True: if i%2 == 0: break print(i) i += 2	D	1	1	1 2	1 2 3 4 5 6...	1 3 5 7 9 11 ...
129	3	What will be the output of the following Python code? i = 2 while True: if i%3 == 0: break print(i) i += 2	B	1	2 4 6 8 10..	2 4	2 3	Error
130	3	What will be the output of the following Python code? i = 1 while False: if i%2 == 0: break print(i) i += 2	D	1	1	1 3 5 7..	1 2 3 4..	None of these
131	3	What will be the output of the following Python code? True = False while True: print(True) break	D	1	True	False	None	Error
132	3	What will be the output of the following Python code? for i in range(0): print(i)	B	1	0	No output	Error	None of mentioned
133	3	What will be the output of the following Python code? for i in range(2.0): print(i)	C	1	0.0 1.0	1	Error	None of mentioned
134	3	What will be the output of the following Python code? for i in range(int(2.0)): print(i)	B	1	0.0 1.0	0 1	Error	None of mentioned

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D
135	3	What will be the output of the following Python code? for i in range(float('inf')): print (i)	D	1	0.0 0.1 0.2 0.3 ...	0 1 2 3 ...	0.0 1.0 2.0 3.0 ...	None of mentioned
136	3	What will be the output of the following Python code? for i in range(5): if i == 5: break else: print(i) else: print("Here")	A	1	0 1 2 3 4 Here	0 1 2 3 4 5 Here	0 1 2 3 4	1 2 3 4 5
137	3	What will be the output of the following Python code? for i in range(10): if i == 5: break else: print(i) else: print("Here")	C	1	0 1 2 3 4 Here	0 1 2 3 4 5 Here	0 1 2 3 4	1 2 3 4 5
138	3	What will be the output of the following Python code snippet? x = 2 for i in range(x): x -= 2 print (x)	B	1	0 1 2 3 4	0 -2	0	Error
139	3	What will be the output of the following Python code snippet? x = 2 for i in range(x): x += 1 print (x)	C	1	0 1 2 3 4..	0 1	3 4	0 1 2 3
140	3	What will be the output of the following Python code? i = 0 while i < 5: print(i) i += 1 if i == 3: break else: print(0)	A	1	0 1 2	0 1 2 0	Error	None of these
141	3	What will be the output of the following Python code? i = 0 while i < 3: print(i) i += 1 else: print(0)	C	1	0 1 2	0 1 2 3 0	0 1 2 0	Error
142	3	What will be the output of the following Python code? x = 2 for i in range(x): x -= 2 print (x)	B	1	0 1 2 3 4 ...	0 -2	0	error
143	3	The continue statement can be used in?	D	1	while loop	for loop	do-while	Both A and B
144	3	What is the output of following python code? int("Enter value of x:") for i in range[0, 10]: print("They are equal") else: print("They are unequal")	D	1	They are unequal	They are equal	0,1,2,3,4,5,6,7,8,9	SyntaxError

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D
145	3	What is the output of following python code? a = 5 b = 5.0 print('yes') if (a == b) else 'no'	A	1	yes	no	ZeroError	SyntaxError
146	3	What is the output of following python code? a = b = 0 if (a = b): print(0) else: print('otherwise')	D	1	yes	0	ZeroError	SyntaxError
147	3	What is the output of following python code? Step = 3 for e in range(0, step): if e%2==0: print('hello') else: print('goodbye')	B	1	3	NameError	ZeroError	SyntaxError
148	3	What will be the output of the following Python code? x = 123 for i in x: print(i)	C	0.5	1 2 3	123	TypeError	KeyError
149	3	What is the output of the following snippet? theSum = 0 for count in range(2, 11, 2): theSum += count print(theSum)	C	1	25	20	30	23
150	3	What will be the output of the following snippet? a = True b = False c = False if not a or b: print (1) elif not a or not b and c: print (2) elif not a or b or not b and a: print (3) else: print (4)	C	1	1	2	3	4
151	3	What will be the output of the following Python code? var = 10 for i in range(5): for j in range(2, 3, 1): if var%2 == 0: break var += 1 var+=1 else: var+=1 print(var)	B	1	19	20	21	14

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D
152	3	What will be output of following code? A=70 if A>90: print('Grade A') elif A>70 and A<90: print('Grade B') elif A>50 and A<70: print('Grade C') elif A>35 and A<50: print('Grade D') else: print('Fail')	D	1	Grade A	Grade B	Grade C	Fail
153	3	What will be output of following code? seconds=3650 if seconds>=3600: hour=seconds//3600 seconds %= 3600 print(hour,"hours",end=" ") if seconds>=60: minute=seconds//60 seconds %= 60 print(minute,"minutes",end=" ") if seconds>0: print(seconds,"seconds")	A	1	1 hours 50 seconds	1 hours 0 minutes 50 seconds	1 hours 50 minutes	0 hours 0 minutes 3650 seconds
154	3	What will be output of following code? A=0 for i in range(4): if i%2==0: pass else: continue break A+=1 print(A)	C	1	4	3	2	0
155	3	What will be the output of the following code snippet? count = 0 while(True): if count % 3 == 0: print(count, end = " ") if(count > 15): break count += 1	A	1	0 3 6 9 12 15	0 1 2 3	0 3 6 9	0 3 6 9 12

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D
156	3	What is the output of the following code? a = True b = False c = True if not a or b: print ("a") elif not a or not b and c: print ("b") elif not a or b or not b and a: print ("c") else: print ("d")	B	1	a	b	c	d
157	3	What does the following code print? if 5 + 5 == 10: print("TRUE") else: print("FALSE") print("TRUE")	D	0.5	TRUE	FALSE	TRUE FALSE	TRUE TRUE
158	3	What is the output of the following nested loop for num in range(26, 30): for i in range(2, num): if num%i == 1: print(num, end=',') break	C	0.5	26,27,28	26,27,28,29	26,27,28,29,	27,29
159	3	What is the value of the var after the for loop completes its execution: var = 10 for i in range(10): for j in range(2, 10, 1): if var % 2 == 0: var += 1 continue var+=1 else: var+=1 print(var)	D	1	20	21	30	31
160	3	What should be the output of the following python code snippet: a=5 b=7 c=2 if a>b: a,b = b,a if a>c: a,c = c,a if b>c: b,c = c,b print(a,b,c,end=",")	C	1	2,5,7	7,5,2	2 5 7,	7 5 2,
161	3	What is the value of x after the following nested for loop completes its execution x = 0 for i in range(1,10): for j in range(-1, -10, -1): x += 1 print(x)	A	0.5	81	90	80	99

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D
162	3	What is the value of x x = 0 while (x < 100): x+=3 print(x)	D	0.5	98	99	100	102
163	3	What will be the output of the following program. if (9 < 0) and (0 < -9): print("hello") elif (9 > 0) or False: print("good") else: print("bad")	C	0.5	IndentationError	hello	good	bad
164	3	What is the output of the following code? c=1 s=0 while c<=8: c=c-1 s=s+c c=c+2 print(s)	A	1	28	30	21	35
165	3	What will be the output of the following program on execution? x=0 while x<10: if x%3==0: x+=5 continue if x%2==0: x+=14 else: x+=1 else: x+=1 print(x)	C	1	10	11	12	0
166	3	What is the output of the following code? val = 154 while(not(val)): val**=2 else: val//=2 print(val)	A	0.5	77	11	154	11858

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D
167	3	What is the output of the following code? <pre> n=10 i=1 while(i<=n): k=0 if(n%i==0): j=1 while(j<=i): if(i%j==0): k=k+1 j=j+1 if(k==2): print(i,end=" ") i=i+1 </pre>	A	1	2 5	10	100	20
168	3	What will be the output of Python code? <pre> i,j=1,4 while True: if(i%7==0 or j%9==0): break i+=1 j+=1 print(i,j) </pre>	C	1	5 9	6 7	6 9	7 9
169	3	What will be the output of given Python code? <pre> n=5 c=0 while(n): if(n>5): c=c+n-1 n=n-1 else: c=c+n-1 break print(n, c) </pre>	A	1	5 4	5 0	5 1 1	4 0
170	3	What will be the output of the following program on execution? <pre> for x in range(0,15): if(x%3==0): continue if(x%5==0): continue if(x%7==0): break print(x,end=" ") </pre>	A	0.5	1 2 4	0 1 2 4	0 1 2 3 4 5 6	1 2 3 4 5 6
171	3	What will be the output of the following program on execution? <pre> for i in range (1,11): sum=0 sum+=i print(sum) </pre>	A	0.5	10	11	55	0

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D
172	3	What will be the output of the following program on execution? n=6 for i in range(4,n,1): if i==5: break else: print(n)	A	0.5	no output	4	5	n
173	3	What will be the output of the following program on execution? n=1 for i in range(1,n,1): print("hello") else: print("hi")	A	0.5	hi	hello	no output	value error
174	3	What will be the output of the following program on execution? for i in range(1,11): x=0 x+=i while(x<15): if i%2==0: x+=1 else: x+=2 print(x)	A	1	15	17	16	14
175	3	What will be the output of the following program on execution? x=10 if x<15: print("h",end=" ") elif x>12: print("i",end=" ") else: print("student",end=" ") if x<9: print("name",end=" ") else: print("Name",end="")	A	1	h Name	H name	hi	hi name
176	3	What will be the output of the following program on execution? x=0 count=0 while x<15: if x%2==0: x+=1 continue if x%3==0: x+=1 continue if count==5: break count+=1 print(x,count)	A	1	15	15 5	5	0

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D
177	3	What will be the output of the following program on execution? x=0 count=0 for x in range(10): while x<15: if x<0: pass elif x%2==0: x+=1 continue elif x%3==0: x+=1 continue elif count==5: break count+=1 print(x,count)	A	1	11 5	10 5	16 5	14 5
178	3	Write a program to determine a given number is 'odd' or 'even' and print the following message "Number is ODD" or "Number is Even".		3				
179	3	Write a program to check if the input number is positive, negative or zero.		3				
180	3	Write a program to find the maximum number among the three input numbers.		7				
181	3	Write a Python Program to Compute the product of the odd digits in a given number, 0 if there are not any odd digits in a given number. Example: (1) Input: 123456789 Output: 945 (2) Input: 2468 Output: 0 (3) Input: 123547 Output: 105		3				
182	3	Write a program to check if year is a leap year or not (Nested If).		7				
183	3	Write a program to find sum of first N natural numbers given by user.		4				
184	3	Write a program to find average of first N natural numbers given by user.		4				
185	3	Write a python program to read three numbers (a,b,c) and check how many numbers between 'a' and 'b' are divisible by 'c'.		4				
186	3	Write a Python program that prints all the numbers from 0 to 6 except 3 and 6.		4				
187	3	Write a Python program to print the multiplication table of given number by user.		4				
188	3	Write a program to find the factorial of a number provided by the user.		4				
189	3	Write a python program to display the Fibonacci sequence up to n-th term.		4				
190	3	Write a program to take 10 values from keyboard using loop and print their average on the screen		4				
191	3	Write a program to reverse a number.		4				
192	3	Write a program to check whether a number is Armstrong number or not.		4				
193	3	Write a program to check if a number is prime or not.		4				
194	3	Write a program to print prime numbers between given interval from user		4				

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D
195	3	Draw a pattern using a python program: * * * * * * * * * *		4				
196	3	Draw a pattern: * * * * * * * * * *		4				
197	3	Draw a pattern using a python program: 1 2 3 4 5 1 2 3 4 1 2 3 1 2 1		4				
198	3	Draw a pattern using a python program: 1 1 2 1 2 3 1 2 3 4		3				

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D
199	3	Draw a pattern using a python program: 1 2 2 3 3 3 4 4 4 4		3				
200	3	Draw a pattern using a python program: * # # * * * # # # #		4				
201	3	Draw a pattern using a python program: 1 0 1 1 0 1 0 1 0 1		4				

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D																																					
202	3	Gross Pay, Annual Income and Income Tax CalculatorWrite a Python Program to make the gross pay, annual income and income tax calculator using following data.The gross pay consists of Basic Pay, House Rent Allowance (hra), Dearness Allowance (dra), other allowances and professional tax and provident fund. Gross Pay= Basic Pay+ House Rent Allowance (hra) + Dearness Allowance (dra) +other allowances +Transport Allowance (TA)– Professional tax –Employees’ Provident fund (EPF)Basic Pay for different grade levels are indicated in table given.The Professional tax remains constant and that is equal to 200 Rs. for each grade levels and each month. House Rent Allowance (hra) varies as per the city- For Class 1 Cities it is 0.3 times of Basic Pay of each grade levels, for Class 2 Cities it is 0.2 times of Basic Pay of each grade levels, for Class 3 Cities it is 0.1 times of Basic Pay of each grade levels, Dearness Allowance (dra)= 0.5 times of Basic Pay of each grade levels, Other allowances are given in table which varies according to different grade levels, Provident Fund= 0.11 times of Basic Pay for each grade levels, Transport Allowance remains constant as 900 Rs. for each levels.For different grade pays: The gross pay calculated is only for one month.After calculating Gross Pay of each employee calculate the annual pay for employee by multiplying gross pay calculated, by 12. So, Annual Pay of an employee=Gross Pay of an employee*12From Annual Pay of an Employee Calculate the income tax as per the slabs of India Income Tax 2022-23 given below.Tax Slabs for AY 2022-23 Input & Output: Enter the grade_level (A,B,C,D,E or F:)Acity 1 is a tier 1 (metro), city 2 is tier 2 and city 3 is tier 3Enter the city (1,2 or 3)1 Gross Pay of an Employee is: 110100.0 Annual income of an employee is: 1321200.0 Income Tax to be paid by an employee is: 142800.0 <table><thead><tr><th>Grade Levels</th><th>Basic Pay (in Rs.)</th><th>Other Allowances (in Rs.)</th></tr></thead><tbody><tr><td>A (Considered as highest grade pay)</td><td>60000</td><td>8000</td></tr><tr><td>B</td><td>50000</td><td>7000</td></tr><tr><td>C</td><td>40000</td><td>6000</td></tr><tr><td>D</td><td>30000</td><td>5000</td></tr><tr><td>E</td><td>20000</td><td>4000</td></tr><tr><td>F</td><td>10000</td><td>3000</td></tr></tbody></table> <table><thead><tr><th>Amount in Rs.</th><th>Income Tax Rate</th></tr></thead><tbody><tr><td>Up to Rs. 2,50,000</td><td>0%</td></tr><tr><td>Rs. 2,50,001 to Rs. 5,00,000</td><td>5% above Rs. 2,50,000</td></tr><tr><td>Rs. 5,00,001 to Rs. 7,50,000</td><td>10% above Rs. 5,00,000 + Rs. 12,500</td></tr><tr><td>Rs. 7,50,001 to Rs. 10,00,000</td><td>15% above Rs. 7,50,000 + Rs. 37,500</td></tr><tr><td>Rs. 10,00,001 to Rs. 12,50,000</td><td>20% above Rs. 10,00,000 + Rs. 75,000</td></tr><tr><td>Rs. 12,50,001 to Rs. 15,00,000</td><td>25% above Rs. 12,50,000 + Rs. 1,25,000</td></tr><tr><td>Above Rs. 15,00,001</td><td>30% above Rs. 15,00,000 + Rs. 1,87,500</td></tr></tbody></table>	Grade Levels	Basic Pay (in Rs.)	Other Allowances (in Rs.)	A (Considered as highest grade pay)	60000	8000	B	50000	7000	C	40000	6000	D	30000	5000	E	20000	4000	F	10000	3000	Amount in Rs.	Income Tax Rate	Up to Rs. 2,50,000	0%	Rs. 2,50,001 to Rs. 5,00,000	5% above Rs. 2,50,000	Rs. 5,00,001 to Rs. 7,50,000	10% above Rs. 5,00,000 + Rs. 12,500	Rs. 7,50,001 to Rs. 10,00,000	15% above Rs. 7,50,000 + Rs. 37,500	Rs. 10,00,001 to Rs. 12,50,000	20% above Rs. 10,00,000 + Rs. 75,000	Rs. 12,50,001 to Rs. 15,00,000	25% above Rs. 12,50,000 + Rs. 1,25,000	Above Rs. 15,00,001	30% above Rs. 15,00,000 + Rs. 1,87,500		9				
Grade Levels	Basic Pay (in Rs.)	Other Allowances (in Rs.)																																											
A (Considered as highest grade pay)	60000	8000																																											
B	50000	7000																																											
C	40000	6000																																											
D	30000	5000																																											
E	20000	4000																																											
F	10000	3000																																											
Amount in Rs.	Income Tax Rate																																												
Up to Rs. 2,50,000	0%																																												
Rs. 2,50,001 to Rs. 5,00,000	5% above Rs. 2,50,000																																												
Rs. 5,00,001 to Rs. 7,50,000	10% above Rs. 5,00,000 + Rs. 12,500																																												
Rs. 7,50,001 to Rs. 10,00,000	15% above Rs. 7,50,000 + Rs. 37,500																																												
Rs. 10,00,001 to Rs. 12,50,000	20% above Rs. 10,00,000 + Rs. 75,000																																												
Rs. 12,50,001 to Rs. 15,00,000	25% above Rs. 12,50,000 + Rs. 1,25,000																																												
Above Rs. 15,00,001	30% above Rs. 15,00,000 + Rs. 1,87,500																																												
203	3	Write a python program to print all numbers between 1 and 100 (including 1 and 100) that are both, Disarium and Harshad numbers. A number is said to be a Disarium number when the sum of its digit raised to the power of their respective positions becomes equal to the number itself.For example, 175 is a Disarium number as follows:11+ 72 + 53 = 1+ 49 + 125 = 175 A harshad number is a number that is divisible by the sum of its digits. E.g., the number 18 is a harshad number, because the sum of the digits 1 and 8 is 9 (1 + 8 = 9) and 18 is divisible by 9		5																																									

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D
		Harshad number, because the sum of the digits 1 and 0 is 1 (1+0=1), and 10 is divisible by 1. Grading scheme: 2 marks for writing correct code for checking Disarium number 2 marks for writing correct code for checking Harshad number 1 mark for writing correct code for only printing those numbers that are both, Disarium and Harshad numbers.						
204	3	Ask the user to enter 10 test scores. Write a program to do the following: a) If user enters score greater than 100, then give warning to user that entered score is more than 100 and take that input again from user. b) Print out the highest and lowest scores. c) Print out the average of the scores. d) Print out the second largest score. e) Drop the two lowest scores and print out the average of the rest of them. Note: Use of Python Data structures like string, list, tuple etc. and their inbuilt function is not allowed. For Ex. If Input is like following: Enter Test Score: 80 Enter Test Score: 65 Enter Test Score: 98 Enter Test Score: 70 Enter Test Score: 93 Enter Test Score: 130 Entered score is more than hundred, so enter again Enter Test Score: 95 Enter Test Score: 50 Enter Test Score: 40 Enter Test Score: 75 Enter Test Score: 72 Output should be: Highest Score is: 98 Lowest Score is: 40 Average Test Score is: 73.8 Second Largest Score is: 95 Average after dropping the two lowest scores: 81.0		6				
205	3	Write a program to encode a number by changing the digits in the given positive integer by user. The rule for changing the digits in number will be: If the digit in number is between 0 to 8 then replace the number with 1 to 9 respectively. (incrementing each digit by +1). If the digit is 9, then replace it with 0. To encode a number, replace digits in following manner: For example: Input: 31590218 Output: The number after encoding is: 42601329 For example: Input: 9259 Output: The number after encoding is: 360 For example: Input: 65217001 Output: The number after encoding is: 76328112		5				

LJ Institute of Engineering and Technology, Ahmedabad
Computer Programming using Python-I Practice Book (SEM-I-2026)

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D
		Original Digit in Number' New Digit after Encoding 0-> 1 1->2 2->3 3->4 4->5 5->6 6->7 7->8 8->9 9->0 Note: Use of Python Data structures like string, list, tuple etc. and their inbuilt function is not allowed.						
206	3	Write a program to implement the calculator for the date of Easter. The following algorithm computes the date for Easter Sunday for any year between 1900 to 2099. Ask the user to enter a year. Compute the following: 1.a = year % 19 2.b = year % 4 3.c = year % 7 4.d = (19 * a + 24) % 30 5.e = (2 * b + 4 * c + 6 * d + 5) % 7 6.dateofeaster = 22 + d + e Special note: The algorithm can give a date in April. You will know that the date is in April if the calculation gives you an answer greater than 31. (You'll need to adjust) Also, if the year is one of four special years (1954, 1981, 2049, or 2076) then subtract 7 from the date. Eg: Input: Year : 2022 Expected Outcome: 2022-04-17 (i.e. 17th April 2022)		6				
207	3	Write a Python program to compute the greatest common divisor (GCD) of two positive integers. The greatest common divisor (GCD) of two nonzero integers a and b is the greatest positive integer d such that d is a divisor of both a and b; that is, there are integers e and f such that a = de and b = df, and d is the largest such integer. The GCD of a and b is generally denoted gcd(a, b). For example, the greatest common factor of 15 and 10 is 5, since both the numbers can be divided by 5.		4				
208	3	Write a python program that prompts the user to enter numbers and stops only when the use enter "QUIT" . After this print sum and average of the numbers, minimum and maximum number from given numbers entered by user. Note: you are not allowed to use any built in structures like, list ,tuple etc. or any builtin function like min, max etc. For Example: Input: 4,1,5,"QUIT" Output: Sum=10 Average=3.333 Minimum number=1 Maximum number=5		4				

Note : This practice book is only for reference purpose. LJU Test question paper may not be completely set from this practice book

Sr No	Unit Number	Question_Text	MCQ Answer	Marks	Option A	Option B	Option C	Option D															
209	3	A hotel offers two types of rooms: studio and apartment. Write a program that calculates the price of the whole stay for a studio and an apartment. Prices depend on the month of the stay: <table border="1"><thead><tr><th>January-April</th><th>May-August</th><th>September-December</th></tr></thead><tbody><tr><td>Studio-50 \$/Night</td><td>Studio-70 \$/Night</td><td>Studio-80 \$/Night</td></tr><tr><td>Apartment-60 \$/Night</td><td>Apartment-80 \$/Night</td><td>Apartment-90 \$/Night</td></tr></tbody></table> Following Discounts are offered <table border="1"><tbody><tr><td>For a studio, in the case of more than 3 nights stayed in January -April: 20% discount.</td><td>For a studio, in the case of more than 3 nights stayed in May-August: 10% discount.</td><td>For a studio, in the case of more than 3 nights stayed in September-December: 5% discount.</td></tr><tr><td>For a studio, in the case of more than 7 nights stayed in January-April: 30% discount.</td><td>For a studio, in the case of more than 7 nights stayed in May-August: 20% discount.</td><td>For a studio, in the case of more than 7 nights stayed in September-December: 10% discount.</td></tr></tbody></table> For an apartment, in the case of more than 7 nights stayed, no limitation regarding the month: 10% discount. Input Data: Input Data to be read from User - Month of Stay - Number of Nights they want to stay (Upto 30 Days) Output Data: - Studio Rent based on No. of Nights Stay after Discount for entered month - Apartment Rent based on No. of Nights Stay after Discount for entered month Example: Input: Enter Month: May Enter Nights: 5 Output: Studio Rent for 5 Nights is \$ 315 Apartment Rent for 5 Nights is \$ 400	January-April	May-August	September-December	Studio-50 \$/Night	Studio-70 \$/Night	Studio-80 \$/Night	Apartment-60 \$/Night	Apartment-80 \$/Night	Apartment-90 \$/Night	For a studio, in the case of more than 3 nights stayed in January -April: 20% discount.	For a studio, in the case of more than 3 nights stayed in May-August: 10% discount.	For a studio, in the case of more than 3 nights stayed in September-December: 5% discount.	For a studio, in the case of more than 7 nights stayed in January-April: 30% discount.	For a studio, in the case of more than 7 nights stayed in May-August: 20% discount.	For a studio, in the case of more than 7 nights stayed in September-December: 10% discount.		6				
January-April	May-August	September-December																					
Studio-50 \$/Night	Studio-70 \$/Night	Studio-80 \$/Night																					
Apartment-60 \$/Night	Apartment-80 \$/Night	Apartment-90 \$/Night																					
For a studio, in the case of more than 3 nights stayed in January -April: 20% discount.	For a studio, in the case of more than 3 nights stayed in May-August: 10% discount.	For a studio, in the case of more than 3 nights stayed in September-December: 5% discount.																					
For a studio, in the case of more than 7 nights stayed in January-April: 30% discount.	For a studio, in the case of more than 7 nights stayed in May-August: 20% discount.	For a studio, in the case of more than 7 nights stayed in September-December: 10% discount.																					
210	3	Write a Python program that prompts the user to enter numbers and stops only when the user enters "stop". After this, print the minimum even, maximum even, average of even number, minimum odd, maximum odd, average of odd number from among all the numbers entered by the user. Note: You are not allowed to use any built-in structures like lists, tuples, etc. or any built-in functions like max, min, sum Example: input and output enter number or q for'stop':-1 enter number or q for'stop':-5 enter number or q for'stop':9 enter number or q for'stop':2 enter number or q for'stop':4 enter number or q for'stop':6 enter number or q for'stop':stop Output: for even 6 2 4.0 (max, min, avg) for odd 9 -5 1.0 (max, min, avg)		5																			