

Figure 1: **Line-biased genes in males**. (**A**, **B**, **C**): Genes significantly differentially expressed in each developmental timepoint (FDR-p < 0.05), genes that are line-biased in females are excluded. Figure legend shows numbers of nonsignificant (nonsig.) genes, and genes that are significantly up- or downregulated, with upregulated genes being biased towards the large male haplotype in the large-small contrast. (**D**): UpSet plot showing the overlap of line-significant genes identified in A-C.



Figure 2: **Sex bias across developmental stages**. (**A**, **B**, **C**): Genes that are significantly sex-biased in each developmental time point (Y-haplotype line modelled as fixed effect). Upregulated genes are female-biased in the female-male contrast. (**D**): UpSet plots showing the overlap of genes that are significant in the day-by-sex interaction overlapping with genes that are sex biased on any time point in the full dataset. Only intersections with at least 30 genes are shown.



Figure 3: **Sex bias across developmental stages**. (**A**, **B**, **C**): Day-split data showing sex bias of large and small male haplotype lines in each day. Genes that are significant in the sex-by-line interaction of the individual day are highlighted. (**D**): UpSet plot showing the overlap of sex biased genes.



Figure 4: **Intersection of sex bias and line bias across developmental stages**. Log2FC of sex-bias (females - males contrast) difference between the lines (SB small-Y - SB large-Y difference) and line-bias (small-Y - large-Y contrast) in males of day 14 (**A**), day 16 (**B**) and day 18 (**C**), genes that are also line-biased in females are excluded. (**D**): Magnitude of 129 male-biased genes that are significant in all time points and both selection lines. Significance is tested via Mann-Whitney-U, day14 (small-Y vs. large-Y): U = 100653.0, p = 0.010; day16 (small-Y vs. large-Y): U = 94097.0, p < 0.0001; day18 (small-Y vs. large-Y): U = 107263.0, p = 0.324; small-Y (day 14 vs. day 18): U = 169800.0, p < 0.0001; large-Y (day 14 vs. day 18): U = 172706.0, p < 0.0001



Figure 5: **Intersection of sex bias and line bias across developmental stages**. Log2FC of sex-bias (females - males contrast) in small-Y (**A**) or large-Y (**B**) vs. line-bias (small-Y - large-Y contrast) in males of day 14, and day 16 with sex-bias in small-Y (**C**) or large-Y (**D**). Genes that are also line-biased in females are excluded. (**E**): Magnitude of 129 male-biased genes that are significant in all time points and both selection lines. Significance is tested via Mann-Whitney-U, day14 (small-Y vs. large-Y): $U = 100653.0$, $p = 0.010$; day16 (small-Y vs. large-Y): $U = 94097.0$, $p < 0.0001$; day18 (small-Y vs. large-Y): $U = 107263.0$, $p = 0.324$; small-Y (day 14 vs. day 18): $U = 169800.0$, $p < 0.0001$; large-Y (day 14 vs. day 18): $U = 172706.0$, $p < 0.0001$