ReLease API

Overview

Server for subleasing website ReLease

Version information

Version: 1.0

URI scheme

Host: localhost:8080

Security

OAuth2Application

Auth0 protects our endpoints

Type: oauth2 *Flow*: application

Token URL: https://dev-nkzmwy1mucvvl5xb.us.auth0.com/oauth/token

Paths

Create a lease

POST /leases

Description

post a lease

Parameters

Туре	Name	Description	Schema
Body	createLeaseR equest required	create lease request	entity.CreateLeaseRe quest

Responses

HTTP Code	Description	Schema
201	id of created lease	integer
400	Bad Request	No Content
500	Internal Server Error	No Content

Consumes

• application/json

Produces

• text/plain

Tags

• leases

List leases

GET /leases

Description

get all leases

Responses

HTTP Code	Description	Schema
200	OK	< entity.Lease > array
500	Internal Server Error	No Content

Produces

• application/json

Tags

• leases

Update a lease

PUT /leases/{id}

Description

update a lease by id

Parameters

Туре	Name	Description	Schema
Path	id required	lease id	integer
Body	editLeaseReq uest required	edit lease request	entity.EditLeaseReq uest

Responses

HTTP Code	Description	Schema
204	No Content	No Content
400	Bad Request	No Content
500	Internal Server Error	No Content

Consumes

• application/json

Tags

• leases

Delete a lease

DELETE /leases/{id}

Description

delete a lease by id

Parameters

Туре	Name	Description	Schema
Path	id required	lease id	integer

Responses

HTTP Code	Description	Schema
204	No Content	No Content
400	Bad Request	No Content
500	Internal Server Error	No Content

Tags

leases

Definitions

entity. Create Lease Request

Name	Schema
name required	string

entity. Edit Lease Request

Name	Schema
id required	integer
name optional	string

entity.Lease

Name	Schema
id optional	integer
name optional	string

Name	Schema
ownerID	integer
optional	integer