

ICPSR 25502

**National Health and Nutrition
Examination Survey (NHANES),
2001-2002**

*United States Department of Health and
Human Services. Centers for Disease
Control and Prevention. National Center
for Health Statistics*

Codebook -- Demographics

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25502.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25502

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2001-2002

Demographics

SEQN	Respondent sequence number
------	----------------------------

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

SDDSRVYR	Data Release Number
----------	---------------------

Location: 6-8 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	NHANES 2001-2002 Public Release	11039	100.0 %

RIDSTATR	Interview/Examination Status
----------	------------------------------

Location: 9-11 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Interviewed Only.	562	5.1 %
2	Both Interviewed and MEC examined	10477	94.9 %

RIDEXMON	Six month time period
----------	-----------------------

Location: 12-14 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	November 1 through April 30	5168	46.8 %
2	May 1 through October 31	5309	48.1 %
. (M)	-	562	5.1 %

RIAGENDR	Gender
----------	--------

Location: 15-17 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	5331	48.3 %
2	Female	5708	51.7 %

RIDAGEYR	Age at Screening Adjudicated - Recode
----------	---------------------------------------

Location: 18-20 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	-	569	5.2 %
1	-	343	3.1 %
2	-	348	3.2 %
3	-	236	2.1 %
4	-	207	1.9 %
5	-	196	1.8 %
6	-	204	1.8 %
7	-	215	1.9 %
8	-	216	2.0 %
9	-	214	1.9 %
10	-	179	1.6 %
11	-	214	1.9 %
12	-	323	2.9 %
13	-	312	2.8 %
14	-	319	2.9 %
15	-	310	2.8 %
16	-	307	2.8 %
17	-	334	3.0 %
18	-	301	2.7 %
19	-	281	2.5 %
20	-	105	1.0 %
21	-	116	1.1 %
22	-	110	1.0 %
23	-	103	0.9 %
24	-	99	0.9 %
25	-	95	0.9 %
26	-	118	1.1 %
27	-	89	0.8 %
28	-	89	0.8 %
29	-	94	0.9 %
30	-	114	1.0 %
31	-	77	0.7 %
32	-	95	0.9 %
33	-	76	0.7 %
34	-	96	0.9 %
35	-	86	0.8 %
36	-	84	0.8 %
37	-	103	0.9 %
38	-	81	0.7 %
39	-	95	0.9 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
40	-	101	0.9 %
41	-	97	0.9 %
42	-	94	0.9 %
43	-	84	0.8 %
44	-	107	1.0 %
45	-	100	0.9 %
46	-	95	0.9 %
47	-	84	0.8 %
48	-	77	0.7 %
49	-	84	0.8 %
50	-	81	0.7 %
51	-	83	0.8 %
52	-	82	0.7 %
53	-	81	0.7 %
54	-	79	0.7 %
55	-	68	0.6 %
56	-	58	0.5 %
57	-	61	0.6 %
58	-	53	0.5 %
59	-	45	0.4 %
60	-	85	0.8 %
61	-	84	0.8 %
62	-	88	0.8 %
63	-	77	0.7 %
64	-	75	0.7 %
65	-	63	0.6 %
66	-	74	0.7 %
67	-	72	0.7 %
68	-	65	0.6 %
69	-	57	0.5 %
70	-	72	0.7 %
71	-	69	0.6 %
72	-	71	0.6 %
73	-	61	0.6 %
74	-	64	0.6 %
75	-	62	0.6 %
76	-	60	0.5 %
77	-	53	0.5 %
78	-	47	0.4 %
79	-	31	0.3 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
80	-	65	0.6 %
81	-	86	0.8 %
82	-	54	0.5 %
83	-	40	0.4 %
84	-	61	0.6 %
85	>= 85 years of age	236	2.1 %

RIDAGEMN Age in Months - Recode

Location: 21-24 (width: 4; decimal: 0)

Variable Type: numeric

RIDAGEEX Exam Age in Months - Recode

Location: 25-28 (width: 4; decimal: 0)

Variable Type: numeric

RIDRETH1 Race/Ethnicity - Recode

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Mexican American	2776	25.1 %
2	Other Hispanic	517	4.7 %
3	Non-Hispanic White	4606	41.7 %
4	Non-Hispanic Black	2681	24.3 %
5	Other Race - Including Multi-Racial	459	4.2 %

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 32-34 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Non-Hispanic White	4657	42.2 %
2	Non-Hispanic Black	2746	24.9 %
3	Mexican American	2776	25.1 %
4	Other Race - Including Multi-Racial	343	3.1 %
5	Other Hispanic	517	4.7 %

DMQMILIT Veteran/Military Status

Location: 35-37 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	838	7.6 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	No	5480	49.6 %
7	Refused	4	0.0 %
9	Don't know	1	0.0 %
. (M)	-	4716	42.7 %

DMDBORN

Country of Birth - Recode

Location: 38-40 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	9408	85.2 %
2	Born in Mexico	993	9.0 %
3	Born Elsewhere	629	5.7 %
7	Refused	4	0.0 %
. (M)	-	5	0.0 %

DMDCITZN

Citizenship Status

Location: 41-43 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Citizen by birth or naturalization	9896	89.6 %
2	Not a citizen of the US	1128	10.2 %
7	Refused	10	0.1 %
9	Don't know	1	0.0 %
. (M)	-	4	0.0 %

DMDYRSUS

Length of time in US

Location: 44-46 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than 1 year	155	1.4 %
2	1 yr., less than 5 yrs.	370	3.4 %
3	5 yrs., less than 10 yrs.	273	2.5 %
4	10 yrs., less than 15 yrs.	222	2.0 %
5	15 yrs., less than 20 yrs.	137	1.2 %
6	20 yrs., less than 30 yrs.	219	2.0 %
7	30 yrs., less than 40 yrs.	112	1.0 %
8	40 yrs., less than 50 yrs.	46	0.4 %
9	50 years or more	60	0.5 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
77	Refused	10	0.1 %
88	Could not determine	3	0.0 %
99	Don't know	12	0.1 %
. (M)	-	9420	85.3 %

DMDEDUC3 Education Level - Children/Youth 6-19

Location: 47-49 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Never Attended / Kindergarten Only	260	2.4 %
1	1st Grade	224	2.0 %
2	2nd Grade	225	2.0 %
3	3rd Grade	199	1.8 %
4	4th Grade	194	1.8 %
5	5th Grade	246	2.2 %
6	6th Grade	328	3.0 %
7	7th Grade	297	2.7 %
8	8th Grade	351	3.2 %
9	9th Grade	327	3.0 %
10	10th Grade	324	2.9 %
11	11th Grade	319	2.9 %
12	12th Grade, No Diploma	50	0.5 %
13	High School Graduate	191	1.7 %
14	GED or Equivalent	20	0.2 %
15	More than high school	95	0.9 %
55	Less Than 5th Grade	6	0.1 %
66	Less Than 9th Grade	71	0.6 %
99	Don't know	2	0.0 %
. (M)	-	7310	66.2 %

DMDEDUC2 Education Level - Adults 20+

Location: 50-52 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	797	7.2 %
2	9-11th Grade (Includes 12th grade with no diploma)	870	7.9 %
3	High School Grad/GED or Equivalent	1265	11.5 %
4	Some College or AA degree	1379	12.5 %
5	College Graduate or above	1079	9.8 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	Refused	5	0.0 %
9	Don't Know	12	0.1 %
. (M)	-	5632	51.0 %

DMDEDUC Education - Recode (old version)

Location: 53-55 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than High School	5088	46.1 %
2	High School Diploma (including GED)	1476	13.4 %
3	More Than High School	2553	23.1 %
7	Refused	5	0.0 %
9	Don't know	14	0.1 %
. (M)	-	1903	17.2 %

DMDSCHOL Now attending school?

Location: 56-58 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	In school	2494	22.6 %
2	On vacation from school (between grades)	594	5.4 %
3	Neither in school or on vacation from school	375	3.4 %
. (M)	-	7576	68.6 %

DMDMARTL Marital Status

Location: 59-61 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	3088	28.0 %
2	Widowed	612	5.5 %
3	Divorced	456	4.1 %
4	Separated	170	1.5 %
5	Never married	2597	23.5 %
6	Living with partner	330	3.0 %
77	Refused	4	0.0 %
. (M)	-	3782	34.3 %

DMDHHSIZ Total number of people in the Household

Location: 62-64 (width: 3; decimal: 0)

- Study 25502 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	838	7.6 %
2	-	1944	17.6 %
3	-	1911	17.3 %
4	-	2441	22.1 %
5	-	1795	16.3 %
6	-	870	7.9 %
7	7 or more people in the household	1240	11.2 %

INDHHINC Annual Household Income

Location: 65-67 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	268	2.4 %
2	\$ 5,000 to \$ 9,999	591	5.4 %
3	\$10,000 to \$14,999	854	7.7 %
4	\$15,000 to \$19,999	930	8.4 %
5	\$20,000 to \$24,999	824	7.5 %
6	\$25,000 to \$34,999	1244	11.3 %
7	\$35,000 to \$44,999	1017	9.2 %
8	\$45,000 to \$54,999	921	8.3 %
9	\$55,000 to \$64,999	722	6.5 %
10	\$65,000 to \$74,999	493	4.5 %
11	\$75,000 and Over	2096	19.0 %
12	Over \$20,000	11	0.1 %
13	Under \$20,000	8	0.1 %
77	Refused	12	0.1 %
99	Don't know	22	0.2 %
. (M)	-	1026	9.3 %

INDFMINC Annual Family Income

Location: 68-70 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	562	5.1 %
2	\$ 5,000 to \$ 9,999	799	7.2 %
3	\$10,000 to \$14,999	1093	9.9 %
4	\$15,000 to \$19,999	1018	9.2 %
5	\$20,000 to \$24,999	964	8.7 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
6	\$25,000 to \$34,999	1195	10.8 %
7	\$35,000 to \$44,999	967	8.8 %
8	\$45,000 to \$54,999	832	7.5 %
9	\$55,000 to \$64,999	609	5.5 %
10	\$65,000 to \$74,999	462	4.2 %
11	\$75,000 and Over	1744	15.8 %
12	Over \$20,000	231	2.1 %
13	Under \$20,000	164	1.5 %
77	Refused	97	0.9 %
99	Don't know	109	1.0 %
. (M)	-	193	1.7 %

INDFMPIR

Family PIR

Location: 71-75 (width: 5; decimal: 2)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
5	PIR value greater than or equal to 5.00

* Frequencies not displayed for this variable.

RIDEXPRG

Pregnancy Status at Exam - Recode

Location: 76-78 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes, positive lab preg test or selfreported preg at exam	365	3.3 %
2	SP not pregnant at exam	2687	24.3 %
3	Cannot ascertain if SP is pregnant at exam	495	4.5 %
. (M)	-	7492	67.9 %

RIDPREG

Pregnancy Status - Recode (old version)

Location: 79-81 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes (lab, selfreport, screener data, or menstrual history)	394	3.6 %
2	SP not pregnant	2634	23.9 %
9	Cannot ascertain if SP is pregnant at exam	173	1.6 %
. (M)	-	7838	71.0 %

DMDHRGND

HH Ref Person Gender

Location: 82-84 (width: 3; decimal: 0)

- Study 25502 -

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	6224	56.4 %
2	Female	4813	43.6 %
. (M)	-	2	0.0 %

DMDHRAGE **HH Ref Person Age**

Location: 85-87 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	-	2	0.0 %
16	-	1	0.0 %
17	-	3	0.0 %
18	-	56	0.5 %
19	-	110	1.0 %
20	-	137	1.2 %
21	-	111	1.0 %
22	-	149	1.3 %
23	-	152	1.4 %
24	-	169	1.5 %
25	-	210	1.9 %
26	-	218	2.0 %
27	-	167	1.5 %
28	-	211	1.9 %
29	-	214	1.9 %
30	-	367	3.3 %
31	-	249	2.3 %
32	-	271	2.5 %
33	-	292	2.6 %
34	-	286	2.6 %
35	-	306	2.8 %
36	-	315	2.9 %
37	-	361	3.3 %
38	-	273	2.5 %
39	-	320	2.9 %
40	-	329	3.0 %
41	-	315	2.9 %
42	-	276	2.5 %
43	-	268	2.4 %
44	-	341	3.1 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
45	-	313	2.8 %
46	-	265	2.4 %
47	-	180	1.6 %
48	-	218	2.0 %
49	-	191	1.7 %
50	-	196	1.8 %
51	-	193	1.7 %
52	-	152	1.4 %
53	-	140	1.3 %
54	-	171	1.5 %
55	-	115	1.0 %
56	-	95	0.9 %
57	-	74	0.7 %
58	-	97	0.9 %
59	-	87	0.8 %
60	-	78	0.7 %
61	-	92	0.8 %
62	-	117	1.1 %
63	-	91	0.8 %
64	-	93	0.8 %
65	-	81	0.7 %
66	-	90	0.8 %
67	-	89	0.8 %
68	-	93	0.8 %
69	-	54	0.5 %
70	-	76	0.7 %
71	-	78	0.7 %
72	-	64	0.6 %
73	-	68	0.6 %
74	-	82	0.7 %
75	-	75	0.7 %
76	-	74	0.7 %
77	-	58	0.5 %
78	-	48	0.4 %
79	-	39	0.4 %
80	-	72	0.7 %
81	-	81	0.7 %
82	-	48	0.4 %
83	-	35	0.3 %
84	-	63	0.6 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
85	>= 85 years of age	232	2.1 %
. (M)	-	2	0.0 %

DMDHRBRN HH Ref Person Country of Birth

Location: 88-90 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	8052	72.9 %
2	Born in Mexico	1666	15.1 %
3	Born Elsewhere	966	8.8 %
7	Refused	3	0.0 %
. (M)	-	352	3.2 %

DMDHREDU HH Ref Person Education Level

Location: 91-93 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	1468	13.3 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	2082	18.9 %
3	High School Grad/GED or equivalent	2537	23.0 %
4	Some College or AA degree	2539	23.0 %
5	College Graduate or above	2009	18.2 %
7	Refused	7	0.1 %
9	Don't know	49	0.4 %
. (M)	-	348	3.2 %

DMDHRMAR HH Ref Person Marital Status

Location: 94-96 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	6512	59.0 %
2	Widowed	758	6.9 %
3	Divorced	992	9.0 %
4	Separated	489	4.4 %
5	Never married	1363	12.3 %
6	Living with partner	434	3.9 %
77	Refused	30	0.3 %
99	Don't know	14	0.1 %

- Study 25502 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	447	4.0 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 97-99 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	882	8.0 %
2	9-11th Grade (Includes 12th grade w/ no diploma)	800	7.2 %
3	High School Grad/GED or equivalent	1394	12.6 %
4	Some College or AA degree	1537	13.9 %
5	College Graduate or above	1144	10.4 %
7	Refused	3	0.0 %
9	Don't know	22	0.2 %
. (M)	-	5257	47.6 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 100-113 (width: 14; decimal: 6)

Variable Type: numeric

WTINT4YR Full Sample 4 Year Interview Weight

Location: 114-126 (width: 13; decimal: 6)

Variable Type: numeric

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 127-140 (width: 14; decimal: 6)

Variable Type: numeric

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 141-154 (width: 14; decimal: 6)

Variable Type: numeric

SDMVPSU Masked Variance Pseudo-PSU

Location: 155-157 (width: 3; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	5555	50.3 %
2	5484	49.7 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 158-160 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25502 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
14	705	6.4 %
15	781	7.1 %
16	776	7.0 %
17	824	7.5 %
18	682	6.2 %
19	815	7.4 %
20	760	6.9 %
21	691	6.3 %
22	707	6.4 %
23	810	7.3 %
24	703	6.4 %
25	688	6.2 %
26	788	7.1 %
27	713	6.5 %
28	596	5.4 %