


TCT Run 5 Summary


Parameter	Value
Run	5
Surface	N/A
Edge	x
Sample	4003
Vbias (V)	350.0
DAC (%)	63.0
Bandwidth	N/A
Path	C:\Users\miles\APD\TCT\Data\EdgeTCT\071026\071026\350V_63DAC
Irradiation (Fluence)	N/A
Notes	New sample 300V
Date	7/10/2026
Gain Constant	N/A

Collected Charge




Collected Charge


Run5 - Vbias = 350.0V




Rise Time




Transient Pulse - Sample: 4003 - Position: 0.0 μm - Charge: 0.53 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 5.0 μm - Charge: 1.17 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 10.0 μm - Charge: 0.97 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 15.0 μm - Charge: 0.70 pC - Rise Time: 0.66 ns




Transient Pulse - Sample: 4003 - Position: 20.0 μm - Charge: 1.41 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 25.0 μm - Charge: 0.16 pC - Rise Time: 0.36 ns




Transient Pulse - Sample: 4003 - Position: 30.0 μm - Charge: 0.91 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 4003 - Position: 35.0 μm - Charge: 1.30 pC - Rise Time: 0.62 ns




Transient Pulse - Sample: 4003 - Position: 40.0 μm - Charge: 0.99 pC - Rise Time: 0.54 ns




Transient Pulse - Sample: 4003 - Position: 45.0 μm - Charge: 1.88 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 4003 - Position: 50.0 μm - Charge: 1.98 pC - Rise Time: 0.57 ns




Transient Pulse - Sample: 4003 - Position: 55.0 μm - Charge: 3.25 pC - Rise Time: 0.76 ns




Transient Pulse - Sample: 4003 - Position: 60.0 μm - Charge: 3.34 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 4003 - Position: 65.0 μm - Charge: 3.64 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 4003 - Position: 70.0 μm - Charge: 4.10 pC - Rise Time: 0.83 ns




Transient Pulse - Sample: 4003 - Position: 75.0 μm - Charge: 4.58 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 4003 - Position: 80.0 μm - Charge: 4.83 pC - Rise Time: 0.83 ns




Transient Pulse - Sample: 4003 - Position: 85.0 μm - Charge: 5.10 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 90.0 μm - Charge: 5.24 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 95.0 μm - Charge: 6.04 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 4003 - Position: 100.0 μm - Charge: 6.45 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 105.0 μm - Charge: 6.63 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 4003 - Position: 110.0 μm - Charge: 7.32 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 4003 - Position: 115.0 μm - Charge: 7.44 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 4003 - Position: 120.0 μm - Charge: 7.91 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 4003 - Position: 125.0 μm - Charge: 8.53 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 4003 - Position: 130.0 μm - Charge: 8.88 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 4003 - Position: 135.0 μm - Charge: 9.95 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 4003 - Position: 140.0 μm - Charge: 10.59 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 145.0 μm - Charge: 10.34 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 150.0 μm - Charge: 11.00 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 155.0 μm - Charge: 11.29 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 160.0 μm - Charge: 11.90 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 4003 - Position: 165.0 μm - Charge: 12.67 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 4003 - Position: 170.0 μm - Charge: 13.05 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 4003 - Position: 175.0 μm - Charge: 12.96 pC - Rise Time: 0.83 ns




Transient Pulse - Sample: 4003 - Position: 180.0 μm - Charge: 14.50 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 185.0 μm - Charge: 14.57 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 4003 - Position: 190.0 μm - Charge: 14.82 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 195.0 μm - Charge: 14.49 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 200.0 μm - Charge: 14.25 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 205.0 μm - Charge: 14.64 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 210.0 μm - Charge: 15.02 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 215.0 μm - Charge: 14.60 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 220.0 μm - Charge: 15.55 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 225.0 μm - Charge: 15.62 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 230.0 μm - Charge: 15.96 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 235.0 μm - Charge: 15.91 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 240.0 μm - Charge: 16.36 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 245.0 μm - Charge: 16.49 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 4003 - Position: 250.0 μm - Charge: 17.20 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 255.0 μm - Charge: 17.92 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 260.0 μm - Charge: 18.37 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 265.0 μm - Charge: 18.31 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 270.0 μm - Charge: 18.61 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 275.0 μm - Charge: 18.58 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 280.0 μm - Charge: 18.59 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 285.0 μm - Charge: 18.70 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 290.0 μm - Charge: 18.74 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 295.0 μm - Charge: 18.16 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 300.0 μm - Charge: 18.02 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 305.0 μm - Charge: 19.83 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4003 - Position: 310.0 μm - Charge: 19.08 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 315.0 μm - Charge: 19.44 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 320.0 μm - Charge: 19.43 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4003 - Position: 325.0 μm - Charge: 19.18 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 330.0 μm - Charge: 19.85 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4003 - Position: 335.0 μm - Charge: 19.50 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 340.0 μm - Charge: 20.44 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 4003 - Position: 345.0 μm - Charge: 19.79 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 350.0 μm - Charge: 19.39 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4003 - Position: 355.0 μm - Charge: 19.57 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4003 - Position: 360.0 μm - Charge: 19.66 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 365.0 μm - Charge: 19.14 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 370.0 μm - Charge: 19.27 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 375.0 μm - Charge: 18.33 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 380.0 μm - Charge: 19.41 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4003 - Position: 385.0 μm - Charge: 18.27 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4003 - Position: 390.0 μm - Charge: 17.97 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4003 - Position: 395.0 μm - Charge: 18.07 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 400.0 μm - Charge: 17.55 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 405.0 μm - Charge: 17.05 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 410.0 μm - Charge: 16.98 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 415.0 μm - Charge: 17.15 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 420.0 μm - Charge: 16.23 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 425.0 μm - Charge: 16.19 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 430.0 μm - Charge: 16.08 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 435.0 μm - Charge: 14.60 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 440.0 μm - Charge: 14.31 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 445.0 μm - Charge: 13.90 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 450.0 μm - Charge: 13.53 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 455.0 μm - Charge: 13.34 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 460.0 μm - Charge: 13.09 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 465.0 μm - Charge: 12.84 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 470.0 μm - Charge: 12.66 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 475.0 μm - Charge: 11.99 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 480.0 μm - Charge: 11.89 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 4003 - Position: 485.0 μm - Charge: 11.49 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 490.0 μm - Charge: 11.21 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4003 - Position: 495.0 μm - Charge: 10.84 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 500.0 μm - Charge: 10.70 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 505.0 μm - Charge: 10.16 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 510.0 μm - Charge: 10.20 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4003 - Position: 515.0 μm - Charge: 9.65 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 520.0 μm - Charge: 9.44 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 525.0 μm - Charge: 9.46 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 530.0 μm - Charge: 9.58 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 535.0 μm - Charge: 9.15 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4003 - Position: 540.0 μm - Charge: 8.46 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 545.0 μm - Charge: 9.00 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 550.0 μm - Charge: 8.80 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 555.0 μm - Charge: 7.94 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 4003 - Position: 560.0 μm - Charge: 7.12 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 565.0 μm - Charge: 7.65 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 4003 - Position: 570.0 μm - Charge: 8.36 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 575.0 μm - Charge: 8.82 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 580.0 μm - Charge: 9.41 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 585.0 μm - Charge: 8.99 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 590.0 μm - Charge: 9.01 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 595.0 μm - Charge: 8.22 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 600.0 μm - Charge: 6.51 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 4003 - Position: 605.0 μm - Charge: 4.61 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 610.0 μm - Charge: 2.88 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: 4003 - Position: 615.0 μm - Charge: 1.71 pC - Rise Time: 0.68 ns




Transient Pulse - Sample: 4003 - Position: 620.0 μm - Charge: 1.10 pC - Rise Time: 0.77 ns




Transient Pulse - Sample: 4003 - Position: 625.0 μm - Charge: 1.19 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 4003 - Position: 630.0 μm - Charge: 3.75 pC - Rise Time: 0.68 ns



Transient Pulse - Sample: 4003 - Position: 635.0 μm - Charge: 1.31 pC - Rise Time: 0.00 ns (N/A)



Transient Pulse - Sample: 4003 - Position: 640.0 μm - Charge: 1.45 pC - Rise Time: 0.00 ns (N/A)



Transient Pulse - Sample: 4003 - Position: 645.0 μm - Charge: 1.29 pC - Rise Time: 0.00 ns (N/A)

