


TCT Run 6 Summary

Parameter	Value
Run	6
Surface	N/A
Edge	N/A
Sample	4004
Vbias (V)	N/A
DAC (%)	N/A
Bandwidth	N/A
Path	C:/Users/miles/APD/TCT/Data/Test_analysis/Run6
Irradiation (Fluence)	N/A
Notes	N/A
Date	N/A
Gain Constant	N/A

Collected Charge



Collected Charge

Run6 - Vbias = UnknownV

Collected Charge [a.u.]

1.0
0.8
0.6
0.4
0.2
0.0

0

200

400


600

800


1000

1200


Distance (μm)




Rise Time




Transient Pulse - Sample: 4004 - Position: 0.0 μm - Charge: -0.04 pC - Rise Time: 0.60 ns




Transient Pulse - Sample: 4004 - Position: 5.0 μm - Charge: -0.25 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 10.0 μm - Charge: 2.13 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 15.0 μm - Charge: -1.17 pC - Rise Time: 0.20 ns




Transient Pulse - Sample: 4004 - Position: 20.0 μm - Charge: -0.62 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 4004 - Position: 25.0 μm - Charge: 0.29 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 30.0 μm - Charge: -0.47 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 4004 - Position: 35.0 μm - Charge: 0.31 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 40.0 μm - Charge: 0.73 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 45.0 μm - Charge: -0.13 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 50.0 μm - Charge: -0.78 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 4004 - Position: 55.0 μm - Charge: -1.88 pC - Rise Time: 0.49 ns




Transient Pulse - Sample: 4004 - Position: 60.0 μm - Charge: -0.38 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4004 - Position: 65.0 μm - Charge: -0.16 pC - Rise Time: 0.52 ns




Transient Pulse - Sample: 4004 - Position: 70.0 μm - Charge: -1.08 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 4004 - Position: 75.0 μm - Charge: -0.32 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 80.0 μm - Charge: 0.81 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 85.0 μm - Charge: -0.21 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 90.0 μm - Charge: 0.04 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 4004 - Position: 95.0 μm - Charge: 0.46 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 100.0 μm - Charge: 0.92 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 105.0 μm - Charge: 1.92 pC - Rise Time: 0.68 ns




Transient Pulse - Sample: 4004 - Position: 110.0 μm - Charge: -0.51 pC - Rise Time: 3.06 ns




Transient Pulse - Sample: 4004 - Position: 115.0 μm - Charge: 0.55 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 120.0 μm - Charge: 0.74 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 125.0 μm - Charge: 0.98 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 130.0 μm - Charge: 2.30 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 135.0 μm - Charge: 0.64 pC - Rise Time: 0.54 ns




Transient Pulse - Sample: 4004 - Position: 140.0 μm - Charge: -0.57 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 145.0 μm - Charge: 0.49 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 150.0 μm - Charge: -0.67 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 155.0 μm - Charge: 0.67 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 160.0 μm - Charge: 0.52 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 165.0 μm - Charge: 1.01 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 170.0 μm - Charge: -0.55 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4004 - Position: 175.0 μm - Charge: -0.65 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 180.0 μm - Charge: -0.43 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 185.0 μm - Charge: -0.46 pC - Rise Time: 0.67 ns




Transient Pulse - Sample: 4004 - Position: 190.0 μm - Charge: -1.13 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4004 - Position: 195.0 μm - Charge: 0.04 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 200.0 μm - Charge: 0.73 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 205.0 μm - Charge: 0.81 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 210.0 μm - Charge: 0.30 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 215.0 μm - Charge: 0.29 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 220.0 μm - Charge: 1.13 pC - Rise Time: 0.64 ns




Transient Pulse - Sample: 4004 - Position: 225.0 μm - Charge: 0.03 pC - Rise Time: 0.57 ns




Transient Pulse - Sample: 4004 - Position: 230.0 μm - Charge: 0.56 pC - Rise Time: 7.50 ns




Transient Pulse - Sample: 4004 - Position: 235.0 μm - Charge: 0.78 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 240.0 μm - Charge: 1.04 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4004 - Position: 245.0 μm - Charge: 0.40 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 250.0 μm - Charge: 0.83 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 255.0 μm - Charge: 1.29 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 260.0 μm - Charge: 0.50 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 265.0 μm - Charge: 0.33 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 270.0 μm - Charge: 0.70 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 275.0 μm - Charge: -0.58 pC - Rise Time: 0.71 ns




Transient Pulse - Sample: 4004 - Position: 280.0 μm - Charge: -0.48 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 285.0 μm - Charge: -0.71 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 290.0 μm - Charge: 0.05 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 295.0 μm - Charge: -0.37 pC - Rise Time: 0.30 ns




Transient Pulse - Sample: 4004 - Position: 300.0 μm - Charge: 2.55 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 305.0 μm - Charge: 1.78 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 310.0 μm - Charge: 1.32 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 315.0 μm - Charge: 0.06 pC - Rise Time: 0.75 ns




Transient Pulse - Sample: 4004 - Position: 320.0 μm - Charge: 0.46 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 325.0 μm - Charge: 1.50 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 330.0 μm - Charge: -0.35 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 335.0 μm - Charge: -0.34 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 340.0 μm - Charge: 0.42 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 345.0 μm - Charge: 0.56 pC - Rise Time: 0.74 ns




Transient Pulse - Sample: 4004 - Position: 350.0 μm - Charge: 0.08 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 355.0 μm - Charge: 0.74 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 360.0 μm - Charge: 0.27 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 365.0 μm - Charge: -0.98 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 370.0 μm - Charge: 0.96 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 4004 - Position: 375.0 μm - Charge: -0.23 pC - Rise Time: 0.68 ns




Transient Pulse - Sample: 4004 - Position: 380.0 μm - Charge: 0.02 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 4004 - Position: 385.0 μm - Charge: 0.13 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 390.0 μm - Charge: 0.21 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 395.0 μm - Charge: 2.14 pC - Rise Time: 0.76 ns




Transient Pulse - Sample: 4004 - Position: 400.0 μm - Charge: 0.09 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 405.0 μm - Charge: 0.79 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 410.0 μm - Charge: -0.03 pC - Rise Time: 0.50 ns




Transient Pulse - Sample: 4004 - Position: 415.0 μm - Charge: 0.70 pC - Rise Time: 0.12 ns




Transient Pulse - Sample: 4004 - Position: 420.0 μm - Charge: -0.33 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 4004 - Position: 425.0 μm - Charge: 0.02 pC - Rise Time: 0.76 ns




Transient Pulse - Sample: 4004 - Position: 430.0 μm - Charge: 0.53 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 435.0 μm - Charge: 0.60 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 440.0 μm - Charge: 2.02 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 445.0 μm - Charge: 2.95 pC - Rise Time: 1.14 ns




Transient Pulse - Sample: 4004 - Position: 450.0 μm - Charge: 0.38 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 455.0 μm - Charge: 0.81 pC - Rise Time: 0.83 ns




Transient Pulse - Sample: 4004 - Position: 460.0 μm - Charge: 0.23 pC - Rise Time: 0.36 ns




Transient Pulse - Sample: 4004 - Position: 465.0 μm - Charge: -0.06 pC - Rise Time: 1.44 ns




Transient Pulse - Sample: 4004 - Position: 470.0 μm - Charge: 1.69 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 475.0 μm - Charge: 1.17 pC - Rise Time: 0.75 ns




Transient Pulse - Sample: 4004 - Position: 480.0 μm - Charge: 0.57 pC - Rise Time: 1.21 ns




Transient Pulse - Sample: 4004 - Position: 485.0 μm - Charge: 0.98 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 4004 - Position: 490.0 μm - Charge: 1.62 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 4004 - Position: 495.0 μm - Charge: 3.42 pC - Rise Time: 0.72 ns




Transient Pulse - Sample: 4004 - Position: 500.0 μm - Charge: 3.86 pC - Rise Time: 3.95 ns




Transient Pulse - Sample: 4004 - Position: 505.0 μm - Charge: 7.14 pC - Rise Time: 0.69 ns




Transient Pulse - Sample: 4004 - Position: 510.0 μm - Charge: 9.20 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4004 - Position: 515.0 μm - Charge: 16.16 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4004 - Position: 520.0 μm - Charge: 25.24 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 4004 - Position: 525.0 μm - Charge: 32.86 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 4004 - Position: 530.0 μm - Charge: 42.21 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4004 - Position: 535.0 μm - Charge: 53.24 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 4004 - Position: 540.0 μm - Charge: 50.90 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: 4004 - Position: 545.0 μm - Charge: 57.27 pC - Rise Time: 1.06 ns




Transient Pulse - Sample: 4004 - Position: 550.0 μm - Charge: 56.51 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 4004 - Position: 555.0 μm - Charge: 60.62 pC - Rise Time: 1.06 ns




Transient Pulse - Sample: 4004 - Position: 560.0 μm - Charge: 50.24 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: 4004 - Position: 565.0 μm - Charge: 55.75 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 4004 - Position: 570.0 μm - Charge: 49.06 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 4004 - Position: 575.0 μm - Charge: 55.58 pC - Rise Time: 1.07 ns




Transient Pulse - Sample: 4004 - Position: 580.0 μm - Charge: 48.24 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: 4004 - Position: 585.0 μm - Charge: 52.10 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4004 - Position: 590.0 μm - Charge: 54.36 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4004 - Position: 595.0 μm - Charge: 59.84 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4004 - Position: 600.0 μm - Charge: 54.33 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 4004 - Position: 605.0 μm - Charge: 56.21 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4004 - Position: 610.0 μm - Charge: 51.71 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4004 - Position: 615.0 μm - Charge: 50.22 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4004 - Position: 620.0 μm - Charge: 51.97 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4004 - Position: 625.0 μm - Charge: 49.84 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 4004 - Position: 630.0 μm - Charge: 48.72 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4004 - Position: 635.0 μm - Charge: 53.73 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4004 - Position: 640.0 μm - Charge: 54.48 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4004 - Position: 645.0 μm - Charge: 49.71 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4004 - Position: 650.0 μm - Charge: 49.74 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4004 - Position: 655.0 μm - Charge: 56.16 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 4004 - Position: 660.0 μm - Charge: 44.62 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 4004 - Position: 665.0 μm - Charge: 46.02 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4004 - Position: 670.0 μm - Charge: 41.85 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4004 - Position: 675.0 μm - Charge: 38.38 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4004 - Position: 680.0 μm - Charge: 36.10 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: 4004 - Position: 685.0 μm - Charge: 38.42 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 4004 - Position: 690.0 μm - Charge: 39.61 pC - Rise Time: 1.07 ns




Transient Pulse - Sample: 4004 - Position: 695.0 μm - Charge: 37.76 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 4004 - Position: 700.0 μm - Charge: 39.33 pC - Rise Time: 1.19 ns




Transient Pulse - Sample: 4004 - Position: 705.0 μm - Charge: 43.84 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4004 - Position: 710.0 μm - Charge: 40.74 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4004 - Position: 715.0 μm - Charge: 39.46 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 4004 - Position: 720.0 μm - Charge: 39.39 pC - Rise Time: 1.09 ns




Transient Pulse - Sample: 4004 - Position: 725.0 μm - Charge: 35.38 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 4004 - Position: 730.0 μm - Charge: 36.28 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 4004 - Position: 735.0 μm - Charge: 32.82 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 4004 - Position: 740.0 μm - Charge: 32.95 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 4004 - Position: 745.0 μm - Charge: 28.96 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 4004 - Position: 750.0 μm - Charge: 24.54 pC - Rise Time: 1.11 ns




Transient Pulse - Sample: 4004 - Position: 755.0 μm - Charge: 27.58 pC - Rise Time: 1.10 ns




Transient Pulse - Sample: 4004 - Position: 760.0 μm - Charge: 24.29 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 4004 - Position: 765.0 μm - Charge: 23.25 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4004 - Position: 770.0 μm - Charge: 23.78 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 4004 - Position: 775.0 μm - Charge: 19.92 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 4004 - Position: 780.0 μm - Charge: 23.07 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 4004 - Position: 785.0 μm - Charge: 16.42 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4004 - Position: 790.0 μm - Charge: 20.95 pC - Rise Time: 1.31 ns




Transient Pulse - Sample: 4004 - Position: 795.0 μm - Charge: 19.43 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 4004 - Position: 800.0 μm - Charge: 13.56 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4004 - Position: 805.0 μm - Charge: 13.66 pC - Rise Time: 1.09 ns




Transient Pulse - Sample: 4004 - Position: 810.0 μm - Charge: 12.91 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 4004 - Position: 815.0 μm - Charge: 12.23 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 4004 - Position: 820.0 μm - Charge: 11.53 pC - Rise Time: 1.20 ns




Transient Pulse - Sample: 4004 - Position: 825.0 μm - Charge: 8.70 pC - Rise Time: 1.22 ns




Transient Pulse - Sample: 4004 - Position: 830.0 μm - Charge: 7.67 pC - Rise Time: 0.83 ns




Transient Pulse - Sample: 4004 - Position: 835.0 μm - Charge: 4.62 pC - Rise Time: 1.57 ns




Transient Pulse - Sample: 4004 - Position: 840.0 μm - Charge: 1.98 pC - Rise Time: 1.14 ns




Transient Pulse - Sample: 4004 - Position: 845.0 μm - Charge: 4.91 pC - Rise Time: 1.40 ns




Transient Pulse - Sample: 4004 - Position: 850.0 μm - Charge: 0.67 pC - Rise Time: 0.77 ns




Transient Pulse - Sample: 4004 - Position: 855.0 μm - Charge: 1.65 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 860.0 μm - Charge: 0.92 pC - Rise Time: 0.71 ns




Transient Pulse - Sample: 4004 - Position: 865.0 μm - Charge: 2.21 pC - Rise Time: 2.30 ns




Transient Pulse - Sample: 4004 - Position: 870.0 μm - Charge: 2.32 pC - Rise Time: 1.35 ns




Transient Pulse - Sample: 4004 - Position: 875.0 μm - Charge: 3.48 pC - Rise Time: 1.37 ns




Transient Pulse - Sample: 4004 - Position: 880.0 μm - Charge: 3.93 pC - Rise Time: 1.44 ns




Transient Pulse - Sample: 4004 - Position: 885.0 μm - Charge: 5.92 pC - Rise Time: 1.20 ns




Transient Pulse - Sample: 4004 - Position: 890.0 μm - Charge: 5.98 pC - Rise Time: 1.29 ns




Transient Pulse - Sample: 4004 - Position: 895.0 μm - Charge: 5.30 pC - Rise Time: 1.47 ns




Transient Pulse - Sample: 4004 - Position: 900.0 μm - Charge: 3.56 pC - Rise Time: 1.35 ns




Transient Pulse - Sample: 4004 - Position: 905.0 μm - Charge: 2.69 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 4004 - Position: 910.0 μm - Charge: 3.44 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 4004 - Position: 915.0 μm - Charge: 3.93 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 4004 - Position: 920.0 μm - Charge: 4.17 pC - Rise Time: 1.28 ns




Transient Pulse - Sample: 4004 - Position: 925.0 μm - Charge: 5.63 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 4004 - Position: 930.0 μm - Charge: 5.94 pC - Rise Time: 2.78 ns




Transient Pulse - Sample: 4004 - Position: 935.0 μm - Charge: 5.79 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: 4004 - Position: 940.0 μm - Charge: 5.78 pC - Rise Time: 1.80 ns




Transient Pulse - Sample: 4004 - Position: 945.0 μm - Charge: 6.38 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 4004 - Position: 950.0 μm - Charge: 6.42 pC - Rise Time: 0.77 ns




Transient Pulse - Sample: 4004 - Position: 955.0 μm - Charge: 6.99 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4004 - Position: 960.0 μm - Charge: 7.24 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: 4004 - Position: 965.0 μm - Charge: 6.61 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 4004 - Position: 970.0 μm - Charge: 5.14 pC - Rise Time: 1.41 ns




Transient Pulse - Sample: 4004 - Position: 975.0 μm - Charge: 6.25 pC - Rise Time: 1.12 ns




Transient Pulse - Sample: 4004 - Position: 980.0 μm - Charge: 4.87 pC - Rise Time: 1.28 ns




Transient Pulse - Sample: 4004 - Position: 985.0 μm - Charge: 7.23 pC - Rise Time: 1.29 ns




Transient Pulse - Sample: 4004 - Position: 990.0 μm - Charge: 7.91 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 4004 - Position: 995.0 μm - Charge: 6.14 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4004 - Position: 1000.0 μm - Charge: 6.31 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 4004 - Position: 1005.0 μm - Charge: 3.87 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4004 - Position: 1010.0 μm - Charge: 7.44 pC - Rise Time: 1.27 ns




Transient Pulse - Sample: 4004 - Position: 1015.0 μm - Charge: 4.79 pC - Rise Time: 1.51 ns




Transient Pulse - Sample: 4004 - Position: 1020.0 μm - Charge: 6.12 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 4004 - Position: 1025.0 μm - Charge: 4.62 pC - Rise Time: 1.28 ns




Transient Pulse - Sample: 4004 - Position: 1030.0 μm - Charge: 7.93 pC - Rise Time: 1.20 ns




Transient Pulse - Sample: 4004 - Position: 1035.0 μm - Charge: 3.80 pC - Rise Time: 0.57 ns




Transient Pulse - Sample: 4004 - Position: 1040.0 μm - Charge: 5.05 pC - Rise Time: 1.30 ns




Transient Pulse - Sample: 4004 - Position: 1045.0 μm - Charge: 1.38 pC - Rise Time: 1.27 ns




Transient Pulse - Sample: 4004 - Position: 1050.0 μm - Charge: 3.49 pC - Rise Time: 1.33 ns




Transient Pulse - Sample: 4004 - Position: 1055.0 μm - Charge: 1.20 pC - Rise Time: 1.70 ns




Transient Pulse - Sample: 4004 - Position: 1060.0 μm - Charge: 3.35 pC - Rise Time: 1.30 ns







Transient Pulse - Sample: 4004 - Position: 1070.0 μm - Charge: 3.91 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4004 - Position: 1075.0 μm - Charge: 3.09 pC - Rise Time: 1.07 ns




Transient Pulse - Sample: 4004 - Position: 1080.0 μm - Charge: 3.87 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 4004 - Position: 1085.0 μm - Charge: 1.43 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: 4004 - Position: 1090.0 μm - Charge: 2.69 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 4004 - Position: 1095.0 μm - Charge: 1.95 pC - Rise Time: 0.68 ns




Transient Pulse - Sample: 4004 - Position: 1100.0 μm - Charge: 2.37 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 4004 - Position: 1105.0 μm - Charge: 1.35 pC - Rise Time: 1.17 ns




Transient Pulse - Sample: 4004 - Position: 1110.0 μm - Charge: 2.02 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 4004 - Position: 1115.0 μm - Charge: 2.49 pC - Rise Time: 2.40 ns




Transient Pulse - Sample: 4004 - Position: 1120.0 μm - Charge: 3.09 pC - Rise Time: 1.42 ns




Transient Pulse - Sample: 4004 - Position: 1125.0 μm - Charge: 1.83 pC - Rise Time: 1.13 ns







Transient Pulse - Sample: 4004 - Position: 1135.0 μm - Charge: 1.34 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 4004 - Position: 1140.0 μm - Charge: 1.19 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 4004 - Position: 1145.0 μm - Charge: 1.30 pC - Rise Time: 0.74 ns




Transient Pulse - Sample: 4004 - Position: 1150.0 μm - Charge: 0.61 pC - Rise Time: 1.81 ns





Transient Pulse - Sample: 4004 - Position: 1155.0 μm - Charge: 0.97 pC - Rise Time: 0.75 ns






Transient Pulse - Sample: 4004 - Position: 1165.0 μm - Charge: 1.13 pC - Rise Time: 0.00 ns (N/A)







Transient Pulse - Sample: 4004 - Position: 1175.0 μm - Charge: 2.73 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 1180.0 μm - Charge: 0.42 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4004 - Position: 1185.0 μm - Charge: 0.84 pC - Rise Time: 0.76 ns



Transient Pulse - Sample: 4004 - Position: 1190.0 μm - Charge: 0.53 pC - Rise Time: 1.21 ns





Transient Pulse - Sample: 4004 - Position: 1200.0 μm - Charge: 1.12 pC - Rise Time: 0.00 ns (N/A)

