


TCT Run 012 Summary

Parameter	Value
Run	Run012
Surface	N/A
Edge	x
Sample	4003
Vbias (V)	250.0
DAC (%)	63.0
Bandwidth	500MHz
Path	C:\Users\APD-I\Desktop\TCT\EdgeTCT\080526\250V_63DAC
Irradiation (Fluence)	N/A
Notes	N/A
Date	N/A
Gain Constant	N/A

Collected Charge



Collected Charge

012 - Vbias = 250.0V

Collected Charge [a.u.]

1.0
0.8
0.6
0.4
0.2
0.0

0


100

200


300

400


Distance (μm)




Rise Time




Amplitude




FWHM




Transient Pulse - Sample: 4003 - Position: 0.0 μm - Charge: 0.09 pC - Rise Time: 0.52 ns




Transient Pulse - Sample: 4003 - Position: 5.0 μm - Charge: 0.39 pC - Rise Time: 0.64 ns




Transient Pulse - Sample: 4003 - Position: 10.0 μm - Charge: 0.68 pC - Rise Time: 0.52 ns



Transient Pulse - Sample: 4003 - Position: 15.0 μm - Charge: 0.92 pC - Rise Time: 0.70 ns




Transient Pulse - Sample: 4003 - Position: 20.0 μm - Charge: 0.92 pC - Rise Time: 0.58 ns




Transient Pulse - Sample: 4003 - Position: 25.0 μm - Charge: 1.38 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 30.0 μm - Charge: 1.60 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 4003 - Position: 35.0 μm - Charge: 1.26 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 4003 - Position: 40.0 μm - Charge: 1.50 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 4003 - Position: 45.0 μm - Charge: 2.25 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 50.0 μm - Charge: 3.09 pC - Rise Time: 1.11 ns




Transient Pulse - Sample: 4003 - Position: 55.0 μm - Charge: 3.63 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: 4003 - Position: 60.0 μm - Charge: 2.45 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4003 - Position: 65.0 μm - Charge: 1.52 pC - Rise Time: 0.42 ns




Transient Pulse - Sample: 4003 - Position: 70.0 μm - Charge: 0.08 pC - Rise Time: 0.40 ns




Transient Pulse - Sample: 4003 - Position: 75.0 μm - Charge: 0.94 pC - Rise Time: 0.58 ns




Transient Pulse - Sample: 4003 - Position: 80.0 μm - Charge: 2.11 pC - Rise Time: 0.75 ns




Transient Pulse - Sample: 4003 - Position: 85.0 μm - Charge: 4.90 pC - Rise Time: 0.83 ns




Transient Pulse - Sample: 4003 - Position: 90.0 μm - Charge: 9.55 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 4003 - Position: 95.0 μm - Charge: 13.79 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 100.0 μm - Charge: 19.48 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 105.0 μm - Charge: 23.60 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 110.0 μm - Charge: 29.63 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 115.0 μm - Charge: 32.35 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 120.0 μm - Charge: 35.35 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 125.0 μm - Charge: 35.41 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 130.0 μm - Charge: 35.53 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 135.0 μm - Charge: 35.42 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 140.0 μm - Charge: 35.19 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 145.0 μm - Charge: 35.65 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4003 - Position: 150.0 μm - Charge: 35.11 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4003 - Position: 155.0 μm - Charge: 34.76 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 160.0 μm - Charge: 34.78 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 4003 - Position: 165.0 μm - Charge: 35.12 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 4003 - Position: 170.0 μm - Charge: 35.46 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 4003 - Position: 175.0 μm - Charge: 35.16 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 4003 - Position: 180.0 μm - Charge: 35.70 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 4003 - Position: 185.0 μm - Charge: 35.45 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: 4003 - Position: 190.0 μm - Charge: 35.09 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 4003 - Position: 195.0 μm - Charge: 35.94 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: 4003 - Position: 200.0 μm - Charge: 34.87 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: 4003 - Position: 205.0 μm - Charge: 34.33 pC - Rise Time: 1.07 ns




Transient Pulse - Sample: 4003 - Position: 210.0 μm - Charge: 34.82 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: 4003 - Position: 215.0 μm - Charge: 34.65 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 4003 - Position: 220.0 μm - Charge: 34.07 pC - Rise Time: 1.10 ns




Transient Pulse - Sample: 4003 - Position: 225.0 μm - Charge: 34.26 pC - Rise Time: 1.12 ns




Transient Pulse - Sample: 4003 - Position: 230.0 μm - Charge: 34.85 pC - Rise Time: 1.15 ns




Transient Pulse - Sample: 4003 - Position: 235.0 μm - Charge: 34.23 pC - Rise Time: 1.13 ns




Transient Pulse - Sample: 4003 - Position: 240.0 μm - Charge: 34.53 pC - Rise Time: 1.12 ns




Transient Pulse - Sample: 4003 - Position: 245.0 μm - Charge: 34.45 pC - Rise Time: 1.13 ns




Transient Pulse - Sample: 4003 - Position: 250.0 μm - Charge: 34.26 pC - Rise Time: 1.11 ns




Transient Pulse - Sample: 4003 - Position: 255.0 μm - Charge: 33.79 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 4003 - Position: 260.0 μm - Charge: 34.27 pC - Rise Time: 1.13 ns




Transient Pulse - Sample: 4003 - Position: 265.0 μm - Charge: 33.10 pC - Rise Time: 1.15 ns




Transient Pulse - Sample: 4003 - Position: 270.0 μm - Charge: 33.55 pC - Rise Time: 1.13 ns




Transient Pulse - Sample: 4003 - Position: 275.0 μm - Charge: 32.68 pC - Rise Time: 1.11 ns




Transient Pulse - Sample: 4003 - Position: 280.0 μm - Charge: 32.47 pC - Rise Time: 1.12 ns




Transient Pulse - Sample: 4003 - Position: 285.0 μm - Charge: 32.30 pC - Rise Time: 1.10 ns




Transient Pulse - Sample: 4003 - Position: 290.0 μm - Charge: 32.84 pC - Rise Time: 1.14 ns




Transient Pulse - Sample: 4003 - Position: 295.0 μm - Charge: 32.04 pC - Rise Time: 1.16 ns




Transient Pulse - Sample: 4003 - Position: 300.0 μm - Charge: 32.09 pC - Rise Time: 1.17 ns




Transient Pulse - Sample: 4003 - Position: 305.0 μm - Charge: 31.66 pC - Rise Time: 1.31 ns




Transient Pulse - Sample: 4003 - Position: 310.0 μm - Charge: 31.99 pC - Rise Time: 1.31 ns




Transient Pulse - Sample: 4003 - Position: 315.0 μm - Charge: 32.40 pC - Rise Time: 1.71 ns




Transient Pulse - Sample: 4003 - Position: 320.0 μm - Charge: 30.99 pC - Rise Time: 2.63 ns




Transient Pulse - Sample: 4003 - Position: 325.0 μm - Charge: 31.23 pC - Rise Time: 2.71 ns




Transient Pulse - Sample: 4003 - Position: 330.0 μm - Charge: 31.03 pC - Rise Time: 2.93 ns




Transient Pulse - Sample: 4003 - Position: 335.0 μm - Charge: 30.77 pC - Rise Time: 3.03 ns




Transient Pulse - Sample: 4003 - Position: 340.0 μm - Charge: 31.20 pC - Rise Time: 3.10 ns




Transient Pulse - Sample: 4003 - Position: 345.0 μm - Charge: 30.11 pC - Rise Time: 3.28 ns




Transient Pulse - Sample: 4003 - Position: 350.0 μm - Charge: 29.79 pC - Rise Time: 3.32 ns




Transient Pulse - Sample: 4003 - Position: 355.0 μm - Charge: 30.55 pC - Rise Time: 3.69 ns




Transient Pulse - Sample: 4003 - Position: 360.0 μm - Charge: 28.89 pC - Rise Time: 3.67 ns




Transient Pulse - Sample: 4003 - Position: 365.0 μm - Charge: 28.23 pC - Rise Time: 3.88 ns




Transient Pulse - Sample: 4003 - Position: 370.0 μm - Charge: 27.24 pC - Rise Time: 3.80 ns




Transient Pulse - Sample: 4003 - Position: 375.0 μm - Charge: 26.60 pC - Rise Time: 3.38 ns




Transient Pulse - Sample: 4003 - Position: 380.0 μm - Charge: 25.16 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 4003 - Position: 385.0 μm - Charge: 22.96 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4003 - Position: 390.0 μm - Charge: 16.41 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4003 - Position: 395.0 μm - Charge: 13.49 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 4003 - Position: 400.0 μm - Charge: 6.47 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 4003 - Position: 405.0 μm - Charge: 5.20 pC - Rise Time: 1.11 ns




Transient Pulse - Sample: 4003 - Position: 410.0 μm - Charge: 3.64 pC - Rise Time: 1.05 ns



Transient Pulse - Sample: 4003 - Position: 415.0 μm - Charge: 1.76 pC - Rise Time: 0.50 ns



Transient Pulse - Sample: 4003 - Position: 420.0 μm - Charge: 2.41 pC - Rise Time: 0.00 ns (N/A)



Transient Pulse - Sample: 4003 - Position: 425.0 μm - Charge: 1.34 pC - Rise Time: 0.00 ns (N/A)

