


TCT Run 018 Summary

Parameter	Value
Run	Run018
Surface	N/A
Edge	x
Sample	4003
Vbias (V)	140.0
DAC (%)	63.0
Bandwidth	500MHz
Path	C:\Users\APD-I\Desktop\TCT\EdgeTCT\080526\140V_63DAC
Irradiation (Fluence)	N/A
Notes	N/A
Date	N/A
Gain Constant	N/A

Collected Charge



Collected Charge

018 - Vbias = 140.0V

Collected Charge [a.u.]

1.0

0.8

0.6

0.4

0.2

0.0

0


100

200


300

400


Distance (μm)




Rise Time




Amplitude




FWHM




Transient Pulse - Sample: 4003 - Position: 0.0 μm - Charge: 1.17 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 5.0 μm - Charge: 1.17 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 4003 - Position: 10.0 μm - Charge: 2.11 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 15.0 μm - Charge: 0.70 pC - Rise Time: 0.42 ns




Transient Pulse - Sample: 4003 - Position: 20.0 μm - Charge: 1.58 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 25.0 μm - Charge: 2.79 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 30.0 μm - Charge: 2.56 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 35.0 μm - Charge: 1.99 pC - Rise Time: 1.21 ns




Transient Pulse - Sample: 4003 - Position: 40.0 μm - Charge: 3.40 pC - Rise Time: 2.28 ns




Transient Pulse - Sample: 4003 - Position: 45.0 μm - Charge: 3.89 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 4003 - Position: 50.0 μm - Charge: 4.83 pC - Rise Time: 3.85 ns




Transient Pulse - Sample: 4003 - Position: 55.0 μm - Charge: 4.96 pC - Rise Time: 1.15 ns




Transient Pulse - Sample: 4003 - Position: 60.0 μm - Charge: 4.77 pC - Rise Time: 3.03 ns




Transient Pulse - Sample: 4003 - Position: 65.0 μm - Charge: 3.15 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4003 - Position: 70.0 μm - Charge: 1.91 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 75.0 μm - Charge: 2.60 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 80.0 μm - Charge: 2.97 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 85.0 μm - Charge: 3.80 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4003 - Position: 90.0 μm - Charge: 5.88 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 4003 - Position: 95.0 μm - Charge: 8.68 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 100.0 μm - Charge: 12.78 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 105.0 μm - Charge: 14.97 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 110.0 μm - Charge: 17.91 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 115.0 μm - Charge: 19.24 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 120.0 μm - Charge: 20.61 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 125.0 μm - Charge: 20.99 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 130.0 μm - Charge: 21.16 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 135.0 μm - Charge: 21.53 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 140.0 μm - Charge: 20.27 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 145.0 μm - Charge: 20.14 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4003 - Position: 150.0 μm - Charge: 20.99 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4003 - Position: 155.0 μm - Charge: 20.24 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 4003 - Position: 160.0 μm - Charge: 20.30 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 4003 - Position: 165.0 μm - Charge: 19.92 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 4003 - Position: 170.0 μm - Charge: 20.81 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 4003 - Position: 175.0 μm - Charge: 20.03 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 4003 - Position: 180.0 μm - Charge: 20.19 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: 4003 - Position: 185.0 μm - Charge: 20.77 pC - Rise Time: 1.06 ns




Transient Pulse - Sample: 4003 - Position: 190.0 μm - Charge: 20.49 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 4003 - Position: 195.0 μm - Charge: 19.77 pC - Rise Time: 1.10 ns




Transient Pulse - Sample: 4003 - Position: 200.0 μm - Charge: 19.39 pC - Rise Time: 1.10 ns




Transient Pulse - Sample: 4003 - Position: 205.0 μm - Charge: 20.34 pC - Rise Time: 1.13 ns




Transient Pulse - Sample: 4003 - Position: 210.0 μm - Charge: 19.44 pC - Rise Time: 1.11 ns




Transient Pulse - Sample: 4003 - Position: 215.0 μm - Charge: 18.48 pC - Rise Time: 1.17 ns




Transient Pulse - Sample: 4003 - Position: 220.0 μm - Charge: 19.62 pC - Rise Time: 1.20 ns




Transient Pulse - Sample: 4003 - Position: 225.0 μm - Charge: 18.40 pC - Rise Time: 1.16 ns




Transient Pulse - Sample: 4003 - Position: 230.0 μm - Charge: 18.21 pC - Rise Time: 1.14 ns




Transient Pulse - Sample: 4003 - Position: 235.0 μm - Charge: 18.98 pC - Rise Time: 1.17 ns




Transient Pulse - Sample: 4003 - Position: 240.0 μm - Charge: 17.70 pC - Rise Time: 1.23 ns




Transient Pulse - Sample: 4003 - Position: 245.0 μm - Charge: 17.66 pC - Rise Time: 1.15 ns




Transient Pulse - Sample: 4003 - Position: 250.0 μm - Charge: 17.10 pC - Rise Time: 1.16 ns




Transient Pulse - Sample: 4003 - Position: 255.0 μm - Charge: 17.67 pC - Rise Time: 1.21 ns




Transient Pulse - Sample: 4003 - Position: 260.0 μm - Charge: 16.54 pC - Rise Time: 1.48 ns




Transient Pulse - Sample: 4003 - Position: 265.0 μm - Charge: 16.68 pC - Rise Time: 2.45 ns




Transient Pulse - Sample: 4003 - Position: 270.0 μm - Charge: 16.33 pC - Rise Time: 2.48 ns




Transient Pulse - Sample: 4003 - Position: 275.0 μm - Charge: 15.26 pC - Rise Time: 2.96 ns




Transient Pulse - Sample: 4003 - Position: 280.0 μm - Charge: 14.47 pC - Rise Time: 3.20 ns




Transient Pulse - Sample: 4003 - Position: 285.0 μm - Charge: 13.63 pC - Rise Time: 3.49 ns




Transient Pulse - Sample: 4003 - Position: 290.0 μm - Charge: 12.51 pC - Rise Time: 3.50 ns




Transient Pulse - Sample: 4003 - Position: 295.0 μm - Charge: 10.37 pC - Rise Time: 1.19 ns




Transient Pulse - Sample: 4003 - Position: 300.0 μm - Charge: 9.29 pC - Rise Time: 1.27 ns




Transient Pulse - Sample: 4003 - Position: 305.0 μm - Charge: 6.39 pC - Rise Time: 1.29 ns




Transient Pulse - Sample: 4003 - Position: 310.0 μm - Charge: 5.12 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 4003 - Position: 315.0 μm - Charge: 3.65 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4003 - Position: 320.0 μm - Charge: 3.18 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 325.0 μm - Charge: 2.72 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 330.0 μm - Charge: 2.72 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 335.0 μm - Charge: 3.66 pC - Rise Time: 1.21 ns




Transient Pulse - Sample: 4003 - Position: 340.0 μm - Charge: 3.30 pC - Rise Time: 1.31 ns




Transient Pulse - Sample: 4003 - Position: 345.0 μm - Charge: 3.09 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4003 - Position: 350.0 μm - Charge: 2.48 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 4003 - Position: 355.0 μm - Charge: 3.23 pC - Rise Time: 1.06 ns




Transient Pulse - Sample: 4003 - Position: 360.0 μm - Charge: 2.89 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 4003 - Position: 365.0 μm - Charge: 2.98 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 370.0 μm - Charge: 2.75 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 4003 - Position: 375.0 μm - Charge: 3.48 pC - Rise Time: 1.23 ns




Transient Pulse - Sample: 4003 - Position: 380.0 μm - Charge: 3.15 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 385.0 μm - Charge: 3.38 pC - Rise Time: 1.27 ns




Transient Pulse - Sample: 4003 - Position: 390.0 μm - Charge: 3.67 pC - Rise Time: 1.23 ns




Transient Pulse - Sample: 4003 - Position: 395.0 μm - Charge: 4.57 pC - Rise Time: 2.98 ns




Transient Pulse - Sample: 4003 - Position: 400.0 μm - Charge: 3.64 pC - Rise Time: 1.40 ns




Transient Pulse - Sample: 4003 - Position: 405.0 μm - Charge: 2.67 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 4003 - Position: 410.0 μm - Charge: 3.06 pC - Rise Time: 2.85 ns



Transient Pulse - Sample: 4003 - Position: 415.0 μm - Charge: 2.31 pC - Rise Time: 0.00 ns (N/A)



Transient Pulse - Sample: 4003 - Position: 420.0 μm - Charge: 2.27 pC - Rise Time: 0.00 ns (N/A)



Transient Pulse - Sample: 4003 - Position: 425.0 μm - Charge: 2.22 pC - Rise Time: 0.00 ns (N/A)

