


TCT Run 022 Summary

Parameter	Value
Run	Run022
Surface	N/A
Edge	x
Sample	4003
Vbias (V)	100.0
DAC (%)	63.0
Bandwidth	500MHz
Path	C:\Users\APD-I\Desktop\TCT\EdgeTCT\080526\100V_63DAC
Irradiation (Fluence)	N/A
Notes	N/A
Date	N/A
Gain Constant	N/A

Collected Charge



Collected Charge

022 - Vbias = 100.0V

Collected Charge [a.u.]

1.0

0.8

0.6

0.4

0.2

0.0

0


100

200


300

400


Distance (μm)




Rise Time




Amplitude




FWHM




Transient Pulse - Sample: 4003 - Position: 0.0 μm - Charge: 1.63 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 5.0 μm - Charge: 2.08 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 10.0 μm - Charge: 2.10 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 4003 - Position: 15.0 μm - Charge: 2.57 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 20.0 μm - Charge: 1.96 pC - Rise Time: 0.46 ns




Transient Pulse - Sample: 4003 - Position: 25.0 μm - Charge: 2.52 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 30.0 μm - Charge: 2.82 pC - Rise Time: 0.64 ns




Transient Pulse - Sample: 4003 - Position: 35.0 μm - Charge: 3.20 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 4003 - Position: 40.0 μm - Charge: 2.35 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 4003 - Position: 45.0 μm - Charge: 3.07 pC - Rise Time: 0.66 ns




Transient Pulse - Sample: 4003 - Position: 50.0 μm - Charge: 3.19 pC - Rise Time: 1.11 ns




Transient Pulse - Sample: 4003 - Position: 55.0 μm - Charge: 3.54 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 60.0 μm - Charge: 3.67 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 65.0 μm - Charge: 3.15 pC - Rise Time: 0.72 ns




Transient Pulse - Sample: 4003 - Position: 70.0 μm - Charge: 2.67 pC - Rise Time: 0.70 ns




Transient Pulse - Sample: 4003 - Position: 75.0 μm - Charge: 3.09 pC - Rise Time: 3.07 ns




Transient Pulse - Sample: 4003 - Position: 80.0 μm - Charge: 2.51 pC - Rise Time: 1.10 ns




Transient Pulse - Sample: 4003 - Position: 85.0 μm - Charge: 2.66 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 90.0 μm - Charge: 4.63 pC - Rise Time: 1.39 ns




Transient Pulse - Sample: 4003 - Position: 95.0 μm - Charge: 6.92 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 100.0 μm - Charge: 8.70 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 105.0 μm - Charge: 12.25 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 110.0 μm - Charge: 14.11 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 115.0 μm - Charge: 17.65 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4003 - Position: 120.0 μm - Charge: 18.65 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 125.0 μm - Charge: 19.99 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 130.0 μm - Charge: 20.41 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 135.0 μm - Charge: 20.70 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4003 - Position: 140.0 μm - Charge: 20.70 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4003 - Position: 145.0 μm - Charge: 19.45 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 150.0 μm - Charge: 19.41 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4003 - Position: 155.0 μm - Charge: 20.55 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 4003 - Position: 160.0 μm - Charge: 20.32 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 4003 - Position: 165.0 μm - Charge: 19.43 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 4003 - Position: 170.0 μm - Charge: 19.62 pC - Rise Time: 1.06 ns




Transient Pulse - Sample: 4003 - Position: 175.0 μm - Charge: 19.46 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 4003 - Position: 180.0 μm - Charge: 19.26 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 4003 - Position: 185.0 μm - Charge: 19.47 pC - Rise Time: 1.17 ns




Transient Pulse - Sample: 4003 - Position: 190.0 μm - Charge: 19.99 pC - Rise Time: 1.18 ns




Transient Pulse - Sample: 4003 - Position: 195.0 μm - Charge: 19.30 pC - Rise Time: 1.21 ns




Transient Pulse - Sample: 4003 - Position: 200.0 μm - Charge: 19.13 pC - Rise Time: 1.22 ns




Transient Pulse - Sample: 4003 - Position: 205.0 μm - Charge: 18.41 pC - Rise Time: 1.26 ns




Transient Pulse - Sample: 4003 - Position: 210.0 μm - Charge: 18.10 pC - Rise Time: 1.20 ns




Transient Pulse - Sample: 4003 - Position: 215.0 μm - Charge: 18.80 pC - Rise Time: 1.37 ns




Transient Pulse - Sample: 4003 - Position: 220.0 μm - Charge: 17.26 pC - Rise Time: 1.45 ns




Transient Pulse - Sample: 4003 - Position: 225.0 μm - Charge: 18.30 pC - Rise Time: 1.49 ns




Transient Pulse - Sample: 4003 - Position: 230.0 μm - Charge: 17.39 pC - Rise Time: 1.57 ns




Transient Pulse - Sample: 4003 - Position: 235.0 μm - Charge: 17.26 pC - Rise Time: 2.42 ns




Transient Pulse - Sample: 4003 - Position: 240.0 μm - Charge: 15.91 pC - Rise Time: 2.52 ns




Transient Pulse - Sample: 4003 - Position: 245.0 μm - Charge: 16.10 pC - Rise Time: 2.94 ns




Transient Pulse - Sample: 4003 - Position: 250.0 μm - Charge: 15.14 pC - Rise Time: 3.31 ns




Transient Pulse - Sample: 4003 - Position: 255.0 μm - Charge: 12.82 pC - Rise Time: 3.01 ns




Transient Pulse - Sample: 4003 - Position: 260.0 μm - Charge: 11.01 pC - Rise Time: 4.81 ns




Transient Pulse - Sample: 4003 - Position: 265.0 μm - Charge: 8.48 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 270.0 μm - Charge: 6.60 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 4003 - Position: 275.0 μm - Charge: 4.30 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 4003 - Position: 280.0 μm - Charge: 4.19 pC - Rise Time: 1.51 ns




Transient Pulse - Sample: 4003 - Position: 285.0 μm - Charge: 3.95 pC - Rise Time: 3.38 ns




Transient Pulse - Sample: 4003 - Position: 290.0 μm - Charge: 3.35 pC - Rise Time: 1.06 ns




Transient Pulse - Sample: 4003 - Position: 295.0 μm - Charge: 4.25 pC - Rise Time: 1.35 ns




Transient Pulse - Sample: 4003 - Position: 300.0 μm - Charge: 2.73 pC - Rise Time: 1.35 ns




Transient Pulse - Sample: 4003 - Position: 305.0 μm - Charge: 2.78 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 4003 - Position: 310.0 μm - Charge: 3.11 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 4003 - Position: 315.0 μm - Charge: 3.83 pC - Rise Time: 2.36 ns




Transient Pulse - Sample: 4003 - Position: 320.0 μm - Charge: 3.34 pC - Rise Time: 4.23 ns




Transient Pulse - Sample: 4003 - Position: 325.0 μm - Charge: 3.34 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 330.0 μm - Charge: 3.07 pC - Rise Time: 1.13 ns




Transient Pulse - Sample: 4003 - Position: 335.0 μm - Charge: 2.19 pC - Rise Time: 0.83 ns




Transient Pulse - Sample: 4003 - Position: 340.0 μm - Charge: 3.32 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 345.0 μm - Charge: 2.29 pC - Rise Time: 0.56 ns




Transient Pulse - Sample: 4003 - Position: 350.0 μm - Charge: 1.99 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 355.0 μm - Charge: 1.75 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 360.0 μm - Charge: 2.02 pC - Rise Time: 0.58 ns




Transient Pulse - Sample: 4003 - Position: 365.0 μm - Charge: 1.94 pC - Rise Time: 0.70 ns




Transient Pulse - Sample: 4003 - Position: 370.0 μm - Charge: 2.48 pC - Rise Time: 0.68 ns




Transient Pulse - Sample: 4003 - Position: 375.0 μm - Charge: 3.18 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 4003 - Position: 380.0 μm - Charge: 2.98 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 385.0 μm - Charge: 2.51 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 390.0 μm - Charge: 3.25 pC - Rise Time: 1.13 ns




Transient Pulse - Sample: 4003 - Position: 395.0 μm - Charge: 4.54 pC - Rise Time: 4.51 ns




Transient Pulse - Sample: 4003 - Position: 400.0 μm - Charge: 2.61 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 4003 - Position: 405.0 μm - Charge: 2.67 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 410.0 μm - Charge: 2.31 pC - Rise Time: 1.29 ns



Transient Pulse - Sample: 4003 - Position: 415.0 μm - Charge: 1.68 pC - Rise Time: 0.00 ns (N/A)



Transient Pulse - Sample: 4003 - Position: 420.0 μm - Charge: 1.62 pC - Rise Time: 0.88 ns



Transient Pulse - Sample: 4003 - Position: 425.0 μm - Charge: 2.17 pC - Rise Time: 0.00 ns (N/A)

