



TCT Run 3 Summary

Parameter	Value
Run	3
Surface	N/A
Edge	x
Sample	4003
Vbias (V)	50.0
DAC (%)	63.0
Bandwidth	N/A
Path	C:\Users\miles\APD\TCT\Data\EdgeTCT\071026\071026\50V_63DAC
Irradiation (Fluence)	N/A
Notes	New sample 50V
Date	7/10/2026
Gain Constant	N/A


Collected Charge




Collected Charge




Rise Time




Transient Pulse - Sample: 4003 - Position: 0.0 μm - Charge: 1.17 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 4003 - Position: 5.0 μm - Charge: 1.96 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 10.0 μm - Charge: 1.68 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 15.0 μm - Charge: 2.29 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 4003 - Position: 20.0 μm - Charge: 2.21 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 25.0 μm - Charge: 1.98 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 4003 - Position: 30.0 μm - Charge: 1.25 pC - Rise Time: 0.47 ns




Transient Pulse - Sample: 4003 - Position: 35.0 μm - Charge: 1.40 pC - Rise Time: 0.66 ns




Transient Pulse - Sample: 4003 - Position: 40.0 μm - Charge: 1.35 pC - Rise Time: 0.59 ns




Transient Pulse - Sample: 4003 - Position: 45.0 μm - Charge: 1.53 pC - Rise Time: 0.65 ns




Transient Pulse - Sample: 4003 - Position: 50.0 μm - Charge: 1.74 pC - Rise Time: 0.68 ns




Transient Pulse - Sample: 4003 - Position: 55.0 μm - Charge: 2.18 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 4003 - Position: 60.0 μm - Charge: 2.67 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 4003 - Position: 65.0 μm - Charge: 2.94 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 4003 - Position: 70.0 μm - Charge: 3.12 pC - Rise Time: 0.76 ns




Transient Pulse - Sample: 4003 - Position: 75.0 μm - Charge: 2.92 pC - Rise Time: 0.83 ns




Transient Pulse - Sample: 4003 - Position: 80.0 μm - Charge: 3.10 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 85.0 μm - Charge: 3.77 pC - Rise Time: 0.76 ns




Transient Pulse - Sample: 4003 - Position: 90.0 μm - Charge: 3.71 pC - Rise Time: 0.72 ns




Transient Pulse - Sample: 4003 - Position: 95.0 μm - Charge: 3.89 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 4003 - Position: 100.0 μm - Charge: 4.62 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 105.0 μm - Charge: 4.76 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 4003 - Position: 110.0 μm - Charge: 5.15 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 4003 - Position: 115.0 μm - Charge: 5.26 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 4003 - Position: 120.0 μm - Charge: 5.51 pC - Rise Time: 0.83 ns




Transient Pulse - Sample: 4003 - Position: 125.0 μm - Charge: 5.92 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 4003 - Position: 130.0 μm - Charge: 6.01 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 4003 - Position: 135.0 μm - Charge: 6.61 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 140.0 μm - Charge: 7.45 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 145.0 μm - Charge: 7.19 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 4003 - Position: 150.0 μm - Charge: 7.19 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 4003 - Position: 155.0 μm - Charge: 7.76 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 4003 - Position: 160.0 μm - Charge: 7.93 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 4003 - Position: 165.0 μm - Charge: 8.46 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 4003 - Position: 170.0 μm - Charge: 8.59 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 4003 - Position: 175.0 μm - Charge: 9.59 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 4003 - Position: 180.0 μm - Charge: 9.86 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 185.0 μm - Charge: 10.13 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 190.0 μm - Charge: 10.43 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 195.0 μm - Charge: 10.59 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 200.0 μm - Charge: 11.05 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 205.0 μm - Charge: 11.71 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 4003 - Position: 210.0 μm - Charge: 12.10 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 4003 - Position: 215.0 μm - Charge: 12.07 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 4003 - Position: 220.0 μm - Charge: 12.71 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 225.0 μm - Charge: 12.33 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 4003 - Position: 230.0 μm - Charge: 13.02 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 235.0 μm - Charge: 13.33 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 240.0 μm - Charge: 13.89 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 245.0 μm - Charge: 13.78 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 4003 - Position: 250.0 μm - Charge: 14.20 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 255.0 μm - Charge: 14.27 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 260.0 μm - Charge: 14.61 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 265.0 μm - Charge: 14.81 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 270.0 μm - Charge: 15.10 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 275.0 μm - Charge: 15.23 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 280.0 μm - Charge: 15.69 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 285.0 μm - Charge: 15.84 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 4003 - Position: 290.0 μm - Charge: 15.86 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 4003 - Position: 295.0 μm - Charge: 16.30 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 300.0 μm - Charge: 16.69 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 305.0 μm - Charge: 16.50 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 310.0 μm - Charge: 16.68 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 315.0 μm - Charge: 16.91 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 320.0 μm - Charge: 16.79 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 325.0 μm - Charge: 17.12 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 330.0 μm - Charge: 16.97 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 335.0 μm - Charge: 16.93 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 340.0 μm - Charge: 17.31 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 345.0 μm - Charge: 17.33 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 350.0 μm - Charge: 17.16 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 355.0 μm - Charge: 17.23 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 360.0 μm - Charge: 17.06 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 365.0 μm - Charge: 16.72 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 370.0 μm - Charge: 16.78 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 375.0 μm - Charge: 16.68 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 380.0 μm - Charge: 16.80 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 385.0 μm - Charge: 16.44 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 390.0 μm - Charge: 16.39 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 395.0 μm - Charge: 16.19 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 400.0 μm - Charge: 15.86 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 405.0 μm - Charge: 15.75 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 410.0 μm - Charge: 15.59 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 415.0 μm - Charge: 15.32 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 420.0 μm - Charge: 15.21 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 425.0 μm - Charge: 15.18 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 4003 - Position: 430.0 μm - Charge: 14.70 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4003 - Position: 435.0 μm - Charge: 14.40 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 440.0 μm - Charge: 14.04 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 445.0 μm - Charge: 13.80 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 450.0 μm - Charge: 13.59 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 455.0 μm - Charge: 13.23 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 460.0 μm - Charge: 12.84 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 465.0 μm - Charge: 12.55 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 470.0 μm - Charge: 12.23 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 475.0 μm - Charge: 12.02 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 480.0 μm - Charge: 11.69 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 485.0 μm - Charge: 11.23 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 490.0 μm - Charge: 11.16 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 495.0 μm - Charge: 10.81 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 500.0 μm - Charge: 10.32 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 505.0 μm - Charge: 10.14 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 510.0 μm - Charge: 9.64 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 515.0 μm - Charge: 9.76 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 520.0 μm - Charge: 9.53 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 525.0 μm - Charge: 9.12 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 530.0 μm - Charge: 9.23 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 535.0 μm - Charge: 9.08 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4003 - Position: 540.0 μm - Charge: 8.47 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 545.0 μm - Charge: 8.63 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 550.0 μm - Charge: 8.65 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 555.0 μm - Charge: 8.09 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4003 - Position: 560.0 μm - Charge: 7.57 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 4003 - Position: 565.0 μm - Charge: 7.42 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 4003 - Position: 570.0 μm - Charge: 8.23 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4003 - Position: 575.0 μm - Charge: 8.68 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 4003 - Position: 580.0 μm - Charge: 9.31 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 585.0 μm - Charge: 9.33 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 590.0 μm - Charge: 9.26 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 595.0 μm - Charge: 8.50 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 600.0 μm - Charge: 6.99 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4003 - Position: 605.0 μm - Charge: 5.03 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 610.0 μm - Charge: 3.30 pC - Rise Time: 1.22 ns




Transient Pulse - Sample: 4003 - Position: 615.0 μm - Charge: 2.25 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 620.0 μm - Charge: 2.89 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 625.0 μm - Charge: 1.59 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 630.0 μm - Charge: 1.58 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 635.0 μm - Charge: 1.35 pC - Rise Time: 0.00 ns (N/A)



Transient Pulse - Sample: 4003 - Position: 640.0 μm - Charge: 2.64 pC - Rise Time: 0.00 ns (N/A)



Transient Pulse - Sample: 4003 - Position: 645.0 μm - Charge: 2.11 pC - Rise Time: 0.00 ns (N/A)



Transient Pulse - Sample: 4003 - Position: 650.0 μm - Charge: 1.30 pC - Rise Time: 0.00 ns (N/A)

